

DAFTAR PUSTAKA

- Bahulekar, R., Ayyangar, N.R. & Ponrathnam, S., 1991, Polyethyleneimine in immobilization of biocatalysts, *Enzyme Microb. Technol.*, 13, 11, 858–868.
- Bohrer, F.I., Sharoni, A., Colesniuc, C., Schuller, I.K., Kummel, A.C., Trogler, W.C. & Park, J., 2007, Gas Sensing Mechanism in Chemiresistive Cobalt and Metal-Free Phthalocyanine Thin Films, *JACS Articles* 11, 5640–5646.
- Borah, R. & Kumar, A., 2016, Fluorescence enhancement of glutaraldehyde functionalized polyaniline nanofibers in the presence of aromatic amino acids, *Mater. Sci. Eng. C*, 61, 762–772.
- Casalini, S., Bortolotti, C.A., Leonardi, F. & Biscarini, F., 2017, Self-assembled monolayers in organic electronics, *Chem. Soc. Rev.*, 46, 1, 40–71.
- Cerda, R., 2008, Pierce-Gate Crystal Oscillator, an introduction, Feature Article, March, 1–3.
- Chen, D. & Li, J., 2006, Interfacial design and functionization on metal electrodes through self-assembled monolayers, *Surf. Sci. Rep.*, 61, 11, 445–463.
- Chen, Z., Ng, S., Li, S.F.Y., Zhong, L., Xu, L. & Chan, H.S.O., 1997, The fabrication and evaluation of a vapour sensor based on quartz crystal microbalance coated with poly(o-anisidine) Langmuir-Blodgett layers, *Synth. Met.*, 87, 201–204.
- Cheng, L., Ma, S.Y., Wang, T.T., Luo, J., Li, X.B., Li, W.Q., Mao, Y.Z. & Gz, D.J., 2014, Highly sensitive acetic acid gas sensor based on coral-like and Y-doped SnO₂nanoparticles prepared by electrospinning, *Mater. Lett.*, 137, 41, 265–268.
- Cheung, H., Tanke, R.S. & Torrence, paul G., 2012, “Acetic Acid”, Ullmann’s Encyclopedia of Industrial Chemistry, *Ullman’s Encycl. Ind. Chem.*, 8, 1938, 255–271.
- Chopra, S., Pham, A., Gaillard, J., Parker, A. & Rao, A.M., 2002, Carbon-nanotube-based resonant-circuit sensor for ammonia, *Appl. Phys. Lett.*, 80, 24, 4632–4634.
- Choudhury, B.S. & Maity, K.S., 2015, A Low Phase Noise CMOS Ring VCO for Short Range Devise Application, 2, 0–4.

- Dickert, F.L., Hayden, O. & Halikias, K.P., 2001, Synthetic receptors as sensor coatings for molecules and living cells., *Analyst*, 126, 6, 766–771.
- Ebersole, R.C., Miller, J.A., Moran, J.R. & Ward, M.D., 1990, Spontaneously Formed Functionally Active Avidin Monolayers on Metal Surfaces: A Strategy for Immobilizing Biological Reagents and Design of Piezoelectric Biosensors, *J. Am. Chem. Soc.*, 112, 8, 3239–3241.
- Fitrilawati¹, S. Hidayat, W.Widorini¹, S. Sesiaria A, M. Rosmiati¹, H. Akiyama, dan K.T., 2008, Pembentukan Monolayer Azobenzen Disulfida Dan Karakterisasinya. In *Bionatura*. pp. 78–91.
- Fraden & Jacob, 2004, *Hanbook Of Modern Sensors Physisc, Designs, Applications*, Springer-Verlag New York, Inc., New York.
- Gopel, W. & Gassmann, O., 2001, *Sensor in Intelligent Buildings* O. Gassman., WILEY-VCH Verlag GmbH, Weinheim, New York.
- Havare, A.K., İlgü, ., Okur, S. & Şanlı-Mohamed, G., 2012, Humidity Sensing Properties of Chitosan by Using Quartz Crystal Microbalance Method, *Sens. Lett.*, 10, 3, 906–910.
- He, H., Zhou, L., Wang, Y., Li, C., Yao, J., Zhang, W., Zhang, Q., Li, M., Li, H. & Dong, W.F., 2015, Detection of trace microcystin-LR on a 20 MHz QCM sensor coated with in situ self-assembled MIPs, *Talanta*, 131, 8–13.
- Hoogvliet, J.C., Dijkma, M., Kamp, B. & Van Bennekom, W.P., 2000, Electrochemical pretreatment of polycrystalline gold electrodes to produce a reproducible surface roughness for self-assembly: A study in phosphate buffer pH 7.4, *Anal. Chem.*, 72, 9, 2016–2021.
- Humar, M., Pohleven, F. & Šentjerc, M., 2004, Effect of oxalic, acetic acid, and ammonia on leaching of Cr and Cu from preserved wood, *Wood Sci. Technol.*, 37, 6, 463–473.
- ICSC, 2010, ICSC: 0363 “Acetic Acid,” http://www.ilo.org/dyn/icsc/showcard.display_id=0363, diakses pada tanggal 7 Maret 2018
- Jie, H., 2006, Technical background , applications and implementation of quartz crystal microbalance systems, September, 65.
- Johannsmann, D., 2015, *The Quartz Crystal Microbalance in Soft Matter Research*,
- Lam, C.S., Lam, C.S., Wang, Y.J.C., Wang, Y.J.C., Wang, S.M. & Wang, S.M., 2004, A Review of the Recent Development of Temperature Stable Cuts of Quartz for SAW Applications, *Ultrasonics*, 1, 1–7.
- Mecea, V.M., 2005, From quartz crystal microbalance to fundamental principles of

mass measurements, *Anal. Lett.*, 38, 5, 753–767.

Mecea, V.M., 2006, Is quartz crystal microbalance really a mass sensor?, *Sensors Actuators, A Phys.*, 128, 2, 270–277.

National Institute for Occupational Safety and Health, 1992, Occupational Safety and Health Guideline for Acetic Acid, 1–7.

Öztürk, B., 2001, Immobilization of Lipase from *Candida rugosa* on Hydrophobic and Hydrophilic Supports, *Immobil. Lipase from Candida rugosa Hydrophobic Hydrophilic Support.*, 105.

Panigrahi, S., Sankaran, S., Mallik, S., Gaddam, B. & Hanson, A.A., 2012, Olfactory receptor-based polypeptide sensor for acetic acid VOC detection, *Mater. Sci. Eng. C*, 32, 6, 1307–1313.

Pantaine, L., Humblot, V., Coeffard, V. & Vallée, A., 2017, Sulfamide chemistry applied to the functionalization of self-assembled monolayers on gold surfaces, *Beilstein J. Org. Chem.*, 13, 648–658.

Patil, L.A., Sonawane, L.S. & Patil, D.G., 2011, Room Temperature Ammonia Gas Sensing Using MnO₂-Modified ZnO Thick Film Resistors, *J. Mod. Phys.*, 2, 10, 1215–1221.

Pettersson, L.A., Ghosh, S. & Inganäs, O., 2002, Optical anisotropy in thin films of poly (3,4-ethylenedioxythiophene)–poly(4-styrenesulfonate), *Org. Electron.*, 3, 3–4, 143–148.

Saputri, F.A., Mutakin, M., Lestari, K. & Levita, J., 2014, Determination of Safrole in Ethanol Extract of Nutmeg (*Myristica fragrans* Houtt) Using Reversed-Phase High Performance Liquid Chromatography, *Int. J. Chem.*, 6, 3, 14–21.

Shafiqul Islam, A.K.M., Ismail, Z., Ahmad, M.N., Saad, B., Othman, A.R., Shakaff, A.Y.M., Daud, A. & Ishak, Z., 2005, Transient parameters of a coated quartz crystal microbalance sensor for the detection of volatile organic compounds (VOCs), *Sensors Actuators, B Chem.*, 109, 2, 238–243.

Sigma-Aldrich, 2018, Acetic Acid, <https://www.sigmaaldrich.com/catalog/product/sial/537020>, diakses tanggal 20 Februari 2018.

Smith, R.K., Lewis, P.A. & Weiss, P.S., 2004, Patterning self-assembled monolayers, *Prog. Surf. Sci.*, 75, 1–2, 1–68.

Suh, J., Paik, H. & Hwang, K.B., 1994, Ionization of Poly(ethylenimine) and Poly(allylamine) at Various pH's., 318–327.

Wang, N., Wang, X., Jia, Y., Li, X., Yu, J. & Ding, B., 2014, Electrospun nanofibrous chitosan membranes modified with polyethyleneimine for

formaldehyde detection, *Carbohydr. Polym.*, 108, 1, 192–199.

White, W.R. & Leenheer, J.A., 1975, Determination of Free Formic and Acetic Acids by Gas Chromatography Using the Flame Ionization Detector, 13, August, 386–389.

Wijaya, R.P., 2013, *Self-Assembly Polymer*. Universitas Indonesia.

Wong, K.W., Yip, H.L., Luo, Y., Wong, K.Y., Lau, W.M., Low, K.H., Chow, H.F., Gao, Z.Q., Yeung, W.L. & Chang, C.C., 2002, Blocking reactions between indium-tin oxide and poly (3,4-ethylene dioxythiophene):poly(styrene sulphonate) with a self-assembly monolayer, *Appl. Phys. Lett.*, 80, 15, 2788–2790.

Xu, X., Cang, H., Li, C., Zhao, Z.K. & Li, H., 2009, Quartz crystal microbalance sensor array for the detection of volatile organic compounds, *Talanta*, 78, 3, 711–716.

Yuan, Z., Tai, H., Bao, X., Liu, C., Ye, Z. & Jiang, Y., 2016, Enhanced humidity-sensing properties of novel graphene oxide/zinc oxide nanoparticles layered thin film QCM sensor, *Mater. Lett.*, 174, 28–31.

Yan, Y., Guo, Y.P., Cai, L.K., Wu, Q., Zhou, H. & Wu, L.M., 2013, Environmental Monitoring of Acetic Acid Gas by Thin Film Polyaniline Sensor, *Adv. Mater. Res.*, 864–867, 913–918.

Yurish, S.Y. & Gomes, M.T.S.R., 2003, *Smart Sensor and MEMS Series II*, Kluwer Academic Publishers, London.

Zampetti, E., Pantalei, S., Muzyczuk, A., Bearzotti, A., De Cesare, F., Spinella, C. & Macagnano, A., 2013, A high sensitive NO₂ gas sensor based on PEDOT-PSS/TiO₂ nanofibres, *Sensors Actuators, B Chem.*, 176, 2, 390–398.

Zhang, X., Chu, S.S., Ho, J.R. & Grigoropoulos, C.P., 1997, Excimer laser ablation of thin gold films on a quartz crystal microbalance at various argon background pressures, *Appl. Phys. A Mater. Sci. Process.*, 64, 6, 545–552.