

DAFTAR PUSTAKA

- Amijaya, H., Ngisomuddin & Akmaluddin. 2010. Tsunamiite at South Coast of West Java. *SE Asian Applied Geology*, **2**, 35–39.
- Andriansyah, Panggabean, Y.B., Damanik, R., Putra, H.E., Atmaja, F.W. & Zen, M. 2011. Pre-eliminary results of paleotsunami investigation in Gunung Kidulan and Pacitan. *Proceeding JCM Makassar*, **40th**.
- Bahlburg, H. & Weiss, R. 2007. Sedimentology of the December 26, 2004, Sumatra tsunami deposits in eastern India (Tamil Nadu) and Kenya. *International Journal of Earth Sciences*, **96**, 1195–1209, <https://doi.org/10.1007/s00531-006-0148-9>.
- Baiyegunhi, A.C., Liu, K. & Gwavava, O. 2017. Grain Size Statistics and Depositional Pattern of the Ecca Group Sandstones, Karoo Supergroup in the Eastern Cape Province, South Africa. *Open Geosci*, **4**, 66143.
- Bardet, J.-P., Synolakis, C.E., Davies, H.L., Imamura, F. & Okal, E.A. 2003. Landslide Tsunamis: Recent Findings and Research Directions. *Pure and Applied Geophysics*, **160**, 1793–1809, <https://doi.org/10.1007/s00024-003-2406-0>.
- Blott, S. 2010. *Gradistat: A Grain Size Distribution and Statistics Package for the Analysis of Unconsolidated Sediments by Sieving or Laser Granulometer*. Crowthorne, Kenneth Pye Associates Ltd., **Version 8.0**.
- Bondevik, S., Svendsen, J.I. & Mangerud, J. 1997. Tsunami sedimentary facies deposited by the Storegga tsunami in shallow marine basins and coastal lakes, western Norway. *Sedimentology*, **44**, 1115–1131, <https://doi.org/10.1046/j.1365-3091.1997.d01-63.x>.
- Bourgeois, J. 2009. Geologic effects and records of Tsunamis. In: *The Sea*. Washington DC, Harvard University Press, 53–91.
- Brill, D., Brückner, H., Jankaew, K., Kelletat, D., Scheffers, a. & Scheffers, S. 2011. Potential predecessors of the 2004 Indian Ocean Tsunami - Sedimentary evidence of extreme wave events at Ban Bang Sak, SW Thailand. *Sedimentary Geology*, **239**, 146–161, <https://doi.org/10.1016/j.sedgeo.2011.06.008>.
- Brill, D., Pint, A., Jankaew, K., Frenzel, P., Schwarzer, K., Vött, A. & Bruckner, H. 2014. Sediment Transport and Hydrodynamic Parameters of Tsunami Waves Recorded in Onshore Geoarchives. *Journal of Coastal Research*, **30**, 922–941.
- Cantalamesa, G. & Di Celma, C. 2005. Sedimentary features of tsunami backwash deposits in a shallow marine Miocene setting, Mejillones Peninsula, northern Chile. *Sedimentary Geology*, **178**, 259–273, <https://doi.org/10.1016/j.sedgeo.2005.05.007>.
- Carey, S., Morelli, D., Sigurdsson, H. & Bronto, S. 2001. Tsunami deposits from major explosive eruptions: an example from the 1883 eruption of Krakatau. *Geology*, **29**, 347–350.
- Choowong, M., Murakoshi, N., et al. 2008a. 2004 Indian Ocean tsunami inflow and outflow at Phuket, Thailand. *Marine Geology*, **248**, 179–192, <https://doi.org/10.1016/j.margeo.2007.10.011>.
- Choowong, M., Murakoshi, N., et al. 2008b. Flow conditions of the 2004 Indian ocean tsunami in Thailand, inferred from capping bedforms and sedimentary structures. *Terra Nova*, **20**, 141–149, <https://doi.org/10.1111/j.1365-3121.2008.00799.x>.
- Costa, P. 2006. *Geological Recognition of Abrupt Marine Invasions in Two Coastal Areas of Portugal*. University of Brunel.

- Costa, P.J.M., Andrade, C. & Dawson, S. 2014. Geological Recognition of Onshore Tsunami Deposits. 465, <https://doi.org/10.1007/978-3-319-06305-8>.
- Dawson, A.G. & Stewart, I. 2007. Tsunami deposits in the geological record. *Sedimentary Geology*, **200**, 166–183, <https://doi.org/10.1016/j.sedgeo.2007.01.002>.
- Dawson, A.G., Shi, S., Dawson, S., Takahashi, T. & Shuto, N. 1996. Coastal sedimentation associated with the June 2nd and 3rd, 1994 Tsunami in Rajegwesi, Java. *Quaternary Science Reviews*, **15**, 901–912, [https://doi.org/10.1016/S0277-3791\(96\)00059-5](https://doi.org/10.1016/S0277-3791(96)00059-5).
- Dawson, S. 2007. Diatom biostratigraphy of tsunami deposits: Examples from the 1998 Papua New Guinea tsunami. *Sedimentary Geology*, **200**, 328–335, <https://doi.org/10.1016/j.sedgeo.2007.01.011>.
- Donato, S. V., Reinhardt, E.G., Boyce, J.I., Pilarczyk, J.E. & Jupp, B.P. 2009. Particle-size distribution of inferred tsunami deposits in Sur Lagoon, Sultanate of Oman. *Marine Geology*, **257**, 54–64, <https://doi.org/10.1016/j.margeo.2008.10.012>.
- Engel, M. & Brückner, H. 2011. The identification of palaeo-tsunami deposits – a major challenge in coastal sedimentary research. *Coastline Reports*, **17**, 65–80.
- Folk, R.R.L. & Ward, W.W.C. 1957. Brazos River Bar: A study in the significance of grain size parameters. *SEPM Journal of Sedimentary Research*, **27**, 3–26, <https://doi.org/10.1306/74D70646-2B21-11D7-8648000102C1865D>.
- Fritz, H.M., Kongko, W., et al. 2007. Extreme runup from the 17 July 2006 Java tsunami. *Geophysical Research Letters*, **34**, 1–5, <https://doi.org/10.1029/2007GL029404>.
- Fujino, S., Masuda, F., Tagomori, S. & Matsumoto, D. 2006. Structure and depositional processes of a gravelly tsunami deposit in a shallow marine setting: Lower Cretaceous Miyako Group, Japan. *Sedimentary Geology*, **187**, 127–138, <https://doi.org/10.1016/j.sedgeo.2005.12.021>.
- Fujino, S., Naruse, H., Matsumoto, D., Jarupongsakul, T., Sphawajruksakul, A. & Sakakura, N. 2009. Stratigraphic evidence for pre-2004 tsunamis in southwestern Thailand. *Marine Geology*, **262**, 25–28, <https://doi.org/10.1016/j.margeo.2009.02.011>.
- Fujiwara, O. & Kamataki, T. 2008. Tsunami Depositional Processes Reflecting The Waveform in a Small Bay: Interpretation From The Grain-Size Distribution and Sedimentary Structures. In: *Tsunamiites*. 133–152., <https://doi.org/10.1016/B978-0-444-51552-0.00009-6>.
- Fukao, Y. & Furumoto, M. 1985. Hierarchy in earthquake size distribution. *Physics of the Earth and Planetary Interiors*, **37**, 149–168, [https://doi.org/10.1016/0031-9201\(85\)90048-2](https://doi.org/10.1016/0031-9201(85)90048-2).
- Geist, E.L. & Kayen, R. 2005. Local Tsunami Hazards in the Pacific Northwest from Cascadia Subduction. *US. Geological Survey*, **1661-B**, 21.
- Gelfenbaum, G. & Jaffe, B. 2003. *Erosion and Sedimentation from the 17 July, 1998 Papua New Guinea Tsunami*, <https://doi.org/10.1007/s00024-003-2416-y>.
- Goff, J., McFadgen, B.G. & Chagué-Goff, C. 2004. Sedimentary differences between the 2002 Easter storm and the 15th-century Okoropunga tsunami, southeastern North Island, New Zealand. *Marine Geology*, **204**, 235–250, [https://doi.org/10.1016/S0025-3227\(03\)00352-9](https://doi.org/10.1016/S0025-3227(03)00352-9).
- Goff, J., Chagué-Goff, C., Nichol, S., Jaffe, B. & Dominey-Howes, D. 2012. Progress in palaeotsunami research. *Sedimentary Geology*, **243–244**, 70–88, <https://doi.org/10.1016/j.sedgeo.2011.11.002>.



- Hawkes, A.D., Bird, M., et al. 2007. Sediments deposited by the 2004 Indian Ocean Tsunami along the Malaysia-Thailand Peninsula. *Marine Geology*, **242**, 169–190, <https://doi.org/10.1016/j.margeo.2007.02.017>.
- Heiri, O., Lotter, A.F. & Lemcke, G. 2001. Loss on ignition as a method for estimating organic and carbonate content in sediments: Reproducibility and comparability of results. *Journal of Paleolimnology*, **25**, 101–110, <https://doi.org/10.1023/A:1008119611481>.
- Jackson, K.L. 2008. Paleotsunami History Recorded in Holocene Coastal Lagoon Sediments, Southeastern Sri Lanka. *Open Access Theses*, Paper 171.
- Jaffe, B., Gelfenbaum, G., et al. 2003. Identification and interpretation of tsunami deposits from the June 23, 2001 Peru tsunami. *International Conference on Coastal Sediments*, 13, <https://doi.org/10.1017/CBO9781107415324.004>.
- Jankaew, K., Atwater, B., et al. 2009. Hunting for the paleotsunami deposits in Thailand. *Epochal Tsukuba*, 41–43.
- Kanhaiya, S., Singh, B.P., Tripathi, M., Sahu, S. & Tiwari, V. 2017. Lithofacies and particle-size characteristics of late Quaternary floodplain deposits along the middle reaches of the Ganga river central Ganga plain, India. *Geomorphology*, **284**, 220–228, <https://doi.org/10.1016/j.geomorph.2016.08.030>.
- Knapp, K.R., Kruk, M.C., Levinson, D.H., Diamond, H.J. & Neuman, C.J. 2010. The International Best Track Archive for Climate Stewardship (IBTrACS): Unifying Tropical Cyclone Data. *American Meteorology Society*, <https://doi.org/10.1175/2009BAMS2755.1>.
- Kortekaas, S. & Dawson, a. G. 2007. Distinguishing tsunami and storm deposits: An example from Martinhal, SW Portugal. *Sedimentary Geology*, **200**, 208–221, <https://doi.org/10.1016/j.sedgeo.2007.01.004>.
- Krumbein, W.C. & Pettijohn, F.J. 1938. *Manual of Sedimentary Petrography*. New York, Appleton-Century-Crofts.
- Kulkarni, S.J., Deshbhandari, P.G. & Jayappa, K.S. 2015. Seasonal Variation in Textural Characteristics and Sedimentary Environments of Beach Sediments, Karnataka Coast, India. *Aquatic Procedia*, **4**, 117–124, <https://doi.org/10.1016/j.aqpro.2015.02.017>.
- Kumar, G., Ramanathan, A.L. & Rajkumar, K. 2010. Textural characteristics of the surface sediments of a Tropical mangrove ecosystem Gulf of Kachchh, Gujarat, India. *Indian Journal of Marine Sciences*, **39**, 415–422.
- Lapidus, D.F. 1990. *Collins Dictionary of Geology*, 2nd ed. Winstanley, I. (ed.). London, COLLINS, <https://doi.org/10.1029/2000JE001364>.
- Lavigne, F., Gomez, C., et al. 2007. Field observations of the 17 July 2006 Tsunami in Java. *Natural Hazards and Earth System Science*, **7**, 177–183, <https://doi.org/10.5194/nhess-7-177-2007>.
- Liro, M. 2015. Differences in the reconstructions of the depositional environment of overbank sediments performed using the C / M diagram and cumulative curve analyses. **2015**, 35–40, <https://doi.org/10.12657/landfana.029.005>.
- Mamo, B., Strotz, L. & Dominey-Howes, D. 2009. Tsunami sediments and their foraminiferal assemblages. *Earth-Science Reviews*, **96**, 263–278, <https://doi.org/10.1016/j.earscirev.2009.06.007>.
- Mandeville, C.W., Carey, S. & Sigurdsson, H. 1996. Sedimentology of the Krakatau 1883 submarine pyroclastic deposits. *Bulletin of Volcanology*, **57**, 512–529,

<https://doi.org/10.1007/BF00304436>.

- Matsumoto, D., Naruse, H., Fujino, S., Surphawajruksakul, A., Jarupongsakul, T., Sakakura, N. & Murayama, M. 2008. Truncated flame structures within a deposit of the Indian Ocean Tsunami: Evidence of syn-sedimentary deformation. *Sedimentology*, **55**, 1559–1570, <https://doi.org/10.1111/j.1365-3091.2008.00957.x>.
- McSaveney, M., Goff, J., Darby, D., Goldsmith, P., Barnett, a, Elliott, S. & Nongkas, M. 2000. The 17th July 1998 Tsunami, Sissano Lagoon, Papua New Guinea-evidence and initial interpretation. *Marine Geology*, **170**, 81–92.
- Mhammdi, N., Medina, F., Trentesaux, A., Font, E., Belkhat, Z. & Geawhari, M.-A. 2015. Sedimentary Evidence of Palaeo-Tsunami Deposits Along The Loukkos Estuary (Moroccan Atlantic Coast). *Journal of Tsunami Society International*, **32**, 77–95.
- Minoura, K. & Nakaya, S. 1991. Traces of Tsunami Preserved in Inter-Tidal Lacustrine and Marsh Deposits: Some Examples from Northeast Japan. *The journal of Geology*, **99**, 265–287.
- Minoura, K., Nakaya, S. & Uchida, M. 1994. Tsunami deposits in a lacustrine sequence of the Sanriku coast, northeast Japan. *Sedimentary Geology*, **89**, 25–31, [https://doi.org/10.1016/0037-0738\(94\)90081-7](https://doi.org/10.1016/0037-0738(94)90081-7).
- Minoura, K., Imamura, F. & Sugawara, D. 2001. The 869 Jogan tsunami deposit and recurrence interval of large-scale tsunami on the Pacific coast of northeast Japan. *Journal of Natural Disaster Science*, **23**, 83–88.
- Monecke, K., Finger, W., Klarer, D., Kongko, W., Mcadoo, B., Moore, A.L. & Sudrajat, S.U. 2009. A rapidly prograding beach ridge plain as an archive for past tsunamis. *Epochal Tsukuba*, 25–27.
- Moore, A., Goff, J., et al. 2011. Sedimentary Deposits from the 17 July 2006 Western Java Tsunami, Indonesia: Use of Grain Size Analyses to Assess Tsunami Flow Depth, Speed, and Traction Carpet Characteristics. *Pure and Applied Geophysics*, **168**, 1951–1961, <https://doi.org/10.1007/s00024-011-0280-8>.
- Moore, A.L., McAdoo, B.G. & Ruffman, A. 2007. Landward fining from multiple sources in a sand sheet deposited by the 1929 Grand Banks tsunami, Newfoundland. *Sedimentary Geology*, **200**, 336–346, <https://doi.org/10.1016/j.sedgeo.2007.01.012>.
- Morton, R. a., Gelfenbaum, G. & Jaffe, B.E. 2007. Physical criteria for distinguishing sandy tsunami and storm deposits using modern examples. *Sedimentary Geology*, **200**, 184–207, <https://doi.org/10.1016/j.sedgeo.2007.01.003>.
- Morton, R. a., Goff, J.R. & Nichol, S.L. 2008. Hydrodynamic implications of textural trends in sand deposits of the 2004 tsunami in Sri Lanka. *Sedimentary Geology*, **207**, 56–64, <https://doi.org/10.1016/j.sedgeo.2008.03.008>.
- Mycielska-dowgiało, E. & Ludwikowska-kędzia, M. 2011. Alternative interpretations of grain-size data from Quaternary deposits. *GEOLOGOS*, **17**, 189–203, <https://doi.org/10.2478/v10118-011-0010>.
- Nanayama, F. & Shigeno, K. 2006. Inflow and outflow facies from the 1993 tsunami in southwest Hokkaido. *Sedimentary Geology*, **187**, 139–158, <https://doi.org/10.1016/j.sedgeo.2005.12.024>.
- Nanayama, F., Shigeno, K., Satake, K., Shimokawa, K., Koitabashi, S., Miyasaka, S. & Ishii, M. 2000. Sedimentary differences between the 1993 Hokkaido-nansei-oki tsunami and the 1959 Miyakojima typhoon at Taisei, southwestern Hokkaido, northern Japan. *Sedimentary Geology*, **135**, 255–264, <https://doi.org/10.1016/S0037->

0738(00)00076-2.

- Naruse, H., Fujino, S., Suphawajruksakul, A. & Jarupongsakul, T. 2010. Features and formation processes of multiple deposition layers from the 2004 Indian Ocean Tsunami at Ban Nam Kem, southern Thailand. *Island Arc*, **19**, 399–411, <https://doi.org/10.1111/j.1440-1738.2010.00732.x>.
- Nelson, A.R., Sawai, Y., et al. 2008. Great-earthquake paleogeodesy and tsunamis of the past 2000 years at Alsea Bay, central Oregon coast, USA. *Quaternary Science Reviews*, **27**, 747–768, <https://doi.org/10.1016/j.quascirev.2008.01.001>.
- Newcomb, K.R. & McCann, W.R. 1987. Seismic History and Seismotectonic of The Sunda Arc. *Journal of Geophysical Research*, **92**, 421–439.
- Nomanbhoy, N. & Satake, K. 1995. Generation mechanism of tsunamis from the 1883 Krakatau Eruption. *Geophysical Research Letters*, **22**, 509, <https://doi.org/10.1029/94GL03219>.
- Papadopoulos, G.A. 2003. Quantification of Tsunamis: A Review. 1–10, <https://doi.org/10.1007/978-94-010-0205-9>.
- Paris, R., Fournier, J., Poizot, E., Etienne, S., Morin, J., Lavigne, F. & Wassmer, P. 2010. Boulder and fine sediment transport and deposition by the 2004 tsunami in Lhok Nga (western Banda Aceh, Sumatra, Indonesia): A coupled offshore-onshore model. *Marine Geology*, **268**, 43–54, <https://doi.org/10.1016/j.margeo.2009.10.011>.
- Paris, R., Wassmer, P., et al. 2014. Coupling eruption and tsunami records: The Krakatau 1883 case study, Indonesia. *Bulletin of Volcanology*, **76**, 1–23, <https://doi.org/10.1007/s00445-014-0814-x>.
- Phantu Wongraj, S. & Choowong, M. 2012. Tsunamis versus storm deposits from Thailand. *Natural Hazards*, **63**, 31–50, <https://doi.org/10.1007/s11069-011-9717-8>.
- Putra, P.S., Nishimura, Y. & Yulianto, E. 2013. Sedimentary Features of Tsunami Deposits in Carbonate-Dominated Beach Environments: A Case Study from the 25 October 2010 Mentawai Tsunami. *Pure and Applied Geophysics*, **170**, 1583–1600, <https://doi.org/10.1007/s00024-012-0539-8>.
- Rajganapathi, V.C., Jitheshkumar, N., Sundararajan, M., Bhat, K.H. & Velusamy, S. 2013. Grain size analysis and characterization of sedimentary environment along Thiruchendur coast, Tamilnadu, India. *Arabian Journal of Geosciences*, **6**, 4717–4728, <https://doi.org/10.1007/s12517-012-0709-0>.
- Reese, S., Cousins, W.J., Power, W.L., Palmer, N.G., Tejakusuma, I.G. & Nugraha, S. 2007. Tsunami vulnerability of buildings and people in South Java — field observations after the July 2006 Java tsunami. *Natural Hazards and Earth System Science*, **7**, 573–589, <https://doi.org/10.5194/nhess-7-573-2007>.
- Richmond, B.M., Jaffe, B.E., Gelfenbaum, G. & Morton, R.A. 2006. Geologic Impacts of the 2004 Indian Ocean Tsunami on Indonesia, Sri Lanka, and the Maldives. *Z. Geomorph. N. F.*, **146**, 235–251, <https://doi.org/10.1004-2798/06/0146-0235>.
- Sakuna-Schwartz, D., Feldens, P., Schwarzer, K., Khokiattiwong, S. & Stattegger, K. 2015. Internal structure of event layers preserved on the Andaman Sea continental shelf, Thailand: tsunami vs. storm and flash-flood deposits. *Natural Hazards and Earth System Science*, **15**, 1181–1199, <https://doi.org/10.5194/nhess-15-1181-2015>.
- Salem, E.S.M. 2009. Paleo-Tsunami deposits on the Red Sea beach, Egypt. *Arabian Journal of Geosciences*, **2**, 185–197, <https://doi.org/10.1007/s12517-008-0027-8>.
- Satake, K., Nishimura, Y., et al. 2013. Tsunami Source of the 2010 Mentawai, Indonesia Earthquake Inferred from Tsunami Field Survey and Waveform Modeling. *Pure and*

- Applied Geophysics*, **170**, 1567–1582, <https://doi.org/10.1007/s00024-012-0536-y>.
- Sathasivam, S., Kankara, R.S., Selvan, S.C., Muthusamy, M., Samykannu, A. & Bhoopathi, R. 2015. Textural Characterization of Coastal Sediments along Tamil Nadu coast , East coast of India . *Procedia Engineering*, **116**, 794–801, <https://doi.org/10.1016/j.proeng.2015.08.366>.
- Sato, H., Shimamoto, T., Tsutsumi, A. & Kawamoto, E. 1995. Onshore tsunami deposits caused by the 1993 Southwest Hokkaido and 1983 Japan Sea earthquakes. *Pure and Applied Geophysics PAGEOPH*, **144**, 693–717, <https://doi.org/10.1007/BF00874390>.
- Sawai, Y., Jankaew, K., Martin, M.E., Prendergast, A., Choowong, M. & Charoentitirat, T. 2009. Diatom assemblages in tsunami deposits associated with the 2004 Indian Ocean tsunami at Phra Thong Island, Thailand. *Marine Micropaleontology*, **73**, 70–79, <https://doi.org/10.1016/j.marmicro.2009.07.003>.
- Scheffers, a. & Kelletat, D. 2003. Sedimentologic and geomorphologic tsunami imprints worldwide - A review. *Earth-Science Reviews*, **63**, 83–92, [https://doi.org/10.1016/S0012-8252\(03\)00018-7](https://doi.org/10.1016/S0012-8252(03)00018-7).
- Shanmugam, G. 2011. Process-sedimentological challenges in distinguishing paleo-tsunami deposits. *Natural Hazards*, **63**, 5–30, <https://doi.org/10.1007/s11069-011-9766-z>.
- Shi, S. 1995. *Observational and Theoretical Aspects of Tsunami Sedimentation*,. Unpublished PhD Thesis. Coventry: Coventry University.
- Shi, S., Dawson, A.G. & Smith, D.E. 1995. Coastal Sedimentation Associated with the December 12th, 1992 Tsunami in Flores, Indonesia. **144**.
- Sigurdsson, H., Carey, S. & Mandeville, C. 1991. Submarine pyroclastic flows of the 1883 eruption of Krakatau volcano. *National Geographic Research & Exploration*, **7**, 310–327, <https://doi.org/10.1029/90EO00286>.
- Spiske, M., Piepenbreier, J., Benavente, C. & Bahlburg, H. 2013. Preservation potential of tsunami deposits on arid siliciclastic coasts. *Earth-Science Reviews*, **126**, 58–73, <https://doi.org/10.1016/j.earscirev.2013.07.009>.
- Srinivasalu, S., Rajeshwara Rao, N., Thangadurai, N., Jonathan, M.P., Roy, P.D., Ram Mohan, V. & Saravanan, P. 2009. Characteristics of 2004 tsunami deposits of the northern Tamil Nadu coast, southeastern India. *Boletin de la Sociedad Geologica Mexicana*, **61**, 111–118.
- Srisutam, C. & Wagner, J.F. 2010. Tsunami sediment characteristics at the Thai Andaman Coast. *Pure and Applied Geophysics*, **167**, 215–232, <https://doi.org/10.1007/s00024-009-0015-2>.
- Sugawara, D., Minoura, K. & Imamura, F. 2008. *Tsunamis and Tsunami Sedimentology*, <https://doi.org/10.1016/B978-0-444-51552-0.00003-5>.
- Sugeng, P., Nanang, T.P., Afnimar & Gunawan, I. 2011. Characterization of Tsunamigenic Earthquake of 2010 Mentawai Based on Analysis of Source Mechanism. *PROCEEDINGS JCM MAKASSAR*, **40**, 36–50.
- Sunardi, B., Anugrah, S.D., Hardy, T. & Ngadmanto, D. 2011. An Abnormal Tsunami Generated By October 25th, 2010 Mentawai Earthquake. *PROCEEDINGS JCM MAKASSAR*, **40**, 50–64.
- Switzer, a. D. & Jones, B.G. 2008. Large-scale washover sedimentation in a freshwater lagoon from the southeast Australian coast: sea-level change, tsunami or exceptionally large storm? *The Holocene*, **18**, 787–803,

<https://doi.org/10.1177/0959683608089214>.

- Switzer, a. D., Srinivasalu, S., Thangadurai, N. & Ram Mohan, V. 2012. Bedding structures in Indian tsunami deposits that provide clues to the dynamics of tsunami inundation. *Geological Society, London, Special Publications*, **361**, 61–77, <https://doi.org/10.1144/SP361.6>.
- Szczuciński, W., Kokociński, M., Rzeszewski, M., Chagué-Goff, C., Cachão, M., Goto, K. & Sugawara, D. 2012. Sediment sources and sedimentation processes of 2011 Tohoku-oki tsunami deposits on the Sendai Plain, Japan - Insights from diatoms, nannoliths and grain size distribution. *Sedimentary Geology*, **282**, 40–56, <https://doi.org/10.1016/j.sedgeo.2012.07.019>.
- Takashimizu, Y. & Masuda, F. 2000. Depositional facies and sedimentary successions of earthquake-induced tsunami deposits in Upper Pleistocene incised valley fills, central Japan. *Sedimentary Geology*, **135**, 231–239, [https://doi.org/10.1016/S0037-0738\(00\)00074-9](https://doi.org/10.1016/S0037-0738(00)00074-9).
- Tinti, S. 1990. Tsunami research in Europe. *Terra Nova*, **2**, 19–22, <https://doi.org/10.1111/j.1365-3121.1990.tb00032.x>.
- Tsuji, Y., Imamura, F., et al. 1995. Field survey of the East Java earthquake and tsunami of June 3, 1994. *Pure and Applied Geophysics PAGEOPH*, **144**, 839–854, <https://doi.org/10.1007/BF00874397>.
- Tuttle, M.P., Ruffman, A., Anderson, T. & Jeter, H. 2004. Distinguishing Tsunami from Storm Deposits in Eastern North America : The 1929 Banks Tsunami Versus the 1991 Halloween Storm. *Seismological Research Letters*, **75**, 117–131.
- Udden, J.A. 1914. Mechanical Composition of Clastic Sediments. *Bulletin of The Geological Society of America*, **25**, 655–744.
- Van Den Bergh, G.D., Boer, W., De Haas, H., Van Weering, T.C.E. & Van Wijhe, R. 2003. Shallow marine tsunami deposits in Teluk Banten (NW Java, Indonesia), generated by the 1883 Krakatau eruption. *Marine Geology*, **197**, 13–34, [https://doi.org/10.1016/S0025-3227\(03\)00088-4](https://doi.org/10.1016/S0025-3227(03)00088-4).
- Visher, G.S. 1969. Grainsize distributions and depositional processes. *Journal of Sedimentary Research*, **39**, 1074–1106.
- Ward, S.N. 2002. Tsunamis. *The Encyclopedia of Physical Science and Technology*, **17**, 175–191.
- Wentworth. 1922. A Scale of Grade and Class Terms for Clastic Sediments. *Journal of Geology*, **30**, 377–392.
- Yawsangratt, S., Szczuciński, W., Chaimanee, N., Chatprasert, S., Majewski, W. & Lorenc, S. 2012. Evidence of probable paleotsunami deposits on Kho Khao Island, Phang Nga Province, Thailand. *Natural Hazards*, **63**, 151–163, <https://doi.org/10.1007/s11069-011-9729-4>.
- Yudhicara, Kongko, W., et al. 2010. Jejak tsunami 25 Oktober 2010 di Kepulauan Mentawai berdasarkan penelitian kebumian dan wawancara. *Jurnal Lingkungan dan Bencana Geologi*, **1**, 165–181.
- Yudhicara, Zaim, Y., Rizal, Y., Triyono, R., Setiyono, U. & Hartanto, D. 2013. Characteristics of Paleotsunami Sediments , A Case Study in Cilacap and Pangandaran Coastal Areas , Jawa , Indonesia. *Indonesian Journal of Geology*, **8**, 163–175.
- Yulianto, E. & Atmaja, C.M.S. 2009. Predecessors of the 2006 South Java Tsunami. *Epochal Tsukuba*, **March**, 18–21.



UNIVERSITAS
GADJAH MADA

Identifikasi Endapan Paleotsunami daerah Cikembulan, Pangandaran, Jawa Barat
BAGUS SUKARJONO BAYU SAPUTRA, Dr. Donatus Hendra Amijaya, S.T., M.T; Dr. Eko Yulianto, S.T., M.T.
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Zen, M.T., Andriansyah, et al. (eds.). 2011. *T s u n a m i S*. PT. Asuransi MAIPARK Indonesia.