

DAFTAR PUSTAKA

- [1] I. F. Akyildiz, T. Melodia, and K. R. Chowdhury, "A survey on wireless multimedia sensor networks," *Comput. Networks*, vol. 51, no. 4, pp. 921–960, Mar. 2007.
- [2] S. Misra, M. Reisslein, and G. Xue, "A survey of multimedia streaming in wireless sensor networks," *{IEEE} Commun. Surv. Tutorials*, vol. 10, no. 4, pp. 18–39, 2008.
- [3] S. Ehsan and B. Hamdaoui, "A survey on energy-efficient routing techniques with QoS assurances for wireless multimedia sensor networks," *IEEE Commun. Surv. Tutorials*, vol. 14, no. 2, pp. 265–278, 2012.
- [4] J. N. Al-Karaki and a E. Kamal, "Wireless Sensor Networks Routing Techniques in Wireless Sensor Networks: a Survey," *Ieee Wirel. Commun.*, vol. 11, no. December, pp. 6–28, 2004.
- [5] N. A. Pantazis, S. A. Nikolidakis, and D. D. Vergados, "Energy-Efficient Routing Protocols in Wireless Sensor Networks: A Survey," *IEEE Commun. Surv. Tutorials*, vol. 15, no. 2, pp. 551–591, 2013.
- [6] S. Aswale and V. R. Ghorpade, "Survey of QoS Routing Protocols in Wireless Multimedia Sensor Networks," *J. Comput. Networks Commun.*, vol. 2015, p. 29, 2015.
- [7] V. Bhandary, A. Malik, and S. Kumar, "Routing in Wireless Multimedia Sensor Networks: A Survey of Existing Protocols and Open Research Issues," *J. Eng.*, vol. 2016, p. 27, 2016.
- [8] A. Murtala, L. Ang, and K. Phooi, "Classical and swarm intelligence based routing protocols for wireless sensor networks: A survey and comparison," *J. Netw. Comput. Appl.*, vol. 35, no. 5, pp. 1508–1536, 2012.
- [9] M. Saleem, G. A. Di Caro, and M. Farooq, "Swarm intelligence based routing protocol for wireless sensor networks: Survey and future directions," *Inf. Sci. (Ny)*, vol. 181, no. 20, pp. 4597–4624, 2011.
- [10] G. Han, J. Jiang, M. Guizani, and J. J. P. C. Rodrigues, "Green Routing Protocols for Wireless Multimedia Sensor Networks," *IEEE Wirel. Commun.*, vol. 23, no. 6, pp. 140–146, Dec. 2016.
- [11] A. Alanazi, K. Elleithy, H. D. E. Al-Ariki, M. N. S. Swamy, A. K. Demir, H. E. Demiray, S. Baydere, T. Gao, J. Y. Song, J. Y. Zou, J. H. Ding, D. Q. Wang, R. C. Jin, G. Han, B. Interior, L. Han, S. Sun, B. Joo, X. Jin, S. Han, H. Shen, and G. Bai, "QoSMS: Cross-layer QoS architecture for wireless

- multimedia sensor networks,” *Wirel. Networks*, vol. 23, no. 1, pp. 30–49, 2016.
- [12] A. Alanazi and K. Elleithy, “Real-Time QoS Routing Protocols in Wireless Multimedia Sensor Networks: Study and Analysis,” *Sensors*, vol. 15, no. 9, pp. 22209–22233, 2015.
 - [13] Yao Lan, Wen Wenjing, and Gao Fuxiang, “A real-time and energy aware QoS routing protocol for Multimedia Wireless Sensor Networks,” in *2008 7th World Congress on Intelligent Control and Automation*, 2008, pp. 3321–3326.
 - [14] L. Shu, Y. Zhang, L. T. Yang, Y. Wang, M. Hauswirth, and N. Xiong, “TPGF: geographic routing in wireless multimedia sensor networks,” *Telecommun. Syst.*, vol. 44, no. 1–2, pp. 79–95, Jun. 2010.
 - [15] S. Medjah, T. Ahmed, and A. H. Asgari, “Streaming multimedia over WMSNs: an online multipath routing protocol,” *Int. J. Sens. Networks*, vol. 11, no. 1, p. 10, 2012.
 - [16] X. CAO, R.-C. WANG, H.-P. HUANG, L.-J. SUN, and F. XIAO, “Multi-Path Routing Algorithm for Video Stream in Wireless Multimedia Sensor Networks,” *J. Softw.*, vol. 23, no. 1, pp. 108–121, Mar. 2012.
 - [17] F. Li, “QoS Differentiated Service Routing for Wireless Multimedia Sensor Networks,” *Acta Electronica Sinica*, vol. 38, no. 10, pp. 2322–28, 2010.
 - [18] A. Sheikh, E. Felemban, and S. Basalamah, “Priority-Based Routing Framework for Multimedia Delivery in Surveillance Networks,” in *The Sixth International Conferences on Advances in Multimedia*, 2014, pp. 1–9.
 - [19] M. Tahir and R. Farrell, “A cross-layer framework for optimal delay-margin, network lifetime and utility tradeoff in wireless visual sensor networks,” *Ad Hoc Networks*, vol. 11, no. 2, pp. 701–711, Mar. 2013.
 - [20] G. Han, Y. Dong, H. Guo, L. Shu, and D. Wu, “Cross-layer optimized routing in wireless sensor networks with duty cycle and energy harvesting,” *Wirel. Commun. Mob. Comput.*, vol. 15, no. 16, pp. 1957–1981, Nov. 2015.
 - [21] D. Kandris, M. Tsagkaropoulos, I. Politis, A. Tzes, and S. Kotsopoulos, “Energy efficient and perceived QoS aware video routing over Wireless Multimedia Sensor Networks,” *Ad Hoc Networks*, vol. 9, no. 4, pp. 591–607, Jun. 2011.
 - [22] Rui Dai, Pu Wang, and I. F. Akyildiz, “Correlation-Aware QoS Routing With Differential Coding for Wireless Video Sensor Networks,” *IEEE Trans. Multimed.*, vol. 14, no. 5, pp. 1469–1479, Oct. 2012.

- [23] L. Cobo, A. Quintero, and S. Pierre, "Ant-based routing for wireless multimedia sensor networks using multiple QoS metrics," *Comput. Networks*, vol. 54, no. 17, pp. 2991–3010, Dec. 2010.
- [24] T. Hounghbadji and S. Pierre, "QoSNET: An integrated QoS network for routing protocols in large scale wireless sensor networks," *Comput. Commun.*, vol. 33, no. 11, pp. 1334–1342, Jul. 2010.
- [25] K. Lin, J. J. P. C. Rodrigues, H. Ge, N. Xiong, and X. Liang, "Energy Efficiency QoS Assurance Routing in Wireless Multimedia Sensor Networks," *IEEE Syst. J.*, vol. 5, no. 4, pp. 495–505, Dec. 2011.
- [26] I. T. Almalkawi, M. Guerrero Zapata, and J. N. Al-Karaki, "A Cross-Layer-Based Clustered Multipath Routing with QoS-Aware Scheduling for Wireless Multimedia Sensor Networks," *Int. J. Distrib. Sens. Networks*, vol. 8, no. 5, p. 392515, May 2012.
- [27] E. Cañete, M. Díaz, L. Llopis, and B. Rubio, "HERO: A hierarchical, efficient and reliable routing protocol for wireless sensor and actor networks," *Comput. Commun.*, vol. 35, no. 11, pp. 1392–1409, Jun. 2012.
- [28] A. M. Zungeru, K. P. Seng, L.-M. Ang, and W. Chong Chia, "Energy Efficiency Performance Improvements for Ant-Based Routing Algorithm in Wireless Sensor Networks," *J. Sensors*, vol. 2013, pp. 1–17, 2013.
- [29] Y. Zhang, L. D. Kuhn, and M. P. J. Fromherz, "Improvements on Ant Routing for Sensor Networks," 2004, pp. 154–165.
- [30] M. Saleem, I. Ullah, and M. Farooq, "BeeSensor: An energy-efficient and scalable routing protocol for wireless sensor networks," *Inf. Sci. (Ny.)*, vol. 200, pp. 38–56, Oct. 2012.
- [31] T. Camilo, C. Carreto, J. S. Silva, and F. Boavida, "An Energy-Efficient Ant-Based Routing Algorithm for Wireless Sensor Networks," 2006, pp. 49–59.
- [32] L. Song, Y. Zhang, R. Yu, W. Yao, and Z. Wu, "Cross-Layer Optimized Routing for Wireless Sensor Networks Using Dynamic Programming," no. x, 2009.
- [33] A. Fallahi and E. Hossain, "A Dynamic Programming Approach for QoS-Aware Power Management in Wireless Video Sensor Networks," *IEEE Trans. Veh. Technol.*, vol. 58, no. 2, pp. 843–854, 2009.
- [34] Y. Qin and R. Zhu, "Efficient Routing Algorithm Based on Decision-making Sequence in Wireless Mesh Networks," *J. Networks*, vol. 7, no. 3, pp. 502–509, 2012.
- [35] J. Crichigno, J. Khoury, M. Y. Wu, and W. Shu, "A Dynamic Programming

- Approach for Routing in Wireless Mesh Networks,” pp. 1–5, 2008.
- [36] S. Ci, H. Wang, and D. Wu, “A theoretical framework for quality-aware cross-layer optimized wireless multimedia communications,” *Adv. Multimed.*, vol. 2008, 2008.
 - [37] A. Gogu, D. Nace, E. Natalizio, and Y. Challal, “Using dynamic programming to solve the Wireless Sensor Network Configuration Problem,” *J. Netw. Comput. Appl.*, vol. 83, pp. 140–154, Apr. 2017.
 - [38] A. Ben Ammar, O. Bouattay, A. Dziri, M. Terre, and H. Youssef, “Performance analysis of AODV and AOMDV over SMAC and IEEE 802.15.4 in Wireless Multimedia Sensor Network,” in *2015 International Wireless Communications and Mobile Computing Conference (IWCMC)*, 2015, no. 1, pp. 1464–1468.
 - [39] E. Felemban, S. Member, and C. Lee, “MMSPEED: Multipath Multi-SPEED Protocol for QoS Guarantee of Reliability and Timeliness in Wireless Sensor Networks,” vol. 5, no. 6, pp. 738–754, 2015.
 - [40] K. Akkaya and M. Younis, “An Energy-Aware QoS Routing Protocol for Wireless Sensor Networks,” *23rd Int. Conf. Distrib. Comput. Syst. Work.*, 2003.
 - [41] O. Chipara, Z. He, G. Xing, Q. Chen, X. Wang, C. Lu, J. Stankovic, and T. Abdelzaher, “Real-time power-aware routing in sensor networks,” *IEEE Int. Work. Qual. Serv. IWQoS*, pp. 83–92, 2006.
 - [42] G. Di Caro, F. Ducatelle, and L. M. Gambardella, “Special Issue on Self-organisation in Mobile Networking AntHocNet: an adaptive nature-inspired algorithm for routing in mobile ad hoc networks,” *Eur. Trans. Telecommun.*, no. December 2004, pp. 443–455, 2005.
 - [43] S. Peng, S. X. Yang, and S. Gregori, “QoS and Energy-Aware Routing for Wireless Sensor Networks,” in *Quality of Service Architectures for Wireless Networks*, IGI Global, 2008, pp. 497–514.
 - [44] T. Camilo, C. Carreto, J. S. Silva, and F. Boavida, “An Energy-Efficient Ant-Based Routing Algorithm for Wireless Sensor Networks,” in *Statewide Agricultural Land Use Baseline 2015*, vol. 1, 2006, pp. 49–59.
 - [45] A. K. Demir, H. E. Demiray, and S. Baydere, “QoSMOS: Cross-layer QoS architecture for wireless multimedia sensor networks,” *Wirel. Networks*, vol. 20, no. 4, pp. 655–670, 2014.
 - [46] A. G. Ruzzelli, G. M. O’Hare, M. J. O’Grady, and R. Tynan, “MERLIN: A Synergetic Integration of MAC and Routing Protocol for Distributed Sensor Networks,” in *2006 3rd Annual IEEE Communications Society on Sensor*

and Ad Hoc Communications and Networks, 2006, pp. 266–275.

- [47] G. Lu and B. Krishnamachari, “Minimum latency joint scheduling and routing in wireless sensor networks,” *Ad Hoc Networks*, vol. 5, no. 6, pp. 832–843, Aug. 2007.
- [48] A. Sahoo and S. Chilukuri, “DGRAM: A Delay Guaranteed Routing and MAC Protocol for Wireless Sensor Networks,” *IEEE Trans. Mob. Comput.*, vol. 9, no. 10, pp. 1407–1423, Oct. 2010.
- [49] M. S. Hefaida, T. Canli, and A. Khokhar, “CL-MAC: A Cross-Layer MAC protocol for heterogeneous Wireless Sensor Networks,” *Ad Hoc Networks*, vol. 11, no. 1, pp. 213–225, Jan. 2013.
- [50] Chenyang Lu, B. M. Blum, T. F. Abdelzaher, J. A. Stankovic, and Tian He, “RAP: a real-time communication architecture for large-scale wireless sensor networks,” in *Proceedings. Eighth IEEE Real-Time and Embedded Technology and Applications Symposium*, pp. 55–66.
- [51] T. Melodia and I. Akyildiz, “Cross-layer QoS-aware communication for ultra wide band wireless multimedia sensor networks,” *IEEE J. Sel. Areas Commun.*, vol. 28, no. 5, pp. 653–663, Jun. 2010.
- [52] G. A. Shah, Weifa Liang, and O. B. Akan, “Cross-Layer Framework for QoS Support in Wireless Multimedia Sensor Networks,” *IEEE Trans. Multimed.*, vol. 14, no. 5, pp. 1442–1455, Oct. 2012.
- [53] W. Jietai, X. U. Jiadong, and X. Mantian, “EAQR : An Energy-efficient ACO Based QoS Routing Algorithm in Wireless Sensor Networks *,” *Chinese J. Electron.*, vol. 18, no. 1, 2009.
- [54] G. Di Caro, F. Ducatelle, and L. M. Gambardella, “AntHocNet: An Ant-Based Hybrid Routing Algorithm for Mobile Ad Hoc Networks,” 2004, pp. 461–470.
- [55] M. E. El Dien, A. A. A. Youssif, and A. Z. Ghalwash, “Energy Efficient and QoS Aware Framework for Video Transmission over Wireless Sensor Networks,” *Wirel. Sens. Netw.*, vol. 8, no. 3, pp. 25–36, 2016.
- [56] M. Li, “QoE-Based Performance Evaluation for Adaptive Media Playout Systems,” *Adv. Multimed.*, vol. 2013, pp. 1–7, 2013.
- [57] N. Ramos, D. Panigrahi, and S. Dey, “Dynamic adaptation policies to improve quality of service of real-time multimedia applications in IEEE 802.11e WLAN Networks,” *Wirel. Networks*, vol. 13, no. 4, pp. 511–535, Aug. 2007.
- [58] H. Shen and G. Bai, “Routing in wireless multimedia sensor networks: A

- survey and challenges ahead,” *J. Netw. Comput. Appl.*, vol. 71, pp. 30–49, 2016.
- [59] N. S. Yadav and R. P. Yadav, “Performance Comparison and Analysis of Table- Driven and On-Demand Routing Protocols for Mobile Ad-hoc Networks,” vol. 2, no. 12, pp. 2809–2817, 2008.
 - [60] R. Ogier, F. Templin, and M. Lewis, “Topology Dissemination Based on Reverse-Path Forwarding (TBRPF),” Feb. 2004.
 - [61] V. Ramesh and P. Subbaiah, “Performance Comparison and Analysis of Preemptive-DSR and TORA,” *Int. J. Ad hoc, Sens. Ubiquitous Comput.*, vol. 1, no. 4, pp. 47–60, Dec. 2010.
 - [62] S. M. Hedetniemi, S. T. Hedetniemi, and A. L. Liestman, “A survey of gossiping and broadcasting in communication networks,” *Networks*, vol. 18, no. 4, pp. 319–349, 1988.
 - [63] H. Lim and C. Kim, “Flooding in wireless ad hoc networks,” *Comput. Commun.*, vol. 24, no. 3–4, pp. 353–363, Feb. 2001.
 - [64] D. Braginsky and D. Estrin, “Rumor routing algorithm for sensor networks,” in *Proceedings of the 1st ACM international workshop on Wireless sensor networks and applications - WSNA '02*, 2002, p. 22.
 - [65] Fang Yu, Yun Li, Fei Fang, and Qianbin Chen, “A new TORA-based energy aware routing protocol in mobile ad hoc networks,” in *2007 3rd IEEE/IFIP International Conference in Central Asia on Internet*, 2007, pp. 1–4.
 - [66] S. Giannoulis, C. Antonopoulos, E. Topalis, and S. Koubias, “ZRP versus DSR and TORA: A comprehensive survey on ZRP performance,” in *2005 IEEE Conference on Emerging Technologies and Factory Automation*, vol. 1, pp. 1017–1024.
 - [67] J. Raju and J. J. Garcia-Luna-Aceves, “A new approach to on-demand loop-free multipath routing,” in *Proceedings Eight International Conference on Computer Communications and Networks (Cat. No.99EX370)*, pp. 522–527.
 - [68] X. Hou, D. Tipper, and J. Kabara, “Label-based Multipath Routing (LMR) in Wireless Sensor Networks,” *Proc. 6th Int. Symp. Adv. Radio Technol. (ISART 04)*, 2004.
 - [69] F. Ye, G. Zhong, S. Lu, and L. Zhang, “GRAdient Broadcast: A Robust Data Delivery Protocol for Large Scale Sensor Networks,” *Wirel. Networks*, vol. 11, no. 3, pp. 285–298, May 2005.
 - [70] Y.-H. Wang, H.-J. Mao, C.-H. Tsai, and C.-C. Chuang, “HMRP: Hierarchy-Based Multipath Routing Protocol for Wireless Sensor Networks,” 2005, pp.

452–459.

- [71] A. Huiyao, L. Xicheng, and P. Wei, “A Cluster-Based Multipath Routing for MANET,” no. 90204005, 2008.
- [72] M. Chen, V. C. M. Leung, S. Mao, and Y. Yuan, “Directional geographical routing for real-time video communications in wireless sensor networks,” *Comput. Commun.*, vol. 30, no. 17, pp. 3368–3383, Nov. 2007.
- [73] M. Chen, V. C. M. Leung, and S. Mao, “Directional Controlled Fusion in Wireless Sensor Networks,” *Mob. Networks Appl.*, vol. 14, no. 2, pp. 220–229, Apr. 2009.
- [74] E. Aljarrah, M. B. Yassein, and S. Aljawarneh, “Routing protocol of low-power and lossy network: Survey and open issues,” in *2016 International Conference on Engineering & MIS (ICEMIS)*, 2016, pp. 1–6.
- [75] L. J. G. Villalba, A. L. S. Orozco, A. T. Cabrera, and C. J. B. Abbas, “Routing protocols in wireless sensor networks,” *Sensors*, vol. 9, no. 11, pp. 8399–8421, 2009.
- [76] Tian He, J. A. Stankovic, Chenyang Lu, and T. Abdelzaher, “SPEED: a stateless protocol for real-time communication in sensor networks,” in *23rd International Conference on Distributed Computing Systems, 2003. Proceedings.*, pp. 46–55.
- [77] M. Chen, M. Guizani, and Minh Jo, “Mobile multimedia sensor networks: Architecture and routing,” in *2011 IEEE Conference on Computer Communications Workshops (INFOCOM WKSHPS)*, 2011, pp. 409–412.
- [78] D. Systems, “G.1010 (11/2001),” vol. 1010, 2001.
- [79] M. Ivanovici and R. Beuran, “Correlating Quality of Experience and Quality of Service for Network Applications,” in *Quality of Service Architectures for Wireless Networks*, IGI Global, 2010, pp. 326–351.
- [80] A. F. Marquet, J. M. Monteiro, N. J. Martins, and M. S. Nunes, “Quality of Experience vs. QoS in Video Transmission,” in *Quality of Service Architectures for Wireless Networks*, IGI Global, pp. 352–376.
- [81] a. MacAulay, B. Felts, and Y. Fisher, “WHITEPAPER–IP Streaming of MPEG-4: Native RTP vs MPEG-2 Transport Stream,” *2006-06-01*. [Http://Www. Envivio. Com/Technology/White_Papers. Php](http://www.Envivio.Com/Technology/White_Papers.Php), no. October, 2005.
- [82] G. Schudel, “Bandwidth, Packets Per Second, and Other Network Performance Metrics,” *Cisco Security Research & Operations*. [Online]. Available: <https://www.cisco.com/c/en/us/about/security-center/network->

performance-metrics.html. [Accessed: 01-Mar-2018].

- [83] K. M. Sivalingam, *Handbook of Algorithms for Wireless Networking and Mobile Computing-chapter-Multiple Access Protocols and Scheduling Algorithms for Multiple Channel Wireless Networks*, vol. 20053943. 2005.
- [84] G. Di Caro, “Ant Colony Optimization and its Application to Adaptive Routing in Telecommunication Networks,” *Intelligence*, vol. 41, p. 374, 2004.
- [85] E. Putra, R. Hidayat, W. Widyawan, and I. Mustika, “A Routing Optimization Based on Ant Colony for Wireless Multimedia Sensor Networks (WMSNs),” *Int. J. Intell. Eng. Syst.*, vol. 9, no. 4, pp. 179–184, 2016.
- [86] Y. Sun, H. Ma, L. Liu, and Y. Zheng, “ASAR: An ant-based service-aware routing algorithm for multimedia sensor networks,” *Front. Electr. Electron. Eng. China*, vol. 3, no. 1, pp. 25–33, Jan. 2008.
- [87] Z. Z. Z. Zeshun, L. L. L. Layuan, X. Y. X. Yi, and W. X. W. Xiangli, “An Efficient Energy Routing Algorithm Based on Dynamic Programming in Wireless Sensor Networks,” *2009 5th Int. Conf. Wirel. Commun. Netw. Mob. Comput.*, no. 60672137, pp. 1–4, 2009.
- [88] H. Bradley, “Chapter 11 - Dynamic Programming.,” *Appl. Math. Program.*, vol. 26, no. 104, pp. 320–362, 1977.
- [89] C. H. Ke, “myEvalSVC: An integrated simulation framework for evaluation of H.264/SVC transmission,” *KSI Trans. Internet Inf. Syst.*, vol. 6, no. 1, pp. 378–393, 2012.
- [90] H. Schwarz, D. Marpe, and T. Wiegand, “Overview of the Scalable Video Coding Extension of the H.264/AVC Standard,” *IEEE Trans. Circuits Syst. Video Technol.*, vol. 17, no. 9, pp. 1103–1120, Sep. 2007.
- [91] F. H. P. Fitzek and M. Reisslein, “MPEG-4 and H.263 video traces for network performance evaluation,” *IEEE Netw.*, vol. 15, no. 6, pp. 40–54, 2001.