

### **DAFTAR PUSTAKA**

- Agrawal, S., Walia, G. K., Staines-Urias, E., Casas, J. P. & Millett, C. (2017) Prevalence of and risk factors for Eclampsia in pregnant women in India. *Family Medicine and Community Health*, 5(4): 225-244.
- Agustin, M. L. (2015a) Umur, Paritas, Kehamilan Ganda Dan Riwayat Penyakit Ibu Hamil Trimester III Yang Melatarbelakangi Kejadian Pre Eklampsia diI Rumah Sakit Umum Bangil.
- Agustin, M. L. (2015b) Umur, Paritas, Kehamilan Ganda dan Riwayat Penyakit Ibu Hamil Trimester III yang melatarbelakangi Kejadian Pre Eklampsia Di Rumah Sakit Umum Bangil.
- Al-Jameil, N., Khan, F. A., Khan, M. F. & Tabassum, H. (2014) A brief overview of preeclampsia. *Journal of clinical medicine research*, 6(1): 1.
- Almatsier, S. (2002) *Prinsip dasar ilmu gizi*: Gramedia Pustaka Utama.
- Amirabi, A., Yazdian, M. & Pashapour, N. (2015) Evaluation of serum calcium, magnesium, copper, and zinc levels in women with pre-eclampsia. *Iranian Journal of Medical Sciences*, 33(4): 231-234.
- Anas, M. N. (2013) Hubungan Lingkar Lengan Atas (LILA) Ibu Hamil dengan Angka Kejadian Preeklampsia di RS. PKU Muhammadiyah Surakarta. Universitas Muhammadiyah Surakarta.
- Astuti, S. F. (2015) Faktor-faktor yang Berhubungan dengan Kejadian Preeklampsia Kehamilan di Wilayah Kerja Puskesmas Pamulang Kota Tangerang Selatan Tahun 2014-2015.
- Banjarbaru, D. K. K. (2016) Profil Kesehatan Kota Banjarbaru Tahun 2013. Banjarbaru.
- Barakat, R., Pelaez, M., Cordero, Y., Perales, M., Lopez, C., Coteron, J. & Mottola, M. F. (2016) Exercise during pregnancy protects against hypertension and macrosomia: randomized clinical trial. *American Journal of Obstetrics & Gynecology*, 214(5): 649. e1-649. e8.
- Bazzano, L. A., He, J., Ogden, L. G., Loria, C., Vupputuri, S., Myers, L. & Whelton, P. K. (2001) Dietary potassium intake and risk of stroke in US men and women: National Health and Nutrition Examination Survey I epidemiologic follow-up study. *Stroke*, 32(7): 1473-1480.
- Beevers, G., Lip, G. Y. & O'Brien, E. (2001) ABC of hypertension: Blood pressure measurement: Part II—Conventional sphygmomanometry: technique of auscultatory blood pressure measurement. *BMJ: British Medical Journal*, 322(7293): 1043.
- Begum, M. M., Islam, M. A., Akter, A., Yasmin, T. & Faruque, M. O. International Journal of Innovative Pharmaceutical Sciences and Research.
- Bei, B., Coo, S., Baker, F. C. & Trinder, J. (2015) Sleep in women: a review. *Australian Psychologist*, 50(1): 14-24.
- Bo, S., Durazzo, M., Guidi, S., Carello, M., Sacerdote, C., Silli, B., Rosato, R., Cassader, M., Gentile, L. & Pagano, G. (2006) Dietary magnesium and fiber intakes and inflammatory and metabolic indicators in middle-aged subjects from a population-based cohort. *The American journal of clinical nutrition*, 84(5): 1062-1069.

- Buysse, D. J., Reynolds III, C. F., Monk, T. H., Hoch, C. C., Yeager, A. L. & Kupfer, D. J. (1991) Quantification of subjective sleep quality in healthy elderly men and women using the Pittsburgh Sleep Quality Index (PSQI). *Sleep*, 14(4): 331-338.
- Chamberlain, R., Chamberlain, G. & Howlett, B. (2016) *The First Week of Life: A Survey Under the Joint Auspices of the National Birthday Trust Fund and the Royal College of Obstetricians and Gynaecologists*: Elsevier.
- Chasan-Taber, L., Silveira, M., Pekow, P., Braun, B., Manson, J. E., Solomon, C. G. & Markenson, G. (2015) Physical activity, sedentary behavior and risk of hypertensive disorders of pregnancy in Hispanic women. *Hypertension in pregnancy*, 34(1): 1-16.
- Chen, K.-H., Seow, K.-M. & Chen, L.-R. (2017) Progression of gestational hypertension to pre-eclampsia: A cohort study of 20,103 pregnancies. *Pregnancy hypertension*, 10230-237.
- Cunningham, F., Leveno, K., Bloom, S., Spong, C. Y. & Dashe, J. (2014) *Williams obstetrics, 24e*: McGraw-hill.
- Curcio, G., Ferrara, M. & De Gennaro, L. (2012) Sleep loss, learning capacity and academic performance. *Sleep medicine reviews*, 10(5): 323-337.
- da Silva, S. G., Ricardo, L. I., Evenson, K. R. & Hallal, P. C. (2017) Leisure-time physical activity in pregnancy and maternal-child health: a systematic review and meta-analysis of randomized controlled trials and cohort studies. *Sports Medicine*, 47(2): 295-317.
- Dahlan, S. (2017) *Analisis Multivariat Regresi Logistik*, Jakarta: Sagung Seto.
- de Swiet, M. (2000) Maternal blood pressure and birthweight. *The Lancet*, 355(9198): 81-82.
- Denison, F., Norwood, P., Bhattacharya, S., Duffy, A., Mahmood, T., Morris, C., Raja, E., Norman, J., Lee, A. & Scotland, G. (2014) Association between maternal body mass index during pregnancy, short-term morbidity, and increased health service costs: a population-based study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121(1): 72-82.
- Elsanti, D., Yulistika, D. & Yuliarti, Y. (2016) Hubungan Antara Tingkat Stress Dan Aktifitas Fisik Terhadap Kejadian Pre Eklamsi Pada Ibu Hamil di Wilayah Puskesmas Kalibagor. *Prosiding SNaPP: Kesehatan (Kedokteran, Kebidanan, Keperawatan, Farmasi, Psikologi)*, 2(1): 177-186.
- Facco, F. L., Kramer, J., Ho, K. H., Zee, P. C. & Grobman, W. A. (2010) Sleep disturbances in pregnancy. *Obstetrics & Gynecology*, 115(1): 77-83.
- Facco, F. L., Parker, C. B., Reddy, U. M., Silver, R. M., Koch, M. A., Louis, J. M., Basner, R. C., Chung, J. H., Nhan-Chang, C.-L. & Pien, G. W. (2017) Association between sleep-disordered breathing and hypertensive disorders of pregnancy and gestational diabetes mellitus. *Obstetrics and gynecology*, 129(1): 31.
- Forbes, S., Barr, S. M., Reynolds, R. M., Semple, S., Gray, C., Andrew, R., Denison, F. C., Walker, B. R. & Norman, J. E. (2015) Convergence in insulin resistance between very severely obese and lean women at the end of pregnancy. *Diabetologia*, 58(11): 2615-2626.

- Gabbe, S. G., Niebyl, J. R., Simpson, J. L., Landon, M. B., Galan, H. L., Jauniaux, E. R., Driscoll, D. A., Berghella, V. & Grobman, W. A. (2016) *Obstetrics: normal and problem pregnancies e-book*: Elsevier Health Sciences.
- Gibson, R. S. (2005) *Principles of nutritional assessment*: Oxford university press, USA.
- Gray, H., Dawkins, K., Morgan, J. & Simpson, I. (2005) *Kardiologi: lecture notes. Ed 4. Jakarta: Penerbit Erlangga, 57, 69.*
- Gresham, E., Collins, C. E., Mishra, G. D., Byles, J. E. & Hure, A. J. (2016) Diet quality before or during pregnancy and the relationship with pregnancy and birth outcomes: The Australian longitudinal study on women's health. *Public health nutrition, 19*(16): 2975-2983.
- Hailu, A. & Kebede, D. (2017) Determinants of pre-eclampsia and gestational hypertension. *The Ethiopian Journal of Health Development (EJHD), 5*(1).
- He, H., Wu, P. & Chen, D.-G. (2016) *Statistical Causal Inferences and Their Applications in Public Health Research*: Springer.
- Hidayat, A. A. (2006) Pengantar kebutuhan dasar manusia: aplikasi konsep dan proses keperawatan. *Jakarta: Salemba Medika.*
- Hollenbach, D., Broker, R., Herlehy, S. & Stuber, K. (2013) Non-pharmacological interventions for sleep quality and insomnia during pregnancy: A systematic review. *The Journal of the Canadian Chiropractic Association, 57*(3): 260.
- Hung, T.-H. (2016) Pregestational body mass index, gestational weight gain, and risks for adverse pregnancy outcomes among Taiwanese women: A retrospective cohort study. *Taiwanese Journal of Obstetrics and Gynecology, 55*(4): 575-581.
- Hutcheon, J. A., Lisonkova, S. & Joseph, K. (2011) Epidemiology of pre-eclampsia and the other hypertensive disorders of pregnancy. *Best practice & research Clinical obstetrics & gynaecology, 25*(4): 391-403.
- Imaroh, I. I., Nugraheni, S. A. & Dharminto, D. (2018) Faktor Risiko yang Mempengaruhi Kejadian Hipertensi pada Ibu Hamil di Wilayah Kerja Puskesmas Kedungmundu, Kota Semarang Tahun 2017. *Jurnal Kesehatan Masyarakat (e-Journal), 6*(1): 570-580.
- Intan, N. R. (2008) Faktor-faktor yang berhubungan dengan obesitas berdasarkan persen lemak tubuh pada remaja di SMA IT Nurul Fikri Depok tahun 2008. *Jakarta: Universitas Indonesia.*
- Kemenkes (2010) Pedoman Pelayanan Antenatal Terpadu. *Jakarta: Dirjen Bina Kesehatan Keluarga.*
- Kemenkes (2013) Angka Kecukupan Gizi yang Dianjurkan Bagi Bangsa Indonesia. *Jakarta: Kementerian Kesehatan RI.*
- Kemenkes (2014a) Info Datin Situasi Kesehatan Reproduksi Remaja. *Kementrian Kesehatan RI: Jakarta Selatan.*
- Kemenkes (2014b) Infodatin; Situasi Kesehatan Reproduksi Remaja. *Jakarta.*
- Ko, S. H., Chang, S. C. & Chen, C. H. (2010) A comparative study of sleep quality between pregnant and nonpregnant Taiwanese women. *Journal of Nursing Scholarship, 42*(1): 23-30.

- Kurabayashi, T., Mizunuma, H., Kubota, T., Kiyohara, Y., Nagai, K. & Hayashi, K. (2013) Pregnancy-induced hypertension is associated with maternal history and a risk of cardiovascular disease in later life: A Japanese cross-sectional study. *Maturitas*, 75(3): 227-231.
- Lemeshow, S., Hosmer, D. W., Klar, J. & Lwanga, S. K. (1997) Besar sampel dalam penelitian kesehatan. *Yogyakarta: Gajah Mada University*.
- Li, X., Tan, H., Huang, X., Zhou, S., Hu, S., Wang, X., Xu, X., Liu, Q. & Wen, S. W. (2016) Similarities and differences between the risk factors for gestational hypertension and preeclampsia: A population based cohort study in south China. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 6(1): 66-71.
- Mahan, L. K. & Escott-Stump, S. (2004) *Krause's food, nutrition, & diet therapy*: Saunders Philadelphia.
- Mammaro, A., Carrara, S., Cavaliere, A., Ermito, S., Dinatale, A., Pappalardo, E. M., Militello, M. & Pedata, R. (2009) Hypertensive disorders of pregnancy. *Journal of prenatal medicine*, 3(1): 1.
- Martin, C. L., Sotres-Alvarez, D. & Siega-Riz, A. M. (2015) Maternal dietary patterns during the second trimester are associated with preterm birth. *The Journal of nutrition*, 145(8): 1857-1864.
- Mignini, L. E., Villar, J. & Khan, K. S. (2006) Mapping the theories of preeclampsia: the need for systematic reviews of mechanisms of the disease. *American journal of obstetrics and gynecology*, 194(2): 317-321.
- National Collaborating Centre for Women's Children's Health (2010) Hypertension in pregnancy: the management of hypertensive disorders during pregnancy.
- Ness, R. B., Markovic, N., Bass, D., Harger, G. & Roberts, J. M. (2003) Family history of hypertension, heart disease, and stroke among women who develop hypertension in pregnancy. *Obstetrics & Gynecology*, 102(6): 1366-1371.
- Norman, J. E. & Reynolds, R. (2011) The consequences of obesity and excess weight gain in pregnancy. *Proceedings of the Nutrition Society*, 70(4): 450-456.
- Notoatmodjo, S. (2012) Metode penelitian kesehatan edisi revisi 2010. *Rineka Cipta, Jakarta*.
- Nursal, D. G. A., Tamela, P. & Fitrayeni, F. (2017) Faktor Risiko Kejadian Preeklampsia pada Ibu Hamil di Rsup Dr. M. Djamil Padang Tahun 2014. *Jurnal Kesehatan Masyarakat Andalas*, 10(1): 38-44.
- Obstetricians, A. C. o. & Gynecologists (2013) Hypertension in pregnancy. Report of the American College of Obstetricians and Gynecologists' task force on hypertension in pregnancy. *Obstetrics and gynecology*, 122(5): 1122.
- Ota, E., Ganchimeg, T., Mori, R. & Souza, J. P. (2014) Risk factors of pre-eclampsia/eclampsia and its adverse outcomes in low-and middle-income countries: a WHO secondary analysis. *PloS one*, 9(3): e91198.
- Potter, P. & Perry, A. (2006) Fundamental Keperawatan Konsep, Proses, dan Praktik, Volume 2, Edisi 4. *Jakarta: Penerbit Buku Kedokteran EGC*.

- Risikesdas (2008) Riset Kesehatan Dasar (Riskesdas 2007) Laporan Nasional 2007. *Jakarta, Departemen Kesehatan Republik Indonesia diakses pada*, 18.
- Ritchie, L. D. & King, J. C. (2000) Dietary calcium and pregnancy-induced hypertension: is there a relation? *The American journal of clinical nutrition*, 71(5): 1371s-1374s.
- Robbins, S. L. & Kumar, V. (2007) Buku ajar patologi. *Jakarta: EGC*.
- Roberts, J. M. & Hubel, C. A. (2004) Oxidative stress in preeclampsia. *Mosby*.
- Roeshadi, R. H. (2016) Upaya menurunkan angka kesakitan dan angka kematian ibu pada penderita preeklampsia dan eklampsia. *Indonesian Journal of Obstetrics and Gynecology (INAJOG)*, 31(3).
- Sacks, F. M., Willett, W. C., Smith, A., Brown, L. E., Rosner, B. & Moore, T. J. (1998) Effect on blood pressure of potassium, calcium, and magnesium in women with low habitual intake. *Hypertension*, 31(1): 131-138.
- Saraswati, N. & Mardiana, M. (2016) Faktor Risiko Yang Berhubungan Dengan Kejadian Preeklampsia Pada Ibu Hamil (Studi Kasus Di Rsud Kabupaten Brebes Tahun 2014). *Unnes Journal of Public Health*, 5(2): 90-99.
- Schoenaker, D. A., Soedamah-Muthu, S. S., Callaway, L. K. & Mishra, G. D. (2015) Prepregnancy dietary patterns and risk of developing hypertensive disorders of pregnancy: results from the Australian Longitudinal Study on Women's Health. *The American journal of clinical nutrition*, 102(1): 94-101.
- Schoenaker, D. A., Soedamah-Muthu, S. S. & Mishra, G. D. (2014) The association between dietary factors and gestational hypertension and preeclampsia: a systematic review and meta-analysis of observational studies. *BMC medicine*, 12(1): 157.
- Setiadhi, Y., Kawengian, S. E. & Mayulu, N. (2016) Analisis faktor yang berhubungan dengan kejadian hipertensi pada kehamilan di Kota Manado. *Jurnal e-Biomedik*, 4(2).
- Sharma, S., Nehra, A., Sinha, S., Soneja, M., Sunesh, K., Sreenivas, V. & Vedita, D. (2016) Sleep disorders in pregnancy and their association with pregnancy outcomes: a prospective observational study. *Sleep and Breathing*, 20(1): 87-93.
- Shin, D. & Song, W. O. (2015) Prepregnancy body mass index is an independent risk factor for gestational hypertension, gestational diabetes, preterm labor, and small-and large-for-gestational-age infants. *The Journal of Maternal-Fetal & Neonatal Medicine*, 28(14): 1679-1686.
- Sihotang, P. C., Rahmayanti, E. I., Tebisi, J. M. & Bantulu, F. M. (2016a) Hubungan Pola Makan dan Kecukupan Istirahat dengan Kejadian Hipertensi pada Ibu Hamil di Wilayah Kerja Puskesmas Biromoru. *Healthy Tadulako*, 2(1).
- Sihotang, P. C., Rahmayanti, E. I., Tebisi, J. M. & Bantulu, F. M. (2016b) Hubungan Pola Makan dan Kecukupan Istirahat dan Tidur Dengan Kejadian Hipertensi pada Ibu Hamil di Wilayah Kerja Puskesmas Biromoru. *Healthy Tadulako*, 2(1).

- Siswosuharjo, S., Kes, M., Chakrawati, F. & Sos, S. (2011) *Panduan super lengkap hamil sehat*: PT Niaga Swadaya.
- Sostroasmoro, S. (2011) *Dasardasar Metodologi Penelitian Klinis Edisi ke-4*. Jakarta: Sagung Seto.
- Stang, J. & Huffman, L. G. (2016) Position of the academy of nutrition and dietetics: obesity, reproduction, and pregnancy outcomes. *Journal of the Academy of Nutrition and Dietetics*, 116(4): 677-691.
- Statistik, B. P. (2016) *Profil Penduduk Indonesia Hasil SUPAS 2015*. Badan Pusat Statistik. Jakarta.
- Sunita, A. (2004) *Prinsip dasar ilmu gizi*. Jakarta: Gramedia Pustaka Utama.
- Suzuki, S., Shinmura, H. & Kato, M. (2015) Maternal uncontrolled anxiety disorders are associated with the increased risk of hypertensive disorders in Japanese pregnant women. *Journal of clinical medicine research*, 7(10): 791.
- Tanaka, T., Ashihara, K., Nakamura, M., Kanda, T., Fujita, D., Yamashita, Y., Terai, Y., Kamegai, H. & Ohmichi, M. (2014) Associations between the pre-pregnancy body mass index and gestational weight gain with pregnancy outcomes in Japanese women. *Journal of Obstetrics and Gynaecology Research*, 40(5): 1296-1303.
- Taslim, R. W. R., Kundre, R. & Masi, G. (2016) Hubungan Pola Makan Dan Stress Dengan Kejadian Hipertensi Grade 1 dan Grade 2 Pada Ibu Hamil di Wilayah Kerja Puskesmas Kamoni Kecamatan Palu Barat. *JURNAL KEPERAWATAN*, 4(1).
- Thangaratinam, S., Rogozińska, E., Jolly, K., Glinkowski, S., Duda, W., Borowiack, E., Roseboom, T., Tomlinson, J., Walczak, J. & Kunz, R. (2012) Interventions to reduce or prevent obesity in pregnant women: a systematic review.
- Thombre, M. K., Talge, N. M. & Holzman, C. (2015) Association between pre-pregnancy depression/anxiety symptoms and hypertensive disorders of pregnancy. *Journal of Women's Health*, 24(3): 228-236.
- Timpka, S., Stuart, J. J., Tanz, L. J., Rimm, E. B., Franks, P. W. & Rich-Edwards, J. W. (2017) Lifestyle in progression from hypertensive disorders of pregnancy to chronic hypertension in Nurses' Health Study II: observational cohort study. *bmj*, 358j3024.
- Tsigga, M., Filis, V., Hatzopoulou, K., Kotzamanidis, C. & Grammatikopoulou, M. G. (2011) Healthy Eating Index during pregnancy according to pre-gravid and gravid weight status. *Public health nutrition*, 14(2): 290-296.
- Utama, S. Y. (2017) Faktor risiko yang berhubungan dengan kejadian preeklampsia berat pada ibu hamil di RSD Raden Mattaher Jambi tahun 2007. *Jurnal Ilmiah Universitas Batanghari Jambi*, 8(2): 71-79.
- Vyas, H. G., Goyal, R. K., Vyas, G. M., Vyas, B. A. & Shah, S. A. (2017) An Observational Study to Determine the Prevalence and Risk Factors Associated with Pregnancy Induced Hypertension in a Semi-Urban Town of India. *The Indian Practitioner*, 70(12): 16-20.
- Wafiyatunisa, Z. & Rodiani, R. (2016) Hubungan Obesitas dengan Terjadinya Preeklampsia. *Jurnal Majority*, 5(4): 184-190.

- WHO (2010) Global recommendations on physical activity for health.
- Wirakusumah, E. S. (2002) Buah dan sayur untuk terapi. *Penebar Swadaya, Jakarta.*
- Woelkers, D., Barton, J., von Dadelszen, P. & Sibai, B. (2015) [71-OR]: the revised 2013 ACOG definitions of hypertensive disorders of pregnancy significantly increase the diagnostic prevalence of preeclampsia. *Pregnancy Hypertension: An International Journal of Women's Cardiovascular Health*, 5(1): 38.
- Women's, N. C. C. f. & Health, C. s. (2010) Hypertension in pregnancy: the management of hypertensive disorders during pregnancy.
- Wright, A., Wright, D., Ispas, C., Poon, L. & Nicolaides, K. (2015) Mean arterial pressure in the three trimesters of pregnancy: effects of maternal characteristics and medical history. *Ultrasound in Obstetrics & Gynecology*, 45(6): 698-706.
- Yulianti, L. & Fikawati, S. (2008) Pre-Eklampsia Berat di RSUD Bayu Asih Purwakarta. *Kesmas: National Public Health Journal*, 3(1): 39-44.