

DAFTAR PUSTAKA

- Afuah, A. (2003). *Business Model: A strategic Management Approach*. New York: McGraw-Hill.
- Bacenetti, J., Sala, C., Fusi, A., & Fiala, M. (2016). Agricultural anaerobic digestion plants: What LCA studies pointed out and what can be done to make them more environmentally sustainable. *Appl. Energy*, *179*, 669–686.
- Bouallagui, H., Ben Cheikh, R., Marouani, L., & Hamdi, M. (2003). Mesophilic biogas production from fruit and vegetable waste in a tubular digester. *Bioresour. Technol.*, *86*(1), 85–89.
- Bouallagui, H., Haouari, O., Touhami, Y., Ben Cheikh, R., Marouani, L., & Hamdi, M. (2004). Effect of temperature on the performance of an anaerobic tubular reactor treating fruit and vegetable waste. *Process Biochem.*, *39*(12), 2143–2148.
- Bouallagui, H., Lahdheb, H., Ben Romdan, E., Rachdi, B., & Hamdi, M. (2009). Improvement of fruit and vegetable waste anaerobic digestion performance and stability with co-substrates addition. *J. Environ. Manage.*, *90*(5), 1844–1849.
- Badan Pusat Statistik. (2017). *Statistik Tanaman Buah-buahan dan Sayuran Tahunan Indonesia 2016*. (Subdirektorat Statistik Hortikultura, Ed.). Jakarta: Badan Pusat Statistik Indonesia.
- Brancoli, P. L. (2016). *Environmental impacts of food waste in a life cycle perspective A case study in a Swedish supermarket a Swedish supermarket*. University of Borås.

- Cahyari, K., & Putra, R. anugerah. (2009). Process Design and Economic Evaluation of Indonesian Fruit Market Waste to Biogas and Fish Feed, Master Thesis. University of Borås.
- Cascajo, R. (2005). Assessment of economic, social and environmental effects of rail urban projects. *Young Researchers Seminar*, 1–14. Retrieved from <http://scholar.google.com/scholar?hl=en&btnG=Search&q=intitle:No+Title0>
- Chen, L., Cong, R. G., Shu, B., & Mi, Z. F. (2017). A sustainable biogas model in China: The case study of Beijing Deqingyuan biogas project. *Renew. Sustain. Energy Rev.*, 78(April), 773–779.
- Chen, T., Jin, Y., Qiu, X., & Chen, X. (2014). A hybrid fuzzy evaluation method for safety assessment of food-waste feed based on entropy and the analytic hierarchy process methods. *Expert Syst. Appl.*, 41(16), 7328–7332.
- Chen, T., Shen, D., Jin, Y., Li, H., Yu, Z., Feng, H., & Yin, J. (2017). Comprehensive evaluation of environ-economic benefits of anaerobic digestion technology in an integrated food waste-based methane plant using a fuzzy mathematical model. *Appl. Energy*, 208(September), 666–677.
- Clark, J. H., & Macquarrie, D. j. (2002). *Handbook of Green Chemistry and Technology* (may 2002). United Kindom: Blackwell Publishing.
- De Vries, J. W., Groenestein, C. M., & De Boer, I. J. M. (2012). Environmental consequences of processing manure to produce mineral fertilizer and bio-energy. *J. Environ. Manage.*, 102(x), 173–183.
- Deng, X., Hu, Y., Deng, Y., & Mahadevan, S. (2014). Supplier selection using AHP methodology extended by D numbers. *Expert Syst. Appl.*, 41(1), 156–167.

- Dong, J., Ni, M., Chi, Y., Zou, D., & Fu, C. (2013). Life cycle and economic assessment of source-separated MSW collection with regard to greenhouse gas emissions: A case study in China. *Environ. Sci. Pollut. Res.*, *20*(8), 5512–5524.
- Fdez.-Güelfo, L. A., Álvarez-Gallego, C., Sales Márquez, D., & Romero García, L. I. (2010). Start-up of thermophilic-dry anaerobic digestion of OFMSW using adapted modified SEBAC inoculum. *Bioresour. Technol.*, *101*(23), 9031–9039.
- Fontes, J., Alvarado, C., Saling, P., Van Gelder, R., Traverso, M., & Tame, P., (2016). *Product Social Impact Assessment*. PRé Sustainability.
- Forster-Carneiro, T Romero, L. I., & Perez, M. (2008). Influence of total solid and inoculum contents on performance of anaerobic reactors treating food waste. *Bioresour. Technol.*, *99*, 6994–7002.
- Franchetti, M. (2013). Economic and environmental analysis of four different configurations of anaerobic digestion for food waste to energy conversion using LCA for: A food service provider case study. *J. Environ. Manage.*, *123*, 42–48.
- Gallert, C., & Winter, J. (1997). Mesophilic and thermophilic anaerobic digestion of source-sorted organic waste: effect of ammonia on glucose degradation and methane production. *Appl. Microbiol. Biotechnol.*, *48*, 405–410.
- Hamelin, L., Baky, A., Cano-Bernal, J., Grönroos, J., Kuligowski, K., Pehme, S., & Ziolkowsky, M. (2013). Reference life cycle assessment scenarios for manure management in the Baltic Sea Regions - An assessment covering six animal production, five BSR countries, and four manure types. Http://Www.Balticmanure.Eu/Download/Reports/Lcareference_report_wp5_

web.Pdf, (December), 1–77.

Hauschild, M., & Wenzel, H. (1998). *Environmental assessment of products: scientific background* (1st ed.). New York: Springer US.

Heijungs, R., Guinee, J. B., Huppes, G., Lankreijer, R. M., Udo, D. H., Sleeswijk, A. W., & Goede, H. P. (1992). *Environmental Life Cycle Assessment of Products - Vol 2: Backgrounds*. Den Haag: Leiden: Centrum voor Milieukunde.

Houghton, J. T., Filho, L. G. M., Callander, B. A., Harris, N., Kattenburg, A., & Maskell, K. (1996). *Climate Change 1995 : The Science of Climate Change* (1996th ed.). Cambridge: Cambridge University Press.

Huijbregts, M. (1999). *Priority Assessment of Toxic substance in the frame of LCA- Development and application of the multi-media fate, exposure and effect model USES-LCA*. Amsterdam: University of Amsterdam.

Jin, Y., Chen, T., Chen, X., & Yu, Z. (2015). Life-cycle assessment of energy consumption and environmental impact of an integrated food waste-based biogas plant. *Appl. Energy*, 151, 227–236.

Kaparaju, P., Buendia, I., Ellegaard, L., & Angelidakia, I. (2008). Effects of mixing on methane production during thermophilic anaerobic digestion of manure: Lab-scale and pilot-scale studies. *Bioresour. Technol.*, 99(11), 4919–4928.

Kloepffer, W. (2008). Life cycle sustainability assessment of products (with Comments by Helias A. Udo de Haes, p. 95). *Int. J. Life Cycle Assess.*, 13(2), 89–94.

Lee, M., Hidaka, T., Hagiwara, W., & Tsuno, H. (2009). Comparative performance and microbial diversity of hyperthermophilic and thermophilic co-digestion of

kitchen garbage and excess sludge. *Bioresour. Technol.*, 100(2), 578–585.

Li, Y., Park, S. Y., & Zhu, J. (2011). Solid-state anaerobic digestion for methane production from organic waste. *Renew. Sustain. Energy Rev.*, 15(1), 821–826.

Lijó, L., González-García, S., Bacenetti, J., & Moreira, M. T. (2017). The environmental effect of substituting energy crops for food waste as feedstock for biogas production. *Energy*, 137, 1130–1143.

Lin, J., Zuo, J., Gan, L., Li, P., Liu, F., Wang, K., & Gan, H. (2011). Effects of mixture ratio on anaerobic co-digestion with fruit and vegetable waste and food waste of China. *J. Environ. Sci.*, 23(8), 1403–1408.

Massé, D. I., Saady, N. M. C., & Gilbert, Y. (2015). Psychrophilic dry anaerobic digestion of cow feces and wheat straw: Feasibility studies. *Biomass Bioenergy*, 77, 1–8.

Mendes, M. R., Aramaki, T., & Hanaki, K. (2004). Comparison of the environmental impact of incineration and landfilling in São Paulo City as determined by LCA. *Resour. Conserv. Recycl.*, 41(1), 47–63.

Nasir, I. M., Ghazi, T. I. M., & Omar, R. (2012). Production of biogas from solid organic wastes through anaerobic digestion: A review. *Appl. Microbiol. Biotechnol.*, 95(2), 321–329.

Nielsen, Malene; Nielsen, Ole Kenneth; Plejdrup, M. (2014). *Danish Emission Inventories*. Retrieved from <http://dce2.au.dk/pub/SR102.pdf>

Nielsen, M., Nielsen, O.-K., Plejdrup, M., & Hjelgaard, K. (2010). *Danish emission inventories for stationary combustion plants: Inventories until 2008*. NERI Technical Report no. 795. National Environment Research Institute : Aarhus University.

- Nurrihadini. (2009). *Karakterisasi Sampah Buah Pasar Buah Gamping sebagai Bahan Baku Alternatif Produksi Biogas*, Skripsi Sarjana. Universitas Gadjah Mada.
- Opatokun, S. A., Lopez-Sabiron, A., Ferreira, G., & Strezov, V. (2017). Life Cycle Analysis of Energy Production from Food Waste through Anaerobic Digestion, Pyrolysis and Integrated Energy System. *Sustainability*, 9(10), 1804.
- Pathak, H., Jain, N., Bhatia, A., Mohanty, S., & Gupta, N. (2009). Global warming mitigation potential of biogas plants in India. *Environ. Monit. Assess.*, 157(1–4), 407–418.
- Pavi, S., Kramer, L. E., Gomes, L. P., & Miranda, L. A. S. (2017). Biogas production from co-digestion of organic fraction of municipal solid waste and fruit and vegetable waste. *Bioresour. Technol.*, 228, 362–367.
- Peters, M. ., Timmmurhaus, C. ., & West, R. . (1968). *Plant Design and Economics for Chemical Engineers*. New York: McGraw-Hill.
- Pierie, F., Bekkering, J., Benders, R. M. J., van Gemert, W. J. T., & Moll, H. C. (2016). A new approach for measuring the environmental sustainability of renewable energy production systems: Focused on the modelling of green gas production pathways. *Appl. Energy*, 162, 131–138.
- Republik Indonesia. 2003. Undang-Undang No. 13 Tahun 2003 tentang Ketenagakerjaan. Lembaran Negara RI Tahun 2003, No. 39. Sekretariat Negara. Jakarta.
- Rivard, C. J., Himmel, M. E., Vinzant, T. B., Adney, W. S., Wyman, C. E., & Grohmann, K. (1990). *Anaerobic Digestion of Processed Municipal Solid Waste*. Soils

- Waste Using a Novel High Soijds Reactor: Maximum Soijds Levels and Mixing Requiremen'Ps. *Biotechnol. Lett.*, 12(3), 235–240.
- Rubert, T., McMillan, D., & Niewczas, P. (2018). A decision support tool to assist with lifetime extension of wind turbines. *Renew. Energy*, 120, 423–433.
- Saady, N. M. C., & Massé, D. I. (2015). Impact of organic loading rate on the performance of psychrophilic dry anaerobic digestion of dairy manure and wheat straw: Long-term operation. *Bioresour. Technol.*, 182, 50–7.
- Skobalj, P. d., Kijevcanin, M. L., Jovanovic, Marina P., Afgan, Naim H., & Eric, M. D. (2017). Energy indicators impact in multi-criteria sustainability. *Therm. Sci.*, 21(2), 1143–1151.
- Supriadi, A., Oktaviani, K., Kencono, A., Prasetyo, W., Edi, B., Kurniasih, Nia T., Sunaryo, Kurniawan, F., dan Anggreani, D. (2016). *Data Inventory Emisi GRK Sektor Energi* (1st ed.). Jakarta: Pusat Data dan Teknologi Informasi Energi dan Sumber Daya Mineral, Kementerian ESDM RI.
- Testa, F., Iraldo, F., Frey, M., & O'Connor, R. (2011). Life cycle costing, a view of potential applications: from cost management tool to eco-efficiency measurement. *Supply Chain Manag.*, 569–590.
- United Nations Environmental Program (UNEP). (2011). *Towards a Life Cycle Sustainability Assessment: Making informed choices on products*. Nairobi: UNEP Publishing.
- Valvidia, S., Citroth, A., Sonnemann, G., Ugaya, Cassia, M. L., Lu, B., & Alvarado, C. (2011). Toolbox for Life Cycle Sustainability Assessment of Products. *Life Cycle Management Conference LCM*. UNEP/SETAC
- Walker, M., Banks, C. J., & Heaven, S. (2009). Bioresource Technology Two-stage

anaerobic digestion of biodegradable municipal solid waste using a rotating drum mesh filter bioreactor and anaerobic filter. *Bioresour. Technol.*, *100*(18), 4121–4126.

Weiland, P. (2003). Production and Energetic Use of Biogas from Energy Crops and Wastes in Germany. *Appl. Biochem. Biotechnol.*, *109*(1–3), 263–274.

Yan, W., Gu, W., Qiu, J., Bai, X., & GN, X. (2012). Feeding treatment of food waste and its benefit analysis. *Feed Resour Dev Util.*, *9*, 39–42.

Zamagni, A. (2012). Life cycle sustainability assessment. *Int. J. Life Cycle Assess.*, *17*(4), 373–376.

Zamagni, A., Pesonen, H.-L., & Swarr, T. (2013). From LCA to Life Cycle Sustainability Assessment: concept, practice and future directions. *Int. J. Life Cycle Assess.*, *18*(9), 1637–1641.