

DAFTAR PUSTAKA

- Abid, S., Khajuria, A., Parvaiz, Q., Sidiq, T., Bhatia, A., Singh, S., 2012. Immunomodulatory studies of a bioactive fraction from the fruit of *Prunus cerasus* in BALB/c mice. *Int Immunopharmacol* 12: 626–634.
- Adinortey, A.B., Ansah, C., Galyuon, A., Nyarko, A., 2013. In vivo models used for evaluation of potential antigastroduodenal ulcer agents. *Ulcer* :1-12.
- Ahmed, A.S., El-Bassiony, T., Elmalt, L.M., Ibrahim, H.R., 2015. Identification of potent antioxidant bioactive peptide from goat milk proteins. *Food Res. Int.* 74: 80-88.
- Ali, N, Ullah, A., Akhtar, S., Shah, S.W.A., Junaid. M., 2013. Factor associated with peptic ulcer: a single centre experience at tertiary care hospital of khyber pakhtunkhwa. *Khyber Med J.* 5(1): 18-21.
- Amandeep, K., Robin, S., Ramica, S., Sunil, K., 2012. Peptic ulcer: a review on etiology and pathogenesis. *IRJP* 3(6): 34-38.
- Bindu, S., Mazumder, S., Dey, S., Pal, C., Goyal, M., Alam, A., *et al.*, 2013. Nonsteroidal anti-inflammatory drug induces proinflammatory damage in gastric mucosa through NF- κ B activation and neutrophil infiltration: anti-inflammatory role of heme-oxygenase-1 against nonsteroidal anti-inflammatory drug. *Free Radic. Biol. Med.* 65: 456-467.
- Bindu, S., Pal, C., Dey, S., Goyal, M., Alam, A., Iqbal, M. S., *et al.*, 2011. Translocation of heme oxygenase-1 to mitochondria is a novel cytoprotective mechanism against non-steroidal antiinflammatory drug-induced mitochondrial oxidative stress, apoptosis, and gastric mucosal injury. *J. Biol. Chem.* 286: 39387–39402.
- Boyacioglu, M., Kum, C., Sekkin, S., Yalinkilinc, H.S., Avci, H., Epikmen, E.T., *et al.*, 2015. The effects of lycopene on DNA damage and oxidative stress on indomethacin-induced gastric injury in rats. *Clin. Nutr.* 35: 428-435
- Buelna-Chontal, M., Zazueta, C., 2013. Redox activation of Nrf2 & NF- κ B: a double end sword?. *Cell Signal* 25(12): 2548-2557.
- Bulua, A.C., Simon, A., Maddipati, R., Pelletier, M., Park, H., Kim, K.Y., *et al.*, 2011. Mitochondrial reactive oxygen species promote production of proinflammatory cytokines and are elevated in TNFR1-associated periodic syndrome (TRAPS). *J. Exp. Med.* 208:519–533.
- Canani, R.B., Sangwan, N., Stefka, A.T., Nocerino, R., Paparo, L., Aitoto, R., *et al.*, 2016. Lactobacillus rhamnosus GG-supplemented formula expands butyrate-producing bacterial strains in food allergic infants. *ISME J.* 10: 742-750.
- Carrasco-Pozo, C., Castillo, R.L., Beltran, C., Miranda, A., Fuentes, J., Gotteland, M., 2016. Molecular mechanisms of gastrointestinal protection by quercetin

- against indomethacin-induced damage: role of NF- κ B and Nrf2. *J. Nutr. Biochem.* 27: 289-298.
- Carrasco-Pozo, C., Gotteland, M., Speisky, H., 2011. Apple peel polyphenol extract protects against indomethacin-induced damage in Caco-2 cells by preventing mitochondrial complex I inhibition. *J. Agric. Food Chem* 59:11501–11508.
- Castro, J.M., Tornadijo, M.E., Fresno, J.M., Sandoval, H., 2015. Biocheese: a food probiotic carrier. *Biomed. Res. Int.* : 723056.
- Chiu, Y.T., Steward, M., 2012., Comparison of kojic glucomannan digestibility and fermentability with other dietary fiber in vitro. *J. Med. Food.* 15(2): 120-125.
- Cho, Y.S., Kim, C.H., Ha, T.S., Ahn, H.Y., 2016. Inhibition of NF- κ B and STAT3 by quercetin with suppression of adhesion molecule expression in vascular endothelial cells. *Farmacologia* 64(5): 668-673.
- Daliri, E.B.M., Oh, D.H., Lee, B.H., 2017. Bioactive peptide. *Food* 6(32): 1-12.
- Danato, K.A., Gareau, M.G., Wang, Y.J.J., Sherman, P.M., 2010. Lactobacillus rhamnosus GG attenuates interferon- γ and tumor necrosis factor- α -induced barrier dysfunction and proinflammatory signaling. *Microbiol.* 156: 3288-3297.
- De Assis, P.O.A., Guerra, G.C.B., Araujo, D.F.D.S., Juniur, R.F.D.A., Machado, T.A.D.G., de Araujo, A.A., *et al.*, 2016. Intestinal anti-inflammatory activity of goat milk and goat yogurt in the acetic acid model of rat colitis. *Int. Dairy J.* 56: 45-54.
- DeCarli, D.M., Pires, R.C., Rohde, S.L., Kavalco, C.M., Fagundes, R.B., 2015. Peptic ulcer frequency differences related to *H. pylori* or AINES. *Arg Gastroenterol* 52(1): 46-49.
- Downar, D.Z., Naruszewicz, M., 2009. Propionate reduces the cytokine-induced VCAM-1 and ICAM-1 expression by inhibiting nuclear factor- κ B (NF- κ B) activation *J. Physiol. Pharm.* 60(2):123-131.
- Drini, M., 2017. Peptic ulcer disease and non-steroidal anti-inflammatory drugs. *Aust. Prescr.* 40(3): 91-93.
- Egger, L., Menard, O., 2017. Update on bioactive peptides after milk and cheese digestion. *Curr. Opinion Food Sci.* 14: 116-121.
- Elebeedy, D., El Maksoud, A.I.A., Yasser, Z.M., Salah, Y.M., 2017. The synbiotic healing effect of probiotics and prebiotics on indomethacin induced gastric ulcer in rats. *Egypt. J. Med. Microbiol.* 26(3): 37-43.
- El-Sheikh, N.M., El-Fattah, H.M., 2011. Counteracting methionine choline-deficient diet-induced fatty liver by administration of tumeric and silymarin. *J. App. Sci. Res.* 7(12): 1812-1820.

- Ganguli, K., Collado, M.C., Rautava, J., Lu, L., Satokari, R., Ossowski, I.V., *et al.*, 2015. *Lactobacillus rhamnosus* GG and its SpaC pillus adhesin modulate inflammatory responsiveness and TLR-related gene expression in the fetal human gut. *Pediatric Res.* 77(4): 528-535.
- Gotteland, M., Cruchet, S., Verbeke, S., 2001., Effect of *Lactobacillus* ingestion on the gastrointestinal mucosal barrier alterations induced by indometacin in humans. *Aliment Pharmacol. Ther.* 15: 11-17.
- Harmayani, E., Aprillia, V., Marsono, Y., 2014. Characterization of glucomannan from *Amorphophallus oncophyllus* and its prebiotic activity in vivo. *Carbohydrate Polymers* 112: 475-479.
- Karimi, R., Mortazavian, A.M., Da Cruz, A.G., 2011. Viability of probiotic microorganism in cheese during production and storage. *Dairy Sci. Technol.* 41: 1317-1322.
- Kelly, A.L., Fox, P.F., 2006. Biochemistry of milk processing. In: Y.H. Hui (Ed): *Food Biochemistry and Food Processing*, pp 453-483. Blackwell Publishing, USA
- Khoder, G., Al-Menhali, A.A., Al-Yassir, F., Karam, S.M., 2016. Potential role of probiotics in the management of gastric ulcer (review). *Exp. Ther. Med.* 12: 3-17.
- Kindstedt, P.S., 2013. The basics of cheesemaking. *Microbiol. Spectrum* 1(1): CM-2002-2012.
- Kitts, D.D., Weiler, K., 2003. Bioactive proteins and peptides from food sources. Applications of bioprocesses used in isolation and recovery. *Curr. Pharmaceut. Des.* 9:1309–1323.
- Kongo, J.M., 2013. Lactic acid bacteria as starter-cultures for cheese processing: past, present and future. In: J.M. Kongo (Ed): *Lactic Acid Bacteria-R&D for Food, Health and Livestock Purposes*, pp 3-22. InTech.Croatia
- Korhonen, H., 2002. Technology options for new nutritional concepts. *Int. J. Dairy Technol.* 55:79–88.
- Korhonen, H., Pihlanto, A., 2007. Bioactive peptides from food proteins. In: Hui, Y. H. (ed): *Handbook of Food Products Manufacturing*, pp. 5-37. John Wiley & Sons, Inc.
- Korhonen, H., Pihlanto, A., 2007. Food-derived bioactive peptides - opportunities for designing future foods. *Curr. Pharm. Des.* 9:1297-1308.
- Kume, H., Okazaki, K., Takahasi, T., Yamaji, T., 2014. Protective effect of an immune-modulating diet comprising whey peptides and fermented milk products on indomethacin-induced small-bowel disorder in rats. *Clin. Nutr.* 33(6): 1140-1146.
- Kiewiet, M.B.G., Dekkers, R., Gros, M., Van Neerven, R.J.J., Groeneveld, A., de Vos, P., 2017. Toll-like receptor mediated activation is possibly involved in

- immunoregulating properties of cow's milk hydrolysates. *PloS ONE* 12(6): 0178191.
- Lam, E.K.Y., Wong, H.P.S., Wu, W.K.K., Shin, V.Y., Tai, E.K.K., So, W.H.L. *et al.*, 2007. Probiotic *Lactobacillus rhamnosus* GG enhance gastric ulcer healing in rats. *Europ. J. Pharmacol.* 565: 171-179.
- Lawson, C., Wolf, S., 2009. ICAM-1 signaling in endothelial cells. *Pharmacol. Rep.* 61: 22-32.
- Lecheid, D.W., 2014. Probiotic as regulators of inflammation: a review. *Funct Food Health Dis.* 4(7): 299-311.
- Lee, C., Kim, B.G., Kim, J.H., Chun, J., Im, J.P., Kim, J.S., 2017. Sodium butyrate inhibits the NF-kappa B signaling pathway and histone deacetylation and attenuates experimental colitis in an IL-10 independent. *Int. Immunopharmacol.* 51: 47-56.
- Lee, H.J., Han, Y.M., Kim, E.H., Kim, Y.J., Hahm, K.B., 2012. A possible involvement of Nrf2- mediated heme oxygenase-1 up-regulation in protective effect of the proton pump inhibitor pantoprazole against indomethacin-induced gastric damage in rats. *BMC Gastroenterol.* 12:143.
- Lee, I.T., Lin, C.C., Lee, C.Y., Hsieh, P.W., Yang, C.M., 2013. Protective effect of (-)-epigallocatechin-3-gallate against TNF- α -induced lung inflammation via ROS-dependent ICAM-1 inhibition. *J. Nutr. Biochem.* 24: 124-136.
- Li, Z., Jiang, A., Yue, T., Wang, J., Wang, Y., Su, J., 2013. Purification and identification of five novel antioxidant peptide from goat milk casein hydrolysates. *J. Dairy Sci.* 96: 4242-4251.
- Livak, K.J., Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative PCR and the $2^{-\Delta\Delta Ct}$ method. *Methods* 25: 402-408.
- Long, E.O., 2011. Intercellular adhesion molecule 1 (ICAM-1): Getting a grip on leukocyte adhesion. *J. Immunol.* 186(9): 1-5.
- Lu, C.Y., Yang, Y.C., Li, C.C., Liu, K.L., Lii, C.K., Chen, H.W., 2014. Andrographolide inhibits TNF α -induced ICAM-1 expression via suppression of NADPH oxidase activation and induction of HO-1 and GCLM expression through the PI3K/Akt/Nrf2 and PI3K/Akt/AP-1 pathway in human endothelial cells. *Biochem. Pharmacol.* 91: 40-50.
- Maity, P., Bindu, S., Dey, S., Goyal, M., Alam, A., Pal, C., *et al.*, 2009. Indomethacin, a non-steroidal anti-inflammatory drug, develops gastropathy by inducing reactive oxygen species-mediated mitochondrial pathology and associated apoptosis in gastric mucosa: a novel role of mitochondrial aconitase oxidation. *J. Biol. Chem.* 284:3058-3068.

- Marcone, S., Haugton, K., Simpson, P.J., Belton, O., Fitzgerald, D., 2015. Milk-derived bioactive peptides inhibit human endothelial-monocyte interaction via PPAR- γ dependent regulation of NF- κ B. *J. Inflammation* 12(1): 1-13.
- Matsui, H., Shimokawa, O., Kaneko, T., Nagano, Y., Rai, K., Hyodo, I., 2011. The pathophysiology of non-steroidal anti-inflammatory drug (NSAID)-induced mucosal injuries in stomach and small intestine. *J. Clin. Biochem. Nutr.* 48(2): 107-111.
- McCafferty, D.M., Granger, D.N., Wallace, J.L., 1999. Indomethacin-Induced Gastric Injury and Leukocyte Adherence in Arthritic Versus Healthy Rats. *Gastroenterol.* 109: 1173-1180.
- Meijer, K., de Vos, P., Priebe, M.G., 2010. Butyrate and other short-chain fatty acids as modulators of immunity: what relevance for health. *Curr. Opin. Clin. Nutr. Metab. Care* 13: 715-721.
- Menozi, A., Pozzoli, C., Poli, E., Martelli, M., Martelli, L., Zullian, C., *et al.*, 2009. Effects of oral curcumin on indomethacin-induced small intestinal damage in the rat. *Drug Discov. Ther.* 3(2): 71-76.
- Mitchell, R.M., Kumar, V., Abbas, A.K., Fausto, N., Aster, J.C., 2012. *Pocket Companion to Robbins and Cotran Pathologic Basis of Disease*, 8th ed. Philadelphia: Elsevier Saunders
- Morise, Z., Granger, D.N., Fuseler, J.W., Anderson, D.C., Grisham, M.B., 1999. Indomethacin induced gastropathy in CD18, intercellular adhesion molecule 1, or P-selectin deficient mice. *Gut* 45:523-528.
- Mukhopadhyaya, A., Noronha, N., Bahar, B., Ryan, M.T., Murray, B.A., Kelly, P.M., *et al.*, 2014. Anti-inflammatory effects of a casein hydrolysate and its peptide-enriched fraction on TNF- α -challenged caco-2 cells and LPS-challenged porcine colonic explants. *Food Sci. Nutr.* 2(6): 712-723.
- Mulet, A.P., Perelmuter, K., Bollati-Fogolin, M., Crispo, M., Grompone, G., 2017. Forkhead Box Protein O1 is linker to anti-inflammatory probiotic bacteria acting through nuclear faktor- κ B pathway. *J. Microb. Biochem. Technol.* 9: 074-081.
- Murphy, K., Weaver, C., 2017. *Immunobiology*. USA: Garland Science
- Musumba, C., Pritchard, D.M., Pirmohamed, M., 2009. Review article: cellular and molecular mechanisms of NSAID-induced peptic ulcer. *Aliment Pharm. Ther.* 30: 517-531.
- Naik, E., Dixit, V. M. 2011. Mitochondrial reactive oxygen species drive proinflammatory cytokine production. *J. Exp. Med.* 208:417-420.
- Naito, Y., Yoshikawa, T., 2006. Oxidative stress involvement and gene expression in indomethacin-induced gastropathy. *Redox Rep.* 11: 243-53.

- Nathan, C., Cunningham-Bussel, A., 2013. Beyond oxidative stress: an immunologist's guide to reactive oxygen species. *Nat. Rev. Immunol.* 13(5): 349-361.
- Nurliyani, Harmayani, E., Sunarti. 2015. Nitric oxide and inflammatory cytokine productions in diabetic rats supplemented with goat milk and soy milk kefir. *J. Food. Nutr. Res.* 3(6): 384-391.
- Pal, C., Bindu, S., Dey, S., Alam, A., Goyal, M., Iqbal, M. S., *et al.*, 2012. Tryptaminegallic acid hybrid prevents non-steroidal anti-inflammatory drug-induced gastropathy: correction of mitochondrial dysfunction and inhibition of apoptosis in gastric mucosal cells. *J. Biol. Chem.* 287: 3495–3509.
- Panesar, P.S., 2011. Fermented dairy product: starter cultures and potential nutritional benefits. *Food Nutr. Sci.* 2: 47-51.
- Park, Y.W., Juarez, M., Ramos, M., Haenlein, G.F.W., 2007. Physico-chemical characteristics of goat and sheep milk. *Small Rum. Res.* 68: 88-113
- Peskar, B.M., 2005. Role of cyclooxygenase isoform in gastric mucosal defence and ulcer healing. *Immunopharmacol.* 13: 15-26.
- Power, O., Jakerman, P., FitzGerald, R.J., 2013. Antioxidative peptides: enzymatic production, in vitro and in vivo antioxidant activity and potential application of milk-derived antioxidative peptides. *Amino Acid* 44: 797-820,
- Rahman, A., Fazal, F., 2009. Hug tightly and say goodbye: role of endothelial ICAM-1 in leukocyte transmigration. *Antioxidants Red. Sign.* 11(2): 823-839.
- Rahman, A., True, A.L., Anwar, K.N., Ye, R.D., Voyno-Yasenetskaya, T.A., 2002. Gαq and Gβγ regulate PAR-1 signaling of thrombin-induced NF-κB activation and ICAM-1 transcription in endothelial cells. *Circ. Res.* 91: 398-405.
- Ritter, J.M., Lewis, L.D., Mant, T.G.K., Ferro, A., 2008. *A Text of Clinical Pharmacology and Therapeutics* 5th Ed. UK: Companion WEB
- Roebuck, K.A., Finnegan, A., 1999. Regulation of intercellular adhesion molecule-1 (CD54) gene expression. *J Leukocyte Biol.* 66: 876-888.
- Santiago-Lopez, L., Hernandez-Mendoza, A., Vallejo-Cordoba, B., Mata-Haro, V., Gonzalez-Cordoba, A.F., 2016. Food-derived immunomodulatory peptides. *J. Sci. Food Agric.* 96: 3631-3641.
- Seger, M.E., Leiber, S., 2014. Toward a better understanding of *Lactobacillus rhamnosus* GG-host interactions. *Cell Factories* 13(1): S7.
- Sinha, K., Sadhukhan, P., Saha, S., Pal, P.B., Sil, P.C., 2015. Morin protects gastric mucosa from nonsteroidal anti-inflammatory drug, indomethacin induced inflammatory damage and apoptosis by modulating NF-κB pathway. *BBA*, 1850: 769-783.

- Sostres, C., Gargallo, C.J., Lanas, A., 2013. Nonsteroidal anti-inflammatory drugs and upper and lower gastrointestinal mucosal damage. *Arth. Res. Ther.* 15(3): S3.
- Sung, Y.Y., Kim, H.K., 2013. Illicium verum extract suppresses TNF-induced ICAM-1 expression via blockade of JAK/STAT pathway in HaCaT human keratinocytes. *J. Ethnopharmacol.* 149: 626-632.
- Wallace, J.L., 2001. Pathogenesis of NSAID-induced gastroduodenal mucosal injury. *Best Pract. Res. Clin. Gastroenterol.* 15: 691-703.
- Wallace, J.L., 2008. Prostaglandins, NSAIDs, and gastric mucosal protection: Why doesn't the stomach digest itself? *Physiol. Rev.* 88: 1547-1565.
- Yang, C.R., Shih, K.S., Liou, J.P., Wu, Y.W., Hsieh, I.N., Lee, H.Y., *et al.*, 2014. Denbinobin upregulates miR-146a expression and attenuates IL-1-induced upregulation of ICAM-1 and VCAM-1 expression in osteoarthritis fibroblast like synoviocyte. *J. Mol. Med.* 92: 1147-1158.
- Yeh, T.M., Liu, S.H., Lin, K.C., Kuo, C., Kuo, S.Y., Huang, T.Y., 2013. Dengue virus enhances thrombomodulin and ICAM-1 expression through the macrophage migration inhibitory factor induction of the MAPK and PI3K signaling pathways. *PloS ONE* 8(1): 55018.
- Zorov, D.B., Juhaszova, M., Sollott, S.J., 2014. Mitochondrial reactive oxygen species (ROS) and ros-induced ros release. *Physiol. Rev.* 94: 909-950.
- Zou, T.B., He, T.P., Li, H.B., Tang, H.W., Xia, E.Q., 2016. The structure-activity relationship of the antioxidant peptides from natural proteins. *Molecules* 21(72): 1-14.