

- Andersen. V., Egeberg, R., Tjønneland, A., Vogel, U., 2012. Interaction between interleukin-10 (IL-10) polymorphisms and dietary fibre in relation to risk of colorectal cancer in a Danish case-cohort study. *BMC Cancer*. 12(183):1-9.
- Antoniv, T.T., Ivashkiv, L.B., 2011. Interleukin-10-induced gene expression and suppressive function are selectively modulated by the PI3K-Akt-GSK3 pathway. *Immunology*. 132(4):567-77.
- Asadullah, K., Sterry, W., Volk, H.D., 2003. Interleukin-10 therapy—review of a new approach. *Pharmacol Rev*. 55(2):241–269.
- Astakhova, L., Ngara, Mi., Babich, O., Prosekov, A., Asyakina, L., Dyshlyuk, L., *et al.*, (2016) Short chain fatty acids (SCFA) reprogram gene expression in human malignant epithelial and lymphoid cells. *PLoS ONE*. 11(7): 1-18.
- Aubry, C.E.J., Somm, E., Pernin, A., Alizadeh, N., Giusti, V., Dayer, J.M., *et al.*, 2005. Adipose tissue is a regulated source of interleukin-10. *Cytokine*. 29:270-274.
- Basciano, H., Federico, L., Adeli, K., 2005. Fructose, insulin resistance, and metabolic dyslipidemia. *NutrMet*. 2(5):1-14.
- Bazzoni, F., Tamassia, N., Rossato, M., Cassatella, M.A., 2010. Understanding the molecular mechanisms of the multifaceted IL-10-mediated anti-inflammatory response: Lessons from neutrophils. *Eur. J. Immunol*. 40: 2360–2368.
- Besten, G.d., Eunen, K.v., Groen, A.K., Venema, K., Reijngoud, D.J., Bakker, B.M., 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *J. Lipid Res*. 54: 2325-2340.
- Ble-Castillo, J.L., Aparicio-Trapala, M.A., Juárez-Rojop, I.E., Torres-Lopez, J.E., Mendez, J.D., Aguilar-Mariscal, A., *et al.*, 2012. Differential effects of high-carbohydrate and high-fat diet composition on metabolic control and insulin resistance in normal rats. *Int. J. Environ. Res. Public Health*. 9:1663-1676.
- Bocarsly, M.E., Powell, E.S., Avena, N.M., and Hoebel, B.G., 2010. High-fructose corn syrup causes characteristics of obesity in rats: increased body weight, body fat and triglyceride levels. *Pharmacol Biochem Behav*. 97(1): 101–106.
- Brahm, A dan Hegele, R.A., 2013. Hypertriglyceridemia. *Nutrients*. 5, 981-1001.
- Brown, J.D., Lin, C.Y., Duan, Q., Griffin, G., Federation, A., Paranal, R.M., *et al.*, 2014. NF- κ B directs dynamic super enhancer formation in inflammation and atherogenesis. *Mol Cell*. 56(2): 219–231.
- Bullo', M., Casas-Agustench, P., Amigo'-Correig, P., Aranceta, J., Salas-Salvado, J., 2006. Inflammation, obesity and comorbidities: the role of diet. *Pub Health Nutr*. 10(10A): 1164–1172.
- Byrne, C.S., Chambers, E.S., Morrison, D.J., Frost, G., 2015. The role of short chain fatty acids in appetite regulation and energy homeostasis. *Int J Obes*. 39(9): 1331–1338.
- Canani, R.B., Di-Costanzo, M., Leone, L., Pedata, M., Meli, R., Calignano, A., 2011. Potential beneficial effects of butyrate in intestinal and extraintestinal diseases. *World J Gastroenterol*. 17(12): 1519-1528.
- Castoldi, A., Naffah de Souza, C., Câmara, N.O., Moraes-Vieira, P.M., 2016. The macrophage switch in obesity development. *Front. Immunol*. 6(637): 1-7.

- Charles, B.A., Doumatey, A., Huang, H., Zhou, J., Chen, G., Shriner, D., Adeyemo, A., Rotimi, C.N., 2011. The Roles of IL-6, IL-10, and IL-1RA in obesity and insulin resistance in African-Americans. *J Clin Endocrinol Metab.* 96(12): 2018–2022.
- Chandalia, M., Garg, A., Lutjohann, D., Bergmann, K.V., Grundy, S.M., And Brinkley, L.J., 2000. Beneficial effects of high dietary fiber intake in patients with type 2 diabetes mellitus. *N Engl J Med.* 342: 1392-98.
- Chen, L., Chen, R., Wang, H., Liang, H., 2015. Mechanisms linking inflammation to insulin resistance. *Int J Endocrinol.* 15: 1-9.
- Ciarlo, E., Heinonen, T., Herderschee, J., Fenwick, C., Mombelli, M., Le Roy, D., 2016. Impact of the microbial derived short chain fatty acid propionate on host susceptibility to bacterial and fungal infections in vivo. *Sci Rep.* 6:1-15.
- Coelho, D.F., Pereira-Lancha, L.O., Chaves, D.S., Diwan, D., Ferraz, R., Campos-Ferraz, P.L., *et al.*, 2011. Effect of high-fat diets on body composition, lipid metabolism and insulin sensitivity, and the role of exercise on these parameters. *Braz J Med Biol Res.* 44(10): 966-972.
- Corrêa, R.O., Fachi, J.L., Vieira, A., Sato, F.T., Vinolo, M.A.R., 2016. Regulation of immune cell function by short-chain fatty acids. *Clin Transl Immunology.* 5(4): 731-738.
- Couper, K.N., Blount, D.G., Riley, E.M., 2008. IL-10: The master regulator of immunity to infection. *J Immunol.* 180:5771-5777.
- Cummings, J.H., Pomare, E.W., Branch, W.J., Naylor, C.P.E., Macfarlane, G.T., 1987. Short chain fatty acids in human large intestine, portal, hepatic and venous blood. *Gut.* 28; 1221- 1227.
- De Filippis, F., Pellegrini, N., Vannini, L., Jeffery, I.B., Stora, A.L., Laghi, L., *et al.*, 2015. High-level adherence to a Mediterranean diet beneficially impacts the gut microbiota and associated metabolome. *Gut* 2015;1–10.
- Dhingra, D., Michael, M., Rajput, H., Patil, R.T., 2012. Dietary fibre in foods: a review. *J Food Sci Technol.* 49(3):255–266.
- Driessler, F., Venstrom, K., Sabat, R., Asadullah, K., Schottelius, A.J., 2004. Molecular mechanisms of interleukin-10-mediated inhibition of NF- κ B activity: a role for p50. *Clin Exp Immunol.* 135:64–73.
- El-Sheikh, N.M., El-Fattah, H.M.A., 2011. Counteracting methionine choline-deficient diet-induced fatty liver by administration of turmeric and silymarin. *J App Sci Res.* 7(12): 1812-1820.
- Federer, W.T., 1984. Statistical analyses for multistage experiment designs. *Blom. J.* 36(6): 635-653.
- Feingold, K.R., Grunfeld, C., Introduction to Lipids and Lipoproteins. In De Groot, L.J., Editor-in chief. Comprehensive endocrinology book. A service of the national library of medicine, National Institutes of Health. Ed 1: 1-19.
- Frayn, K.N., Arner, P., Yki-Järvinen, H., Ch 7 Fatty acid metabolism in adipose tissue, muscle and liver in health and disease. In Wagenmakers, A.J.M., editor. The biochemical basis of the health effects of exercise. *Essays In Biochemistry.* Portland Press. 42: 89-102.
- Fritsche, K.L., 2015. The science of fatty acids and inflammation. *Adv. Nutr.* 6(3): 293–301.

- Fuji, H., Iwase, M., Ohkuma, T., Ogata-Kaizu, S., Ide, H., Kikuchi, Y., *et al.*, 2013. Impact of dietary fiber intake on glycemic control, cardiovascular risk factors and chronic kidney disease in Japanese patients with type 2 diabetes mellitus: The Fukuoka Diabetes Registry. *Nutr J.* 12(159): 1-8.
- Gotto, A.M., 2011. Jeremiah Metzger Lecture: Cholesterol, inflammation and atherosclerotic cardiovascular disease: is it all LDL?. *Trans Am.Clin-Clim Assoc.* 122: 256-289.
- Grundy, M.S., 1984. Pathogenesis of hyperlipoproteinemia. *J Lipid Res.* 25: 1611-1618.
- Gunness, P dan Gidley, M.J., 2010. Mechanisms underlying the cholesterol-lowering properties of soluble dietary fibre polysaccharides. *Food Funct.* 1:149–155.
- Gustafson, B., Hammarstedt, A., Andersson, C.X., Smith, U., 2007. Inflamed adipose tissue a culprit underlying the metabolic syndrome and atherosclerosis. *Arterioscler Thromb Vasc Biol.* 27: 2276-2283.
- Han, X., Kitamoto, S., Wang, H., Boisvert, W.A., 2010. Interleukin-10 overexpression in macrophages suppresses atherosclerosis in hyperlipidemic mice. *FASEB J.* 24(8): 2869–2880.
- Harikumar, K., Althaf, S.A., Kumar, B.K., Ramunaik, M., Suvana, C.H., 2013. A Review on Hyperlipidemic. *IJNTPS.* 3(4): 58-71.
- Hariri, N., Thibault, L., 2010. High-fat diet-induced obesity in animal models. *Nutr Res Rev.* 23(2): 270-99.
- Halili, M.A., Andrews, M.R., Sweet, M.J., Fairlie, D.P., 2009. Histone Deacetylase Inhibitors In Inflammatory Disease. *Med Chem.* 9(3): 309-319.
- Huang, S., Rutkowsky, J.M., Snodgrass, R.G., Ono-Moore, K.D., Schneider, D.A., Newman, J.W., *et al.*, 2012. Saturated fatty acids activate TLR-mediated proinflammatory signaling pathways. *J. Lipid Res.* 53(9): 2002–2013.
- Ihedioha, J.I., Noel-Uneke, O.A., Ihedioha, T.E., 2013. Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comp Clin Pathol* 22: 93–99.
- Iannaccone, P.M., Jacob, H.J., 2009. Rat's!. *Dis Model Mech.* 2(5-6): 206–210.
- Jakobsdottir, G., Xu, J., Molin, G., Ahrne, S., Nyman, M., 2013. High-fat diet reduces the formation of butyrate, but increases succinate, inflammation, liver fat and cholesterol in rats, while dietary fibre counteracts these effects. *PLoS ONE.* 8(11): 1-15.
- Keenan, M.J., Marco, M.L., Ingram, D.K., Martin, R.J., 2015. Improving healthspan via changes in gut microbiota and fermentation. *AGE.* 37: 981-90.
- Kementerian Kesehatan RI Direktorat Bina Gizi, Direktorat Jenderal Bina Gizi dan KIA. Naskah Akademik Pedoman Gizi Seimbang. Direktorat Bina Gizi, Jakarta 2014.
- King, D.E., 2005. Dietary fiber, inflammation, and cardiovascular disease. *Mol. Nutr. Food Res.* 49(6): 594 – 600.
- Kim, C.H., Park, J., Kim, M., 2014. Gut microbiota-derived short-chain fatty acids, t cells, and inflammation". *Immune Netw.* 14(6): 277-288.
- Kim, K.A., Gu W, Lee, I.A., Joh, E.H., Kim, D.H., 2012. High fat diet-induced gut microbiota exacerbates inflammation and obesity in mice via the TLR-4 signaling pathway. *PLoS ONE.* 7(10): 1-11.

- Klosterbuer, A., Roughead, Z.F., Slavin, J., 2011. Benefits of dietary fibre in clinical nutrition. *Nutr Clin Pract*. 26(5):625-35.
- Kolderup, A., Svihus, B., 2015. Fructose metabolism and relation to atherosclerosis, type 2 diabetes, and obesity. *J Nutr Metab*. 2015: 1-14.
- Krause, P., Morris, V., Greenbaum, J.A., Park, Y., Bjoerheden, U., Mikulski, Z., Muffley, T., et al., 2015. IL-10 producing intestinal macrophages prevent excessive anti-bacterial innate immunity by limiting IL-23 synthesis. *Nat Commun*. 6: 1-21.
- Kraemer, F.B., and W-J. Shen. 2002. Hormone-sensitive lipase: control of intracellular tri-(di-)acylglycerol and cholesteryl ester hydrolysis. *J. Lipid Res*. 43:1585–1594
- Kwan, B.C.H., Kronenberg, F., Beddhu, S., Cheung, A.K., 2007. Lipoprotein metabolism and lipid management in chronic kidney disease. *J Am Soc Nephrol*. 18: 1246–1261.
- Lackeyram, D., Young, D., Kim, C.J., Yang, C., Archbold, T.L., Mine, Y., Fan, M.Z., 2017. Interleukin-10 is differentially expressed in the small intestine and the colon experiencing chronic inflammation and ulcerative colitis induced by dextran sodium sulfate in young pigs. *Physiol. Res*. 66: 147-162.
- Livak, K.J., Schmittgen, T.D., 2001. Analysis of relative gene expression data using real-time quantitative pcr and the $2^{-\Delta\Delta C_t}$ method. *Methods*. 25:402–408.
- Lozano, I., der Werf, R.V., Bietiger, W., Seyfritz, E., Peronet, C., Pinget, M., et al., 2016. High-fructose and high-fat diet-induced disorders in rats: impact on diabetes risk, hepatic and vascular complications. *J Nutr Metab*. 13(15):1-13.
- Marques, C., Meireles, M., Norberto, S., Leite, J., Freitas, J., Pestana, D., Faria, A., et al., 2016. High-fat diet-induced obesity rat model: a comparison between wistar and sprague-dawley rat. *Adipocyte*. 5(1): 11-21.
- Mayes, P.A., Pengangkutan dan penyimpanan lipid. In : Muray, R.K., Granner, D.K., Mayes, P.A., Rodwell, V.W., editors. *Biokimia Harper*. EGC/McGraw-Hill; Medical Publishing Division. Ed. 25:254-69.
- Maslowski, K.M., Vieira, A.T., Ng, A., Kranich, J., Sierro, F., Yu, D., Schilter, H.C., et al., 2009. Regulation of inflammatory responses by gut microbiota and chemoattractant receptor GPR43. *Nature*. 461(7268): 1282–1286.
- Minihane, A.M., Vinoy, S., Russell, W.R., Baka, A., Roche, H.M., Tuohy, K.M., et al., 2015. Low-grade inflammation, diet composition and health: current research evidence and its translation. *B J Nutr*. 114, 999–1012.
- Mosser, D.M., Zhang, X., 2008. Interleukin-10: New perspectives on an old cytokine. *Immunol Rev*. 226: 205–218.
- Morrison D.J., Preston, T., 2016. Formation of short chain fatty acids by the gut microbiota and their impact on human metabolism. *Gut Microbes*. 7(3): 189-200.
- Mumford, S.L., Schisterman, E.F., Siega-Riz, A.M., Gaskins, A.J., Wactawski-Wende, J., VanderWeele, T.J., 2010. Effect of dietary fiber intake on lipoprotein cholesterol levels independent of estradiol in healthy premenopausal women. *Am J Epidemiol*. 173(2):145–156.
- Nastasi, C., Candela, M., Bonefeld, C.M., Geisler, C., Hansen, M., Krejsgaard, T., et al., 2015. The effect of short-chain fatty acids on human monocyte-derived dendritic cells. *Sci Rep*. 5: 1-10.

- Nelson, R.H., 2013. Hyperlipidemia as a risk factor for cardiovascular disease. *Prim Care*. 40(1): 195–211.
- Oeckinghaus, A., Ghosh, S., 2009. The NF- κ B family of transcription factors and its regulation. *Cold Spring Harb Perspect Biol*. 1(4): 1-14.
- Park, J., Goergen, C.J., Harm HogenEsch, H., Kim, C.H., 2016. Chronically elevated levels of short-chain fatty acids induce t cell-mediated ureteritis and hydronephrosis. *J Immunol*. 196: 2388-2400.
- Park, J., Kim, M., Kang, S.G., Jannasch, A.H., Cooper, B., Patterson, J., Kim, C.H., 2015. Short-chain fatty acids induce both effector and regulatory T cells by suppression of histone deacetylases and regulation of the mTOR–S6K pathway. *Nature*. 8(1): 80-93.
- Park, J.S., Lee, E.J., Lee, J.C., Kim, W.K., Kim, H.S., 2007. Anti-inflammatory effects of short chain fatty acids in IFN- γ -stimulated RAW 264.7 murine macrophage cells: Involvement of NF- κ B and ERK signaling pathways. *Int Immunopharmacol*. 7: 70–77.
- Pereira, R.M., Botezelli, J.D., da Cruz Rodrigues, K.C., Mekary, R.A., Cintra, D.E., Pauli, J.R., *et al.*, 2017. Fructose consumption in the development of obesity and the effects of different protocols of physical exercise on the hepatic metabolism. *Nutrients*. 9(405):1-21.
- Poret, J.M., Souza-Smith, F., Marcell, S.J., Gaudet, D.A., Tzeng, T.H., Braymer, H.D., *et al.*, 2017. High fat diet consumption differentially affects adipose tissue inflammation and adipocyte size in obesity-prone and obesity resistant rats. *Int J Obes*. 2017:1-31.
- Raclot, T., C. Holm, and D. Langin. 2001. Fatty acid specificity of hormonesensitive lipase: implication in the selective hydrolysis of triacylglycerols. *J. Lipid Res*. 42:2049–2057.
- Ramos, S.C., Fonseca, F.A., Kasma, S.H., Moreira, F.T., Helfenstein, T., Borges, N.C., *et al.*, 2011. The role of soluble fiber intake in patients under highly effective lipid-lowering therapy. *Nutr J*. 10(80):1-8.
- Reeves, P.G., Nielsen, F.H., Fahey Jr, G.C., 1993. AIN-93 purified diets for laboratory rodents: final report of the american institute of nutrition ad hoc writing committee on the reformulation of the AIN-76A rodent diet. *J. Nutr*. 123: 1939-1951.
- Rios-Covián, D., Ruas-Madiedo, P., Margolles, A., Gueimonde, M., de los Reyes-Gavilán, C.G., Salazar, N., 2016. Intestinal short chain fatty acids and their link with diet and human health. *Front. Microbiol*. 7(185): 1-9.
- Ropelle, E.R., Flores, M.B., Cintra, D.E., Rocha, G.Z., Pauli, J.R., Morari, J., *et al.*, 2010. IL-6 and IL-10 anti-inflammatory activity links exercise to hypothalamic insulin and leptin sensitivity through IKK β and ER stress inhibition. *PLoS Biol*. 8(8): 1-20.
- Sasidharan, S.R., Joseph, J.A., Anandakumar, S., Venkatesan, V., Madhavan, C.N.A., Agarwal, A., 2013. An experimental approach for selecting appropriate rodent diets for research studies on metabolic disorders. *BioMed Res Int*. 2013: 1-9.
- Sasaki, D., Sasaki, K., Ikuta, N., Yasuda, T., Fukuda, I., Kondo, A., Osawa, R., 2018. Low amounts of dietary fibre increase in vitro production of short-chain fatty acids without changing human colonic microbiota structure. *Sci Rep*. 8:1-9.

- Saraiva, M., O'Garra, A., 2010. The regulation of IL-10 production by immune cells. *Nat Rev Immunol.* 10(3): 170-81.
- Scott, M.L., Fujita, T., Liou, H., Nolan, G.P., Baltimore, D., 1993. The p65 subunit of NF- κ B regulates I κ B by two distinct mechanisms. *Gen Dev.* 7: 1266-1276.
- Shouval, D.S., Biswas, A., Goettel, J.A., McCann, K., Conaway, E., Redhu, N.S., Mascanfroni, I.D., et al., 2014. Interleukin-10 receptor signaling in innate immune cells regulates mucosal immune tolerance and anti-inflammatory macrophage function. *Immunity.* 40(5): 706–719.
- Slavin, J dan Green, H., 2007. Dietary fibre and satiety. *Nutrition Bulletin.* 32(suppl 1): 32–42.
- Stapleton, P.A., Goodwill, A.G., James, M.E., Brock, R.W., Frisbee, J.C., 2010. Hypercholesterolemia and microvascular dysfunction: interventional strategies. *J Inflamm.* 7(54):1-10.
- Stoecklin, G., Tenenbaum, S.A., Mayo, T., Chittur, S.V., George, A.D., Baroni, T.E., et al., 2008. Genome-wide analysis identifies interleukin-10 mRNA as target of tristetraprolin. *J Biol Chem.* 283(17): 1689–1169.
- Stumpo, D., Lai, W.S., Blackshear, P.J., 2010. Inflammation: cytokines and RNA-based regulation. *Wiley Interdiscip Rev RNA.* 1(1): 60–80.
- Sun, S., Ji, Y., Kersten, S., Qi, L., 2012. Mechanisms of inflammatory responses in obese adipose tissue. *Annu Rev Nutr.* 32: 261–286.
- Sunarti., Rubi, D.S., Sadewa, A.H., 2016. The effect of pumpkin on glp-1 and homa- β in hypercholesterolemic rats. *Rom J Diabetes Nutr Metab Dis.* 23(1):019-025.
- Sunarti., Bab I. Serat pangan. In : Sunarti., editor. Serat pangan dalam penanganan sindrom metabolik. UGM: *Gadjah Mada University Press*. Ed. 1:1-20.
- Tappy, L., Le, K.A., 2010. Metabolic effects of fructose and the worldwide increase in obesity. *Physiol Rev.* 90: 23–46.
- Tedelind, S., Westberg, F., Kjerrulf, M., Vidal, A., 2007. Anti-inflammatory properties of the short-chain fatty acids acetate and propionate: A study with relevance to inflammatory bowel disease. *World J Gastroenterol.* 13(20): 2826-2832.
- The Merck Index Online. Royal Society of Chemistry. Free Fatty Acid. 2017. Available : <https://www.rsc.org/Merck-Index>.
- Thapar, R., Denmon, A.P., 2013. Signaling pathways that control mRNA turnover. *Cell Signal.* 25(8): 1699–1710.
- Threapleton, D.E., Greenwood, D.C., Evans, C.E.L., Cleghorn, C.L., Nykjaer., Woodhead, C., Cade, J.E., Gale, C.P., Burley, V.J., 2013. Dietary fibre intake and risk of cardiovascular disease: systematic review and meta-analysis. *BMJ.* 347: 1-12.
- Trifunović, J., Miller, L., Debeljak, Z., Horvat, V., 2015. Pathologic patterns of interleukin 10 expression – A review. *Biochemia Medica.* 25(1):36–48.
- Tsalissavrina, I., Wahono, D., Handayani, D., 2006. The influence of high-carbohydrate diet administration in comparison with high-fat diet toward triglyceride and hdl level in blood on rattus norvegicus strain wistar. *Jurnal Kedokteran Brawijaya.* 22(2). 80-89.
- Turner, N.D., Lupton, J.R., 2011. Dietary fiber. American society for nutrition. *Adv. Nutr.* 2: 151–152.

- Verma, R., Balakrishnan, L., Sharma, K., Khan, A.A., Advani, J., Gowda, H., *et al.*, 2016. A network map of Interleukin-10 signaling pathway. *J. Cell Commun.Signal*.10:61–67.
- Vinolo, M.A.R., Rodrigues, H.G., Nachbar, R.T., Curi, R., 2011. Regulation of inflammation by short chain fatty acids. *Nutrients*. 3: 858-876.
- Wilkinson, M.J., Laffin, L.J., Davidson, M.H., 2014. Overcoming toxicity and side-effects of lipid-lowering therapies. *Res Clin Endo Met*. 28: 439–452.
- Weickert, M.O., Pfeiffer, A.F.H., 2008. Metabolic effects of dietary fiber consumption and prevention of diabetes. American Society for Nutrition. *J. Nutr*. 138: 439–442.
- Wolever, T.M., Jenkins, D.J., 1997. What is a high fiber diet?, *Adv Exp Med Biol*. 427:35-42.
- Xia, Y., Shen, S., Verma, I.M., 2014. NF- κ B, an active player in human cancers. *Cancer Immunol Res*. 2(9): 823–830.
- Xie, L., Fu, Q., Ortega, T.M., Zhou, L., Rasmussen, D., O’Keefe, J., *et al.*, 2014. Overexpression of IL-10 in C2D macrophages promotes a macrophage phenotypic switch in adipose tissue environments. *PLoS ONE*. 9(1): 1-9.
- Yang, Y.Y., Ma, S., Wang, X.X., Zheng, X.L., 2017. Modification and application of dietary fiber in foods. *J Chemi*. 2017. 1-8.
- Yang, J., Wang, H.P., Zhou, L., Xu, C.F., 2012. Effect of dietary fiber on constipation: A meta analysis. *World J Gastroenterol*. 18(48): 7378-7383.
- Zhu, Y.J., Wang, C., Song, G., Zang, S-S., Liu, Y., Li, L., 2015. Toll-like receptor-2 and -4 are associated with hyperlipidemia. *Mol Med Rep*. 12: 8241-8246.