



TABLE OF CONTENTS

| | |
|--|------|
| PERNYATAAN | ii |
| PRAKATA | iii |
| ABBREVIATION | iv |
| ABSTRACT | vi |
| INTISARI | viii |
| TABLE OF CONTENTS | ix |
| LIST OF FIGURES | xi |
| LIST OF TABLES | xii |
| CHAPTER I INTRODUCTION | 1 |
| 1.1 Background | 1 |
| 1.2 Research Problems | 3 |
| 1.3 Research Novelty | 3 |
| 1.4 Research Goals | 5 |
| 1.5 Research Benefit | 5 |
| 1.6 Thesis Outline | 7 |
| CHAPTER II LITERATURE REVIEWS AND THEORETICAL BASIS | 8 |
| 2.1 Literature Reviews | 8 |
| 2.2 Theoretical Basis | 9 |
| 2.2.1 Eye Tracking | 9 |
| 2.2.2 Calibration, Accuracy and Precision | 11 |
| 2.2.3 Smooth Pursuit Eye Movement | 12 |
| 2.2.4 Moving Average | 13 |
| 2.2.5 Kalman Filter | 14 |
| 2.2.6 Particle Filter | 16 |
| 2.2.7 Euclidean distance (ED) | 17 |
| 2.2.8 Pearson's Product Moment Coefficient (PPMC) | 17 |
| 2.2.9 Linear Regression | 18 |
| 2.3 Hypothesis | 18 |
| CHAPTER III METHODOLOGY | 19 |
| 3.1 Apparatus and Materials | 19 |
| 3.1.1 Apparatus | 19 |
| 3.1.2 Materials | 21 |
| 3.2 Research Flow | 22 |



| | | |
|--|---|-----|
| 3.2.1 | Method Design | 23 |
| 3.2.1.1 | Experimental Setup | 23 |
| 3.2.1.2 | Experimental Design | 24 |
| 3.2.1.3 | Analysis of Experimental Results | 26 |
| 3.2.1.4 | Object Selection Algorithm | 27 |
| 3.2.2 | Method Implementation | 31 |
| 3.2.2.1 | First Method Implementation | 31 |
| 3.2.2.2 | Second Method Implementation | 32 |
| 3.2.3 | Evaluation | 32 |
| CHAPTER IV RESULTS AND DISCUSSION | | 33 |
| 4.1 | Result: First Method Implementation (Without Linear Regression) | 33 |
| 4.1.1 | Accuracy of Object Selection | 33 |
| 4.1.1.1 | Raw Data | 33 |
| 4.1.1.2 | Moving Average | 38 |
| 4.1.1.3 | Kalman Filter | 41 |
| 4.1.1.4 | Particle Filter | 50 |
| 4.1.2 | Success Timing of Object Selection | 59 |
| 4.1.2.1 | Raw Data | 59 |
| 4.1.2.2 | Moving Average | 60 |
| 4.1.2.3 | Kalman Filter | 64 |
| 4.1.2.4 | Particle Filter | 72 |
| 4.1.3 | Stability of Object Selection | 81 |
| 4.1.3.1 | Raw Data | 81 |
| 4.1.3.2 | Moving Average | 82 |
| 4.1.3.3 | Kalman Filter | 86 |
| 4.1.3.4 | Particle Filter | 94 |
| 4.2 | Result: Second Method Implementation (With Linear Regression) | 103 |
| 4.3 | Discussion | 105 |
| 4.3.1 | Effect of Chinrest Usage | 105 |
| 4.3.2 | Performance Comparison between ED and PPMC | 106 |
| 4.3.3 | Effect of Gaze Smoothing Filter | 109 |
| 4.3.4 | Performance of Novel Object Selection Algorithm | 109 |
| CHAPTER V CONCLUSION AND FUTURE WORKS | | 111 |
| 5.1 | Conclusion | 111 |
| 5.2 | Future Works | 111 |



LIST OF FIGURES

| | | |
|-------------|---|----|
| Figure 2.1 | Overview of a video based eye-tracking system [10] | 10 |
| Figure 2.2 | Precision and Accuracy [10] | 11 |
| Figure 2.3 | The relationship between the pupil center and the corneal reflection when the participant fixates at the nine points of a calibration screen [20] | 12 |
| Figure 2.4 | Kalman Filter Algorithm | 14 |
| Figure 3.1 | Computer Monitor and <i>Tobii EyeX</i> Eye Tracker | 19 |
| Figure 3.2 | <i>Tobii EyeX</i> Eye Tracker | 20 |
| Figure 3.3 | Head Supporting Tool or Chinrest | 21 |
| Figure 3.4 | <i>Tobii EyeX</i> Schema | 22 |
| Figure 3.5 | Research Flow Diagram | 22 |
| Figure 3.6 | Experimental Setting | 23 |
| Figure 3.7 | Experimental Design Flow for All Participants | 25 |
| Figure 3.8 | Eye Gaze Follows Moving Stimulus | 26 |
| Figure 3.9 | Linear Regression Design for Object Selection | 29 |
| Figure 3.10 | Gaze-Based Object Selection Algorithm | 30 |
| Figure 4.1 | Trend of object selection using Euclidean distance under raw data condition in different threshold values (Section 1) | 35 |
| Figure 4.2 | Trend of object selection using Euclidean distance under raw data condition in different threshold values (Section 2) | 35 |
| Figure 4.3 | Trend of object selection using Pearson's Product Moment Coefficient under raw data condition in different threshold values (Section 1) | 37 |
| Figure 4.4 | Trend of object selection using Pearson's Product Moment Coefficient under raw data condition in different threshold values (Section 2) | 37 |



LIST OF TABLES

| | | |
|------------|--|----|
| Table 1.1 | Several research comparison of gaze-based object selection for spontaneous interaction | 6 |
| Table 2.1 | Typical values of the most common types of eye movements events [10] | 12 |
| Table 3.1 | <i>Tobii EyeX</i> Specification [29] | 20 |
| Table 3.2 | Attributes of Eye Gaze Data | 28 |
| Table 3.3 | First Method Implementation | 31 |
| Table 4.1 | Accuracy of object selection with and without the usage of chinrest using ED and without gaze smoothing | 34 |
| Table 4.2 | Accuracy of object selection with and without the usage of chinrest using PPMC and without gaze smoothing | 36 |
| Table 4.3 | Accuracy of object selection with the usage of chinrest using ED and moving average in first section | 38 |
| Table 4.4 | Accuracy of object selection with the usage of chinrest using ED and moving average in second section | 39 |
| Table 4.5 | Accuracy of object selection without the usage of chinrest using ED and moving average in first section | 39 |
| Table 4.6 | Accuracy of object selection without the usage of chinrest using ED and moving average in second section | 40 |
| Table 4.7 | Accuracy of object selection with the usage of chinrest using PPMC and moving average in first section | 40 |
| Table 4.8 | Accuracy of object selection with the usage of chinrest using PPMC and moving average in second section | 40 |
| Table 4.9 | Accuracy of object selection without the usage of chinrest using PPMC and moving average in first section | 41 |
| Table 4.10 | Accuracy of object selection without the usage of chinrest using PPMC and moving average in second section | 41 |
| Table 4.11 | Accuracy of object selection with the usage of chinrest using ED and Kalman filter in first section | 43 |
| Table 4.12 | Accuracy of object selection with the usage of chinrest using ED and Kalman filter in second section | 44 |
| Table 4.13 | Accuracy of object selection without the usage of chinrest using ED and Kalman filter in first section | 45 |
| Table 4.14 | Accuracy of object selection without the usage of chinrest using ED and Kalman filter in second section | 46 |
| Table 4.15 | Accuracy of object selection with the usage of chinrest using PPMC and Kalman filter in first section | 47 |
| Table 4.16 | Accuracy of object selection with the usage of chinrest using PPMC and Kalman filter in second section | 48 |



| | |
|---|----|
| Table 4.17 Accuracy of object selection without the usage of chinrest using PPMC and Kalman filter in first section | 49 |
| Table 4.18 Accuracy of object selection without the usage of chinrest using PPMC and Kalman filter in second section | 50 |
| Table 4.19 Accuracy of object selection with the usage of chinrest using ED and Particle filter in first section | 51 |
| Table 4.20 Accuracy of object selection with the usage of chinrest using ED and Particle filter in second section | 52 |
| Table 4.21 Accuracy of object selection without the usage of chinrest using ED and Particle filter in first section | 53 |
| Table 4.22 Accuracy of object selection without the usage of chinrest using ED and Particle filter in second section | 54 |
| Table 4.23 Accuracy of object selection with the usage of chinrest using PPMC and Particle filter in first section | 55 |
| Table 4.24 Accuracy of object selection with the usage of chinrest using PPMC and Particle filter in second section | 56 |
| Table 4.25 Accuracy of object selection without the usage of chinrest using PPMC and Particle filter in first section | 57 |
| Table 4.26 Accuracy of object selection with the usage of chinrest using PPMC and Particle filter in second section | 58 |
| Table 4.27 Accuracy of object selection (threshold = 60) under All Gaze Smoothing Conditions | 59 |
| Table 4.28 Success timing of object selection with and without the usage of chinrest using ED and without gaze smoothing | 60 |
| Table 4.29 Success timing of object selection with and without the usage of chinrest using PPMC and without gaze smoothing | 60 |
| Table 4.30 Success timing of object selection with the usage of chinrest using ED and moving average in first section | 61 |
| Table 4.31 Success timing of object selection with the usage of chinrest using ED and moving average in second section | 61 |
| Table 4.32 Success timing of object selection without the usage of chinrest using ED and moving average in first section | 62 |
| Table 4.33 Success timing of object selection without the usage of chinrest using ED and moving average in second section | 62 |
| Table 4.34 Success timing of object selection with the usage of chinrest using PPMC and moving average in first section | 63 |
| Table 4.35 Success timing of object selection with the usage of chinrest using PPMC and moving average in second section | 63 |
| Table 4.36 Success timing of object selection without the usage of chinrest using PPMC and moving average in first section | 64 |
| Table 4.37 Success timing of object selection without the usage of chinrest using PPMC and moving average in second section | 64 |
| Table 4.38 Success timing of object selection with the usage of chinrest using ED and Kalman filter in first section | 65 |



| | |
|--|----|
| Table 4.39 Success timing of object selection with the usage of chinrest using ED and Kalman filter in second section | 66 |
| Table 4.40 Success timing of object selection without the usage of chinrest using ED and Kalman filter in first section | 67 |
| Table 4.41 Success timing of object selection without the usage of chinrest using ED and Kalman filter in second section | 68 |
| Table 4.42 Success timing of object selection with the usage of chinrest using PPMC and Kalman filter in first section | 69 |
| Table 4.43 Success timing of object selection with the usage of chinrest using PPMC and Kalman filter in second section | 70 |
| Table 4.44 Success timing of object selection without the usage of chinrest using PPMC and Kalman filter in first section | 71 |
| Table 4.45 Success timing of object selection without the usage of chinrest using PPMC and Kalman filter in second section | 72 |
| Table 4.46 Success timing of object selection with the usage of chinrest using ED and Particle filter in first section | 73 |
| Table 4.47 Success timing of object selection with the usage of chinrest using ED and Particle filter in second section | 74 |
| Table 4.48 Success timing of object selection without the usage of chinrest using ED and Particle filter in first section | 75 |
| Table 4.49 Success timing of object selection without the usage of chinrest using ED and Particle filter in second section | 76 |
| Table 4.50 Success timing of object selection with the usage of chinrest using PPMC and Particle filter in first section | 77 |
| Table 4.51 Success timing of object selection with the usage of chinrest using PPMC and Particle filter in second section | 78 |
| Table 4.52 Success timing of object selection without the usage of chinrest using PPMC and Particle filter in first section | 79 |
| Table 4.53 Success timing of object selection without the usage of chinrest using PPMC and Particle filter in second section | 80 |
| Table 4.54 Success Timing of Object Selection (threshold = 60) under All Gaze Smoothing Conditions | 81 |
| Table 4.55 Stability of object selection with and without the usage of chinrest using ED and without gaze smoothing | 82 |
| Table 4.56 Stability of object selection with and without the usage of chinrest using PPMC and without gaze smoothing | 82 |
| Table 4.57 Stability of object selection with the usage of chinrest using ED and moving average in first section | 83 |
| Table 4.58 Stability of object selection with the usage of chinrest using ED and moving average in second section | 83 |
| Table 4.59 Stability of object selection without the usage of chinrest using ED and moving average in first section | 84 |
| Table 4.60 Stability of object selection without the usage of chinrest using ED and moving average in second section | 84 |



| | |
|---|-----|
| Table 4.61 Stability of object selection with the usage of chinrest using PPMC and moving average in first section | 85 |
| Table 4.62 Stability of object selection with the usage of chinrest using PPMC and moving average in second section | 85 |
| Table 4.63 Stability of object selection without the usage of chinrest using PPMC and moving average in first section | 85 |
| Table 4.64 Stability of object selection without the usage of chinrest using PPMC and moving average in second section | 86 |
| Table 4.65 Stability of object selection with the usage of chinrest using ED and Kalman filter in first section | 87 |
| Table 4.66 Stability of object selection with the usage of chinrest using ED and Kalman filter in second section | 88 |
| Table 4.67 Stability of object selection without the usage of chinrest using ED and Kalman filter in first section | 89 |
| Table 4.68 Stability of object selection without the usage of chinrest using ED and Kalman filter in second section | 90 |
| Table 4.69 Stability of object selection with the usage of chinrest using PPMC and Kalman filter in first section | 91 |
| Table 4.70 Stability of object selection with the usage of chinrest using PPMC and Kalman filter in second section | 92 |
| Table 4.71 Stability of object selection without the usage of chinrest using PPMC and Kalman filter in first section | 93 |
| Table 4.72 Stability of object selection without the usage of chinrest using PPMC and Kalman filter in second section | 94 |
| Table 4.73 Stability of object selection with the usage of chinrest using ED and Particle filter in first section | 95 |
| Table 4.74 Stability of object selection with the usage of chinrest using ED and Particle filter in second section | 96 |
| Table 4.75 Stability of object selection without the usage of chinrest using ED and Particle filter in first section | 97 |
| Table 4.76 Stability of object selection without the usage of chinrest using ED and Particle filter in second section | 98 |
| Table 4.77 Stability of object selection with the usage of chinrest using PPMC and Particle filter in first section | 99 |
| Table 4.78 Stability of object selection with the usage of chinrest using PPMC and Particle filter in second section | 100 |
| Table 4.79 Stability of object selection without the usage of chinrest using PPMC and Particle filter in first section | 101 |
| Table 4.80 Stability of object selection without the usage of chinrest using PPMC and Particle filter in second section | 102 |
| Table 4.81 Stability of Object Selection (threshold = 60) under All Gaze Smoothing Conditions | 103 |
| Table 4.82 Accuracy of object selection using ED without and with linear regression under all gaze smoothing conditions | 104 |



| | |
|--|-----|
| Table 4.83 Success timing of object selection using ED without and with linear regression under all gaze smoothing Conditions | 104 |
| Table 4.84 Stability of object selection using ED without and with linear regression under all gaze smoothing Conditions | 105 |
| Table 4.85 Effect of chinrest usage on ED and PPMC without filtering under raw data condition | 106 |
| Table 4.86 Performance comparison between ED and PPMC under raw data condition (without filtering) and without the usage of chinrest | 107 |
| Table 4.87 PPMC calculation for accuracy of object selection | 108 |