

DAFTAR PUSTAKA

- Abraha, K., Suharyadi, E., Daryono, B.S., dan Absor, A.U. (2011), Pengembangan *Nanoparticles* Magnetit untuk Deteksi Protein secara Cepat dan Sensitif berbasis *Surface Plasmon Resonance* (SPR) Sensor, Hibah Riset Unggulan Klaster, UGM, Yogyakarta
- Agbor, N.E., Cresswell, J.P., Petty, M. C., dan Monkman, A.P. (1997). An optical gas sensor based on polyaniline Langmuir-Blodgett films. *Sensors and Actuators B*, **41**, 137-141.
- Ahmadi, N., Poursalehi. R., dan Farshi, MK. (2015). The interparticle coupling Effect on Plasmon Resonance Properties of Magnetite@Au Magnetoplasmonic Nanoparticle. *Procedia Materials Science* **11**, 254-258
- Arifin, M., (2011). *Kajian Fenomena Surface Plasmon Resonance (SPR) pada Sistem Logam/Polimer Konduktif sebagai Sensor Gas*. Tesis, Program Studi Ilmu Fisika FMIPA UGM, Yogyakarta.
- Baida. (2009). Quantitative determination of the size dependence of surface plasmon resonance damping in single Ag@SiO₂nanoparticles. *Nano Letters* **9**, Issue 10, 3463-3469
- Barer, R. (1957). Refractometry and Interferometry of Living Cells., *J. Opt. Soc. Am* **47**, 545-556
- Blatter, T.M., Pasche, S., Textor, M., dan Griesser, H.J. (2006). High salt stability and protein resistance of poly (L-lysine)-g-poly(ethylene glycol) copolymer covalently immobilized via aldehyde plasma polymer interlayers on inorganic and polymeric substrate., *Langmuir* **22**, 5760-5769.
- Bohren dan Huffma. (1998). *Absorption and Scattering of Light by Small Particle*, John Wiley and Sons, New York.
- Boyd, R.W. (1992). *Nonlinear Optics*. London: Academic Press
- Buerk, D.G. (1993). *Biosensors Theory and Application*, Technomic, Lancaster, Philadelphia.
- Byun, K.M., Kim, D., dan Kim, S.J. (2006). Investigation of The Profil Effect on The Sensitivity Enhancement of Nanowire-Mediated Localized Surface Plasmon Resonance Biosensors. *Sensor and Actuator B* **117**, 401-407.
- Chaffin, E., Bhana. S., Connor., Huang, X dan Wang, Y. (2014). The Impact of Core Dielectric Properties on the Localized Surface Plasmonic Spectra of Gold-Coated Magnetic Core-Shell Nanoprticle. *J. Phys Chem B* **49**, 14076-84.
- Chang, T.H. (2013). Electroless Plating Growth Au-Ag Core-shell Nanoparticles for Surface Enhanced Raman Scattering. *Int.J.Electrochem. Sci* **8**, 6889-6899.



- Chan, D., Le, L., Suihua, M., Zhuyi, L., Jingtuo, Z., Yonghong, H., Zhansan, W dan Jihua, G. (2009). Experimental Study of The Optimal Metal Film for Surface Plasmon Resonance. *Proc. Of SPIE*, 7519 : 75190 J-1.
- Chatterjee, K., Sarkar, S., Jaggajjani, K dan Paria.S, (2014). Core/Shell nanoparticles in biomedical applications. *Advances in Colloid and Interface Science* **209**, 8-39.
- Chen, H., Qi, F., Zhou, H., Jia, S., Gao, Y., Koh, K dan Yin, Y. (2015). Fe₃O₄@Au Nanoparticles as a means of Signal Enhancement in Surface Plasmon Resonance Spectroscopy for thrombin Detection. *Sensor and Actuator B: chemical* **212**, 505-511.
- Chen, Y., dan Ming, H. (2012). Review of Surface Plasmon Resonance and Localized Surface Plasmon Resonance Sensor. *Photonic Sensor* **2**, No.1 ,37-49
- Chen, Y., Wa, H., Li, Z., Wang, P., Yang, L dan Fang, Y. (2012). The Study of Surface Plasmon Resonance in Au/Ag Core/Shell Compound Nanoparticle. *Plasmonics* **7**, 509-513.
- Chettier, U.K dan Engheta, N. (2012). Internal homogenization: Effective permittivity of coated sphere. *Optics Express* **20**, 22976.
- Csapo, E., Oszko, A., Varga, E., Juhasz, A., Buzas, N., Ko, L., Rosi, Majzik, A., dan Dekany, I. (2012). Synthesis and characterization of Ag/Au Alloy and core(Ag)-shell (Au) nanoparticles *Colloids and Surfaces A: Physicochem. Eng. Aspects* **415** , 281-287.
- Cullity, B.D. (1972), *Introduction to Magnetic Material*, Addison-Wiley, applications, Thesis, B.E. University of Pune, India
- Eustis, S. dan El Sayed, M. A. (2006). Why gold nanoparticles are more precious than pretty gold: noble metal surface plasmon resonance and its enhancement of the radiative properties of nanocrystals of different shapes. *Chemical Society Reviews* **35**, 209-217.
- Fagerstam, L.G., Frostell-Karlsson, A., Karlsson, R., Persson, B., dan Ronnberg, I. (1992). Biospecific Interaction Analysis Using SPR Detection Applied To Kinetic, Binding Site And Concentration Analysis. *J Chromatography* **597**, 397 – 410.
- Farjami, S dan Saie, M. (2015). The Effect of Surface Plasmon Resonance on Optical Response in Dielectric (core)-metal (shell) Nanoparticle, *PRAMANA Journal of Physics* **85**, 1245-1255.
- Friebel, M dan Meinke, M. (2006). Model Function to Calculate The Refractive Index of Native Hemoglobin in The Wavelength Range of 250-1100 nm Dependent on Concentration, *Applied Optics* **45**, 2838-2842.
- Grady, N.K. (2004). *Influence of Dielectric Function Properties on The Optical Response of Plasmon Resonant Metallic Nanoparticle*, Thesis, Rice University Houston.
- Genzel, L., Martin, T. P dan Kreibig, U. (1975). Dielectric Function and Plasma Resonances of small metal particles. *Z. Phys B* **21**, 339-346.

- Ghodselahe, T., Arsalani, S dan Neishaboorynejad, T. (2014). Synthesis and biosensor application of Ag@Au bimetallic nanoparticles based on localized surface plasmon resonance. *Applied Surface Science* **301**, 230-234.
- Granqvist, C. G dan Hunderi, O. (1977). Optical properties of ultrafine gold particles. *Phys. Rev. B* **16**, 3513–34.
- Gu, H. Y., Yu, A. M., dan Chen, H.Y. (2001), Direct electron transfer and characterization of hemoglobin immobilized on a Au colloid–cysteamine-modified gold electrode. *Electroanal. Chem*, 516, 119-126.
- Gumpu, M. B., Sethuraman, S., Krishnan, U. M., dan Rayappan, J. B. B. (2015). A review on detection of heavy metal ions in water-An electrochemical approach. *Sensor and Actuator B* **213**, 513-533.
- Guo, X. (2014). Fe₃O₄@Au nanoparticles enhanced surface plasmon resonance for ultrasensitive immunoassay. *Sensor and Actuator* **205**, 276-280.
- He, L., Musick, M. D., Nicewarner, S. R., Sallinas, F. G., Benkovic, S. J., Natan, M. J., dan Keating, C. D. (2000). Colloidal Au- Enhanced SPR for ultra sensitive Detection of DNA Hybridization. *Journal Am. Chem Soc* **122**, 9071-9077
- Hirsch, L. R., Gobin, A. M., Lowery, A. R., Tam, F., Drezek, R. A., Halas, N. J dan West, J. L. (2006). Metal Nanoshell. *Annals of Biomedical Engineering* **34**, 15–22.
- Homola, J., (2006). *Surface Plasmon Resonance Based Sensor*. Berlin: Springer Verlag Heidelberg
- Homola, J., Yee, S. S., dan Gauglitz, G. (1999). Surface Plasmon Resonance Sensor :Review. *Sensor and Actuator B: Chemical* **54** , 3-15.
- Hook, J.R, dan Hall, H.E., 1991. *Solid state physics*. 2nd edition, John Willey & Sons: England/Chichester, hal:241
- Huang, W. C dan Lue, J. T. (1994). Quantum Size Effect on The Optical Properties of Small Metallic Particles. *Phys Rev B* **49**, 17279-17285.
- Husain, S. (2012). *Pemanfaatan Fenomena Surface Plasmon Resonance (SPR) dengan Menggunakan Nanopartikel Magnetik Fe₃O₄ untuk Deteksi Biomolekul*, Tesis, Universitas Gadjah Mada Yogyakarta.
- Inouye, H., Tanaka, K., Tanahashi, I dan Hirao, K. (1998). Ultrafast dynamics of nonequilibrium electrons in a gold nanoparticle system. *Phys. Rev. B* **57**, 11334–40.
- Jackson, J. D. (1999). *Classical Electrodynamics, third edition*, John Willey and Sons, Inc, USA



- Jain, P. K. dan El Sayed, M. (2007). Universal Scaling of Plasmon Coupling in Metal Nanostructures: Extension from Particle Pairs to Nanoshells. *Nano Lett.*, **7** (9), 2854–2858.
- Johnson, P. B. dan Christy, R. W. (1972). Optical Constants of The Noble Metals. *Phys Rev B* **6**, No 12.
- Kim, J. H., Bryan, W. W dan Lee, T. R. (2008). Preparation, characterization, and optical properties of gold, silver, and gold-silver alloy nanoshells having silica cores. *Langmuir* **24**, 11147-11152.
- Knoll, W. (1998). Interfaces and Thin Film as Seen by Bound Electromagnetic Waves. *Annu. Rev. Phys. Chem* **49**, 569-638
- Kooyman, R.P.H. (2008). *Physics of Surface Plasmon Resonance, in Handbook of Surface Plasmon Resonance*. Cambridge, UK.
- Kraus, W. A dan Schatz, G. C. (1983). Plasmon Resonance broadening in small metal particles. *J. Chem. Phys* **79**, 6130-6139
- Kreibig, V.M. (1995). *Optical Properties of Metal Cluster*, Springer Series in Materials Science 25, Springer-Verlag Berlin Heidelberg Germany.
- Kretschmann, E., dan Raether H. (1968). Radiative Decay of Non-Radiative Surface Plasmons Excited by Light. *Zeitschrift Naturforsch*, **23** A, 2135-2136.
- Kumar, N., Ji, P. A., dan Sharma, R. P. (2014). Tunable Properties of Surface Plasmon Resonances: The Influence of core-shell Thickness and dielectric Environment. *Plasmonics* **9**:651-657
- Lamhaut, L., Apriotesei, R., Lejay, M., Vivien, B dan Carli, P. (2010). *Eur. J. Anaesthesiol.* **27**, 60.
- Lecaruyer, P., Canva, M dan Rolland, J. (2007). Metallic Film Optimization in a Surface Plasmon Resonance biosensor by The Extended Rouard Methods. *Applied Optics* **40**, 2361-2369.
- Lee, Y. H dan Mutharasan, R. (2004), *Sensor Technology Handbook, Biosensor*. Arizona, United States of America: Elsevier.
- Levitin, E.Y., Kokodiy, N. G., Timanjuk, V. A., Vedernikova, I. O dan Chan T. M. (2013). Measurement of The Size and Refractive Index of Fe₃O₄ Nanoparticles. *Inorganic Materials* **50**, 817-820.
- Liang, R., Yao, G., Fan, L dan Qiu, J. (2012). Magnetit Fe₃O₄@Au composite–enhanced surface plasmon resonance for ultrasensitive detection of magnetit nanoparticle-enriched α -fetoprotein. *Analytica Chimica Acta* **737**, 22-28.

- Liedberg, B., Nylander, C dan Lundstrom, I. (1983), Surface plasmons resonance for gas detection and biosensing. *Sensor and Actuator B* **4**, 229.
- Liu Y., Han T., Chen C., Bao N., Yu C., dan Gu H. (2011). A novel Platform of hemoglobin on coreshell Structurally $\text{Fe}_3\text{O}_4@Au$ Nanoparticles and its direct Electrochemistry, *Electrochimica Acta* **56**, 3238-3247.
- Logunov, S. L., Ahmadi, T. S., El-Sayed, M. A., Khoury, J. T dan Whetten, R. L. (1997). Electron dynamics of passivated gold nanocrystals probed by subpicosecond transient absorption. *J. Phys. Chem. B* **101**, 3713–9.
- Macknet, M. R., Norton, S., Kimball-Jones, P. L., Applegate, R. L., Martin, R. D., dan Allard, M. W. (2007). *Chest* **132**, 493c.
- Maksimovic, M. (2008). *Optical Resonances in Multilayer Structures*, Ph.D. Thesis, University of Twente, Netherlands.
- Matsubara, K., Kawata, S., dan Minami, S. (1998). Optical Chemical Sensor Based on Surface Plasmon Measurement. *Appl. Opt.* **27**, 160-1163.
- Moskowitz, B.M. (1991). *Classes of Magnetic Material*, http://www.irm.umm.edu/hg2m/hg2m_b/hg2m_b.html
- Newman, J. D., dan Turner, A.P.F. (2007). *Historical Perspective of Biosensor and Biochip Development*, John Wiley & Sons , Cambridge.
- Oldenburg, S. J., Averitt, R. D., Westcott, S. L., dan Halas, N. J. (1998). Nanoengineering of Optical Resonances, *Chemical Physics Letters* **288**, 243-247.
- Palik, E. D. (1998). *Handbook of Optical Constants of Solids* vol 1 (New York: Academic) , 286–95
- Petryayeva, E., dan Krull, U.J. (2011). Localized Surface Plasmon Resonance: Nanostructures, Bioassay and Biosensing A Review. *Analytica Chimica Acta* **706**, 8-24.
- Pinchuk, A dan Schatz, G. (2008). Collective Surface Plasmon Resonance in Silver Nanoshell Array. *Appl Phys B* **93**, 31-38.
- Prahl, S.A. (1999). see <http://omlc.ogi.edu/spectra/hemoglobin/index.html> for Optical Absorption of Hemoglobin.
- Pustovalov V.K., Astafyeva .L.G, dan Zharov V.P, (2013), Dependence of optical properties of spherical two-layered nanoparticles on parameters of gold core and material shell, *Journal of Quantitative Spectroscopy and radiative transfer* **131**, 121-129



- Rocha. T, (2014), Sensors and biosensors based on magnetic nanoparticles, *Trens in Analytical Chemistry* 62: 28-36
- Scaffardi.L.B dan Tocho. J.O. (2006), Size Dependence of Refractive Index of Gold Nanoparticle, *Journal of Nanotechnology* vol 17, No 5: 1309-1315.
- Schlegel, A., Alvarado, S. F., dan Wachter, P. (1979). Optical Properties of Magnetite (Fe₃O₄), “*Journal of Physics C: Solid State Physics* **12**, 1157-1164.
- Scholl. J, Koh.A.L, dan Dionne, J.A, (2012). Quantum Plasmon Resonances of Individual Metallic Nanoparticle, *Nature* 10904 483 :421.
- Sesay, A.M., (2003). *Towards A Remote Portable Bioaffinity Surface Plasmon Resonance Analyser For Environmental Steroidal –Pollutants*, PhD Thesis, Institute Of Bioscience And Technology: Cranfield University.
- Sharma A K, Jha R dan Pattanaik H S. (2010), Design Consideration for Surface Plasmon Resonance Based Detection of Human Blood group in Near Infrared, *Journal of Applied Physics* **107** 034701.
- Sharma A K, (2013). Plasmonic biosensor for detection of hemoglobin concentration in human blood:Design considerations, *Journal of Applied Physics***114**, 044701.
- Sihvola, A dan Lindell. (1988). Transmission Line analogy for calculating the effective permittivity of mixture with spherical multilayer scatterers. *Journal of Electromagnetic Waves and Application* **2**, 481-502.
- Sun, H., Xu, M., Guo, Q., Yuan, Y., Shen, L., Gu, R dan Yao J. (2013). Surface enhanced Raman Spectroscopic Studies on Magnetic Fe₃O₄@AuAg Alloy coreshell nanoparticles, *Spectrochimica Acta Part A. Molecular and Biomolecular Spectroscopy* **114**, 579-585.
- Sydoruk, O., Zhernovaya, O., Tuchin, V dan Douplik, A. (2012). Refractive Index of Solution of Human Hemoglobin from The Near-Infrared to The Ultraviolet Range: Kramers-Kronig Analysis. *Journal of Biomedical Optics* **17**, 115002.
- Snyder, A.W dan Love, J.D. (1983). *Optical Waveguide Theory*. Chapman & Hall, London, 564.
- Torp, K., Aniskevich, S., Shine, T. S., Shapiro, D dan Peiris, P. (2009). *Proceedings of the 2009 Annual Meeting of the American Society [Anesthesiologists, A 751, 1]*
- Tuersun, P dan Han, X. (2014). Optimal dimensions of gold nanoshells for light backscattering and absorption based applications. *Journal of Quantitative Spectroscopy & Radiative Transfer* **146**, 468-474.
- Verma, A., Prakash, A dan Tripathi, R. (2016). Sensitivity improvement of Graphene based Surface Plasmon Resonance Biosensors with Caclogenide Prism. *Optics* **127**, 1787-1791.



- Wang, C. H., Felicia, Tam., Nathaniel, K.G dan Naomi J.H. (2005). Nanoshell: Effects of interband transitions on the nanoparticle Plasmon Resonance. *The Journal of Physical Chemistry B Letters* **109**,18218-18222.
- Wang, J., Munir, A., Zhu, Z., dan Zhou H.S. (2010). *Magnetic Nanoparticle Enhanced Surface Plasmon Resonance Sensing and Its Application for the Ultrasensitive Detection of Magnetic Nanoparticle-Enriched Small Molecules*. Departement of Chemical Engineering, Worcester Institute.
- Wang, J., Song, D., Zhang, H., Zhang, J., Zhang, H., Zhou, H., dan Sun, Y. (2013). Studies of Fe₃O₄/Ag/Au Composites for Immunoassay based on Surface Plasmon Resonance Biosensor. *Colloids and Surfaces B: Biointerfaces* **102**, 165-170.
- Willets, K. A., dan Van, D. R. P. (2007). Localized Surface Plasmon Resonance Spectroscopy and Sensing. *Annual Review of Physical Chemistry* **79**,5278-5283.
- Wood, R.W. (1902). On A Remarkable Case of Even Distribution of Light In A Diffraction Grating Spectrum. *Philosophical Magazine* **4**, 396-402.
- Wu, L., Chu, H.S., Koh, W.S., dan Li, E.P. (2010). Highly Sensitive Graphene Biosensors based on Surface Plasmon Resonance, *Optics Express*. **18**, 14395.
- Xue, Q. (2000). Effective-Medium Theory for Two-Phase Random Composites with an Interfacial Shell, Departement of Physics, University of Petroleum, Dongying China. *J.Mater. Sci. Technol* **6**, no 4.
- Yamamoto, M. (2007). *Surface Plasmon Resonance (SPR) Theory: Tutorial*, Kyoto University, Japan.
- Yanrong, Chen., Haihua, Wu., Zhipeng, Li., Peijie, Wang., Lonkun, Yang dan Yan, F. (2012). The Study of Surface Plasmon in Au/Ag Core/Shell Compound Nanoparticle., *Plasmonics*, **7**, 509-513.
- Yang, Y., Li, Z. W., Neo, C. P., dan Ding, J. (2014). Model Design on calculation of microwave permeability and permittivity of Fe/SiO₂ particles with core/shell structure. *Journal of Physics and Chemistry of Solids* **75**, 230-235.
- Yu, F. (2004). *Surface Plasmon Fluorescence Spectroscopy and Surface Plasmon Diffraction in Biomolecular Interaction Studies*, PhD Dissertation, der Johannes Gutenberg-Universität, China.
- Yu, C. M., Guo, J. W dan Gu, H. Y. (2009). Direct electrochemical behavior of hemoglobin at surface of Au@Fe₃O₄ magnetic nanoparticles. *Microchim Acta* **166**, 215-220.
- Yu, D. H dan Leong, E. T. (2011). Modeling Hemoglobin at Optical Frequency using The Unconditionally Stable Fundamental, *Biomedical Optics Express* **2** , 1169-1183.



- Zhao, G., Xu, J. J., dan Chen, H.Y. (2006). Fabrication, characterization of Fe₃O₄ multilayer film and its application in promoting direct electron transfer of hemoglobin, *Electrochem. Commun.*, **8**, 148-154.
- Zhao, L., Kelly, K dan Schatz, G. (2003). The Extinction Spectra of Silver Nanoparticle Arrays: Influence of Array Structure on Plasmon Resonance Wavelength and Width. *J. Phys. Chem. B*, **107**, 7343-7350.
- Zhernovaya, O., Sydoruk, O., Tuchin, V dan Douplik A. (2011). The Refractive Index of Human Hemoglobin in The Visible Range, *Phys. Med. Biol* **56**, 4013-4021.
- Zhernovaya, O., Sydoruk, O., Tuchin, V dan Douplik A. (2012). Refractive Index of Solutions of Human Hemoglobin from The Near-Infrared to Ultraviolet range:Kramers-Kronig Analysis, *Journal of Biomedical Optics* **17**, 1150021-1150026.
- Zhou, H., Lee, J., Park, T., Lee, S., Park, J dan Lee, J. (2011). Ultrasensitive DNA Monitoring by Au-Fe₃O₄ Nanocomplex. *Sensors and Actuator B:Chemical* **163**, 224-232.
- Zhou. H.S, Honma. I and Komiyama.H, dan Haus, J.W, (1994), Controlled Synthesis and Quantum-Size Effect in Gold-Coated Nanoparticles, *Phys. Rev Condense. Matter*, **50**, 12052-12056.
- Zhu, J. (2009 a). Surface Plasmon Resonance from bimetallic interface in Au-Ag Core Shell Structure Nanowires. *Nanoscale Res Lett* **4**, 977-981.
- Zhu, J. (2009 b). Theoretical study of the tunable second-harmonic generation (SHG) enhancement factor of gold nanotubes. *Nanotechnology* **18**, 225702.