

## DAFTAR PUSTAKA

- Abreu, R. V., Silva-Oliveira, E. M., Moraes, M. F., Pereira, G. S. & Moraes-Santos, T. (2011) Chronic coffee and caffeine ingestion effects on the cognitive function and antioxidant system of rat brains. *Pharmacol Biochem Behav*, 99: 659-64.
- Ahn, E. H., Kim, D. W., Shin, M. J., Kwon, S. W., Kim, Y. N., Kim, D. S., Lim, S. S., Kim, J., Park, J., Eum, W. S., Hwang, H. S. & Choi, S. Y. (2011) Chlorogenic Acid Improves Neuroprotective Effect of PEP-1-Ribosomal Protein S3 Against Ischemic Insult. *Exp Neurobiol*, 20: 169-75.
- Ainge, J. A. & Langston, R. F. (2012) Ontogeny of neural circuits underlying spatial memory in the rat. *Front Neural Circuits*, 6: 1-10.
- Ali, N., Rashid, S., Nafees, S., Hasan, S. K., Shahid, A., Majed, F. & Sultana, S. (2017) Protective effect of Chlorogenic acid against methotrexate induced oxidative stress, inflammation and apoptosis in rat liver: An experimental approach. *Chem Biol Interact*, 272: 80-91.
- Andersen, P., Morris, R., Amaral, D., Bliss, T. & O'Keefe, J. (eds.) (2007) *The Hippocampus Book*, New York: Oxford University Press.
- Appeldoorn, M. M., Venema, D. P., Peters, T. H., Koenen, M. E., Arts, I. C., Vincken, J. P., Gruppen, H., Keijer, J. & Hollman, P. C. (2009) Some phenolic compounds increase the nitric oxide level in endothelial cells in vitro. *J Agric Food Chem*, 57: 7693-9.
- Arai, K., Jin, G., Navaratna, D. & Lo, E. H. (2009) Brain angiogenesis in developmental and pathological processes: neurovascular injury and angiogenic recovery after stroke. *Febs j*, 276: 4644-52.
- Arfian, N., Emoto, N., Vignon-Zellweger, N., Nakayama, K., Yagi, K. & Hirata, K. (2012) ET-1 deletion from endothelial cells protects the kidney during the extension phase of ischemia/reperfusion injury. *Biochem Biophys Res Commun*, 425: 443-9.
- Auer, R. N., Jensen, M. L. & Whishaw, I. Q. (1989) Neurobehavioral deficit due to ischemic brain damage limited to half of the CA1 sector of the hippocampus. *J Neurosci*, 9: 1641-7.
- Bagdas, D., Cam Etoz, B., Inan Ozturkoglu, S., Cinkilic, N., Ozyigit, M. O., Gul, Z., Isbil Buyukcoskun, N., Ozluk, K. & Gurun, M. S. (2014) Effects of systemic chlorogenic acid on random-pattern dorsal skin flap survival in diabetic rats. *Biol Pharm Bull*, 37: 361-70.
- Banasiak, K. J., Xia, Y. & Haddad, G. G. (2000) Mechanisms underlying hypoxia-induced neuronal apoptosis. *Prog Neurobiol*, 62: 215-49.
- Baumann, O. & Mattingley, J. B. (2014) Dissociable roles of the hippocampus and parietal cortex in processing of coordinate and categorical spatial information. *Front Hum Neurosci*, 8: 1-6.
- Bear, M., Connors, B. & Paradiso, M. (2007) *Neuroscience Exploring The Brain*, Philadelphia: Lippincott Williams & Wilkins.
- Bendel, O., Bueters, T., von Euler, M., Ove Ogren, S., Sandin, J. & von Euler, G. (2005) Reappearance of hippocampal CA1 neurons after ischemia is

- associated with recovery of learning and memory. *J Cereb Blood Flow Metab*, 25: 1586-95.
- Bernaudin, M., Nouvelot, A., MacKenzie, E. T. & Petit, E. (1998) Selective neuronal vulnerability and specific glial reactions in hippocampal and neocortical organotypic cultures submitted to ischemia. *Exp Neurol*, 150: 30-9.
- Berti, R., Williams, A. J., Moffett, J. R., Hale, S. L., Velarde, L. C., Elliott, P. J., Yao, C., Dave, J. R. & Tortella, F. C. (2002) Quantitative real-time RT-PCR analysis of inflammatory gene expression associated with ischemia-reperfusion brain injury. *J Cereb Blood Flow Metab*, 22: 1068-79.
- Bezaire, M. J. & Soltesz, I. (2013) Quantitative assessment of CA1 local circuits: knowledge base for interneuron-pyramidal cell connectivity. *Hippocampus*, 23: 751-85.
- Bieganska-Hensoldt, S. & Rosolowska-Huszcz, D. (2017) Polyphenols in preventing endothelial dysfunction. *Postepy Hig Med Dosw (Online)*, 71: 227-35.
- Boccaro, C. N., Sargolini, F., Thoresen, V. H., Solstad, T., Witter, M. P., Moser, E. I. & Moser, M. B. (2010) Grid cells in pre- and parasubiculum. *Nat Neurosci*, 13: 987-94.
- Bonita, J. S., Mandarano, M., Shuta, D. & Vinson, J. (2007) Coffee and cardiovascular disease: in vitro, cellular, animal, and human studies. *Pharmacol Res*, 55: 187-98.
- Bouet, V., Freret, T., Ankri, S., Bezault, M., Renolleau, S., Boulouard, M., Jacotot, E., Chauvier, D. & Schumann-Bard, P. (2010) Predicting sensorimotor and memory deficits after neonatal ischemic stroke with reperfusion in the rat. *Behav Brain Res*, 212: 56-63.
- Boyce, R. W., Dorph-Petersen, K. A., Lyck, L. & Gundersen, H. J. (2010) Design-based stereology: introduction to basic concepts and practical approaches for estimation of cell number. *Toxicol Pathol*, 38: 1011-25.
- Buch, P., Patel, V., Ranpariya, V., Sheth, N. & Parmar, S. (2012) Neuroprotective activity of *Cymbopogon martinii* against cerebral ischemia/reperfusion-induced oxidative stress in rats. *J Ethnopharmacol*, 142: 35-40.
- Burger, D. & Touyz, R. M. (2012) Cellular biomarkers of endothelial health: microparticles, endothelial progenitor cells, and circulating endothelial cells. *J Am Soc Hypertens*, 6: 85-99.
- Butler, T. R., Self, R. L., Smith, K. J., Sharrett-Field, L. J., Berry, J. N., Littleton, J. M., Pauly, J. R., Mulholland, P. J. & Prendergast, M. A. (2010) Selective vulnerability of hippocampal cornu ammonis 1 pyramidal cells to excitotoxic insult is associated with the expression of polyamine-sensitive N-methyl-D-aspartate-type glutamate receptors. *Neuroscience*, 165: 525-34.
- Camfield, D. A., Silber, B. Y., Scholey, A. B., Nolidin, K., Goh, A. & Stough, C. (2013) A randomised placebo-controlled trial to differentiate the acute cognitive and mood effects of chlorogenic acid from decaffeinated coffee. *PLoS One*, 8: 1-14.

- Cano-Marquina, A., Tarin, J. J. & Cano, A. (2013) The impact of coffee on health. *Maturitas*, 75: 7-21.
- Carman, A. J., Dacks, P. A., Lane, R. F., Shineman, D. W. & Fillit, H. M. (2014) Current evidence for the use of coffee and caffeine to prevent age-related cognitive decline and Alzheimer's disease. *J Nutr Health Aging*, 18: 383-92.
- Chan, P. H. (1996) Role of oxidants in ischemic brain damage. *Stroke*, 27: 1124-9.
- Chen, H., Yoshioka, H., Kim, G. S., Jung, J. E., Okami, N., Sakata, H., Maier, C. M., Narasimhan, P., Goeders, C. E. & Chan, P. H. (2011) Oxidative stress in ischemic brain damage: mechanisms of cell death and potential molecular targets for neuroprotection. *Antioxid Redox Signal*, 14: 1505-17.
- Chen, J., Nagayama, T., Jin, K., Stetler, R. A., Zhu, R. L., Graham, S. H. & Simon, R. P. (1998) Induction of caspase-3-like protease may mediate delayed neuronal death in the hippocampus after transient cerebral ischemia. *J Neurosci*, 18: 4914-28.
- Cho, E. S., Jang, Y. J., Hwang, M. K., Kang, N. J., Lee, K. W. & Lee, H. J. (2009) Attenuation of oxidative neuronal cell death by coffee phenolic phytochemicals. *Mutat Res*, 661: 18-24.
- Chu, Y. F., Brown, P. H., Lyle, B. J., Chen, Y., Black, R. M., Williams, C. E., Lin, Y. C., Hsu, C. W. & Cheng, I. H. (2009) Roasted coffees high in lipophilic antioxidants and chlorogenic acid lactones are more neuroprotective than green coffees. *J Agric Food Chem*, 57: 9801-8.
- Corder, R., Douthwaite, J. A., Lees, D. M., Khan, N. Q., Viseu Dos Santos, A. C., Wood, E. G. & Carrier, M. J. (2001) Endothelin-1 synthesis reduced by red wine. *Nature*, 414: 863-4.
- Cui, X., Chopp, M., Zacharek, A., Zhang, C., Roberts, C. & Chen, J. (2009) Role of endothelial nitric oxide synthetase in arteriogenesis after stroke in mice. *Neuroscience*, 159: 744-50.
- Culmsee, C., Zhu, C., Landshamer, S., Becattini, B., Wagner, E., Pellecchia, M., Blomgren, K. & Plesnila, N. (2005) Apoptosis-inducing factor triggered by poly(ADP-ribose) polymerase and Bid mediates neuronal cell death after oxygen-glucose deprivation and focal cerebral ischemia. *J Neurosci*, 25: 10262-72.
- Daglia, M., Papetti, A., Gregotti, C., Berte, F. & Gazzani, G. (2000) In vitro antioxidant and ex vivo protective activities of green and roasted coffee. *J Agric Food Chem*, 48: 1449-54.
- Dahlan, M. (2009) *Statistik untuk kedokteran dan kesehatan*, Jakarta: Salemba Medika.
- del Zoppo, G. J. (2009) Inflammation and the neurovascular unit in the setting of focal cerebral ischemia. *Neuroscience*, 158: 972-82.
- Dent, E. W. (2017) Of microtubules and memory: implications for microtubule dynamics in dendrites and spines. *Mol Biol Cell*, 28: 1-8.
- Dietrich, W. D., Ginsberg, M. D., Busto, R., Watson, B. D. & Yoshida, S. (1986) Vascular aspects and hemodynamic consequences of central nervous system injury. *Cent Nerv Syst Trauma*, 3: 265-80.

- Dimaio, T. A., Wang, S., Huang, Q., Scheef, E. A., Sorenson, C. M. & Sheibani, N. (2008) Attenuation of retinal vascular development and neovascularization in PECAM-1-deficient mice. *Dev Biol*, 315: 72-88.
- Eichenbaum, H. (2002) *The Cognitive Neuroscience of Memory an Introduction.*, New York:Oxford University Press.
- Eichenbaum, H. (2013) Memory on time. *Trends Cogn Sci*, 17: 81-8.
- Eltzschig, H. K. & Collard, C. D. (2004) Vascular ischaemia and reperfusion injury. *Brit Med Bull*, 70: 71-86.
- Eltzschig, H. K. & Eckle, T. (2011) Ischemia and reperfusion--from mechanism to translation. *Nat Med*, 17: 1391-401.
- Esquivel, P. & Jiménez, V. M. (2012) Functional properties of coffee and coffee by-products. *Food Res Int*, 46: 488-95.
- Fagan, S. C., Hess, D. C., Hohnadel, E. J., Pollock, D. M. & Ergul, A. (2004) Targets for vascular protection after acute ischemic stroke. *Stroke*, 35: 2220-5.
- Fang, S. Q., Wang, Y. T., Wei, J. X., Shu, Y. H., Xiao, L. & Lu, X. M. (2016) Beneficial effects of chlorogenic acid on alcohol-induced damage in PC12 cells. *Biomed Pharmacother*, 79: 254-62.
- Foster, T. C., Defazio, R. A. & Bizon, J. L. (2012) Characterizing cognitive aging of spatial and contextual memory in animal models. *Front Aging Neurosci*, 4: 1-18.
- Frost-Meyer, N. J. & Logomarsino, J. V. (2012) Impact of coffee components on inflammatory markers: A review. *J Funct Foods*, 4: 819-30.
- Gee, C. E., Benquet, P., Raineteau, O., Rietschin, L., Kirbach, S. W. & Gerber, U. (2006) NMDA receptors and the differential ischemic vulnerability of hippocampal neurons. *Eur J Neurosci*, 23: 2595-603.
- Gibbons, G. H. & Dzau, V. J. (1994) The emerging concept of vascular remodeling. *N Engl J Med*, 330: 1431-8.
- Gilbert, P. E. & Brushfield, A. M. (2009) The role of the CA3 hippocampal subregion in spatial memory: a process oriented behavioral assessment. *Prog Neuropsychopharmacol Biol Psychiatry*, 33: 774-81.
- Gill, P. R., Mizumori, S. J. & Smith, D. M. (2011) Hippocampal episode fields develop with learning. *Hippocampus*, 21: 1240-9.
- Gill, R., Tsung, A. & Billiar, T. (2010) Linking oxidative stress to inflammation: Toll-like receptors. *Free Radic Biol Med*, 48: 1121-32.
- Girbovan, C., Kent, P., Merali, Z. & Plamondon, H. (2016) Dose-related effects of chronic resveratrol administration on neurogenesis, angiogenesis, and corticosterone secretion are associated with improved spatial memory retention following global cerebral ischemia. *Nutr Neurosci*, 19: 352-68.
- Girn, H. R., Ahilathirunayagam, S., Mavor, A. I. & Homer-Vanniasinkam, S. (2007) Reperfusion syndrome: cellular mechanisms of microvascular dysfunction and potential therapeutic strategies. *Vasc Endovascular Surg*, 41: 277-93.
- Goulart, B. K., de Lima, M. N., de Farias, C. B., Reolon, G. K., Almeida, V. R., Quevedo, J., Kapczinski, F., Schroder, N. & Roesler, R. (2010) Ketamine impairs recognition memory consolidation and prevents learning-induced

- increase in hippocampal brain-derived neurotrophic factor levels. *Neuroscience*, 167: 969-73.
- Greenberg, D. A. & Jin, K. (2013) Vascular endothelial growth factors (VEGFs) and stroke. *Cell Mol Life Sci*, 70: 1753-61.
- Gu, Z., Kaul, M., Yan, B., Kridel, S. J., Cui, J., Strongin, A., Smith, J. W., Liddington, R. C. & Lipton, S. A. (2002) S-nitrosylation of matrix metalloproteinases: signaling pathway to neuronal cell death. *Science*, 297: 1186-90.
- Guyton, A. C. & Hall, J. E. (2006) *Textbook of Medical Physiology 11th Edition*, Pennsylvania:Elsevier Inc.
- Han, J., Miyamae, Y., Shigemori, H. & Isoda, H. (2010) Neuroprotective effect of 3,5-di-O-caffeoylquinic acid on SH-SY5Y cells and senescence-accelerated-prone mice 8 through the up-regulation of phosphoglycerate kinase-1. *Neuroscience*, 169: 1039-45.
- Han, X., Shen, T. & Lou, H. (2007) Dietary Polyphenols and Their Biological Significance. *Int. J. Mol. Sci.*, 8:950-88.
- Harry, G. J. & Lefebvre d'Hellencourt, C. (2003) Dentate gyrus: alterations that occur with hippocampal injury. *Neurotoxicology*, 24: 343-56.
- Hartley, T., Lever, C., Burgess, N. & O'Keefe, J. (2014) Space in the brain: how the hippocampal formation supports spatial cognition. *Philos Trans R Soc Lond B Biol Sci*, 369: 1-18.
- Hartman, R. E., Lee, J. M., Zipfel, G. J. & Wozniak, D. F. (2005) Characterizing learning deficits and hippocampal neuron loss following transient global cerebral ischemia in rats. *Brain Res*, 1043: 48-56.
- Hayashi, H., Dikkes, P. & Soriano, S. G. (2002) Repeated administration of ketamine may lead to neuronal degeneration in the developing rat brain. *Paediatr Anaesth*, 12: 770-4.
- Hayashi, T. & Abe, K. (2004) Ischemic neuronal cell death and organelle damage. *Neurol Res*, 26: 827-34.
- Hermann, D. M. & Zechariah, A. (2009) Implications of vascular endothelial growth factor for postischemic neurovascular remodeling. *J Cereb Blood Flow Metab*, 29: 1620-43.
- Hermawati, E., Arfian, N., Mustofa & Partadiredja, G. (2018) Spatial Memory Disturbance Following Transient Brain Ischemia is Associated with Vascular Remodeling in Hippocampus. Unpublished.
- Howard, C. & Reed, M. (2005) *Unbiased stereology three-dimensional measurement in microscopy*, New York:BIOS Scientific Publishers.
- Hua, F., Ma, J., Ha, T., Xia, Y., Kelley, J., Williams, D. L., Kao, R. L., Browder, I. W., Schweitzer, J. B., Kalbfleisch, J. H. & Li, C. (2007) Activation of Toll-like receptor 4 signaling contributes to hippocampal neuronal death following global cerebral ischemia/reperfusion. *J Neuroimmunol*, 190: 101-11.
- Huang, L., Liu, Y., Jin, W., Ji, X. & Dong, Z. (2012) Ketamine potentiates hippocampal neurodegeneration and persistent learning and memory impairment through the PKC $\gamma$ -ERK signaling pathway in the developing brain. *Brain Res*, 1476: 164-71.

- Hugel, H. M., Jackson, N., May, B., Zhang, A. L. & Xue, C. C. (2016) Polyphenol protection and treatment of hypertension. *Phytomedicine*, 23: 220-31.
- Hung, V. K., Yeung, P. K., Lai, A. K., Ho, M. C., Lo, A. C., Chan, K. C., Wu, E. X., Chung, S. S., Cheung, C. W. & Chung, S. K. (2015) Selective astrocytic endothelin-1 overexpression contributes to dementia associated with ischemic stroke by exaggerating astrocyte-derived amyloid secretion. *J Cereb Blood Flow Metab*, 35: 1687-96.
- Hwang, I. K., Kim, D. W., Yoo, K. Y., Jung, B. K., Song, J. H., Jung, J. Y., Choi, S. Y., Kang, T. C., Lee, J. Y., Kwon, Y. G. & Won, M. H. (2005) Ischemia-induced changes of platelet endothelial cell adhesion molecule-1 in the hippocampal CA1 region in gerbils. *Brain Res*, 1048: 251-7.
- Inagaki, T. & Etgen, A. M. (2013) Neuroprotective action of acute estrogens: animal models of brain ischemia and clinical implications. *Steroids*, 78: 597-606.
- Ito, H., Sun, X. L., Watanabe, M., Okamoto, M. & Hatano, T. (2008) Chlorogenic acid and its metabolite m-coumaric acid evoke neurite outgrowth in hippocampal neuronal cells. *Biosci Biotechnol Biochem*, 72: 885-8.
- Ji, L., Jiang, P., Lu, B., Sheng, Y., Wang, X. & Wang, Z. (2013) Chlorogenic acid, a dietary polyphenol, protects acetaminophen-induced liver injury and its mechanism. *J Nutr Biochem*, 24: 1911-9.
- Jiang, R., Hodgson, J. M., Mas, E., Croft, K. D. & Ward, N. C. (2016) Chlorogenic acid improves ex vivo vessel function and protects endothelial cells against HOCl-induced oxidative damage, via increased production of nitric oxide and induction of Hmox-1. *J Nutr Biochem*, 27: 53-60.
- Jin, R., Yang, G. & Li, G. (2010) Inflammatory mechanisms in ischemic stroke: role of inflammatory cells. *J Leukoc Biol*, 87: 779-89.
- Jung, J. E., Kim, G. S., Chen, H., Maier, C. M., Narasimhan, P., Song, Y. S., Niizuma, K., Katsu, M., Okami, N., Yoshioka, H., Sakata, H., Goeders, C. E. & Chan, P. H. (2010) Reperfusion and neurovascular dysfunction in stroke: from basic mechanisms to potential strategies for neuroprotection. *Mol Neurobiol*, 41: 172-9.
- Kalinowska, A. & Losy, J. (2006) PECAM-1, a key player in neuroinflammation. *Eur J Neurol*, 13: 1284-90.
- Kalogeris, T., Bao, Y. & Korthuis, R. J. (2014) Mitochondrial reactive oxygen species: a double edged sword in ischemia/reperfusion vs preconditioning. *Redox Biol*, 2: 702-14.
- Kandel, E., Schwartz, J. & Jessel, T. (2000) *Principles of Neural Science*, New York: McGraw-Hill.
- Karthikesan, K., Pari, L. & Menon, V. P. (2010) Protective effect of tetrahydrocurcumin and chlorogenic acid against streptozotocin-nicotinamide generated oxidative stress induced diabetes. *J. Funct. Foods*, 2: 134-42.

- Kayali, F., Montie, H. L., Rafols, J. A. & DeGracia, D. J. (2005) Prolonged translation arrest in reperfused hippocampal cornu Ammonis 1 is mediated by stress granules. *Neuroscience*, 134: 1223-45.
- Kebets, V., Gregoire, S. M., Charidimou, A., Barnes, J., Rantell, K., Brown, M. M., Jager, H. R., Cipolotti, L. & Werring, D. J. (2015) Prevalence and cognitive impact of medial temporal atrophy in a hospital stroke service: retrospective cohort study. *Int J Stroke*, 10: 861-7.
- Kesner, R. P. (2007) Behavioral functions of the CA3 subregion of the hippocampus. *Learn Mem*, 14: 771-81.
- Khalaf, O. & Graff, J. (2016) Structural, Synaptic, and Epigenetic Dynamics of Enduring Memories. *Neural Plast*, 2016: 3425908.
- Kim, J., Lee, S., Shim, J., Kim, H. W., Kim, J., Jang, Y. J., Yang, H., Park, J., Choi, S. H., Yoon, J. H., Lee, K. W. & Lee, H. J. (2012) Caffeinated coffee, decaffeinated coffee, and the phenolic phytochemical chlorogenic acid up-regulate NQO1 expression and prevent H<sub>2</sub>O<sub>2</sub>-induced apoptosis in primary cortical neurons. *Neurochem Int*, 60: 466-74.
- Kim, J. H., Auger, C., Kurita, I., Anselm, E., Rivoarilala, L. O., Lee, H. J., Lee, K. W. & Schini-Kerth, V. B. (2013) Aronia melanocarpa juice, a rich source of polyphenols, induces endothelium-dependent relaxations in porcine coronary arteries via the redox-sensitive activation of endothelial nitric oxide synthase. *Nitric Oxide*, 35: 54-64.
- Konkel, A. & Cohen, N. J. (2009) Relational memory and the hippocampus: representations and methods. *Front Neurosci*, 3: 166-74.
- Kovalenko, T., Osadchenko, I., Nikonenko, A., Lushnikova, I., Voronin, K., Nikonenko, I., Muller, D. & Skibo, G. (2006) Ischemia-induced modifications in hippocampal CA1 stratum radiatum excitatory synapses. *Hippocampus*, 16: 814-25.
- Kraus, B. J., Robinson, R. J., 2nd, White, J. A., Eichenbaum, H. & Hasselmo, M. E. (2013) Hippocampal "time cells": time versus path integration. *Neuron*, 78: 1090-101.
- Kulik, T., Kusano, Y., Aronhime, S., Sandler, A. L. & Winn, H. R. (2008) Regulation of cerebral vasculature in normal and ischemic brain. *Neuropharmacology*, 55: 281-8.
- Kwon, S. H., Lee, H. K., Kim, J. A., Hong, S. I., Kim, H. C., Jo, T. H., Park, Y. I., Lee, C. K., Kim, Y. B., Lee, S. Y. & Jang, C. G. (2010) Neuroprotective effects of chlorogenic acid on scopolamine-induced amnesia via anti-acetylcholinesterase and anti-oxidative activities in mice. *Eur J Pharmacol*, 649: 210-7.
- Lafay, S., Morand, C., Manach, C., Besson, C. & Scalbert, A. (2006) Absorption and metabolism of caffeic acid and chlorogenic acid in the small intestine of rats. *Br J Nutr*, 96: 39-46.
- Lakhan, S. E., Kirchgessner, A. & Hofer, M. (2009) Inflammatory mechanisms in ischemic stroke: therapeutic approaches. *J Transl Med*, 7: 1-11.
- Langston, R. F., Stevenson, C. H., Wilson, C. L., Saunders, I. & Wood, E. R. (2010) The role of hippocampal subregions in memory for stimulus associations. *Behav Brain Res*, 215: 275-91.

- Lapchak, P. A. (2007) The phenylpropanoid micronutrient chlorogenic acid improves clinical rating scores in rabbits following multiple infarct ischemic strokes: synergism with tissue plasminogen activator. *Exp Neurol*, 205: 407-13.
- Lee, A. C., Yeung, L. K. & Barense, M. D. (2012a) The hippocampus and visual perception. *Front Hum Neurosci*, 6: 1-17.
- Lee, K., Lee, J. S., Jang, H. J., Kim, S. M., Chang, M. S., Park, S. H., Kim, K. S., Bae, J., Park, J. W., Lee, B., Choi, H. Y., Jeong, C. H. & Bu, Y. (2012b) Chlorogenic acid ameliorates brain damage and edema by inhibiting matrix metalloproteinase-2 and 9 in a rat model of focal cerebral ischemia. *Eur J Pharmacol*, 689: 89-95.
- Lee, S. R., Tsuji, K., Lee, S. R. & Lo, E. H. (2004) Role of matrix metalloproteinases in delayed neuronal damage after transient global cerebral ischemia. *J Neurosci*, 24: 671-8.
- Leopoldini, M., Russo, N. & Toscano, M. (2011) The molecular basis of working mechanism of natural polyphenolic antioxidants. *Food Chemistry*, 125: 288-306.
- Leung, J. W., Ho, M. C., Lo, A. C., Chung, S. S. & Chung, S. K. (2004) Endothelial cell-specific over-expression of endothelin-1 leads to more severe cerebral damage following transient middle cerebral artery occlusion. *J Cardiovasc Pharmacol*, 44 Suppl 1: S293-300.
- Li, H., Colbourne, F., Sun, P., Zhao, Z., Buchan, A. M. & Iadecola, C. (2000) Caspase inhibitors reduce neuronal injury after focal but not global cerebral ischemia in rats. *Stroke*, 31: 176-82.
- Li, K., Yu, W., Cao, R., Zhu, Z. & Zhao, G. (2017) Microglia-mediated BAFF-BAFFR ligation promotes neuronal survival in brain ischemia injury. *Neuroscience*, 363: 87-96.
- Li, S., Bian, H., Liu, Z., Wang, Y., Dai, J., He, W., Liao, X., Liu, R. & Luo, J. (2012) Chlorogenic acid protects MSCs against oxidative stress by altering FOXO family genes and activating intrinsic pathway. *Eur J Pharmacol*, 674: 65-72.
- Li, Y., Shi, W., Li, Y., Zhou, Y., Hu, X., Song, C., Ma, H., Wang, C. & Li, Y. (2008) Neuroprotective effects of chlorogenic acid against apoptosis of PC12 cells induced by methylmercury. *Environ Toxicol Pharmacol*, 26: 13-21.
- Liu, J., Wang, Y., Akamatsu, Y., Lee, C. C., Stetler, R. A., Lawton, M. T. & Yang, G. Y. (2014) Vascular remodeling after ischemic stroke: mechanisms and therapeutic potentials. *Prog Neurobiol*, 115: 138-56.
- Livak, K. J. & Schmittgen, T. D. (2001) Analysis of relative gene expression data using real-time quantitative PCR and the 2<sup>(-Delta Delta C(T))</sup> Method. *Methods*, 25: 402-8.
- Ludwig, I. A., Clifford, M. N., Lean, M. E. J., Ashihara, H. & Crozier, A. (2014) Coffee: biochemistry and potential impact on health. *Food & Function*, 5: 1695-717.
- Lynch, M. A. (2004) Long-term potentiation and memory. *Physiol Rev*, 84: 87-136.

- MacDonald, C. J., Lepage, K. Q., Eden, U. T. & Eichenbaum, H. (2011) Hippocampal "time cells" bridge the gap in memory for discontinuous events. *Neuron*, 71: 737-49.
- Manach, C., Scalbert, A., Morand, C., Remesy, C. & Jimenez, L. (2004) Polyphenols: food sources and bioavailability. *Am J Clin Nutr*, 79: 727-47.
- Marinova, E. M., Toneva, A. & Yanishlieva, N. (2009) Comparison of the antioxidative properties of caffeic and chlorogenic acids. *Food Chemistry*, 114: 1498-502.
- Marti, H. J., Bernaudin, M., Bellail, A., Schoch, H., Euler, M., Petit, E. & Risau, W. (2000) Hypoxia-induced vascular endothelial growth factor expression precedes neovascularization after cerebral ischemia. *Am J Pathol*, 156: 965-76.
- Martin, L. J., Al-Abdulla, N. A., Brambrink, A. M., Kirsch, J. R., Sieber, F. E. & Portera-Cailliau, C. (1998) Neurodegeneration in excitotoxicity, global cerebral ischemia, and target deprivation: A perspective on the contributions of apoptosis and necrosis. *Brain Res Bull*, 46: 281-309.
- Mehta, S. L., Manhas, N. & Raghubir, R. (2007) Molecular targets in cerebral ischemia for developing novel therapeutics. *Brain Res Rev*, 54: 34-66.
- Miao, M., Cao, L., Li, R., Fang, X. & Miao, Y. (2017) Protective effect of chlorogenic acid on the focal cerebral ischemia reperfusion rat models. *Saudi Pharm J*, 25: 556-63.
- Mikami, Y., Kakizawa, S. & Yamazawa, T. (2016) Essential Roles of Natural Products and Gaseous Mediators on Neuronal Cell Death or Survival. *Int J Mol Sci*, 17.
- Mikami, Y. & Yamazawa, T. (2015) Chlorogenic acid, a polyphenol in coffee, protects neurons against glutamate neurotoxicity. *Life Sci*, 139: 69-74.
- Miki, T., Satriotomo, I., Li, H., Matsumoto, Y., Gu, H., Yokoyama, T., Lee, K., Bedi, K. & Takeuchi, Y. (2005) Application of the physical disector to the central nervous system: Estimation of the total number of neurons in subdivisions of the rat hippocampus. *Anat Sci Int*, 80: 153-62.
- Mizumori, S. J. (2013) Context prediction analysis and episodic memory. *Front Behav Neurosci*, 7: 132.
- Mizuno, K. & Giese, K. P. (2005) Hippocampus-dependent memory formation: do memory type-specific mechanisms exist? *J Pharmacol Sci*, 98: 191-7.
- Moser, E. I. & Moser, M. B. (2013) Grid cells and neural coding in high-end cortices. *Neuron*, 80: 765-74.
- Movassaghi, S., Nadia Sharifi, Z., Soleimani, M., Joghataii, M. T., Hashemi, M., Shafaroodi, H. & Mehdizadeh, M. (2012) Effect of Pentoxifylline on Ischemia- induced Brain Damage and Spatial Memory Impairment in Rat. *Iran J Basic Med Sci*, 15: 1083-90.
- Muller, G. J., Stadelmann, C., Bastholm, L., Elling, F., Lassmann, H. & Johansen, F. F. (2004) Ischemia leads to apoptosis--and necrosis-like neuron death in the ischemic rat hippocampus. *Brain Pathol*, 14: 415-24.
- Muzzio, I. A., Kentros, C. & Kandel, E. (2009) What is remembered? Role of attention on the encoding and retrieval of hippocampal representations. *J Physiol*, 587: 2837-54.

- Naganuma, Y. (1990) Changes of the cerebral microvascular structure and endothelium during the course of permanent ischemia. *Keio J Med*, 39: 26-31.
- Nakajima, H., Unoda, K., Ito, T., Kitaoka, H., Kimura, F. & Hanafusa, T. (2012) The Relation of Urinary 8-OHdG, A Marker of Oxidative Stress to DNA, and Clinical Outcomes for Ischemic Stroke. *Open Neurol J*, 6: 51-7.
- Nicholson, S. K., Tucker, G. A. & Brameld, J. M. (2008) Effects of dietary polyphenols on gene expression in human vascular endothelial cells. *Proc Nutr Soc*, 67: 42-7.
- Nicholson, S. K., Tucker, G. A. & Brameld, J. M. (2010) Physiological concentrations of dietary polyphenols regulate vascular endothelial cell expression of genes important in cardiovascular health. *Br J Nutr*, 103: 1398-403.
- Nikonenko, A. G., Radenovic, L., Andjus, P. R. & Skibo, G. G. (2009) Structural features of ischemic damage in the hippocampus. *Anat Rec (Hoboken)*, 292: 1914-21.
- Nyengaard, J. R. (1999) Stereologic methods and their application in kidney research. *J Am Soc Nephrol*, 10: 1100-23.
- Olthof, M. R., Hollman, P. C. & Katan, M. B. (2001) Chlorogenic acid and caffeic acid are absorbed in humans. *J Nutr*, 131: 66-71.
- Ostwald, K., Hagberg, H., Andine, P. & Karlsson, J. O. (1993) Upregulation of calpain activity in neonatal rat brain after hypoxic-ischemia. *Brain Res*, 630: 289-94.
- Panickar, K. S. & Anderson, R. A. (2011) Effect of polyphenols on oxidative stress and mitochondrial dysfunction in neuronal death and brain edema in cerebral ischemia. *Int J Mol Sci*, 12: 8181-207.
- Park, J. J., Hwang, S. J., Park, J. H. & Lee, H. J. (2015) Chlorogenic acid inhibits hypoxia-induced angiogenesis via down-regulation of the HIF-1 $\alpha$ /AKT pathway. *Cell Oncol (Dordr)*, 38: 111-8.
- Parker, A., Wilding, E. & Bussey, T. (2002) *The Cognitive Neuroscience of Memory Encoding and Retrieval*, New York: Psychology Press.
- Partadiredja, G. & Bedi, K. (2010) Undernutrition during gestation and suckling periods does not cause any loss of pyramidal neurons in the CA2-CA3 region of the rat hippocampus. *Nutr Neurosci*, 13: 1-7.
- Pastalkova, E., Itskov, V., Amarasingham, A. & Buzsaki, G. (2008) Internally generated cell assembly sequences in the rat hippocampus. *Science*, 321: 1322-7.
- Privratsky, J. R. & Newman, P. J. (2014) PECAM-1: regulator of endothelial junctional integrity. *Cell Tissue Res*, 355: 607-19.
- Pulungan, Z. S., Sofro, Z. M. & Partadiredja, G. (2016) Sodium fluoride does not affect the working memory and number of pyramidal cells in rat medial prefrontal cortex.
- Pulungan, Z. S. A., Sofro, Z. M. & Partadiredja, G. (2018) Sodium fluoride does not affect the working memory and number of pyramidal cells in rat medial prefrontal cortex. 93: 128-38.

- Purves, D., Augustine, G., Fitzpatrick, D., Hall, W., LaMantia, A., McNamara, J. & Williams, S. (eds.) (2004) *Neuroscience*, Sunderland: Sinauer Associates, Inc.
- Puyal, J., Ginet, V. & Clarke, P. G. (2013) Multiple interacting cell death mechanisms in the mediation of excitotoxicity and ischemic brain damage: a challenge for neuroprotection. *Prog Neurobiol*, 105: 24-48.
- Quintard, H., Borsotto, M., Veyssiere, J., Gandin, C., Labbal, F., Widmann, C., Lazdunski, M. & Heurteaux, C. (2011) MLC901, a traditional Chinese medicine protects the brain against global ischemia. *Neuropharmacology*, 61: 622-31.
- Rami, A., Bechmann, I. & Stehle, J. H. (2008) Exploiting endogenous anti-apoptotic proteins for novel therapeutic strategies in cerebral ischemia. *Prog Neurobiol*, 85: 273-96.
- Rami, A. & Kogel, D. (2008) Apoptosis meets autophagy-like cell death in the ischemic penumbra: Two sides of the same coin? *Autophagy*, 4: 422-6.
- Rewell, S. S., Churilov, L., Sidon, T. K., Aleksoska, E., Cox, S. F., Macleod, M. R. & Howells, D. W. (2017) Evolution of ischemic damage and behavioural deficit over 6 months after MCAo in the rat: Selecting the optimal outcomes and statistical power for multi-centre preclinical trials. *PLoS One*, 12: e0171688.
- Rolls, E. T. (2017) The storage and recall of memories in the hippocampo-cortical system. *Cell Tissue Res*.
- Ruifeng, G., Yunhe, F., Zhengkai, W., Ershun, Z., Yimeng, L., Minjun, Y., Xiaojing, S., Zhengtao, Y. & Naisheng, Z. (2014) Chlorogenic acid attenuates lipopolysaccharide-induced mice mastitis by suppressing TLR4-mediated NF-kappaB signaling pathway. *Eur J Pharmacol*, 729: 54-8.
- Ruszkiewicz, J. & Albrecht, J. (2015) Changes in the mitochondrial antioxidant systems in neurodegenerative diseases and acute brain disorders. *Neurochem Int*, 88: 66-72.
- Sanderson, T. H., Reynolds, C. A., Kumar, R., Przyklenk, K. & Huttemann, M. (2013) Molecular mechanisms of ischemia-reperfusion injury in brain: pivotal role of the mitochondrial membrane potential in reactive oxygen species generation. *Mol Neurobiol*, 47: 9-23.
- Sasi, N., Hwang, M., Jaboin, J., Csiki, I. & Lu, B. (2009) Regulated cell death pathways: new twists in modulation of BCL2 family function. *Mol Cancer Ther*, 8: 1421-9.
- Savelli, F., Yoganasimha, D. & Knierim, J. J. (2008) Influence of boundary removal on the spatial representations of the medial entorhinal cortex. *Hippocampus*, 18: 1270-82.
- Sawada, N. & Liao, J. K. (2009) Targeting eNOS and beyond: emerging heterogeneity of the role of endothelial Rho proteins in stroke protection. *Expert Rev Neurother*, 9: 1171-86.
- Schaller, B. J. (2006) The role of endothelin in stroke: experimental data and underlying pathophysiology. *Arch. Med. Sci.*, 2: 146-58.
- Segal, M. (2017) Dendritic spines: Morphological building blocks of memory. *Neurobiol Learn Mem*, 138: 3-9.

- Selakovic, V., Korenic, A. & Radenovic, L. (2011) Spatial and temporal patterns of oxidative stress in the brain of gerbils submitted to different duration of global cerebral ischemia. *Int J Dev Neurosci*, 29: 645-54.
- Shan, J., Fu, J., Zhao, Z., Kong, X., Huang, H., Luo, L. & Yin, Z. (2009) Chlorogenic acid inhibits lipopolysaccharide-induced cyclooxygenase-2 expression in RAW264.7 cells through suppressing NF-kappaB and JNK/AP-1 activation. *Int Immunopharmacol*, 9: 1042-8.
- Sharma, V., Ling, T. W., Rewell, S. S., Hare, D. L., Howells, D. W., Kourakis, A. & Wookey, P. J. (2012) A novel population of alpha-smooth muscle actin-positive cells activated in a rat model of stroke: an analysis of the spatio-temporal distribution in response to ischemia. *J Cereb Blood Flow Metab*, 32: 2055-65.
- Shen, J., Zhu, Y., Yu, H., Fan, Z. X., Xiao, F., Wu, P., Zhang, Q. H., Xiong, X. X., Pan, J. W. & Zhan, R. Y. (2014) Buyang Huanwu decoction increases angiopoietin-1 expression and promotes angiogenesis and functional outcome after focal cerebral ischemia. *J Zhejiang Univ Sci B*, 15: 272-80.
- Shen, W. H., Zhang, C. Y. & Zhang, G. Y. (2003) Antioxidants attenuate reperfusion injury after global brain ischemia through inhibiting nuclear factor-kappa B activity in rats. *Acta Pharmacol Sin*, 24: 1125-30.
- Sheng, T., Zhang, X., Wang, S., Zhang, J., Lu, W. & Dai, Y. (2015) Endothelin-1-induced mini-stroke in the dorsal hippocampus or lateral amygdala results in deficits in learning and memory. *J Biomed Res*, 29: 362-9.
- Shi, H., Dong, L., Bai, Y., Zhao, J., Zhang, Y. & Zhang, L. (2009) Chlorogenic acid against carbon tetrachloride-induced liver fibrosis in rats. *Eur J Pharmacol*, 623: 119-24.
- Shi, H., Dong, L., Jiang, J., Zhao, J., Zhao, G., Dang, X., Lu, X. & Jia, M. (2013) Chlorogenic acid reduces liver inflammation and fibrosis through inhibition of toll-like receptor 4 signaling pathway. *Toxicology*, 303: 107-14.
- Shichita, T., Sakaguchi, R., Suzuki, M. & Yoshimura, A. (2012) Post-ischemic inflammation in the brain. *Front Immunol*, 3: 132.
- Soares, L. M., Schiavon, A. P., Milani, H. & de Oliveira, R. M. (2013) Cognitive impairment and persistent anxiety-related responses following bilateral common carotid artery occlusion in mice. *Behav Brain Res*, 249: 28-37.
- Solenski, N. J., diPierro, C. G., Trimmer, P. A., Kwan, A. L. & Helm, G. A. (2002) Ultrastructural changes of neuronal mitochondria after transient and permanent cerebral ischemia. *Stroke*, 33: 816-24.
- Solstad, T., Boccara, C. N., Kropff, E., Moser, M. B. & Moser, E. I. (2008) Representation of geometric borders in the entorhinal cortex. *Science*, 322: 1865-8.
- Stanika, R. I., Winters, C. A., Pivovarova, N. B. & Andrews, S. B. (2010) Differential NMDA receptor-dependent calcium loading and mitochondrial dysfunction in CA1 vs. CA3 hippocampal neurons. *Neurobiol Dis*, 37: 403-11.
- Tam, N. N., Gao, Y., Leung, Y. K. & Ho, S. M. (2003) Androgenic regulation of oxidative stress in the rat prostate: involvement of NAD(P)H oxidases and

- antioxidant defense machinery during prostatic involution and regrowth. *Am J Pathol*, 163: 2513-22.
- Tang, S. C., Arumugam, T. V., Xu, X., Cheng, A., Mughal, M. R., Jo, D. G., Lathia, J. D., Siler, D. A., Chigurupati, S., Ouyang, X., Magnus, T., Camandola, S. & Mattson, M. P. (2007) Pivotal role for neuronal Toll-like receptors in ischemic brain injury and functional deficits. *Proc Natl Acad Sci U S A*, 104: 13798-803.
- Tang, S. H., Yu, J. G., Li, J. J. & Sun, J. Y. (2015) Neuroprotective effect of ketamine on acute spinal cord injury in rats. *Genet Mol Res*, 14: 3551-6.
- Tewari, A., Mahendru, V., Sinha, A. & Bilotta, F. (2014) Antioxidants: The new frontier for translational research in cerebroprotection. *J Anaesthesiol Clin Pharmacol*, 30: 160-71.
- Vanhoutte, P. M., Shimokawa, H., Feletou, M. & Tang, E. H. (2017) Endothelial dysfunction and vascular disease - a 30th anniversary update. *Acta Physiol (Oxf)*, 219: 22-96.
- Vardi, N., Parlakpinar, H. & Ates, B. (2012a) Beneficial effects of chlorogenic acid on methotrexate-induced cerebellar Purkinje cell damage in rats. *Journal of Chemical Neuroanatomy*, 43: 43-7.
- Vardi, N., Parlakpinar, H. & Ates, B. (2012b) Beneficial effects of chlorogenic acid on methotrexate-induced cerebellar Purkinje cell damage in rats. *J Chem Neuroanat*, 43: 43-7.
- Vauzour, D. (2012) Dietary polyphenols as modulators of brain functions: biological actions and molecular mechanisms underpinning their beneficial effects. *Oxid Med Cell Longev*, 2012: 1-16.
- Vilahur, G., Padro, T., Casani, L., Mendieta, G., Lopez, J. A., Streitenberger, S. & Badimon, L. (2015) Polyphenol-enriched diet prevents coronary endothelial dysfunction by activating the Akt/eNOS pathway. *Rev Esp Cardiol (Engl Ed)*, 68: 216-25.
- Wagatsuma, H. & Yamaguchi, Y. (2007) Neural dynamics of the cognitive map in the hippocampus. *Cogn Neurodyn*, 1: 119-41.
- Wallez, Y. & Huber, P. (2008) Endothelial adherens and tight junctions in vascular homeostasis, inflammation and angiogenesis. *Biochim Biophys Acta*, 1778: 794-809.
- Wang, L., Jia, J. & Wu, L. (2013a) The relationship between cognitive impairment and cerebral blood flow changes after transient ischaemic attack. *Neurol Res*, 35: 580-5.
- Wang, X., Fan, X., Yuan, S., Jiao, W., Liu, B., Cao, J. & Jiang, W. (2017) Chlorogenic acid protects against aluminium-induced cytotoxicity through chelation and antioxidant actions in primary hippocampal neuronal cells. 8: 2924-34.
- Wang, X. & Michaelis, E. K. (2010) Selective neuronal vulnerability to oxidative stress in the brain. *Front Aging Neurosci*, 2: 12.
- Wang, Y., Ge, P. & Zhu, Y. (2013b) TLR2 and TLR4 in the brain injury caused by cerebral ischemia and reperfusion. *Mediators Inflamm*, 2013: 1-8.
- Wang, Y., Kilic, E., Kilic, U., Weber, B., Bassetti, C. L., Marti, H. H. & Hermann, D. M. (2005) VEGF overexpression induces post-ischaemic

- neuroprotection, but facilitates haemodynamic steal phenomena. *Brain*, 128: 52-63.
- Warner, D. S., Sheng, H. & Batinic-Haberle, I. (2004) Oxidants, antioxidants and the ischemic brain. *J Exp Biol*, 207: 3221-31.
- Watson, C., Kirkcaldie, M. & Paxinos, G. (2010) *The Brain an Introduction to Functional Neuroanatomy*, San Diego:Elsevier Inc.
- West, M. J. (2012a) Estimating volume in biological structures. *Cold Spring Harb Protoc*, 2012: 1129-39.
- West, M. J. (2012b) The precision of estimates in stereological analyses. *Cold Spring Harb Protoc*, 2012: 937-49.
- West, M. J. (2013) Tissue shrinkage and stereological studies. *Cold Spring Harb Protoc*, 2013.
- Winters, L., Winters, T., Gorup, D., Mitrecic, D., Curlin, M., Kriz, J. & Gajovic, S. (2013) Expression analysis of genes involved in TLR2-related signaling pathway: Inflammation and apoptosis after ischemic brain injury. *Neuroscience*, 238: 87-96.
- Wolbers, T. & Wiener, J. M. (2014) Challenges for identifying the neural mechanisms that support spatial navigation: the impact of spatial scale. *Front Hum Neurosci*, 8: 1-12.
- Xu, Y., Chen, J., Yu, X., Tao, W., Jiang, F., Yin, Z. & Liu, C. (2010) Protective effects of chlorogenic acid on acute hepatotoxicity induced by lipopolysaccharide in mice. *Inflamm Res*, 59: 871-7.
- Yan, J. & Jiang, H. (2014) Dual effects of ketamine: neurotoxicity versus neuroprotection in anesthesia for the developing brain. *J Neurosurg Anesthesiol*, 26: 155-60.
- Ye, H. Y., Jin, J., Jin, L. W., Chen, Y., Zhou, Z. H. & Li, Z. Y. (2017) Chlorogenic Acid Attenuates Lipopolysaccharide-Induced Acute Kidney Injury by Inhibiting TLR4/NF-kappaB Signal Pathway. *Inflammation*, 40: 523-9.
- Yeung, P. K., Shen, J., Chung, S. S. & Chung, S. K. (2013) Targeted over-expression of endothelin-1 in astrocytes leads to more severe brain damage and vasospasm after subarachnoid hemorrhage. *BMC Neurosci*, 14: 131-45.
- Yokota, M., Saido, T. C., Kamitani, H., Tabuchi, S., Satokata, I. & Watanabe, T. (2003) Calpain induces proteolysis of neuronal cytoskeleton in ischemic gerbil forebrain. *Brain Res*, 984: 122-32.
- Yuan, Y., Gong, X., Zhang, L., Jiang, R., Yang, J., Wang, B. & Wan, J. (2017) Chlorogenic acid ameliorated concanavalin A-induced hepatitis by suppression of Toll-like receptor 4 signaling in mice. *Int Immunopharmacol*, 44: 97-104.
- Yun, N., Kang, J. W. & Lee, S. M. (2012) Protective effects of chlorogenic acid against ischemia/reperfusion injury in rat liver: molecular evidence of its antioxidant and anti-inflammatory properties. *J Nutr Biochem*, 23: 1249-55.
- Zhao, B. Q., Tejima, E. & Lo, E. H. (2007) Neurovascular proteases in brain injury, hemorrhage and remodeling after stroke. *Stroke*, 38: 748-52.

- Zhou, L., Zhang, T., Lu, B., Yu, Z., Mei, X., Abulizi, P. & Ji, L. (2016) *Lonicerae Japonicae Flos attenuates diabetic retinopathy by inhibiting retinal angiogenesis. J Ethnopharmacol*, 189: 117-25.
- Zhu, C., Qiu, L., Wang, X., Hallin, U., Cande, C., Kroemer, G., Hagberg, H. & Blomgren, K. (2003) Involvement of apoptosis-inducing factor in neuronal death after hypoxia-ischemia in the neonatal rat brain. *J Neurochem*, 86: 306-17.
- Zhu, C., Xu, F., Wang, X., Shibata, M., Uchiyama, Y., Blomgren, K. & Hagberg, H. (2006) Different apoptotic mechanisms are activated in male and female brains after neonatal hypoxia-ischaemia. *J Neurochem*, 96: 1016-27.
- Ziegler, G., Harhausen, D., Schepers, C., Hoffmann, O., Rohr, C., Prinz, V., Konig, J., Lehrach, H., Nietfeld, W. & Trendelenburg, G. (2007) TLR2 has a detrimental role in mouse transient focal cerebral ischemia. *Biochem Biophys Res Commun*, 359: 574-9.