

## DAFTAR PUSTAKA

- Al-Qazaz, H.K., Hassali, M.A., Shafie, A.A., Sulaiman, S.A., Sundram, S., Morisky, D.E., 2010, The eight-item Morisky Medication Adherence Scale MMAS: Translation and validation of the Malaysian version. *Diabetes Res Clin Pract*, **90**: 216–221.
- Alsolami, F., Hou, X.Y., Correa-Velez, I., 2012, Factors Affecting Antihypertensive Treatment Adherence: A Saudi Arabian Perspective, *Clin, Med Diagn*, **2**: 27–32.
- Azwar, S., 2012, *Reliabilitas dan Validitas*, edisi 4, Pustaka Pelajar, Yogyakarta, 111-113.
- Bartholomew, L.K., Parcel, G.S., Kok, G., dan Gottlieb, N.H., 2006, *Planning Health Promotion Program : An Intervention Mapping Approach*, San Francisco: John Wiley dan Sons, Inc.
- British Columbia Transplant, 2017, *Clinical Guidelines for Kidney Transplantation*, BC Transplant, 4.
- Cahyaningsih, N.D., 2008, *Hemodialisa Panduan Praktis Perawatan Ginjal*, Mitra Cendekia Press, Yogyakarta.
- Chang, P.Y., Chien, L.N., Lin, Y.F., Wu, M.S., Chiu, W.T., Chiou, H.Y., 2016, Risk factors of gender for renal progression in patients with early chronic kidney disease, *Medicine*, **95**:30 (e4203).
- Charles, J., 2006, *Farmasi Klinik Teori dan Penerapan*, ECG, Jakarta.
- Chironda, G. dan Busisiwe B., 2016, Contributing Factors to Non-Adherence among Chronic Kidney Disease (CKD) Patients: A Systematic Review of Literature, *Med Clin Rev*, **2**:4.
- Chow, S.K.Y. dan Tam, B.M.L., 2014, Is the kidney disease quality of life-36 (KDQOL-36) a valid instrument for Chinese dialysis patients?, *BMC Nephrology*, **15**: 199.
- Corrigan, R.M., 2011, The Experience of The Older Adult with End-Stage Renal Disease on Hemodialysis, *Thesis*, Queen's University, Canada.
- Corwin E.J., 2009, *Buku Saku Patofisiologi*, Edisi ke 3, EGC, Jakarta.
- Cruz, M.C., Andrade, C., Urrutia, M., Draibe, S., Nogueira-Martins, L.A., Sesso, R.C.C., 2011, Quality of life in patients with chronic kidney disease, *Clinics*, **66 (6)**: 991-995.
- Dahlan, M.S., 2014, *Statistik untuk Kedokteran dan Kesehatan; Deskriptif, Bivariat, dan Multivariat, dilengkapi Aplikasi menggunakan SPSS*, edisi 6, Epidemiologi Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia, 2008, *Pedoman Pelayanan Kefarmasian di Rumah (Home Pharmacy Care)*, Departemen Kesehatan Republik Indonesia.

- Departemen Kesehatan Republik Indonesia, 2007a, *Pedoman Konseling Pelayanan Kesehatan di Sarana Kesehatan*, Ditjen Bina Kefarmasian dan Alat Kesehatan, Departemen Kesehatan Republik Indonesia, Jakarta.
- Departemen Kesehatan Republik Indonesia, 2007b, *Pedoman Penggunaan Obat Bebas dan Bebas Terbatas*, Ditjen Bina Kefarmasian dan Alat Kesehatan, Departemen Kesehatan Republik Indonesia, Jakarta.
- Dignan, M.B. dan Carr, P.A, 1992, *Program Planning for Health Education and Promotion*, Philadelphia.
- Dudley, B., Heiland, B., Kohler-Rausch, E., dan Kovic, M., 2014a, Education and technology used to improve the quality of life for people with diabetes mellitus type II, *Journal of Multidisciplinary Healthcare*, **7**:147-153.
- Duarte, P.S., Ciconelli, R.M., dan Sesso, R., 2005, Cultural adaptation and validation of the Kidney Disease and Quality of Life - Short Form (KDQOL-SF™ 1.3) in Brazil, *Braz J Med Biol Res*, **38(2)**: 261-270.
- Edey, M.M., 2017, Male Sexual Dysfunction and Chronic Kidney Disease, *Front. Med*, **4**:32.
- European Commission, Eurostat, 2015, *Quality of life: facts and views: 2015 edition*, Publications Office, Luxembourg.
- Fernandez, S., Tobin, J.N., Cassells, A., Diaz-Glosters, M., Kalida, C., dan Ogedegbe, G., 2011, Counseling African American to Control Hypertention (CAATC) Trial : Baseline demographic clinical psychosocial and behavior characteristics, *Implementation Science*, **6**: 100.
- Ferreira, L.N., Ferreira, P.L., Ribeiro, F.P., dan Pereira, L.N., 2016. Comparing the performance of the EQ-5D-3L and the EQ-5D-5L in young Portuguese adults, *Health and Quality of Life Outcomes*, **14**: 89.
- Fertman, C.I. dan Allensworth, D.D., 2010, *Health Promotion Programs from Theory to Practice*, United States of America: Jossey-Bass.
- Gierlaszyńska, K., Robert, P., Izabela, J., Byrczek-Godula, K., Mariusz, G., 2016, Tools for assessing quality of life in cardiology and cardiac surgery, *Kardiochirurgia i Torakochirurgia Polska*, **13(1)**: 78-82.
- Goldberg, I. dan Ilan, K., 2016, The Role of Gender in Chronic Kidney Disease, *EMJ*, **1(2)**: 58-64.
- Hawe, P., Degeling, D., Hall, J., Brierley, A., 1990, *Evaluating Health Promotion : A Health Worker's Guide*, MacLennan dan Petty Pty Limited.
- Hays, R.D., Kallich, J.D., Mapes, D.L., Coons, S.J., Amin, N., Carter, W.B., 1997, Kidney Disease Quality of Life Short Form (KDQoL-SF)

Version 1.3 : A Manual for Use and Scoring, Version 1.3, RAND, Washington, D.C., *Qual Life Res*, 3(5) : 329-380.

- Javedh, S.C., Kripa G.Sa, Shashidar B., 2014, Impact of Pharmacists' Counseling on Quality of Life in Patients Undergoing Hemodialysis in a Tertiary Care Teaching Hospital, *World J Nephrol Urol*, 3(4):143-150.
- Jiang, M. dan Li, L., 2004, Assessment of health-related quality of life in hemodialysis patients with SF-36, *Zhejiang Da Xue Xue Bao. Yi Xue Ban Journal of Zhejiang University, Medical Sciences*, 33: 546-549, 560.
- Kalyango, N. J., Maurice H., dan Charles K., 2012, Home Medication Management Practices and Associated Factors Among Patients with Selected Chronic Disease in a Community Pharmacy in Uganda, *BMC Health Services Research*, 12: 323.
- Karakurt, P., dan Kaşıkçı, M., 2012, Factors affecting medication adherence in patients with hypertension, *J Vasc Nurs*, 30(4): 118-126.
- Kazanciog lu, Rumezya, 2013, Risk Factors for Chronic Kidney Disease : an update, *Kidney International Supplements*, 3: 368-371.
- Kementrian Kesehatan Republik Indonesia, 2013, *Riset Kesehatan Dasar (RISKESDAS) 2013*, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Kementrian Kesehatan Republik Indonesia, 2017, *Situasi Penyakit Ginjal Kronis*, Kementrian Kesehatan Republik Indonesia, Jakarta.
- Kidney Disease Improving Global Outcomes, 2012, KDIGO 2012 Clinical Practice Guideline for the Evaluation and Management of Chronic Kidney Disease, *The Official Journal of the National Kidney Foundation*, vol 3.
- Kim, S. H., dan So, W. Y., 2015, Rasch validation of the SF-36 for assessing the health status of Korean older adults, *J Phys Ther Sci*, 27, 601-606.
- Korb-Savoldelli, V., Gillaizeau, F., Pouchot, J., Lenain, E., Postel-Vinay, N., Plouin, P. F., Durieux, P., Sabatier, B., 2012, Validation of a French Version of the 8-Item Morisky Medication Adherence Scale in Hypertensive Adults: Validation of a French Version of MMAS, *J Clin Hypertens*, 14, 429-434.
- Kreiter, 2004, The Cognitive Orientation of Patient with Type 2 Diabetes in Israel, *Patient Education Counseling*.
- Kreps, 2011, Development and Validation of Motivational Messages to Improve Prescription Medication Adherence For Patients with Chronic Health Problems, *Patient Education Counseling*, 83: 375-381.

- Kurella, M., Covinsky K. E., Collins A. J., Chertow G.M., 2007, Octogenarians and nonagenarians starting dialysis in the United States, *Ann Intern Med*, 146: 177–183.
- Lincoln, Y.S., Guba, E.G., 1985, *Effective Evaluation*, San Francisco, Jossey-Bass Publishers.
- Litwin, M.S., 2006, Health-related quality of life, in: Clinical Research Methods for Surgeons, *Springer pp*, 237–251.
- Llana, H.G., Eduardo R., dan Rafael S., 2013, Adherence to treatment, emotional state and quality of life in patients with end-stage renal disease undergoing dialysis, *Psicothema*, 25, No 1; 79-86.
- McGee, H.M., Rushe, H., Sheil, K., Keogh, B., 1998, Association of psychosocial factors and dietary adherence in haemodialysis patients, *British Journal of Health Psychology*, 3(2): 97-109.
- Melisa, 2017, Pengaruh Penggunaan Terapi Sevelamer Terhadap Kualitas Hidup Pasien Hemodialisis yang Dinilai Menggunakan KDQOL SF-36, *Thesis*, Universitas Gadjah Mada, Yogyakarta.
- Menteri Kesehatan Republik Indonesia, 2014, *Peraturan Menteri Kesehatan No 75 Tahun 2014 tentang Pusat Kesehatan Masyarakat*, Menteri Kesehatan Republik Indonesia, Jakarta.
- Miles, B.M. dan Michael, H., 1992, *Analisis Data Kualitatif Buku Sumber Tentang Metode-Metode Baru*, Jakarta.
- Moharamzad, Y., Saadat, H., Nakhjavan S.B., Rai, A., Saadat, Z., Aerab-Sheibani, H., dkk., 2015, Validation of the Persian Version of the 8-Item Morisky Medication Adherence Scale (MMAS-8) in Iranian Hypertensive Patients, *Glob J Health Sci*, 7(4): 173-183.
- Morisky, D.E., Ang, A., Marie, Krousel-Wood, M., Ward, H.J., 2008, Predictive Validity of A Medication Adherence Measure in an Outpatient Setting, *J Clin Hypertens*, 10(5): 348–354.
- Morton, R.L., Schlackckow, I., Staplin, N., Gray, A., Cass, A., Haynes, R., dkk., 2016, Impact of Educational Attainment on Health Outcomes in Moderate to Severe CKD, *Am J Kidney Dis.*, 67(1): 31–39.
- Naalweh, K.S., Mohammad, A.B., Moutaz, W.S., Samah, W.A., Waleed, M.S., dan Sa'ed, H.Z., 2017, Treatment adherence and perception in patients on maintenance hemodialysis: a cross – sectional study from Palestine, *BMC Nephrology*, 18:178.
- National Kidney Foundation, 2002. *Clinical Practice Guidelines for Chronic Kidney Disease: Evaluation, Classification and Stratification*, National Kidney Foundation, New York.
- National Kidney Foundation, 2006, *Clinical Practice Guidelines and Recommendations Hemodialysis adequacy, Peritoneal dialysis*

- adequacy, and Vascular access*, National Kidney Foundation, New York.
- National Kidney Foundation, 2015, *KDOQI Clinical Practice Guideline for Hemodialysis Adequacy*, National Kidney Foundation, New York.
- Norman, L.E., 2004, *Analisis Sistem Informasi*, edisi ke-2, Yogyakarta.
- Notoatmodjo, S., 2007, *Perilaku Kesehatan dan Ilmu Perilaku*, Rineka Cipta, Jakarta.
- Osterberg, L., dan Blaschke, T., 2005, Adherence to medication, *N Eng J Med*, **353**: 487-497.
- Puspitasari, C.E., 2016, Penilaian Kelelahan dan Kualitas Hidup Pasien Hemodialisa Rutin dengan Anemia Menggunakan Facit-Fatigue Scale dan KDQOL-SF 36 di Rumah Sakit UGM dan RSUP Dr. Sardjito Yogyakarta, *Thesis*, Universitas Gadjah Mada, Yogyakarta.
- Rachmawati, Y., Perwitasari, D.A., dan Adnan, A., 2014, Validasi Kuesioner SF-36 Versi Indonesia terhadap pasien hipertensi di Puskesmas Yogyakarta, *J Pharmacy*, **11**.
- Rantucci, M., 2007, *Komunikasi Apoteker Pasien*, edisi 2, EGC, Jakarta.
- Ricardo, A.C., Hacker, E., Lora, C.M., Ackerson, L., DeSalvo, K.B., Go, A., dkk., 2013, Validation of the Kidney Disease Quality of Life Short Form 36 (KDQOL-36™) US Spanish and English Versions in a Cohort of Hispanics with Chronic Kidney Disease, *Ethn Dis*, **23**(2): 202-209.
- Royal Pharmaceutical Society, 2014, *Handbook for Homecare Services in England*, Royal Pharmaceutical Society, England, pp 8-10.
- Sabaté, E., 2003, Adherence to long-term therapies: evidence for action, *World Health Organization*.
- Saleem, F., Hassali, M.A., Shafie, A.A., Awad, A.G., dan Bashir, S., 2011, Association between knowledge and drug adherence in patients with hypertension in Quetta, Pakistan, *Trop J Pharm Res*, **10**(2): 125.
- Saragih, D.A., 2010, *Pengaruh Dukungan Keluarga dengan Kualitas Hidup Pasien Gagal Ginjal Kronis yang Menjalani Hemodialisa di RSUP Haji Adam Malik Medan*, Universitas Sumatera Utara, Medan.
- Sayoga, 2005, *Prinsip-Prinsip Media Promosi untuk Kesehatan*, Modul Mata Kuliah Magister Perilaku dan Promosi Kesehatan, Program Pascasarjana Universitas Gadjah Mada, Yogyakarta.
- Shams, M.E.E. dan Barakat, E.A.M.E., 2010, Measuring the rate of therapeutic adherence among outpatients with T2DM in Egypt. *Saudi Pharm J*, **18**(4): 225–232.
- Sharma, S., H., S.R.R., Subramanyam, G., dan Iram, M., 2013, Evaluation of Impact of Counseling on Quality of Life of Chronic Kidney Disease

- and Hemodialysis Patients, *Indian Journal of Pharmacy Practice*, **6(3)**: 57-61.
- Shen, W., Kotsanos, J.G., Huster, W.J., Mathias, S.D., Andejasich, C.M., Patrick, D.L., 1999, Development and validation of diabetes quality life clinical trial questionnaire, *Medical Care*, **37(4)**: 45-66.
- Skevington, S.M., Lofty, M., O'Connell, K.A., 2004, The World Health Organization's WHOQOL-BREF quality of life assessment: psychometric properties and result of the international field trial, A report from WHOQOL group, *Quality of life research*, **13**: 299-310.
- Sontakke, S., Budania, R., Bajait, C., Jaiswal, K., dan Pimpalkhute, S., 2015, Evaluation of adherence to therapy in patients of chronic kidney disease, *Indian Journal of Pharmacology*, **47(6)**: 668–671.
- St Peter, W.L., Wazny, L.D., Patel, U.D., 2013, New Models of CKD Care Including Pharmacists: Improving Medication Reconciliation and Medication Management, *Curr Opin Nephrol Hypertens*, **22(6)**: 656–662.
- Theofilou, P., 2013, Quality of Life: Definition and Measurement, *Eur J Psychol*, **9(1)**: 150–162.
- Thomas, D., Joseph, J., Francis, B, Mohanta, G.P., 2009, Effect of patient counseling on quality of life of hemodialysis patients in India, *Pharmacy Practice Granada*, **7(3)**:181-184.
- Thompson, K., Kulkarni, J., Sergejew. A.A., 2000, Reliability and validity of a new Medication Adherence Rating Scale (MARS) for the psychoses, *Schizophrenia Research*, **42**: 241–247.
- Twiss, J., McKenna, S., Ganderton, L., Jenkins, S., Ben-L'amri, M., Gain, K., Fowler, R., Gabbay, E., 2013, Psychometric performance of the CAMPHOR and SF-36 in pulmonary hypertension, *BMC Pulm Med*, **13**: 45.
- Wright, J., Williams, B.R., Wilkinson, J., 1998, Development and importance of health needs assesment, *BMJ*, **316**: 1310-1313.
- Zamanzadeh, V., Ghahramanian, A., Rassouli, M., Abbaszadeh, A., Alavi-Majd, H., dan Nikanfar, A.R., 2015, Design and Implementation Content Validity Study: Development of an instrument for measuring Patient-Centered Communication, *Journal of Caring Sciences*, **4**: 165–178.