

DAFTAR PUSTAKA

- Abdullah, M.A., Chiang, L., and Nadeem, M., 2009, Comparative Evaluation of Adsorption Kinetics and Isotermes of a Natural Product Removal by Amberlite Polymeric Adsorbents, *Chem. Eng. J.*, 146, 370-376.
- Abelhady, M.I.S., Motaal, A.A., and Beerhucs, L., 2011, Total Phenolic Content and Antioksidan of Standardized Extracts from Leaves and Cell Cultures of Three Callistemon, *Am. J. Plant. Sci.*, 2, 847-850.
- Abia A.A., Horsfall, Jr.M., and Didi, O., 2003, The use of Chemically Modified and Unmodified Cassava Waste for the Removal of Cd, Cu and Zn Ions from Aqueous Solution, *Bioresour. Technol.*, 90(3), 345-348.
- Abosadiya, H.M., Hasbullah, S.A., and Yamin, B.M., 2015, Synthesis, Crystal Structure and Antioxidant Evaluation of C-4-acetamidophenylcalix[4]-pyrogallolarene, *AIP Conference Proceedings*, American Institute of Physics.
- Abosadiya, H.M., Ibrahim, N., Hasbullah, S.A., Mackeen, M.M., Low, S.C., Koketsu, M., and Yamin, B.M, 2013, Synthesis, Characterization, X-ray Structure and Biological Activities of C-5-Bromo-2-hydroxyphenylcalix[4]-2-methylresorcinarene, *Molecules*, 18, 13369-13384.
- Adhikari, B.B., Kanemitsu, M., Kawakita, H., Jumina, and Ohto, K., 2011, Synthesis and Application of A Highly Efficient Polyvinylcalix[4]arene Tetraacetic Acid Resin for Adsorptive Removal of Lead from Aqueous Solutions, *Chem. Eng. J.*, 172, 341-353.
- Ajjabi, L.C. and Chouba, L., 2009, Biosorption of Cu²⁺ and Zn²⁺ from Aqueous Solutions by Dried Marine Green Macroalga Chaetomorpha Linum, *J. Environ. Manage.*, 90, 3485-3489.
- Ali, I., 2009, New Generation Adsorbents for Water Treatment, *Chem. Rev.*, 112, 5073-5091.
- Alluri, H. K., 2007, Biosorption: An Eco-friendly Alternative for Heavy Metal Removal, *Afr. J. Biotechnol.*, 6(25), 2924-2931.
- Alshahateet, S.F., Jiries, A.G., Trawneh, S.A.A, Eldouhaibi, A.S., and Mahadeena, M.M.A., 2014, Kinetic, Equilibrium and Selectivity Studies of Heavy Metal Ions (Pb(II), Co(II), Cu(II), Mn(II), and Zn(II)) Removal from Water using Synthesized C-4-Methoxyphenylcalix[4]resorcinarene Adsorbent, *Desalin. Water Treat.*, 57(10), 1-11.
- Alshahateet, S.F., Trawneh, S.A.A., Zereini, W.A.A., and Eldouhaibi, A.S., 2014, Ternary Inclusion System of Chair Conformation of 4,6,10,12,16,18,22,24-Octahydroxy-2,8,14,20 Tetraphenyl-resorcin[4]arene: Selective Green Synthesis, Supramolecular Behavior, and Biological Activity, *Mol. Cryst. Liq. Cryst.*, 605, 206-215.

- Altshuler, G.N., Sapozhnikova, L.A., Altshuler, O.G., Malysenko, N.V., and Shkurenko, G.Yu., 2011, Redox Reactions in Nanocomposites on a Sulfated Polytetraphenylcalix[4]resorcinarene Matrix, *Russ. J. Phys. Chem. A.*, 85(4), 663–667.
- Aman, T., Kazi, A.A., Sabri, M.U., and Bano, Q., 2008, Potato Peels as Solid Waste for the Removal of Heavy Metal Copper(II) from Waste Water Industrial Effluent, *Colloid. Surf.*, 63, 116–121.
- Ames, B.N., Shigenag, M.K., and Hagen, T.M., 1993, Oxidants, Antioxidant and the Degenerative Diseases of Aging, *Proc. Natl. Acad. Sci.*, 90, 7915–7922.
- Amudaa, O.S., Adelowa, F.E., and Ologunde, M.O., 2009, Kinetics and Equilibrium Studies of Adsorption of Chromium(VI) Ion from Industrial Wastewater using Chrysophyllum Albidum (Sapotaceae) Seed Shells. *Colloid. Surf.*, 68, 184–192.
- Andreetti, G.D., 1983, Molecular Inclusion in Functionalized Macrocycles. Part 6. The Crysta and Molecular Structures of Calix[4]arena from *p*-(1,1,3,3-Tetramethylbutyl)phenol an its 1:1 Complex with Toluena, *J. Chem. Soc., Perkin Trans. 2*, 1773–1779.
- Anggraini, M., 2013., Sintesis Adsorben Hibridaa Kaliksarena–Kitosan Berbahan Dasar Vanilin dan Aplikasinya untuk Adsorpsi Kation Logam Pb(II)., *Skripsi.*, FMIPA UGM.
- Antolovic, M., Prenzler, P.D., Patsalides, E., McDonald, S., dan Robards, K., 2002, Methods for Testing Antioxidant Activity, *Analyst.*, 127, 183–198.
- Aoyama, Y., Tanaka, Y., and Sugahara, S., 1989, Molecular Recognition. 5. Molecular Recognition of Sugar via Hydrogen-Bonding Interaction with a Synthetic Polyhydroxy Macrocycle, *J. Am. Chem. Soc.*, 111, 5397–5404.
- Apiratikul, R. and Pavasant, P., 2008^a, Sorption of Cu²⁺, Cd²⁺, and Pb²⁺ using Modified Zeolite from Coal Fly Ash, *Chem. Eng. J.*, 144, 245–258.
- Apiratikul, R. and Pavasant, P., 2008^b, Batch and Column Studies of Biosorption of Heavy Metals by Caulerpa Lentillifera, *Bioresour. Technol.*, 99, 2766–2777.
- Arimura, T., Nagasaki, T., Shinkai, S., and Matsuda, T., 1989, Host-Guest Properties of New Water-Soluble Calixarene Derived from *p*-(Chloromethyl)-calixarene, *J. Org. Chem.*, 54, 3766–3768.
- Aruna, D.S., Fazal M.M.I., and Devi, G.K.D, 2013, Micelles as Catalyst For The Synthesis of Certain Substituted Naphthyl Ethers, *J. Chem. Phar. Res.*, 5(7), 70-74.
- Baccar, R., Bouzid, J., Feki, M., and Montiel, A., 2009, Preparation of Activated Carbon from Tunisian Olive-Waste Cakes and Its Application for Adsorption of Heavy Metal Ions, *J. Hazard. Mater.*, 162, 1522–1529.

- Bailey, S.E., Trudy, J.O., Mark, R.B., and Dean, D.A., 1999, A Review of Potentially Low-Cost Sorbents for Heavy Metals, *Water Res.*, 33, 2469–2479.
- Barasi, M.E., 2010, *At A Glance: Ilmu Gizi*, diterjemahkan oleh Halim, H., Erlangga, Jakarta.
- Barnhart, J., 1997, Occurrences, Uses, and Properties of Chromium, *Regu. Toxicol. Pharm.*, 26, S3–S7.
- Barrett, A.G.M., Braddock, D.C., Henschke, J.P., and Walker, E.R., Ytterbium(III) Triflate-Catalysed Preparation of Calix[4]resorcinarenes: Lewis Assisted Brønsted Acidity, *J. Chem. Soc., Perkin. Trans.*, 1, 873–878.
- Basílio, N., Garcia-Rio, L., and Martín-Pastor, M., 2012, Calixarene-Based Surfactants: Evidence of Structural Reorganization upon Micellization, *Langmuir*, 28, 2404–2414
- Baskar, R., Rajeswari, and Kumar, T.S., 2007, In Vitro Antioxidant Studies in Leaves of Annona Species, *Indian J. Exp. Biol.*, 45, 480–485.
- Baysal A, Nil O and Suleyman, A., 2013, *Determination of Trace Metals in Waste Water and Their Removal Processes, Waste Water–Treatment Technologies and Recent Analytical Developments*, Fernando Sebastián García Einschlag (Ed.), ISBN: 978-953-51-0882-5, InTech.
- Benov, L. and Beema, A.F., 2003, Superoxide-Dependence of the Short Chain Sugarsinduced Mutagenesis, *Free Radic. Biol. Med.*, 34, 429–433.
- Bhainsa, K.C. and D’Souza, S.F., 2008, Removal of Copper Ions by The Filamentous Fungus, *Rhizopus Oryzae* from Aqueous Solution, *Bioresour. Technol.*, 99, 3829–3835.
- Bhattacharyya, K.G. and Gupta, S.S., 2008, Adsorption of A Few Heavy Metals on Natural and Modified Kaolinite and Montmorillonite, A review, *Adv. Colloid. Interface. Sci.*, 140, 114–131.
- Blois, M.S., 1958, Antioxidant Determinations by The Use of a Stable Free Radical, *Nature*, 26, 1199–1200.
- Bohmer, V., 1995, Calixarene, Macrocycles with (Almost) Unlimited Possibilities, A review, *Angew. Chem. Int. Ed. Engl.*, 34, 713–745.
- Botta, B., Giovanni, M.C.D., Monache, G.D., Rosa, M.C.D., Baitz, E.G., Botta, M., Corelli, I.F., Tafi, A., Santini, A., Benedetti, E., Pedone, C., and Misitit, D., 1994, A Novel Route to Calix[4]arenes. 2. Solution- and Solid-state Structural Analyses and Molecular Modeling Studies, *J. Org. Chem.*, 59, 1532–1541.
- Brand-Williams, W., Cuvelier, M., and Berset, C., 1995, Use of Free Radical Method to Evaluate Antioxidant Activity, *LWT-Food Sci. Technol.*, 28 (1), 25–30.

- Budiana I.G.M.N., Jumina, and Anwar C, 2016, Synthesis and Application of C-Phenylcalix[4]resorcinarene in Adsorption of Cr(III) and Pb(II), *J. Applied. Chem. Sci.*, 3, 289–298.
- Budiana, I.G.M.N., 2015, Sintesis Seri Benzoat Sinamat Kaliks[4]rResorsinarena dan Benzoiil Sinamoil Kaliks[4]resorsinarena serta Uji Aktivitasnya sebagai Tabir Surya dan Adsorben Cr(III), Pb(II) dan Cd(II), *Disertasi*, FMIPA UGM.
- Budiana, I.G.M.N., Jumina, and Anwar, C., 2017, Synthesis and Application C-Phenylcalix[4]resorcinarene in Adsorption of Cr(III) and Pb(II), *The Winnower*, 22.
- Burilov, A.R., Knyazeva, I.R., Pudovik, M.A., Syakaev, V.V., Latypov, S.K., Baier, I., Habicher, W.D., and Konovalov, A.I., 2007, New Phosphorus Containing Analog of Calix[4]resorcinarene Based on 2,6-dihydropyridine, *Russ. Chem. Bull., Int. Ed.*, 56(2), 364–366.
- Cíř, M., Cířová, H., Denev, P., Kratchanova, M., Slavov, A., and Lojek, A., 2010, Different Methods for Control and Comparison of Antioxidant Properties of Vegetables, *Food. Control.*, 21, 518–525.
- Carocho, M. and Ferreira, I.C.F.R., 2013, A Review on Antioxidants, Prooxidants and Related Controversy: Natural and Synthetic Compounds, Screening and Analysis Methodologies and Future Perspectives, *Food Chem. Toxicol.*, 51, 15–25.
- Chawla, H.M., Paint, N., Kumar, S., Mrig, S., Srivastava, B., Kumar, N., and Balck, D.S., 2011, Synthesis and Evaluation of Novel Tetraproxycalix[4]arene enones and Cinnamates for Protection from Ultraviolet Radiation, *J. Photochem. Photobio.*, 105, 25-27.
- Cheeseman, K.H. and Slater, T.F., 1993, An Introduction to Free Radical Biochemistry, *Br. Med. Bull.*, 49, 481-493.
- Chester, R., Sohail, M., Ogden, M.I., Mocerino, M., Pretsch, E., and Marco, R.D., 2014, A Calixarene-based Ion selective Electrode for Thallium(I) Detection, *J. Anal. Chim. Acta.*, 851, 78-86.
- Cometti, G., Dalcanele, E., Du Vosel, A., and Levelut, A.M., 1992, A New Conformationally Mobile Macrocyclic Core for Bowl-shaped Columnar Liquid Crystal, *Liq. Cryst.*, 11, 93.
- Consoli, G.M.L., Galante, E., Daquino, C., Granata, G., Cunsolo, F., and Geraci, C., 2006, Hydroxycinnamic Acid Clustered by A Calixarene Platform: Radical Scavenging and Antioxidant Activity, *Tetrahedron Lett.*, 47, 6611–6614.
- Cotton, F.A. and Wilkinson, 1987, Terjemahan Sahati Suharto, *Kimia Anorganik Dasar*, UI Press, Jakarta.

- Craft, B.D., Kerrihard, A.L., Amarowicz, R., and Pegg, R.B., 2012, Phenol-based Antioxidants and The in Vitro Methods used for their Assessment, *Compr. Rev. Food Sci. F.*, 11, 148–173.
- Cram, D.J., Karch, S., Kim, H.E., Knobler, C.B., Maverick, E.F., Ericson, J.L., and Helgeson, R.C., 1988, Host-Guest Complexation. 46. Cavitands as Open Molecular Vessels Form Solvates., *J. Am. Chem. Soc.*, 110, 2299.
- Das, N. and Jana, R.K., 2006, Adsorption of Some Bivalent Heavy Metal Ions from Aqueous Solutions by Manganese Nodule Leached Residues, *J. Colloid Interface Sci.*, 293, 253–262.
- Deleersnyder, K., Mehdi, H., Horváth, I.T., Binnemans, K., and Parac-Vogt, T.N., 2007, Lanthanide(III)nitrobenzenesulfonates and p-Toluenesulfonate Complexes of Lanthanide(III), Iron(III), and Copper(II) as Novel Catalysts for the Formation of Calix[4]resorcinarene, *Tetrahedron*, 63, 9063–9070.
- Deska, M., Dondela, B., and Sliwa W., 2015, Selected Applications of Calixarene Derivatives, *ARKIVOC*, vi, 393–416.
- Devi, G.K.D. and Mohamed, M.I.F., 2012, A Facile Synthesis of Phenyl Phenacyl Ethers, *Der Chemica Sinica*, 3(1), 71–75.
- Dianati-Tilaki, R.A. and Mahmood, S., 2004, Study on Removal of Cadmium from Water by Adsorption on GAC, BAC, and Biofilter, *Pak. J. Biol. Sci.*, 7(5), 865–869.
- Dizdaroglu, M., Jaruga, P., Birincioglu, M., and Rodriguez, H., 2002, Free Radical-Induced Damage to DNA: Mechanisms and Measurement, *Free Radic. Biol. Med.*, 32, 1102–1115.
- Droge, W., 2002, Free Radicals in The Physiological Control of Cell Function. *Physiol. Rev.*, 82, 47–95.
- Duan, X.J., Li, X.M., and Wang, B.G., 2007, Highly Brominated Mono- and Bisphenols from the Marine Red Alga *Symphyocladia latiuscula* with Radical-Scavenging Activity, *J. Nat. Prod.*, 70, 1210–1213.
- Duynhoven, J.P.M., Janssen, R.G., Verboom, W., Franleen, S.M., Casnati, A., Pochini, A., Unaro, R., de Mendoza, Neito, P.M., Prados, P., and Reinhoudt, D.N., 1994, Control of Calix[6]arene Conformation by Self-Inclusion of 1,3,5 tri-O-alkyl Substituents: Synthesis and NMR Studies, *J. Am. Chem. Soc.*, 116, 5814–5822.
- Erdem, E., Yeniçeri, M., Aydin, C., Mammadov, R., and Söyleyici, S., 2014, Antioxidant and DPPH (1,1-diphenyl-2-picrylhydrazyl) Free Radical Scavenging Activities of New the Calix[4]arene-bodipy Derivative, *Int. J. Second. Metab.*, 1(1), 20.
- Erdtman, H. and Hogberg, S., 1968, Cyclooligomeric Phenol-Aldehyde Condensation Products I, *Tetrahedron Lett.*, 14, 1679–1682.

- Falana, O.M., Farhan, E.A., Keehn, P.M., and Stevenson, R., 1994, High Yield Synthesis of the Parent C-Unsubstituted Calix[4]resorcinarene Octamethyl Ether, *Tetrahedron Lett.*, 35(1), 65–68.
- Fatmasari, N., 2016, Sintesis C-4-Aralkaliks[4]resorsinarena Seri Benzoat sebagai Antioksidan dan Tabir Surya, *Skripsi*, Kimia FMIPA UGM, Yogyakarta.
- Ferreira, I.C.F.R., Barros, L., and Abreu, R.M.V., 2009, Antioxidants in Wild Mushrooms, *Curr. Med. Chem.*, 16(12), 1543-1560.
- Fessenden, R.J. dan J.S. Fessenden, 1989, *Kimia Organik*, diterjemahkan oleh A. Hadyana Pudjaatmaka, 1992, Jilid I, Penerbit Airlangga, Jakarta.
- Flora, G., Gupta, D., and Tiwari, A., 2012, Toxicity of lead: A review with recent updates, *Interdiscip. Toxicol.*, 5(2), 47–58.
- Flora, S. J. S., Flora, G., and Saxena G., 2006, Environmental Occurrence, Health Effects and Management of Lead Poisoning, di dalam Casas, J.S. and Sordo, J., editor, *LEAD: Chemistry, Analytical Aspect, Environmental Impact and Health Effects.*, Galicia, Spain, Elsevier, 158–159.
- Flora, S.J.S., 2009, Review: Structural, Chemical and Biological Aspects of Antioxidants for Strategies Against Metal and Metalloid Exposure, *Oxid. Med. Cell. Longevity*, 2(4), 191-206.
- Frankel, E.N. and Meyer, A.S., 2000, The Problems of using One-Dimensional Methods to Evaluate Multifunctional Food and Biological Antioxidants. *J. Sci. Food Agric.*, 80, 1925-1941.
- Fu, F. and Wang, Q., 2011, Removal of Heavy Metal Ions from Wastewaters: A Review, *J. Environ. Manage.*, 92, 407–418.
- Gaeta, C., Margherita De Rosa, Marina, F., Annunziata S., and Placido N., 2005, Synthesis of Calix[4]Arene Derivatives Bearing Chiral Pendant Groups as Ligands for Enantioselective Catalysis, *Tetrahedron: Asymmetry*, 16, 2333–2340.
- Gazola, F C., Pereira M R., Barros, M A S D., Silva, E A., and Arroyo, PA., 2006., Removal of Cr³⁺ in Fixed Bed using Zeolite NaY., *Chem. Eng. J.*, 117(3), 253–261.
- Gerkenmeier, T., Mattay, J., and Näther, C., 2001, A New Type of Calixarene: Octahydroxypyridine[4]arenes, *Chem. Eur. J.*, 7(2), 465–474.
- Gode, F. and Pehlivan, E., Removal of Chromium(III) from Aqueous Solutions using Lewatit S 100: The Effect of pH, Time, Metal Concentration and Temperature, *J. Hazard. Mater.*, 136, 330–337.
- Godman, M., Bostick, R.M., Kucuk, O., and Jones, D.P., 2011, Clinical Trials of Antioxidants as Cancer Prevention Agents: Past, Present and Future, *Free Radic. Biol. Med.* 51, 1068–1084.
- Gordon, M.H., 1990, *The Mechanism of Antioxidant*, di dalam B.J.F Hudson, editor, Food Antioxidant, Elsevier Applied Science, London.

- Griffoni, E.M., Mbemba, C., Burgada, R., Lecercle', D., Taran, F., and Lecouvey, M., 2009, Design and Synthesis of New Polyphosphorylated Upper-rim Modified Calix[4]arenes as Potential and Selective Chelating Agents of Uranyl Ion, *Tetrahedron*, 65, 1517–1523.
- Gu, X.Y. and Evans, L.J., 2008, Surface Complexation Modelling of Cd(II), Cu(II), Ni(II), Pb(II) and Zn(II) Adsorption Onto Kaolinite, *Geochim. Cosmochim. Acta.*, 72, 267–276.
- Gunatilake S.K., 2015, Methods of Removing Heavy Metals from Industrial Wastewater, *J. Multidiscip. Eng. Sci. Stud.*, 1(1), 12–18.
- Gutsche, D.C., 1989, *Calixarenes*, Monograph in Supramolecular Chemistry, The Royal Society of Chemistry, Cambridge.
- Gutsche, D.C., 1998, *Calixarenes Revisited*, Monograph in Supramolecular Chemistry, The Royal Society of Chemistry, Cambridge.
- Gutsche, D.C., 2008, *Calixarenes An Introduction*, 2nd Edition, Monographs in Supramolecular Chemistry, The Royal Society of Chemistry, Cambridge-UK.
- Halliwell, B. R. and Gutteridge, J.M.C., 1999. *Free Radicals in Biology and Medicine*. 3rd ed, Oxford Univ. Press. Oxford U.K.
- Halliwell, B. and Chirico, S., 1993, Lipid Peroxidation: Its Mechanism, Measurement, and Significance, *Am. J. Clin. Nutr.*, 57, 715–724.
- Hamilton, R.J. and Allen, J.C., 1983, *Rancidity in Foods*, Blackie Academic and Professional, London.
- Handayani, D.S., Amin, Z.A.A., Kusumaningsih, T., and Masykur, A., 2014, Sintesis dan Karakterisasi C-Heksil Kaliks[4]Resorsinarena dari Kondensasi Resorsinol – Heptanal, *Alchemy*, 10(1), 49–53.
- Handayani, D.S., Jumina, Siswanta, D., Mustofa., Ohto, K., and Kawakita, H., 2011, Adsorption of Pb(III), Cd(II) dan Cr(III) from Aqueous Solution by Poly-5-Ally-Calix[4]arene TetraCarboxylic Acid, *Indones. J. Chem.*, 11(2), 191-195.
- Hasbullah, A., Abosadiya, H.M., Jumina, Tahir, M.I.M., and Yamin, B.M., 2013, Synthesis, Structural and Antioxidant Properties of C-p-Methoxyphenylcalix[4]resorcinarene, *Int. J. Adv. Sci. Eng. Inf. Technol.*, 3(2), 36–39.
- Hasset, J.J. and Banwart, W.L., 1992, *Soil and Their Environmet*, Prentice Hall, New Jersey.
- Hayashida, O., and Uchiyama, M., 2006, Cyclophane-based Tetra(resorcinarene) as a Host for Both Histone and Hydrophobic Molecular Guests, *Tetrahedron Lett.*, 47, 4091–4094.

- Hedidi, M., Hamdi, S.M., Mazari, T., Boutemour, B., Rabia, C., Chemat, F., and Hamdi, M., 2006, Microwave-assisted synthesis of calix[4]resorcinarenes, *Tetrahedron*, 62, 5652–5655.
- Hertog, M.G.L., Kromhout, D., Aravanis, C., Blackburn, H., Buzina, R., and Fidanza, F., 1995, Flavonoid Intake and Long-Term Risk of Coronary Heart Disease and Cancer in The Seven Countries Study, *Arch. Intern. Med.*, 155, 381–386.
- Ho, Y.S., Huang, C.T., and Huang, H.W., 2002, Equilibrium Sorption Isotherm for Metal Ions on Tree Fern, *Process Biochem.*, 37, 1421–1430.
- Hollman, P.C.H. and Katan, M.B., 1997, Absorption, Metabolism and Health Effects of Dietary Flavonoids in Man, *Biomed Pharmacother.*, 51, 305–310.
- Homden, D.H., and Redshaw, C., 2008, The Use of Calixarenes in Metal-Based Catalysis, *Chem. Rev.*, 108 (12), 5086–5130.
- Huang, D., Boxin, O.U., and Prior P.L., 2005, The Chemistry behind Antioxidant Capacity Assays, *J. Agric. Food. Chem.*, 55, 1841–1856.
- Igwe, J.C., Ogunewe, D.N., and Abia, A.A., 2005, Competitive Adsorption of Zn(II), Cd(II), and Pb(II) Ions from Aqueous and Non-Aqueous Solution by Maize Cob and Husk, *Afr. J. Biotechnol.*, 10, 4, 1113–1116.
- Iijima, S., 1991, Helical Microtubules of Graphitic Carbon, *Nature*, 354, 56–58.
- Irving, N., and Lewis, J. R., 1987, *Hawley's Condensed Chemical Dictionary*, 11th Edition, Van Nostra Reinhold, New York.
- Iwanek, W., 1998, The Synthesis of Octamethoxyresorc[4]arenes Catalysed by Lewis Acids, *Tetrahedron*, 54, 14089–14094.
- Iwanek, W. and Syzdöl, B., 1999, Lewis Acid-Induced Synthesis of Octamethoxyresorcarenes, *Synth. Commun.*, 29(7), 1209–1216.
- Jai, P.H., Wook, J.S., Kyu, Y.J., Gil, K.B., and Mok, L.S., 2007, Removal of Heavy Metals using Waste Eggshell. *J. Environ. Sci.*, 19, 1436–1441.
- Jain, V. K. dan Kanaiya, P. H., 2011, Chemistry of Calix[4]resorcinarenes, *Russ. Chem. Rev.*, 80(1), 75–102.
- Jain, V. K., Pillai, S. G., Pandya, R. A., Agrawal, Y. K., and Shrivastav, P.S., 2005, Selective Extraction, Preconcentration, and Transport Studies of Thorium(IV) Using Octa-Functionalized Calix[4]resorcinarene-Hydroxamic Acid, *Anal. Sci.*, 21, 129–135.
- Jain, V.K., Kanaiya, P.H., and Bhojak, N., 2008, Synthesis, Spectral Characterization of Azo Dyes Derived from Calix[4]resorcinarene and Their Application in Dyeing of Fibers, *Fibers and Polymers*, 9(6), 720–726.
- Jaishankar, M., Tseten, T., Anbalagan, N., Mathew, B. B., and Beeregowda, K., 2014, Toxicity, Mechanism and Health Effects of Some Heavy Metals, *Interdiscip. Toxicol.*, 7 (2), 60–72.

- Jumina, Sarjono, R.E., Paramita, B.W., Herdaryani, I., Siswanta, D., Santosa, S.J., Anwar, C., Sastrohamidjojo, H., Ohto, K., and Oshima, T., 2007, Adsorption of Pb(II) and Cr(III) by C-4-Methoxyphenylcalix[4]resorcinarene in Batch and Fixed Bed Column System, *J. Chin. Chem. Soc.*, 54(5), 1167–1178.
- Jumina, Sarjono, R.E., Siswanta, D., Santosa, S.J., and Ohto, K., 2011, Adsorption characteristics of Pb(II) and Cr(III) onto C-methylcalix[4]resorcinarene, *J. Korean Chem. Soc.*, 55(3), 454–462.
- Jumina, Siswanta, D., Santosa, S., Anwar, C., Ohto, K., and Oshima, T., 2004, Synthesis and Use of Tetrasulfonatotetraalkoxycalix[4]arenes, p-Alkenylcalixarenes, and p-Haloalkylcalix-arenes for Trapping of Heavy Metal Cations, *Proceeding of 15th International Conference on Organic Synthesis*, 1-6 August, Nagoya-Japan.
- Jusoh, A., Shiung, L.S., Ali, N., and Noor, M.J.M.M., 2007, A Simulation Study of The Removal Efficiency of Granular Activated Carbon on Cadmium and Lead. *Desalination*, 206, 9–16.
- Kabbashi, N.A., Atieh, M.A., Al-Mamun, A., Mirghami, M.E.S., Alam, M.D.Z., and Yahya, N., 2009, Kinetic adsorption of Application of Carbon Nanotubes for Pb(II) Removal from Aqueous Solution. *J. Environ. Sci.*, 21, 539–544.
- Kaczala, F., Marques, M., and Hogland, W., 2009, Lead and Vanadium Removal from a Real Industrial Wastewater by Gravitational Settling/Sedimentation and Sorption onto Pinus Sylvestris Sawdust, *Bioresour. Technol.*, 100, 235–243.
- Kandah, M.I. and Meunier, J.L., 2007, Removal of Nickel Ions from Water by Multi-Walled Carbon Nanotubes. *J. Hazard. Mater.*, 146, 283–288.
- Kang, K.C., Kim, S.S., Choi, J.W., and Kwon, S.H., 2008, Sorption of Cu²⁺ and Cd²⁺ onto Acid- and Base-Pretreated Granular Activated Carbon and Activated Carbon Fiber Samples. *J. Ind. Eng. Chem.*, 14, 131–135.
- Kanner, J., German, J.B., and Kinsella, J.E., 1987, Initiation of Lipid Peroxidation in Biological Systems, *Crit. Rev. Food Sci. Nutr.*, 25, 317–364.
- Karatas, M., 2012, Removal of Pb(II) from Water by Natural Zeolitic Tuff: Kinetics and Thermodynamics., *J. Hazard. Mater.*, 199–200, 383–389.
- Katz, A., Da Costa, P., Lam, A.C.P., and Noteistein, J.M., 2002, The First Single-Step Immobilization of a Calix[4]arene onto the Surface of Silica, *Chem. Mater.*, 14, 3364–3368.
- Kaya, A., Onac, C., Alpoguz, H.K., Yilmaz, A., and Atar, N., 2016, Removal of Cr(VI) through Calixarene Based Polymer Inclusion Membrane from Chrome Plating Bath Water, *Chem. Eng. J.*, 283, 141–149.
- Kazakova, E.K., Ziganshina, A.U., Muslinkina, L.A., Morozova, J.E., Makarova, N.A., Mustafina, A.R., and Habicher, W.D. 2002, The Complexation

Properties of the Water-Soluble Tetrasulfonatomethylcalix[4]resorcinarene toward α -Aminoacids, *J. Incl. Phenom. Macro.*, 43, 65–69.

- Kesuma, E.P., Jumina., Ohto, K., and Siswanta, D., 2016, Synthesis of C-4-Allyloxy-3-Methoxyphenylcalix[4]resorcinarene from Vanillin and Its Application as Adsorbent of Pb(II) Metal Cation, *Orient. J. Chem.*, 32(2), 769–775.
- Kobayashi, K. and Yamanaka, M., 2015, Self-assembled capsules based on tetrafunctionalized calix[4]resorcinarene cavitands, *Chem. Soc. Rev.*, 44, 449–466.
- Kohler, S.J., Cubillas, P., Rodriguez-Blanco, J.D., Bauer, C., and Prieto, M., 2007, Removal of Cadmium from Wastewaters by Aragonite Shells and The Influence of Other Divalent Cations, *Environ. Sci. Technol.*, 41, 112–118.
- Konishi, H., Nakamura, T., Ohata, K., Kobayashi, K., and Morikawa, O., 1996, The Acid-catalyzed Condensation of 2-Propylresorcinol with Formaldehyde Diethyl Acetal. The Formation and Isomerization of Calix[4]resorcinarene, Calix[5]resorcinarene, and Calix[6]resorcinarene, *Tetrahedron Lett.*, 37(41), 7383–7386.
- Kudo, H., Shigematsu, K., Mitani, K., and Nishikubo, T., 2008, One-Pot Synthesis of a Novel Ladder Polymer of Calixarene via Condensation Reaction of Resorcinol and Alkanedial Based on Dynamic Covalent Chemistry, *Macromolecules*, 41, 2030–2036.
- Kumar, S., Varadarajan, R., Chawla, H.M., Hundal, G., and Hundal, M.S., 2004, Preparation of p-Nitrocalix[n]arene Methyl Ethers via *Ipso-nitration* and Crystal Structure of Tetramethoxytetra-p-nitrocalix[4]arene, *Tetrahedron*, 60, 1001–1005.
- Kuo, C.Y. and Lin, H.Y., 2009, Adsorption of Aqueous Cadmium(II) Onto Modified Multi-Walled Carbon Nanotubes Following Microwave/Chemical Treatment, *Desalination*, 249, 792–796.
- Kurniawan, T. A., Gilbert, Y.S.C., Wai, H.L., and Sandhya, B., 2006, Comparisons of Low-cost Adsorbents for Treating Wastewaters Laden with Heavy Metals, Review, *Sci. Total Environ.*, 366, 409–426.
- Kusumaningsih, T., Jumina, Siswanta, D., Mustofa, Ohto, K., and Kawakita, H., 2011, Synthesis, Characterization and Adsorption Test of Poly-Tetra-p-Propenyl Tetrahydroxycalix[4]arene for Cadmium Ion, *Indones. J. Chem.*, 11(2), 186–190.
- Kyha, E.P., Helgerson, R.C., Madan, K., Gokel, G.W., Tarnowski, T.L., Moore, S.S., dan Cram, D.J., 1977, Host-Guest Complexation 1. Concept and Illustration, *J. Am. Chem. Soc.*, 99, 2564–2571.
- Landaburu-Aguirre, J., Pongracz, E., Peramaki, P., and Keiski, R.L., 2010, Micellar-Enhanced Ultrafiltration for The Removal of Cadmium and Zinc:

- Use of Response Surface Methodology to Improve Understanding of Process Performance and Optimisation, *J. Hazard. Mater.*, 180, 524–534.
- Latifah, W., 2013, Uji Aktivitas Antioksidan Ekstrak Etanol Daun Sirsak (*Annona maricata* L.) Gugur, *Skripsi*, Kimia FMIPA-UGM, Yogyakarta.
- Lee, J., Koo, N., and Min, D.B., 2004, Reactive Oxygen Species, Aging and Antioxidative Nutraceuticals, *Compr. Rev. Food Sci. Food Saf.*, 3, 21–33.
- Lee, J.H., Lee, T.K., Kang, R.S., Shin, H.J., and Lee, H.S., 2007, The in Vitro Antioxidant Activities of the Bromophenols from the Red Alga *Tichocarpus crinitus* and Phenolic Derivatives., *J. Korean Magn. Reson. Soc.*, 11, 56–63.
- Leong, L.P. and Shui, G., 2002, An Investigation of Antioxidant Capacity of Fruits in Singapore Markets, *Food Chem.*, 76, 69–75.
- Lertlapwasin, R., Bhawawet, N., Imyim, A., and Fuangswasdi, S., 2010, Ionic Liquid Extraction of Heavy Metal Ions by 2-Aminothiophenol In 1-Butyl-3- Methylimidazolium Hexafluorophosphate and Their Association Constants, *Sep. Purif. Technol.*, 72, 70–76.
- Li, K., Li, X.M., Gloer, J.B., and Wang, B.G., 2011, Isolation, Characterization, and Antioxidant Activity of Bromophenols of the Marine Red Alga *Rhodomela confervoides*, *J. Agric. Food Chem.*, 59, 9916–9921.
- Li, K., Li, X.M., Ji, N.Y., and Wang, B.G., 2007, Natural Bromophenols from The Marine Red Alga *Polysiphonia urceolata* (Rhodomelaceae): Structural Elucidation and DPPH Radical-Scavenging Activity., *Bioorganic Med. Chem.*, 15, 6627–6631.
- Li, K., Li, X.M., Ji, N.Y., and Wang, B.G., 2008, Bromophenols from The Marine Red alga *Polysiphonia Urceolata* with DPPH Radical-Scavenging Activity., *J. Nat. Prod.*, 71, 28–30.
- Li, Y.H., Liu, F.Q., Xia, B., Du, Q.J., Zhang, P., Wang, D.C., Wang, Z.H., and Xia, Y.Z., 2010, Removal of Copper from Aqueous Solution by Carbon Nanotube/Calcium Alginate Composites, *J. Hazard. Mater.*, 177, 876–880.
- Li, Z., Sun, X., Lou, J., and Hwang, J.Y., 2002, Unburned Carbon from Fly Ash for Mercury Adsorption: II. Adsorption Isotherms and Mechanisms, *J. Miner. Mater. Charact. Eng.*, 2(1), 79–96.
- Linane, P. and Shinkai, S., 1994, Calixarenes: Adaptable Hosts Par Excellence, *Chem. Ind.*, 811–814.
- Liu, M., Hansen, P.E., and Lin, X., 2011, Bromophenols in Marine Algae and Their Bioactivities, *Mar. Drugs.*, 9, 1273–1292.
- Liu, Z.R., Zhou, L.M., Wei, P., Zeng, K., Wen, C.X., and Lan, H.H., 2008, Competitive Adsorption of Heavy Metal Ions on Peat, *J. China Univ. Min. Technol.*, 18, 255–260.
- Lobo, V., Phatak, A., and Chandra, N., 2010, Free Radicals and Functional Foods: Impact on Human Health, *Pharmacogn. Rev.*, 4, 118–126.

- Lü, J., Lin, P.H., Yao, Q., and Chen, C., 2010, Chemical And Molecular Mechanisms Of Antioxidants: Experimental Approaches and Model Systems, *J. Cell Mod. Med.*, 14, 840–860.
- Ludwig, R., 2000, Calixarenes in Analytical and Separation Chemistry, *Fresenius J. Anal. Chem.*, 376, 103-128.
- Madhavi, D.L., Deshpande, S.S., and Salunkhe, D.K., 1996, *Food Antioxidants: Technological, Toxicological and Health Perspective*, Marcel Dekker, New York.
- Mahatmanti, F.W. and Sumarni, W., 2003, Kajian Termodinamika Penyerapan Zat Warna Indikator Metil Oranye (MO) dalam Larutan Air oleh Adsorben Kitosan, *JSKA*, VI(2).
- Mariani, C., 2008, Flavonoid Characterization and In Vitro Antioxidant Activity of *Aconitum anthora* L. (Ranunculaceae), *Phytochem.*, 69, 1220-1226.
- Marinova and Batchvarov, 2011, Evaluation of The Methods for Determination of The Free Radical Scavenging Activity by DPPH, *Bulg. J. Agric. Sci.*, 17, 11-24.
- Marxen, K., Vanselow, K.H., Lippemeier, S., Hintze, R., Ruser, A., and Hansen, U.-P., 2007, Determination of DPPH Radical Oxidation Caused by Methanolic Extracts of Some Microalgal Species by Linear Regression Analysis of Spectrophotometric Measurements, *Sensors*, 7 2080-2095.
- Mata, Y.N., Blázquez, M.L., Ballester, A., González, F., and Muñoz, J.A., 2009, Sugar-Beet Pulp Pectin Gels as Biosorbent for Heavy Metals: Preparation and Determination of Biosorption and Desorption Characteristics. *Chem. Eng. J.*, 150, 289–301.
- Matheny, J.M., Bosch, E., and Barnes, C.L., 2007, Self-Assembly of C-Methyl Calix[4]resorcinarene with 1,2-Bis(5'-pyrimidyl)ethene, *Cryst. Growth Des.*, 7(5), 984–988.
- McMohan, G., Malley, S.O., and Nolan, K., 2003, Important Calixarene Derivatives Their Synthesis and Application, *ARKIVOC*, 7, 23-31.
- Mishra, D.R., Darjee, S.M., Bhatt, K.D., Modi, K.M., and Jain, V.K., 2015, Calix Protected Gold Nanobeacon as Turn-Off Fluorescent Sensor for Phenylalanine, *J. Incl. Phenom. Macrocycl. Chem.*, 82(3–4), 425–436.
- Mishra, M., Muthuprasanna, P., Prabha, K.S., Rani, P.S., Babu, I.A.S., Chandiran, I.S., Arunachalam, G., and Shalini, S., 2009, Basics and Potential Applications of Surfactants – a Review, *Int. J. Pharm. Sci. Rev. Res.*, 1(4), 1354-1365.
- Mohamed, M.I.F. and Devi, G.K.D., 2011, Synthesis of Polyhydric Phenolic Phenacyl Ethers, *Orient. J. Chem.*, 27(1), 233-237.
- Mohamed, M.I.F. and Aruna, D.S., 2010, A Facile Synthesis of Naphthyl Ethers using Micellar Medium., *J. Chem. Pharm. Res.*, 2(6), 296-300.

- Mohsen-Nia, M., Montazeri, P., and Modarress, H., Removal of Cu^{2+} and Ni^{2+} from Wastewater with a Chelating Agent and Reverse Osmosis Processes, *Desalination*, 217, 276–281.
- Mokhtari, B., and Pourabdollah, K., 2011, Binding Abilities and Extractive Applications of Nano-baskets of Calixarenes, *Asian J. Chem.*, 23(11), 4717–4734.
- Mokhtari, B., Pourabdollah, K., and Dallali, N., 2011^a, A review of calixarene applications in nuclear industries, *J. Radioanal. Nucl. Chem.*, 287, 921–934.
- Mokhtari, B., Pourabdollah, K., and Dallali, N., 2011^b, Applications of Nano-Baskets of Calixarenes in Chromatography, *Chromatographia*, 73 (9-10), 829–847.
- Molyneux, P., 2004, The Use of the , Stable Free Radical Diphenylpicrylhydrazyl (DPPH) for Estimating Antioxidant Activity, *J. Sci. Technol.*, 26(2), 211–219.
- Moore, Watson, G.W., Gunnlaugsson, T., and Matthews, S.E., 2008, Selective Formation of The *rcctt* Chair Stereoisomers of Octa-O-Alkylresorcin[4]arenes using Brønsted Acid Catalysis, *New J. Chem.*, 32, 994–1002.
- Morikawa, O., Nagamatsu, Y., Nishimura, A., Kobayashi, K., and Konishi, H., 2006, Scandium Triflate-catalyzed Cyclocondensation of 1,3-Dialkoxybenzenes with 1,3,5-Trioxane. Formation of Resorcin[4]arenes and Confused Resorcin[4]arenes, *Tetrahedron Lett.*, 47, 3991–3994.
- Muharram, H.A. and Youssef, M.M., 2014, Methods for Determining the Antioxidant Activity: A Review, *Alex. J. Fd. Sci. & Technol.*, 11(1), 31–42.
- Muherei, M.A. and Junin, R., 2009, Equilibrium Adsorption Isotherm of Anionic, Nonionic Sufactants and Their Mixtures to Shale and Sandstone, *Mod. Appl. Sci.*, 3, 158–167.
- Mulya, P.W., Jumina, Siswanta, D., and Budiana I.G.M.N., 2014, Synthesis of C-2-Ethoxycarbonylmethoxyphenyl Calix[4]resorcinarene using Salicylaldehyde as Basic Material and its Application as Adsorbent of Pb(II) Metal Cation, *Adv. Mat. Res.*, 1043, 129–132.
- Murakami, A., Ashida, H., and Terao, J., 2008, A Review: Multitargeted Cancer Prevention by Quercetin, *Cancer Lett.*, 269 (2), 315–25.
- Mututuvvari, T.M., 2014, Supramolecular Biopolymeric Composite Materials: Green Synthesis, Characterization, and Applications. *Dissertation*, Marquette University, Wilwaukee, Wisconsin.
- Nallu, M., selvakumar, R., and Pillay, M. K., 1999, A Simple Method for The Preparation of Aril Phenacyl Ether in Micellar Medium: Part I, *Indian J. Chem.*, 38B, 1108–1110.

- Nanseu-Njiki, C.P., Tchamango, S.R., Ngom, P.C., Darchen, A., and Ngameni, E., Mercury(II) Removal from Water by Electrocoagulation using Aluminium and Iron Electrodes, *J. Hazard. Mater.*, 168, 1430–1436.
- Navarro, R.R., Sumi, K., and Matsumura, M., 1999, Improved Metal Affinity Of Chelating Adsorbents Through Graft Polymerization, *Water Res.*, 33, 2037–2044.
- Neri, P., Geraci, C., and Piatelli, M., 1993, Conformational Isomerism of Calix[6]arenes: Isolation of Two Conformational Isomers of the 1,2-Bis(p-tertbutylbenzil) Ether of p-tert-Butylcalix[6]arene, *J. Org. Chem.*, 58, 6535–6537.
- Ngafifi, M., 2014, Kemajuan Teknologi dan Pola Hidup Manusia dalam Perspektif Sosial Budaya, *Jurnal Pembangunan Pendidikan: Fondasi dan Aplikasi*, 2(1).
- Niederl, J.B. and Vogel, H.J., 1940, Aldehyde Resorcinol Condensations, *J. Am. Chem. Soc.*, 62 (9), 2512–2514.
- Nifantsev, E.E., Maslennikova, V.I., Serkova, O.S., Gruner, M. Goutal, S., Bauer, I., Habicher, W.D., Lyssenko, K.A., and Antipin, M.Y., 2004, Synthesis and Conformation Analysis of New Perphosphorylatedcalix[4]resorcinarenes, *Eur. J. Org. Chem.*, 4884–4893.
- Nugumanova, G.N., Barsukov, T.A., Bukharov, S.V., Syakaev, V.V., and Deberdeev, R.Y., 2015, Synthesis and Antioxidant Activity of 3,5-Di-tert-butyl-4-hydroxyphenylthiomethyltetraalkylcalix[4]resorcinarenes, *Russ. J. Gen. Chem.*, 85(9), 2087–2090.
- Oliveira, L., Franca, A.S., Alves, T.M., and Rocha, S.D.F., 2008, Evaluation of Untreated Coffee Husks as Potential Biosorbents for Treatment of Dye Contaminated Waters, *J. Hazard. Mater.*, 155, 507–512.
- Oliviera, C.B.S., MPeurer, Y.S.R., Oliviera, M.G., Medeiros, W.M.T.Q., Silva, F.O.N., Brito, A.C.F., Pontes, D.L., and Andrade-Neto, V.F., 2014, Comparative Study on the Antioxidant and Anti-ToxoplasmaActivities of Vanillin and Its Resorcinarene Derivative, *Molecules*, 19, 5898–5912.
- Olsen, E.K., Hansen, E., Isaksson, J., and Andersen, J.H., 2013, Cellular Antioxidant Effect of Four Bromophenols from the Red Algae, *Vertebrata lanosa.*, *Mar. Drugs.*, 2013, 11(8), 2769–2784.
- Ong, C.S., Tran, E., Nguyen, T.T., Ong, C.K., Lee, S.K., and Lee, J.J., 2004, Quercetin-Induced Growth Inhibition and Cell Death in Nasopharyngeal Carcinoma Cells are Associated with Increase in Bad and Hypophosphorylated Retinoblastoma Expressions, *Oncol Rep.*, 11, 727–733.
- Palar, J. 1994, *Pencemaran dan Toksikologi Logam Berat*, Rineka Cipta, Jakarta.
- Pappalardo, S., Ferguson, G., Neri, P., and Racco, C., 1995, Synthesis and Complexation Studies of Regioisomer and Conformational Isomers of p-

- tert-Buthylcalix[4]arene Bearing Pyridine or Pyidine N–Oxide Pendant Group at the Lower Rim, *J. Org. Chem.*, 60, 4126–4135.
- Park, Y.H., Lim, J.M., and Park, C.R., 1997, Newmodified Poly(Ethylene Terephthalate) (MPET)-Based Adsorbent for Heavy Metal Ions, *J. Appl. Polym. Sci.*, 63, 773–778.
- Parwata, I.M.O.A., Rita, W.S., and Yoga, R., 2009, Isolasi dan Uji Antiradikal Bebas Minyak Atsiri pada Daun Sirih (*Piper Betle* Linn) secara Spektroskopi Ultra Violet-Tampak, *Jurnal Kimia*, 3(1), 7–13.
- Patel, M.B., Modi, N.R., Raval, J.P., and Menon, S.K., 2012, Calix[4]arene Based 1,3,4-oxadiazole and Thiadiazole Derivatives: Design, Synthesis, and Biological Evaluation, *Org. Biomol. Chem.*, 10, 1785.
- Pavasant, P., Apiratikul, R., Sungkhum, V., Suthiparinyanont, P., Wattanachira, S., and Marhaba, T.F., 2006, Biosorption of Cu^{2+} , Cd^{2+} , Pb^{2+} , and Zn^{2+} using Dried Marine Green Macroalga *caulerpa lentillifera*, *Bioresour. Technol.* 97, 2321–2329.
- Pearson, R.G., 1968, Hard and Soft Acids and Bases, HSAB, Part I, *J. Chem. Edu.*, 45, 9, 581–587.
- Pérez-Jiménez, J. and F. Saura-Calixto, 2008, Antioxidant Capacity of Dietary Polyphenols Determined by ABTS Assay: A Kinetic Expression of The Results, *Int. J. Food Sci. Technol.*, 43, 185–191.
- Pérez-Jiménez, J., Arranz, S., Tabernero, M., DiazRubio, M.E., Serrano, J., Goñi, I., and Saura-Calixto, F., 2008, Updated Methodology to Determine Antioxidant Capacity in Plant Foods, Oils and Beverages: Extraction, Measurement and Expression of Result, *Food Res. Int.*, 41(3), 274–285.
- Peterson, K.E., Smith, R.C., dan Mohan, R.S., 2003, Bismuth Compounds in Organic Synthesis. Synthesis of Resorcinarenes using Bismuth Triflate, *Tetrahedron Lett.*, 44, 7723–7725.
- Pham-Huy, L.A., Hua, H., and Pham-Huy, C., 2008, Free Radical, Antioxidants in Diseases and Health, *Int. J. Biomed. Sci.*, 4(2), 89–96.
- Pietta, P., 2000, Flavonoids as Antioxidants, *J. Nat. Prod.*, 63, 1035–1042.
- Pillai, S.G., Dwivedi, A.H., and Patni, N., 2013, Liquid-Liquid Extraction and Spectrophotometric Determination of Vanadium(V) with p-Carboxy-N-Phenyl-Calix[4]resorcinarenehydroxamic Acid, *Procedia Eng.*, 51, 347–354.
- Pillay, K., Cukrowska, E.M., and Coville, N.J., 2009, Multi-Walled Carbon Nanotubes as Adsorbents for The Removal of Parts Per Billion Levels of Hexavalent Chromium from Aqueous Solution, *J. Hazard. Mater.*, 166, 1067–1075.

- Pine, S.H., James, B.H., Donald, J.C., and George, S.H., 1988, *Kimia Organik*, Terjemahan Roehyati, J dan Sasanti W.P, terbitan keempat., Penerbit ITB., Bandung.
- Pisoschi, A.M. and Negulescu, G.P., 2011, Methods for Total Antioxidant Activity Determination: A Review, *Biochem & Anal Biochem.*, 1, 106.
- Podyachev, S.N., Burmakina, N.E., Syakaev, V.V., Sudakova, S.N., Shagidullin, R.R., and Konovalov, A.I., 2009, Synthesis, IR and NMR Characterization and Ion Extraction Properties of Tetranonylcalix[4]resorcinol Bearing Acetylhydrazone Groups, *Tetrahedron*, 65, 408–417.
- Poprawa, D. M. and Kapusta, S. K., 2004, Histopathological Changes in The Liver, Kidneys and Testes of Bank Voles Environmentally Exposed to Heavy Metals Emission from The steelwork and Zine Smelter in Poland, *Environ. Res.*, 98, 8.
- Prabawati, S.Y., Jumina, Santosa, S.J., and Mustofa., 2011, Synthesis of Polypropylcalix[6]arene from p-t-Butylphenol as Adsorbent for Cr(III) Metal Ion., *Indones. J. Chem.*, 11(1). 37-42.
- Prakash, A., 2001, Antioxidant Activity, *Medallion Lab. Anal. Prog.*, 19 (2).
- Pratt, D.E. and Hudson, B.J.F., 1990, *Natural Antioxidant not Exploited Commercially*, di dalam: Hidson, B.J.F., editor, Food Antioxidant, Elsevier Applied Science, London.
- Qiao, Q., Jin, G., and Hu, X., 2011, Potentiometric Detection of Chromium (III) on The Carbon Fiber Electrode Modified by n-Hexyl Calix[4]resorcinarene, *Sens. Actuators B Chem.*, 160, 87–93.
- Quintelas, C., Rocha, Z., Silva, B., Fonseca, B., Figueiredo, H., and Tavares, T., 2009, Biosorptive Performance of An *Escherichia coli* Biofilm Supported 2on Zeolite NaY for The Removal of Cr(VI), Cd(II), Fe(III) and Ni(II), *Chem. Eng. J.*, 152, 110–115.
- Qureshi, I., Qazi, M.A., and Memon, S., 2009, A Versatile Calixarene for Transportation Sistsms and Sensor Technology, *Sens. Actuators B Chem.*, 141, 45-49.
- Ramos, R.L., Rubio, L.F., Coronado, R.M.G., and Barron, J.M., 1995, Adsorption of Trivalent Chromium from Aqueous Solutions onto Activated Carbon, *J. Chem. Tech. Biotechnol.*, 62, 64-67
- Ratnam, D.V., Ankola, D.D., Bhardwaj, V., Sahana, D.K., and Kumar, N.M.V.R., 2006, Role of Antioxidants in Prophylaxis and Therapy: A Pharmaceutical Perspective, *J. Controlled Release*, 113, 189–207.
- Ren, Y., Abbood, H.A., He, F., Peng H., and Huang, K., 2013, Magnetic EDTA-modified chitosan/SiO₂/Fe₃O₄ adsorbent: Preparation, characterization, and application in heavy metal adsorption, *Chem. Eng. J.*, 226, 300–311.

- Rivas, B. L., Maturana, H.A., Villegas, S., and Pereira, S., 1998, Highly Pb(II)-Selective Resin Based on Crosslinked Poly(Acrylamido Glycolic Acid) Copolymer, *Polym. Bull.*, 40, 721–728.
- Rohmatussolihat, 2009, Antioksidan, Penyelamat Sel-Sel Tubuh Manusia, *BioTrends*, 4(1).
- Russo, G.L., Russo, M., Spagnuolo, C., Tedesco, I., Bilotto, S., Iannitti, R., and Palumbo, R., 2014, Quercetin: A Pleiotropic Kinase Inhibitor Against Cancer (Review), *Cancer Treat. Res.*, 159, 185–205.
- Saeed, A., Iqbal, M., and Akhtar, M.W., 2005, Removal and Recovery of Lead(II) from Single and Multimetal (Cd, Cu, Ni, Zn) Solutions by Crop Milling Waste (*Black Gram Husk*), *J. Hazard. Mater.*, 117, 65–73.
- Santosa, S.J., Siswanta, D., and Sudiono, S., 2014, *Dekontaminasi Ion Logam dengan Biosorben berbasis Asam Humat, Kitin dan Kitosan*, Edisi 1, Gadjah Mada University Press, Yogyakarta
- Sapozhnikova, L., Altshuler, O., Malyschenko, N., Shkurenko, G., Ostapova, E., Tryasunov, B., Altshuler, H., 2011, Solid Phase Nanoreactor Based on Polycalix[4]resorcinarene for Catalytic Processes with Participation of Hydrogen and Oxygen, *Int. J. Hydrogen Energ.*, 36, 1259–1263.
- Sardjono, R. E., 2006, Sintesis dan Penggunaan Tetramer Siklis Seri Kaliks-resorsinarena, Alkoksi Kaliksarena dan Alkenil Kaliksarena untuk Adsorpsi Kation Logam Berat, *Disertasi*, FMIPA UGM.
- Satarug, S., Baker, J. R., Urbenjapol, S., Haswell-Elkins, M., Reilly, P. E. B., Williams, D. J., and Moore, M. R., 2003, A Global Perspective on Cadmium Pollution and Toxicity in Non-Occupationally Exposed Population, *Toxicol. lett.*, 137, 65–83.
- Savithri. A, S.Thulasi, L., and Varma, 2012, Synthesis of Upper Rim N-formamido and Isocyanocalix[4]arenes: Adaptation of Ugi-4-CR on Calix[4]arenes Towards Peptide-like Architectures, *Tetrahedron*, 68, 6323–6328.
- Schiewer, S., Patil, S.B., 2008, Modeling the Effect of pH on Biosorption of Heavy Metals by Citrus Peels. *J. Hazard. Mater.* 157, 8–17.
- Schneegurt, M.A., Jain, J.C., Menicucci, J.A., Brown, S.A., Kemner, K.M., Garofalo, D.F., Quallick, M.R., Neal, C.R., and Kulpa, C.F., 2001, Biomass by Products for the Remediation of Wastewaters Contaminated with Toxic Metals, *Environ. Sci. Technol.*, 35(18), 3786–3791.
- Schneider, U. und Schneider, H.J., 1994, Synthese und Eigenschaften von Makrocyclen aus Resorcinen sowie von entsprechenden Derivaten und Wirt-Gast-Komplexen Ilrich Schneider und Hans-Jorg Schneider, *Chem. Ber*, 127, 2455–2469.
- Sellappan, S., and Akoh, C., 2002, Flavonoids and Antioxidant Capacity of Georgia Grown *Vidalia* Onions, *J. Agric. Food Chem.*, 50, 5338–5342.

- Setha, B., Gaspersz, F., Fidors, A.P.S., Rahman, S., and Mailda, M.N., 2013, Potential of Seweed *Padina* sp. as a Source of Antioxidant, *Int. J. Sci. Tech. Res.*, 26, 221-224.
- Shenoy K. and Shirwaiker, A., 2002, Anti-Inflammatory and Free Radical Scavenging Studies of *Hyptis Snravolens*, *Indian drug*, 39, 574-577.
- Sies, H., 1997, Oxidative Stress, Oxidants and Antioxidants, *Exp. Physiology*, 82, 291-295.
- Sivaiah, M.V., Venkatesan, K. A., Sasidhar, P., Krishna, R. M., and Murthy, G. S., 2004, Ion Exchange Studies of Cerium(III) on Uranium antimonate, *J. Nucl. Radiochem. Sci.*, 5(1), 7-10.
- Sliwa, W. and Girek, T., 2010, Calixarene Complexes with Metal Ions, *J. Incl. Phenom. Macrocycl. Chem.*, 65, 15-41.
- Soematmaji, D.W., 1998, Peran Stress Oksidatif dalam Patogenesis Angiopati Mikro dan Makro DM, *Medica*, 5(24), 318-325.
- Souiri, M., Gammoudi, I., Ouada, H.B., Mora, L., Jouenne, T., Jaffrezic-Renault, N., Dejous, C., Othmane, A., and Duncan, A.C., 2009, *Escherichia Coli*-functionalized Magnetic Nanobeads as An Ultrasensitive Biosensor for Heavy Metals, *Proced. Chem.*, 1, 1027-1030.
- Stoltz, E. and Greger, M., 2002, Accumulation Properties of As, Cd, Cu, Pb and Zn by Four Wetland Plant Species Growing on Submerged Mine Tailings, *Environ. And Exp. Botany*, 47, 271-280.
- Stum, W. and Morgan, J.J., 1981., *Aquatic Chemistry*, John Wiley and Son Inc., New York.
- Sud, D., Mahajan, G., and Kaur, M.P., 2008, Agricultural Waste Material as Potential Adsorbent for Sequestering Heavy Metal Ions from Aqueous Solutions—A Review, *Bioresour. Technol.*, 99, 6017-6027.
- Sudarmaji, Mukono, J., and Corie, I. P., 2006, Toksikologi Logam Berat B3 dan Dampaknya terhadap Kesehatan, *J. Kes. Lingk.*, 2(2), 136-139.
- Sukardjo., 1990., *Kimia Anorganik.*, cetakan kedua., Rineka Cipta., Jakarta.
- Sunarni, T., Suwidjiyo, P., and Ratna, A., 2007, Flavonoid Antioksidan Penangkap Radikal dari Daun Kepel (*stelechocarpus burahol* (B1.) Hook f. & Th.), *Majalah Farmasi Indonesia*, 18(3), 111-116.
- Supari F., 1996, Radikal Bebas dan Patofisiologi Beberapa Penyakit. *Prosiding Seminar Senyawa Radikal dan Sistem Pangan: Reaksi Biomolekuler, Dampak terhadap Kesehatan dan Penangkalan*. Bogor: Kerjasama Pusat Studi Pangan & Gizi IPB dengan Kedaulatan Perancis.
- Tabakci, M., Erdemir, S., and Yilmaz, M., 2007, Preparation, Characterization of Cellulose-grafted with Calix[4]arene Polymer for the Adsorption of Heavy Metals and Dichromate Anions, *J. Hazard. Mater.*, 148, 428-435.

- Taylor, J., DeWoskin, R., and Ennever, F.K., 1999, *Toxicological Profile for Cadmium, Agency for toxic Substances and Disease Registry, Federal Register Publ.*, Georgia.
- Tbeur, N., Rhallou, T., Hlaï, M., Langevin, D., Me'tayer, M., and Verche`re, J.F., 2000, Molecular Recognition of Carbohydrates by A Resorcinarene. Selective Transport of Alditols Through A Supported Liquid Membrane, *Carbohydr. Res.*, 329, 409–422.
- Thoden van Velzen, E.U., Engbersen, J.F.J., Delange, P.J., Mahy, J.W.G., and Reinhoudt, D. N., 1995, Self-Assembled Monolayers of Resorcin[4]arene Tetrasulfides on Gold, *J. Am. Chem. Soc.*, 117, 6853.
- Thulasi, S., Bhagavathy, G.V., Eliyan, J., and Varma, L.R., 2009, A Novel Method For The Upper Rim Alkoxy-Substitution of Calix[4]Arene via A Bis(Spirodienone) Route, *Tetrahedron Lett.*, 50, 770–772.
- Timmerman, P., Verboom, W., and Reinhoudt, D.N., 1996, Resorcinarenes, *Tetrahedron*, 52(8), 2663–2704.
- Tran, C.D., Prosenc, F., Franko, M., and Benzi, G., 2016, One-pot Synthesis of Biocompatible Silver Nanoparticle Composites from Cellulose and Keratin: Characterization and Antimicrobial Activity, *ACS Appl. Mater. Interfac.*, 8(50), 34791–34801.
- Trawneh, S.A., 2015, Studies on Adsorption Removal of Some Heavy Metals Ions by Calix[4]resorcine, *Jordan J. Earth Environ. Sci.*, 7(1), 1-9.
- Tunstad.,L.M, Tucker, J.A., Daicanale, E., Weiser, J., Bryant, J.A., Sherman, J.C., Helgeson, R.C., Knobler, C.B., and Cram, D.J., 1989, Host-Guest Complexation 48.Octol Building Blocks for Cavitands and Carcerands, *J. Org. Chem.*, 54(6), 1305–1312.
- Utomo, S.B., 2012, Sintesis Senyawa Kaliks[4]resorsinarena Baru Derivat Anetol dan Eugenol sebagai Adsorben dan Antidotum Logam Berat, *Disertasi*, FMIPA UGM, Yogyakarta.
- Utomo, S.B., Jumina, and Wahyuningsih, T.D., 2009, The Adsorption of Pb(II) and Cr(III) by Polypropylcalix[4]arena polymer, *Indones. J. Chem.*, 9(3), 437–444.
- Utomo, S.B., Jumina, Siswanta, D., and Mustofa, 2013, Synthesis of Tetrakis-N,N,N-Trimethylammoniummethyl-C-3,4-Dimethoxyphenylcalix[4]-resorcinarene Iodide Based Vanillin and Its Antidote Activity for Chromium(VI) Intoxication, *Indones. J. Chem.*, 13(2), 158–165.
- Utomo, S.B., Jumina, Siswanta, D., Mustofa, and Kumar, N., 2011, Synthesis of Thiomethylated Calix[4]resorcinarene Based on Fennel Oil via Chloromethylation, *Indones. J. Chem.*, 11(1), 1–8.
- Utzig, E., Pietraszkiewicz, O., and Pietraszkiewicz, M., 2004, Thermal Analysis of Calix[4]resorcinarene Complexes with Secondary and Tertiary Amines, *J. Therm. Anal. Calorim.*, 78, 973–980.

- Valko, M., Izakovic, M., Mazur, M., Rhodes, C.J., and Telser, J., 2004, Role of Oxygen Radicals in DNA Damage and Cancer Incidence, *Mol. Cell. Biochem.*, 266, 37–56.
- Vicens, J., 1991, *Calixarenes: a Versatile Class of Macrocyclic Compounds*, Kluwer Academic, Dordrecht.
- Vovk, A.I., Shivanyuk, A.M., Bugas, R.V., Muzychka, O.V., and Melnyk, A.K., 2009, Antioxidant and Antiradical Activities of Resorcinarene Tetranitroxides, *Bioorg. & Med. Chem. Lett.*, 19, 1314–1317.
- Vuano, B., and Pieroni, O.I., 1999, A One-Step Synthesis of O-Functionalized Resorcinarene Under Heterogeneous Catalysis Conditions, *Synthesis*, 1, 72–73.
- Wang, H.J., Zhou, A.L., Peng, F., Yu, H., and Yang, J., 2007, Mechanism Study on Adsorption of Acidified Multiwalled Carbon Nanotubes to Pb(II). *J. Colloid Interface Sci.*, 316, 277–283.
- Weinelt, F., and Schneider, H.J., 1991, Host-Guest Chemistry. 27. Mechanism of Macrocyclic Genesis. The Condensation of Resorcinol with Aldehyde, *J. Org. Chem.*, 56, 5527–5535.
- Wieser, C., Matt, D., Fischer, J., and Harriman, A., 1997, Capping calixarenes with metallodiphosphine fragments: Towards intracavity reactions, *J. Chem. SOC., Dalton Trans*, 2391–2402.
- Williams, R.J., Spencer, J.P., and Rice-Evans, 2004, Flavonoids: Antioxidants or Signalling Molecules? (Review), *Free Radical Biol. Med.*, 36(7), 838–49.
- Wu, G., Kang, H., Zhang, X., Shao, H., Chu, L., and Ruan, C., 2010, A Critical Review on The Bioremoval of Hazardous Heavy Metals from Contaminated Soils: Issues, Progress, Eco-Environmental Concerns and Opportunities, *J. Hazard. Mater.*, 174, 1–8.
- Wulandari, R., Jumina, J., and Siswanta, D., 2013, Synthesis and Adsorption Study of C-4-ethoxy-3-methoxyphenylcalix[4]resorcinarene Triphenyl phosphonium Chloride on $\text{Cr}_2\text{O}_7^{2-}$, *International Proceedings of Chemical, Biological and Environmental Engineering.*, 58, 100–104.
- Xu, D., Tan, X.L., Chen, C.L., and Wang, X.K., 2008, Adsorption of Pb(II) from Aqueous Solution to MX-80 Bentonite: Effect of pH, Ionic Strength, Foreign Ions and Temperature, *Appl. Clay Sci.*, 41, 37–46.
- Yan, C., Chen, W., Chen, J., Jiang, T., and Yao, Y., 2007, Microwave Irradiation Assisted Synthesis, Alkylation Reaction, and Configuration Analysis of Aryl Pyrogallol[4]arenes, *Tetrahedron*, 63, 9614–9620.
- Yusof, N.N.M., Kikuchi, Y., and Kobayashi, T., 2014, Predominant Hosting Lead(II) in Ternary Mixtures of Heavy Metal Ions by a Novel of Diethylaminomethyl Calix[4]resorcinarene, *Int. J. Environ. Sci. Technol.*, 11, 1063–1072.