

DAFTAR PUSTAKA

- Amrutha, K., Nanjan, P., Shaji, S. K., Sunilkumar, D., Subhalakshmi, K., Rajakrishna, L. & Banerji, A. (2014) Discovery of lesser known flavones as inhibitors of NF- κ B signaling in MDA-MB-231 breast cancer cells - A SAR study. *Bioorganic Med. Chem. Lett*, 24(19): 4735-42.
- Aref-Adib, M. & Freeman-Wang, T. (2016) Cervical cancer prevention and screening: the role of human papillomavirus testing. *Obstet Gynecol*, 18(4): 251-63.
- Asangani, I. a., Rasheed, S. a. K., Nikolova, D. a., Leupold, J. H., Colburn, N. H., Post, S. & Allgayer, H. (2008) MicroRNA-21 (miR-21) post-transcriptionally downregulates tumor suppressor Pcd4 and stimulates invasion, intravasation and metastasis in colorectal cancer. *Oncogene*, 27(15): 2128-36.
- Baharum, Z., Akim, A. M., Taufiq-Yap, Y. H., Hamid, R. A. & Kasran, R. (2014) In vitro antioxidant and antiproliferative activities of methanolic plant part extracts of theobroma cacao. *Molecules*, 19(11): 18317-31.
- Banerjee, S., Zhang, Y., Wang, Z., Che, M., Chiao, P. J., Abbruzzese, J. L. & Sarkar, F. H. (2007) In vitro and in vivo molecular evidence of genistein action in augmenting the efficacy of cisplatin in pancreatic cancer. *Int. J. Cancer*, 120(4): 906-17.
- Banno, K., Iida, M., Yanokura, M., Kisu, I., Iwata, T., Tominaga, E., Tanaka, K. & Aoki, D. (2014) MicroRNA in cervical cancer: oncomiRs and tumor suppressor miRs in diagnosis and treatment. *TSWJ*, 2014.
- Bayin, N., Frenster, J., Kane, J., Rubenstein, J., Modrek, A., Baitalmal, R., Dolgalev, I., Rudzenski, K., Scarabottolo, L. & Crespi, D. (2016) GPR133 (ADGRD1), an adhesion G-protein-coupled receptor, is necessary for glioblastoma growth. *Oncogenesis*, 5(10): e263.
- Bittremieux, M., Parys, J. B., Pinton, P. & Bultynck, G. (2016) ER functions of oncogenes and tumor suppressors: modulators of intracellular Ca²⁺ signaling. *BBA Molecular Cell Research*, 1863(6): 1364-78.
- Bommer, G. T., Gerin, I., Feng, Y., Kaczorowski, A. J., Kuick, R., Love, R. E., Zhai, Y., Giordano, T. J., Qin, Z. S., Moore, B. B., MacDougald, O. a., Cho, K. R. & Fearon, E. R. (2007) p53-mediated activation of miRNA34 candidate tumor-suppressor genes. *Curr. Biol*, 17(15): 1298-307.
- Brase, J. C., Wuttig, D., Kuner, R. & Sülthmann, H. (2010) Serum microRNAs as non-invasive biomarkers for cancer. *Mol cancer*, 9(1): 306.
- Buscaglia, L. E. B. & Li, Y. (2011) Review Hallmarks of Cancer Apoptosis MiR 21 Targets. *CJCR*, 30(6): 371-80.
- Caamal-Fuentes, E. E., Peraza-Sánchez, S. R., Torres-Tapia, L. W. & Moo-Puc, R. E. (2015) Isolation and identification of cytotoxic compounds from *aeschynomene fascicularis*, a mayan medicinal plant. *Molecules*, 20(8): 13563-74.



- Cai, S. & Han, K. (2015) Research on expression and importance of p53 , p16 and VEGF-C in cervical cancer Étude de l ' expression et de l ' importance des protéines p53. *J Gynecol Obstet Biol Reprod*, 44(7): 639-45.
- Calin, G. a. & Croce, C. M. (2006) MicroRNA signatures in human cancers. *Nat. Rev. Cancer*, 6(11): 857-66.
- Calin, G. A., Ferracin, M., Cimmino, A., Di Leva, G., Shimizu, M., Wojcik, S. E., Iorio, M. V., Visone, R., Sever, N. I. & Fabbri, M. (2005) A MicroRNA signature associated with prognosis and progression in chronic lymphocytic leukemia. *N Engl J Med*, 353(17): 1793-801.
- Calin, G. A., Sevignani, C., Dumitru, C. D., Hyslop, T., Noch, E., Yendamuri, S., Shimizu, M., Rattan, S., Bullrich, F., Negrini, M. & Croce, C. M. (2004) Human microRNA genes are frequently located at fragile sites and genomic regions involved in cancers. *Proceedings of the National Academy of Sciences of the United States of America*, 101(9): 2999-3004.
- Center, M. (2008) Global Cancer. *global cancer facts & figur*, 2 nd(700): 24
- Chan, J. A., Krichevsky, A. M. & Kosik, K. S. (2005) MicroRNA-21 Is an Antiapoptotic Factor in Human Glioblastoma Cells. *Cancer Res*, 146029-34.
- Chang, T.-C., Wentzel, E. A., Kent, O. A., Ramachandran, K., Mullendore, M., Lee, K. H., Feldmann, G., Yamakuchi, M., Ferlito, M. & Lowenstein, C. J. (2007) Transactivation of miR-34a by p53 broadly influences gene expression and promotes apoptosis. *Mol cell*, 26(5): 745-52.
- Chen, B.-F., Suen, Y.-K., Gu, S., Li, L. & Chan, W.-Y. (2014) A miR-199a/miR-214 self-regulatory network via PSMD10, TP53 and DNMT1 in testicular germ cell tumor. *Sci rep*, 46413.
- Chen, P., Hu, M.-D., Deng, X.-F. & Li, B. (2013) Genistein reinforces the inhibitory effect of cisplatin on liver cancer recurrence and metastasis after curative hepatectomy. *Asian Pac J Cancer Prev*, 14(2): 759-64.
- Cheng, A. M., Byrom, M. W., Shelton, J. & Ford, L. P. (2005) Antisense inhibition of human miRNAs and indications for an involvement of miRNA in cell growth and apoptosis. *Nucleic Acids Res*, 33(4): 1290-7.
- Chim, C. S., Wong, K. Y., Qi, Y., Loong, F., Lam, W. L., Wong, L. G., Jin, D. Y., Costello, J. F. & Liang, R. (2010) Epigenetic inactivation of the miR-34a in hematological malignancies. *Carcinogenesis*, 31(4): 745-50.
- Cho, W. C. (2010) MicroRNAs: potential biomarkers for cancer diagnosis, prognosis and targets for therapy. *Int J Biochem Cell Biol*, 42(8): 1273-81.
- Chou, T.-c. (2006) Theoretical basis, experimental design, and computerized simulation of synergism and antagonism in drug combination studies. *J. Food Compos. Anal*, 58(3): 623-74.
- Chou, T.-c. (2010) Drug combination studies and their synergy quantification using the Chou-Talalay method. *Cancer Res*, 70(2): 440-7.
- Corney, D. C., Flesken-Nikitin, A., Godwin, A. K., Wang, W. & Nikitin, A. Y. (2007) MicroRNA-34b and MicroRNA-34c are targets of p53 and cooperate in control of cell proliferation and adhesion-independent growth. *Cancer Res*, 67(18): 8433-8.



- Crosbie, E. J., Einstein, M. H., Franceschi, S. & Kitchener, H. C. (2013) Human papillomavirus and cervical cancer. *The Lancet*, 382(9895): 889-99.
- Cun, Y., Dai, N., Li, M., Xiong, C., Zhang, Q., Sui, J., Qian, C. & Wang, D. (2014) APE1/Ref-1 enhances DNA binding activity of mutant p53 in a redox-dependent manner. *Oncol Rep*, 31(2): 901-9.
- DeFilippis, R. A., Goodwin, E. C., Wu, L. & DiMaio, D. (2003) Endogenous human papillomavirus E6 and E7 proteins differentially regulate proliferation, senescence, and apoptosis in HeLa cervical carcinoma cells. *J Virol*, 77(2): 1551-63.
- Del Campo, S. E. M., Latchana, N., Levine, K. M., Grignol, V. P., Fairchild, E. T., Jaime-Ramirez, A. C., Dao, T.-V., Karpa, V. I., Carson, M. & Ganju, A. (2015) MiR-21 enhances melanoma invasiveness via inhibition of tissue inhibitor of metalloproteinases 3 expression: in vivo effects of MiR-21 inhibitor. *PLoS ONE*, 10(1): e0115919.
- Denslow, S. a., Knop, G., Klaus, C., Brewer, N. T., Rao, C. & Smith, J. S. (2012) Burden of invasive cervical cancer in North Carolina. *J Prev Med*, 54(3-4): 270-6.
- Derfoul, A., Juan, A. H., Difilippantonio, M. J., Palanisamy, N., Ried, T. & Sartorelli, V. (2011) Decreased microRNA-214 levels in breast cancer cells coincides with increased cell proliferation, invasion and accumulation of the Polycomb Ezh2 methyltransferase. *J Carcinog*, 32(11): 1607-14.
- Domingo, E. J., Noviani, R., Noor, M. R., Ngelangel, C. A., Limpaphayom, K. K., Thuan, T. V., Louie, K. S. & Quinn, M. A. (2008) Epidemiology and prevention of cervical cancer in Indonesia, Malaysia, the Philippines, Thailand and Vietnam. *Vaccine*, 26 Suppl 12M71-9.
- Dominguez, C., Boelens, R. & Bonvin, A. M. (2003) HADDOCK: a protein-protein docking approach based on biochemical or biophysical information. *JACS*, 125(7): 1731-7.
- Elmore, S. (2007) Apoptosis A Review of Programmed Cell Death. *NIH Public Access*, 35(4): 495-516.
- Fan, T.-J., Han, L.-H., Cong, R.-S. & Liang, J. (2005) Caspase Family Proteases and Apoptosis. *ABBS*, 37(11): 719-27.
- Farjadian S, N., Khajoei M, Fazeli F, Askari S & Zaeri (2015) Doxorubicin cytotoxicity in combination with diadzein on MCF-7 breast cancer cells.pdf. *Mal J Nutr*, 21(1): 67-73.
- Forouzanfar, M. H., Foreman, K. J., Delossantos, A. M., Lozano, R., Lopez, A. D., Murray, C. J. L. & Naghavi, M. (2014) Breast and cervical cancer in 187 countries between 1980 and 2010: a systematic analysis. *Lancet*, 378(9801): 1461-84.
- Fraga, C. G. & Oteiza, P. I. (2011) Dietary flavonoids: role of (-)-epicatechin and related procyanidins in cell signaling. *Free Radic Biol Med*, 51(4): 813-23.
- Frankel, L. B., Christoffersen, N. R., Jacobsen, A., Lindow, M., Krogh, A. & Lund, A. H. (2008) Programmed cell death 4 (PDCD4) is an important functional target of the microRNA miR-21 in breast cancer cells. *J Biol Chem*, 283(2): 1026-33.

- Freitas, A. C. d., Leitão, M. d. C. G. & Coimbra, E. C. (2015) Prospects of molecularly-targeted therapies for cervical cancer treatment *Curr Drug Targets*, 15(1).
- Friyadi, M. H. & Askandar, B. (2014) Perbandingan Operabilitas setelah Pemberian Kemoterapi Neoadjuvant Cisplatin dan Paclitaxel-Carboplatin pada Kanker Serviks IIB di Divisi Ginekologi Onkologi RSUD Dr . Soetomo. *Majalah Obstetric & ginekologi*.
- Futami, T., Miyagishi, M., Seki, M. & Taira, K. (Year) Induction of apoptosis in HeLa cells with siRNA expression vector targeted against bcl-2. *In: Nucleic acids symposium series, 2002. Oxford University Press, 251-2.*
- Gardner, P. P. & Vinther, J. (2008) Mutation of miRNA target sequences during human. *Genomic analysis*.
- Garzon, R., Calin, G. a. & Croce, C. M. (2009) MicroRNAs in Cancer. *Annu Rev Med*, 60(1): 167-79.
- Gaur, A., Jewell, D. a., Liang, Y., Ridzon, D., Moore, J. H., Chen, C., Ambros, V. R. & Israel, M. a. (2007) Characterization of microRNA expression levels and their biological correlates in human cancer cell lines. *Cancer Res*, 67(6): 2456-68.
- Gewies, A. (2003) Introduction to Apoptosis Introduction to Apoptosis. *Apo review*, 1-26.
- Ghittoni, R., Accardi, R., Hasan, U., Gheit, T., Sylla, B. & Tommasino, M. (2010) The biological properties of E6 and E7 oncoproteins from human papillomaviruses. *Virus genes*, 40(1): 1-13.
- Gómez-gómez, Y., Organista-nava, J., Ocadiz-delgado, R., García-villa, E., Leyva-vazquez, M. A., Illades-aguiar, B., Lambert, P. F., García-carrancá, A. & Gariglio, P. (2016) The expression of miR-21 and miR-143 is deregulated by the HPV16 E7 oncoprotein and 17 β -estradiol. *INT J ONCOL*, 49(22): 549-58.
- Gómez, D. T. & Santos, J. L. (2007) Human papillomavirus infection and cervical cancer : pathogenesis and epidemiology *Communicating Current Research and Educational Topics and Trends in Applied Microbiology*, 680-8.
- Gong, Z., Yang, Q., Zeng, Z., Zhang, W., Li, X., Zu, X., Deng, H., Chen, P., Liao, Q. & Xiang, B. (2016) An integrative transcriptomic analysis reveals p53 regulated miRNA, mRNA, and lncRNA networks in nasopharyngeal carcinoma. *Tumour Biol*, 37(3): 3683-95.
- Goodwin, E. C. & DiMaio, D. (2000) Repression of human papillomavirus oncogenes in HeLa cervical carcinoma cells causes the orderly reactivation of dormant tumor suppressor pathways. *PNAS*, 97(23): 12513–8.
- Granados-López, A. J., Ruiz-Carrillo, J. L., Servín-González, L. S., Martínez-Rodríguez, J. L., Reyes-Estrada, C. A., Gutiérrez-Hernández, R. & López, J. A. (2017) Use of mature miRNA strand selection in miRNAs families in cervical cancer development. *Int J Mol Sci*, 18(2): 407.
- Greco, D., Kivi, N., Qian, K., Leivonen, S.-K., Auvinen, P. & Auvinen, E. (2011) Human papillomavirus 16 E5 modulates the expression of host microRNAs. *PLoS ONE*, 6(7): e21646-e.

- Greer, B. E. (2015) Cervical cancer. *JNCCN*, 1(Clinical Practice Guidelines in Oncology).
- Grinter, S. Z. & Zou, X. (2014) Challenges, applications, and recent advances of protein-ligand docking in structure-based drug design. *Molecules*, 19(7): 10150-76.
- Gronroos, E., Terentiev, A. A., Punga, T. & Ericsson, J. (2004) YY1 inhibits the activation of the p53 tumor suppressor in response to genotoxic stress. *Proc Natl Acad Sci U S A*, 101(33): 12165-70.
- Guo, J., Li, W., Shi, H., Xie, X., Li, L., Tang, H., Wu, M., Kong, Y., Yang, L., Gao, J., Liu, P., Wei, W. & Xie, X. (2013) Synergistic effects of curcumin with emodin against the proliferation and invasion of breast cancer cells through upregulation of miR-34a. *Mol Cell Biochem*, 382(1-2): 103-11.
- Hall, A. H. & Alexander, K. A. (2003) RNA interference of human papillomavirus type 18 E6 and E7 induces senescence in HeLa cells. *J Virol*, 77(10): 6066-9.
- Hanahan, D. & Weinberg, R. a. (2011) Hallmarks of cancer: the next generation. *Cell*, 144(5): 646-74.
- Hanson, S., Kim, E. & Deppert, W. (2005) Redox factor 1 (Ref-1) enhances specific DNA binding of p53 by promoting p53 tetramerization. *Oncogene*, 24(9): 1641-7.
- Hatley, M. E., Patrick, D. M., Garcia, M. R., Richardson, J. a., Bassel-Duby, R., van Rooij, E. & Olson, E. N. (2010) Modulation of K-Ras-dependent lung tumorigenesis by MicroRNA-21. *Cancer Cell*, 18(3): 282-93.
- Henrich, K.-O., Schwab, M. & Westermann, F. (2012) 1p36 tumor suppression—a matter of dosage? *Cancer Res*, 72(23): 6079-88.
- Herfs, M., Yamamoto, Y., Laury, A., Wang, X., Nucci, M. R., McLaughlin-Drubin, M. E., Münger, K., Feldman, S., McKeon, F. D. & Xian, W. (2012) A discrete population of squamocolumnar junction cells implicated in the pathogenesis of cervical cancer. *Proceedings of the National Academy of Sciences*, 109(26): 10516-21.
- Hermeking, H. (2010) The miR-34 family in cancer and apoptosis. *Cell Death and Differ*, 17(2): 193-9.
- Hervouet, E., Cartron, P.-f., Jouvenot, M. & Delage-mourroux, R. (2013) Epigenetic regulation of estrogen signaling in breast cancer. *Epigenetic*, 8:3(March): 237-45.
- Herwiyanti, S. (2015) Potensi senyawa 1,2-Epoksi-3(3-(3,4-Dimetoksifenil)-4H-1-Benzopiran-4on)Propane sebagai antikanker. Disertasi, Universitas Gadjah Mada.
- Hoppe-Seyler, K., Honegger, A., Bossler, F., Sponagel, J., Bulkescher, J., Lohrey, C. & Hoppe-Seyler, F. (2017) Viral E6/E7 oncogene and cellular hexokinase 2 expression in HPV-positive cancer cell lines. *Oncotarget*, 8(63): 106342.
- Howie, H. L., Katzenellenbogen, R. A. & Galloway, D. A. (2009) Papillomavirus E6 proteins. *Virology*, 384(2): 324-34.



- Hu, X., Schwarz, J. K., Lewis, J. S., Huettner, P. C., Rader, J. S., Deasy, J. O., Grigsby, P. W. & Wang, X. (2010) A microRNA expression signature for cervical cancer prognosis. *Cancer Res*, 70(4): 1441-8.
- Hu, Z., Chen, J., Tian, T., Zhou, X., Gu, H., Xu, L., Zeng, Y., Miao, R., Jin, G. & Ma, H. (2008) Genetic variants of miRNA sequences and non-small cell lung cancer survival. *JCI*, 118(7): 2600-8.
- Huang, X., Chen, S., Xu, L., Liu, Y., Deb, D. K., Plataniias, L. C. & Bergan, R. C. (2005) Genistein inhibits p38 Map kinase activation, matrix metalloproteinase type 2, and cell invasion in human prostate epithelial cells. *Cancer Res*, (8): 3470-9.
- Hussain, A., Harish, G., Prabhu, S. A., Mohsin, J., Khan, M. A., Rizvi, T. a. & Sharma, C. (2012) Inhibitory effect of genistein on the invasive potential of human cervical cancer cells via modulation of matrix metalloproteinase-9 and tissue inhibitors of matrix metalloproteinase-1 expression. *J Cancer Epidemiol*, 36(6): e387-93.
- Jenkins, D. (2007) Histopathology and cytopathology of cervical cancer. *Disease Markers*, 23(4): 199-212.
- Jyotirmoy D. Choudhury, S. K. V. M. J. M. & Bardalai, D. (2012) A review on apoptosis & its different pathway. *IJBPR*, 3(7): 848-61.
- Kaller, M., Liffers, S. T., Oeljeklaus, S., Kuhlmann, K., Roh, S., Hoffmann, R., Warscheid, B. & Hermeking, H. (2011) Genome-wide characterization of miR-34a induced changes in protein and mRNA expression by a combined pulsed SILAC and microarray analysis. *Mol Cell Proteomics*, 10(8): M111010462.
- Kilic, U., Sahin, K., Tuzcu, M., Basak, N., Orhan, C., Elibol-Can, B., Kilic, E., Sahin, F. & Kucuk, O. (2014) Enhancement of cisplatin sensitivity in human cervical cancer: epigallocatechin-3-gallate. *Front Nutr*, 1(January): 28-.
- Kim, H., Kim, W., Lee, M., Song, E. & Loh, J. J. K. (2007) Tumor volume and uterine body invasion assessed by MRI for prediction of outcome in cervical carcinoma treated with concurrent chemotherapy and radiotherapy. *Jpn J Clin Oncol*, 37(11): 858-66.
- Kitagawa, R., Katsumata, N., Shibata, T., Kamura, T., Kasamatsu, T., Nakanishi, T., Nishimura, S., Ushijima, K., Takano, M., Satoh, T. & Yoshikawa, H. (2015) Paclitaxel plus carboplatin versus paclitaxel plus cisplatin in metastatic or recurrent cervical cancer: the open-label randomized phase III trial JCOG0505. *JCO*, 33(19): 2129-35.
- Kitchen, D. B., Decornez, H., Furr, J. R. & Bajorath, J. (2004) Docking and scoring in virtual screening for drug discovery: methods and applications. *Nat rev Drug discov*, 3(11): 935.
- Kosaka, N., Iguchi, H. & Ochiya, T. (2010) Circulating microRNA in body fluid: a new potential biomarker for cancer diagnosis and prognosis. *Cancer science*, 101(10): 2087-92.
- Kubista, M., Andrade, J. M., Bengtsson, M., Forootan, A., Jonák, J., Lind, K., Sindelka, R., Sjöback, R., Sjögreen, B., Strömbom, L., Ståhlberg, A. &

- Zoric, N. (2006) The real-time polymerase chain reaction. *Mol Aspects Med*, 27(2-3): 95-125.
- Kubista, M. & Sindelka, R. (2007) The Prime Technique. *G.I.T. Laboratory Journal*, 9(10): 33-5.
- Kumar, S. & Pandey, A. K. (2013) Chemistry and Biological Activities of Flavonoids: An Overview. *ScientificWorldJournal*, 20131-16.
- Kumar V, A. A. K. F. N. M. R. R. (2012) *Basic Pathology*, United States.
- Kumari, R., Sen, N. & Das, S. (2014) Tumour suppressor p53: understanding the molecular mechanisms inherent to cancer. *Curr. Sci*, 5786-94.
- Labwork (2000) Henrietta Lacks. *Labwork Study Guide and Lecture Notes*.
- Lavecchia, A. & Giovanni, C. (2013) Virtual screening strategies in drug discovery: a critical review. *Curr Med Chem*, 20(23): 2839-60.
- Lewandowska, U., Gorlach, S., Owczarek, K., Hrabec, E. & Szewczyk, K. (2014) Synergistic interactions between anticancer chemotherapeutics and phenolic compounds and anticancer synergy between polyphenols. *Postepy Hig Med Dosw*, 68(4468): 528-40.
- Li, M., Zhang, Z., Hill, D. L., Chen, X., Wang, H. & Zhang, R. (2005a) Genistein, a dietary isoflavone, down-regulates the MDM2 oncogene at both transcriptional and posttranslational levels. *Cancer Res*, 65(18): 8200-8.
- Li, Y., Ahmed, F., Ali, S., Philip, P. A., Kucuk, O. & Sarkar, F. H. (2005b) Inactivation of Nuclear Factor K B by Soy Isoflavone Genistein Contributes to Increased Apoptosis Induced by Chemotherapeutic Agents in Human Cancer Cells. *Cancer Res*, 65(15): 6934-42.
- Li, Y., Ahmed, F., Ali, S., Philip, P. A., Kucuk, O. & Sarkar, F. H. (2005c) Inactivation of nuclear factor κB by soy isoflavone genistein contributes to increased apoptosis induced by chemotherapeutic agents in human cancer cells. *Cancer Res*, 65(15): 6934-42.
- Li, Y., Ahmed, F., Ali, S., Philip, P. A., Kucuk, O. & Sarkar, F. H. (2005d) Inactivation of nuclear factor κB by soy isoflavone genistein contributes to increased apoptosis induced by chemotherapeutic agents in human cancer cells. *Cancer Res*, 65(15): 6934-42.
- Li, Y., Che, M., Bhagat, S., Ellis, K.-L., Kucuk, O., Doerge, D. R., Abrams, J., Cher, M. L. & Sarkar, F. H. (2004) Regulation of gene expression and inhibition of experimental prostate cancer bone metastasis by dietary genistein. *Neoplasia*, 6(4): 354-63.
- Li, Y., Kong, D., Bao, B., Ahmad, A. & Sarkar, F. H. (2011) Induction of cancer cell death by isoflavone: the role of multiple signaling pathways. *Nutrients*, 3877-96.
- Lim, H. A., Kim, J. H., Kim, J. H., Sung, M.-K., Kim, M. K., Park, J. H. Y. & Kim, J.-S. (2006) Genistein induces glucose-regulated protein 78 in mammary tumor cells. *J Med Food*, 9(1): 28-32.
- Liu, L., Yu, X., Guo, X., Tian, Z., Su, M., Long, Y., Huang, C., Zhou, F., Liu, M. & Wu, X. (2012) miR-143 is downregulated in cervical cancer and promotes apoptosis and inhibits tumor formation by targeting Bcl-2. *Mol Med Rep*, 5(3): 753-60.

- Liu, Z., Lu, H., Jiang, Z., Pastuszyn, A. & Chien-an, A. H. (2005a) Apolipoprotein L6, a novel proapoptotic Bcl-2 homology 3-Only protein, induces mitochondria-mediated apoptosis in cancer cells. *MOL CANCER RES*, 3(1): 21-31.
- Liu, Z., Lu, H., Jiang, Z., Pastuszyn, A. & Chien-an, A. H. (2005b) Apolipoprotein L6, a Novel Proapoptotic Bcl-2 Homology 3-Only Protein, Induces Mitochondria-Mediated Apoptosis in Cancer Cells1 1 Howard Hughes Medical Institute research aids to University of New Mexico Cancer Research and Treatment Center, American Cancer Society ACS-IRG-192 grant 412488-00095, and University of New Mexico Research Allocation Committee grant C-2222-RAC (CA. A. Hu). *MOL CANCER RES*, 3(1): 21-31.
- Lu, J., Getz, G., Miska, E. a., Alvarez-Saavedra, E., Lamb, J., Peck, D., Sweet-Cordero, A., Ebert, B. L., Mak, R. H., Ferrando, A. a., Downing, J. R., Jacks, T., Horvitz, H. R. & Golub, T. R. (2005) MicroRNA expression profiles classify human cancers. *Nature*, 435(7043): 834-8.
- Lynam-lennon, N., Maher, S. G. & Reynolds, J. V. (2009) The roles of microRNA in cancer and apoptosis. *Biol Rev*, 35355-71.
- Malinowsky, K., Wolff, C., Gündisch, S., Berg, D. & Becker, K. F. (2011) Targeted therapies in cancer - challenges and chances offered by newly developed techniques for protein analysis in clinical tissues. *journal of Cancer*, 26-35.
- Milenkovic, D., Jude, B. & Morand, C. (2013) miRNA as molecular target of polyphenols underlying their biological effects. *Free Radic Biol Med*, 6440-51.
- Miller, R. P., Tadagavadi, R. K., Ramesh, G. & Reeves, W. B. (2010) Mechanisms of cisplatin nephrotoxicity. *Toxins*, 22490-518.
- Muhtasib, G. H., Hmadi, R., Kareh, M., Tohme, R. & Darwiche, N. (2015) Cell death mechanisms of plant-derived anticancer drugs: beyond apoptosis. *Apoptosis*, 20(12): 1531-62.
- Munoz, N., Castellsagué, X., de González, A. B. & Gissmann, L. (2006) HPV in the etiology of human cancer. *Vaccine*, 24S1-S10.
- Murthy, C. N., Kim, J., Vikram, A. & Patil, B. S. (2012) Differential inhibition of human colon cancer cells by structurally similar flavonoids of citrus. *Food Chem*, 132(1): 27-34.
- Navarro, F. & Lieberman, J. (2015) miR-34 and p53: new insights into a complex functional relationship. *PLoS ONE*, 10(7): 1-23.
- Nurung, A. H., Herwiyanti, S. & Paramita, D. K. (2016) Effect of 1,2-epoxy-3[3-3[3,4-dimetoxyphenil]- 4h-1-benzopiran-4-on] Propane (epi) on Sirtuin-1 and nuclear factor-kB expression of DMBA induced mammary tumors in sprague dawley rats. *J Med Sci*, 48(3): 142-53.
- Okada, N., Lin, C. P., Ribeiro, M. C., Biton, A., Lai, G., He, X., Bu, P., Vogel, H., Jablons, D. M., Keller, A. C., Wilkinson, J. E., He, B., Speed, T. P. & He, L. (2014) A positive feedback between p53 and miR-34 miRNAs mediates tumor suppression. *Genes Dev*, 28(5): 438-50.



- Park, H.-k., Lee, J.-e., Lim, J., Jo, D.-e., Park, S.-a., Suh, P.-g. & Kang, B. H. (2014) Combination treatment with doxorubicin and gamitrinib synergistically augments anticancer activity through enhanced activation of Bim. *BMC Cancer*, 14(431): 1-9.
- Peng, R.-q., Wan, H.-y., Li, H.-f., Liu, M., Li, X. & Tang, H. (2012) MicroRNA-214 suppresses growth and invasiveness of cervical cancer cells by targeting UDP- N-acetyl-D-galactosamine: polypeptide N -acetylgalactosaminyltransferase 7. *Mol Med Rep*, 287(17): 14301-9.
- Penna, E., Orso, F., Cimino, D., Tenaglia, E., Lembo, A., Quaglino, E., Poliseno, L., Haimovic, A., Osella-Abate, S., De Pitta, C., Pinatel, E., Stadler, M. B., Provero, P., Bernengo, M. G., Osman, I. & Taverna, D. (2011) microRNA-214 contributes to melanoma tumour progression through suppression of TFAP2C. *EMBO J*, 30(10): 1990-2007.
- Penna, E., Orso, F. & Taverna, D. (2015a) miR-214 as a key hub that controls cancer networks: small player, multiple functions. *J. Investig. Dermatol*, 135(4): 960-9.
- Penna, E., Orso, F. & Taverna, D. (2015b) miR-214 as a key hub that controls cancer networks: small player, multiple functions. *J Investig Dermatol*, 135(4): 960-9.
- Pollutri, D., Gramantieri, L., Bolondi, L. & Fornari, F. (2016) TP53/MicroRNA Interplay in Hepatocellular Carcinoma. *Int J Mol Sci*, 17(12).
- Prayitno, A. (2005) The expression of p53, Rb, and c-myc protein in cervical cancer by immunohistochemistry stain. *Biodiversitas*, 6(3): 157-9.
- Raveche, E. S., Salerno, E., Scaglione, B. J., Manohar, V., Abbasi, F., Lin, Y.-C., Fredrickson, T., Landgraf, P., Ramachandra, S. & Huppi, K. (2007) Abnormal microRNA-16 locus with synteny to human 13q14 linked to CLL in NZB mice. *Blood*, 109(12): 5079-86.
- Riss, T. L., Moravec, R. A., Niles, A. L., Duellman, S., Benink, H. A., Worzella, T. J. & Minor, L. (2016) Cell viability assays. *Assay Guidance Manual*.
- Rozengurt, E. (2007) Mitogenic signaling pathways induced by G protein-coupled receptors. *Journal of cellular physiology*, 213(3): 589-602.
- Ruggeri, C., Gioffre, S., Achilli, F., Colombo, G. I. & D'Alessandra, Y. (2018) Role of microRNAs in doxorubicin-induced cardiotoxicity: an overview of preclinical models and cancer patients. *Heart Fail Rev*, 23(1): 109-22.
- Sahin, K., Tuzcu, M., Basak, N., Caglayan, B., Kilic, U., Sahin, F. & Kucuk, O. (2012) Sensitization of Cervical Cancer Cells to Cisplatin by Genistein : The Role of NF κ B and Akt / mTOR Signaling Pathways. *Journal of Oncology*, 20121-6.
- Said, A. H., Raufman, J.-P. & Xie, G. (2014) The role of matrix metalloproteinases in colorectal cancer. *Cancers*, 6(1): 366-75.
- Santoso, C. & Askandar, B. (2011) Keberhasilan kemoterapi neoajuvan cisplatin-vincristine-bleomycin dan paclitaxel. *Majalah Obstetri & Ginekologi*, 19(3).
- Schwarzenbach, H., Hoon, D. S. & Pantel, K. (2011) Cell-free nucleic acids as biomarkers in cancer patients. *Nat Rev Cancer*, 11(6): 426.



- Shepherd, L. J. & Bryson, S. C. P. (2008) WOMEN ' S HEALTH WOMEN ' S HEALTH Human Papillomavirus — Lessons From History and Challenges for the Future. *JOGC*, (women health): 1025-33.
- Shi, R., Huang, Q., Zhu, X., Ong, Y.-B., Zhao, B., Lu, J., Ong, C.-N. & Shen, H.-M. (2007) Luteolin sensitizes the anticancer effect of cisplatin via c-Jun NH2-terminal kinase-mediated p53 phosphorylation and stabilization. *Mol Cancer Ther*, 6(4): 1338-47.
- Shishodia, G., Shukla, S., Srivastava, Y., Masaldan, S., Mehta, S., Bhambhani, S., Sharma, S., Mehrotra, R., Das, B. C. & Bharti, A. C. (2015) Alterations in microRNAs miR-21 and let-7a correlate with aberrant STAT3 signaling and downstream effects during cervical carcinogenesis. *Mol cancer*.
- Siemens, H., Neumann, J., Jackstadt, R., Mansmann, U., Horst, D., Kirchner, T. & Hermeking, H. (2013) Detection of miR-34a promoter methylation in combination with elevated expression of c-Met and beta-catenin predicts distant metastasis of colon cancer. *Clin Cancer Res*, 19(3): 710-20.
- Smolinska, E., Moskot, M., Jako, J., Grzegorz, W., Banecki, B., Szczerkowska-dobosz, A. & Purzycka, D. (2018) Molecular action of isoflavone genistein in the human epithelial cell line HaCaT. *PLoS ONE*, 1-27.
- Solomon, L. A., Ali, S., Banerjee, S., Munkarah, A. R., Morris, R. T. & Sarkar, F. H. (2008) Sensitization of ovarian cancer cells to cisplatin by genistein: the role of NF-kappaB. *J Ovarian Res*, 1(1): 9.
- Song, B., Wang, C., Liu, J., Wang, X., Lv, L., Wei, L., Xie, L., Zheng, Y. & Song, X. (2010) MicroRNA-21 regulates breast cancer invasion partly by targeting tissue inhibitor of metalloproteinase 3 expression. *J EXP CLIN CANC RES*, 29(1): 29.
- Song, Y.-H., Jeong, S.-J., Kwon, H.-Y., Kim, B., Kim, S.-H. & Yoo, D.-Y. (2012) Ursolic acid from *Oldenlandia diffusa* induces apoptosis via activation of caspases and phosphorylation of glycogen synthase kinase 3 beta in SK-OV-3 ovarian cancer cells. *Biol Pharm Bull.*, 35(7): 1022-8.
- Steben, M. & Duarte-Franco, E. (2007) Human papillomavirus infection: epidemiology and pathophysiology. *Gynecol Oncol*, 107(2 Suppl 1): S2-5.
- Su, S.-J., Chow, N.-H., Kung, M.-L., Hung, T.-C. & Chang, K.-L. (2003) Effects of soy isoflavones on apoptosis induction and G2-M arrest in human hepatoma cells involvement of caspase-3 activation, Bcl-2 and Bcl-XL downregulation, and Cdc2 kinase activity. *Nutr cancer*, 45(1): 113-23.
- Sui, G., Affar el, B., Shi, Y., Brignone, C., Wall, N. R., Yin, P., Donohoe, M., Luke, M. P., Calvo, D., Grossman, S. R. & Shi, Y. (2004) Yin Yang 1 is a negative regulator of p53. *Cell*, 117(7): 859-72.
- Tao, L., Han, L., Li, X., Gao, Q., Pan, L., Wu, L., Luo, Y., Wang, W., Zheng, Z. & Guo, X. (2014) Prevalence and risk factors for cervical neoplasia: a cervical cancer screening program in Beijing. *BMC public health*, 141185-
- Theelen, W., Litjens, R. J. N. T. M., Vinokurova, S., Haesevoets, A., Reijans, M., Simons, G., Smedts, F., Herrington, C. S., Ramaekers, F. C. S., von Knebel Doeberitz, M., Speel, E.-J. M. & Hopman, A. H. N. (2013) Human papillomavirus multiplex ligation-dependent probe amplification assay for

- the assessment of viral load, integration, and gain of telomerase-related genes in cervical malignancies. *Hum Pathol*, 44(11): 2410-8.
- Tophkhane, C., Yang, S., Bales, W., Archer, L., Osunkoya, A., Thor, A. D. & Yang, X. (2007) Bcl-2 overexpression sensitizes MCF-7 cells to genistein by multiple mechanisms. *Int J Oncol*, 31(4): 867-74.
- van Meerloo, J., Kaspers, G. J. & Cloos, J. (2011) Cell sensitivity assays: the MTT assay. *Cancer Cell*. Springer.
- Van Raamsdonk, C. D., Griewank, K. G., Crosby, M. B., Garrido, M. C., Vemula, S., Wiesner, T., Obenaus, A. C., Wackernagel, W., Green, G. & Bouvier, N. (2010) Mutations in GNA11 in uveal melanoma. *New England Journal of Medicine*, 363(23): 2191-9.
- Vessey, M. & Yeates, D. (2013) Oral contraceptive use and cancer: final report from the Oxford-Family Planning Association contraceptive study. *Contraception*, 88(6): 678-83.
- Vinh-Hung, V., Bourgain, C., Vlastos, G., Cserni, G., De Ridder, M., Storme, G. & Vlastos, A.-T. (2007a) Prognostic value of histopathology and trends in cervical cancer: a SEER population study. *BMC Cancer*, 7164-.
- Vinh-Hung, V., Bourgain, C., Vlastos, G., Cserni, G., De Ridder, M., Storme, G. & Vlastos, A.-T. (2007b) Prognostic value of histopathology and trends in cervical cancer: a SEER population study. *BMC Cancer*, 7(1): 164.
- Wang, F., Liu, M., Li, X. & Tang, H. (2013a) MiR-214 reduces cell survival and enhances cisplatin-induced cytotoxicity via down-regulation of Bcl212 in cervical cancer cells. *FEBS Letters*, 587488-95.
- Wang, F., Liu, M., Li, X. & Tang, H. (2013b) MiR-214 reduces cell survival and enhances cisplatin-induced cytotoxicity via down-regulation of Bcl212 in cervical cancer cells. *FEBS Letters*, 587(5): 488-95.
- Wang, G., Zhang, D., Yang, S., Wang, Y., Tang, Z. & Fu, X. (2018) Co-administration of genistein with doxorubicin-loaded polypeptide nanoparticles weakens the metastasis of malignant prostate cancer by amplifying oxidative damage. *Biomater Sci*, 6(4): 827-35.
- Wang, P., Zou, F., Zhang, X., Li, H., Dulak, A., Tomko, R. J., Lazo, J. S., Wang, Z., Zhang, L. & Yu, J. (2009) microRNA-21 negatively regulates Cdc25A and cell cycle progression in colon cancer cells. *Cancer Res*, 69(20): 8157-65.
- Wang, S., Pang, T., Gao, M., Kang, H., Ding, W., Sun, X., Zhao, Y., Zhu, W., Tang, X., Yao, Y. & Hu, X. (2013c) HPV E6 induces eIF4E transcription to promote the proliferation and migration of cervical cancer. *FEBS Letters*, 587(6): 690-7.
- Wang, T.-y., Li, Q. & Bi, K.-s. (2017a) Bioactive flavonoids in medicinal plants: Structure, activity and biological fate. *AJPS*.
- Wang, Y., Xiao, H., Wu, H., Yao, C., He, H., Wang, C. & Li, W. (2017b) G protein subunit α q regulates gastric cancer growth via the p53/p21 and MEK/ERK pathways. *Oncol Rep*, 37(4): 1998-2006.
- Wang, Z., Cai, H., Lin, L., Tang, M. & Cai, H. (2014) Upregulated expression of microRNA-214 is linked to tumor progression and adverse prognosis in pediatric osteosarcoma. *Pediatr Blood Cancer*, 61(2): 206-10.

- Wen, Z., Lei, Z., Jin-An, M., Xue-Zhen, L., Xing-Nan, Z. & Xiu-Wen, D. (2014) The inhibitory role of miR-214 in cervical cancer cells through directly targeting mitochondrial transcription factor A (TFAM). *Eur J Gynaecol Oncol*, 35(6): 676-82.
- WHO (2010) Human Papillomavirus and Related Cancers. *who/ico hpv information center*; third edit.
- WHO (2013) Latest world cancer statistics Global cancer burden rises to 14 . 1 million new cases in 2012 : Marked increase in breast cancers must be addressed Latest world cancer statistics Global cancer burden rises to 14 . 1 million new cases in 2012 : Marked incr. *IARC*, (December): 2012-4.
- Wu, D.-W., Tsai, L.-H., Chen, P.-M., Lee, M.-C., Wang, L., Chen, C.-Y., Cheng, Y.-W. & Lee, H. (2012) Loss of TIMP-3 promotes tumor invasion viaelevated IL-6 production and predicts poor survival and relapse in HPV-infected non-small cell lung cancer. *Am. J. Pathol*, 181(5): 1796-806.
- Wu, H., Huang, M., Liu, Y., Shu, Y. & Liu, P. (2015) Luteolin Induces Apoptosis by Up-regulating miR-34a in Human Gastric Cancer Cells. *Technol Cancer Res* 14(6): 747-55.
- Xia, H., Ooi, L. L. P. J. & Hui, K. M. (2012) MiR-214 Targets β -Catenin Pathway to Suppress Invasion, Stem-Like Traits and Recurrence of Human Hepatocellular Carcinoma. *PLoS ONE*, 7(9): e44206-e.
- Xu, C.-X., Xu, M., Tan, L., Yang, H., Permuth-Wey, J., Kruk, P. A., Wenham, R. M., Nicosia, S. V., Lancaster, J. M. & Sellers, T. A. (2016) MicroRNA MiR-214 regulates ovarian cancer cell stemness by targeting p53/Nanog. *J Biol Chem*, 291(43): 22851.
- Xue, J. P., Wang, G., Zhao, Z. B., Wang, Q. & Shi, Y. (2014) Synergistic cytotoxic effect of genistein and doxorubicin on drug-resistant human breast cancer MCF-7/Adr cells. *Oncol Rep*, 32(4): 1647-53.
- Yamakuchi, M. & Lowenstein, C. J. (2009) MiR-34, SIRT1 and p53: the feedback loop. *Cell Cycle*, 8(5): 712-5.
- Yang, T.-S., Yang, X.-H., Wang, X.-D., Wang, Y.-L., Zhou, B. & Song, Z.-S. (2013) MiR-214 regulate gastric cancer cell proliferation, migration and invasion by targeting PTEN. *Cancer Cell Int*, 13(68).
- Yang, Z., Chen, S., Luan, X., Li, Y., Liu, M. & Li, X. (2009a) MicroRNA-214 is Aberrantly Expressed in Cervical Cancers and Inhibits the Growth of HeLa Cells. 61(November): 1075-82.
- Yang, Z., Chen, S., Luan, X., Li, Y., Liu, M., Li, X., Liu, T. & Tang, H. (2009b) MicroRNA-214 is aberrantly expressed in cervical cancers and inhibits the growth of HeLa cells. *IUBMB life*, 61(11): 1075-82.
- Yao, Q., Xu, H., Zhang, Q.-Q., Zhou, H. & Qu, L.-H. (2009) MicroRNA-21 promotes cell proliferation and down-regulates the expression of programmed cell death 4 (PDCD4) in HeLa cervical carcinoma cells. *Biochem Biophys Res Commun*, 388(3): 539-42.
- Yao, T. & Lin, Z. (2012) MiR-21 is involved in cervical squamous cell tumorigenesis and regulates CCL20. *BBA*, 1822(2): 248-60.



- Yeh, C.-C., Fan, Y., Jiang, L., Yang, Y.-L., He, B., You, L. & Mann, M. (2015) Genistein Suppresses Growth of Human Uterine Sarcoma Cell Lines via Multiple Mechanisms. *Anticancer res*, 35(6): 3167-73.
- Youle, R. J. & Strasser, A. (2008) The BCL-2 protein family: opposing activities that mediate cell death. *Nat. Rev. Mol. Cell Biol*, 9(1): 47.
- Zaman, M. S., Shahryari, V., Deng, G., Thamminana, S., Saini, S., Majid, S., Chang, I., Hirata, H., Ueno, K., Yamamura, S., Singh, K., Tanaka, Y., Tabatabai, Z. L. & Dahiya, R. (2012) Up-regulation of microRNA-21 correlates with lower kidney cancer survival. *PLoS ONE*, 7(2): e31060-e.
- Zeng, X.-t., Xiong, P.-a., Wang, F., Li, C.-y., Yao, J. & Guo, Y. (2012) Passive Smoking and Cervical Cancer Risk : A Meta-analysis Based on 3 , 230 Cases and 2 , 982 Controls. *Asian Pac J Cancer Prev*, 132687-93.
- Zhang, C.-L., Wu, L.-J., Tashiro, S., Onodera, S. & Ikejima, T. (2004) Oridonin induces apoptosis of HeLa cells via altering expression of Bcl-2/Bax and activating caspase-3/ICAD pathway. *Acta Pharmacol Sin*, 25(5): 691-8.
- Zhang, R., Su, J., Xue, S.-L., Yang, H., Ju, L.-L., Ji, Y., Wu, K.-H., Zhang, Y.-W., Zhang, Y.-X. & Hu, J.-F. (2016) HPV E6/p53 mediated down-regulation of miR-34a inhibits Warburg effect through targeting LDHA in cervical cancer. *Am J Cancer Res*, 6(2): 312.
- Zhao, Y. & Srivastava, D. (2007) A developmental view of microRNA function. *TIBS*, 32(4): 189-97.
- Zhu, J., Zhang, C., Qing, Y., Cheng, Y., Jiang, X., Li, M., Yang, Z. & Wang, D. (2015) Genistein induces apoptosis by stabilizing intracellular p53 protein through an APE1-mediated pathway. *Free Radic. Biol. Med*, 86209-18.
- Zhu, S., Wu, H., Wu, F., Nie, D., Sheng, S. & Mo, Y.-Y. (2008) MicroRNA-21 targets tumor suppressor genes in invasion and metastasis. *Cell Res*, 18(3): 350-9.