

DAFTAR PUSTAKA

- Akhavanakbari G; Entezariasl M; Isazadehfar K; Kahnmoysiagdam F. 2013. *The effects of indomethacin, diclofenac, and acetaminophen suppository on pain and opioids consumption after sesarean section.* Perspectives in Clinical Research Vol 4-Issue 2
- Barcia, E; Martin, A; Azuora, M. 2007. *Tramadol and Hyoscine N-Butyl Bromide Combine in Infusion Solutions : Compability and Stability.* Support Care Cancer. 15 (1) : 57-62
- Bardiau, FM; Taviaux, NF; Albert, A 2003. *An intervention Study to Enhance Post Operative Pain Management.* Anesth Aalg; 96 (1) 179-85.
- Bucklin BA, Hawkins JL, Anderson JR, Ullrich FA. *Obstetric Anesthesia Workforce Survey.* Twenty year update. Anesthesiology 2005;103:645-53
- Budd K and Langford R. 1999. *Tramadol Revisited.* Br J. Anaesth. 82 : 493-5
- Candido, KD; Collins, VJ. 1996. Antagonist To Narcotics. In: Collins, VJ. *Physiologic And Pharmacologic Bases Of Anesthesia.* Baltimore: William and Wilkins. P. 582-3
- Chan, AMH; Ng, KFJ; Tong, EWN; Jan, GSK. 1999. *Controll Of Shivering Under Regional Anesthesia In Obstetric Patients With Tramadol.* Can. J, Anesth. 46: 253-8
- Chapman, CR. 2004. *Psychological Aspect of Pain: a Consciousness Studies Perspective in the Neurological Basis of Pain.* Editor: Pappagallo M. McGraw Hill. p. 156-9
- Charlton, ED. 2007. *Pasca operasi Pain Management. World Federation of Societies of Anaesthesiologist.* http://www.nda.ox.ac.uk/wfsa/html/u07_009.htm
- Chelly, JE; Gebhard, R; Coupe, K. 2001. *Lokal Anesthetic Delivered Via a Femoral Catheter by Patient-Controlled Analgesi Pump for Pain Relief after an Anteriorcruciate Ligament Outpatient Procedure.* Am J Anesthesiol. 28: 192-4



- Cousins, M and Power, I. 2003. Acute and Postoperative Pain. In : Melsack R and Wall PD (eds) *Handbook of Pain Management : A Clinical Companion to Wall and Melzack's Textbook of Pain*. Edinburgh : Churcill Livingstone
- Cunningham FG, Huath JC, Leveno KJ, Gilstrap LC III, Bloom SL, Wenstrom KD. Williams obstetrics. 22nd ed. New York: McGraw-Hill; 2005: 474-81, 589-91.
- Dennis AR, Leeson-Payne CG, Hobbs GJ. *Analgesia after sesarean operasi. The use of rectal diclofenac as an adjunct to spinal morphine*. Anaesthesia 1995; 50: 297-9.
- De Write, JL; Kim, JS; Sessler DJ; Bastanmehr, H. 1998. *Tramadol Reduces The Sweating, Vasoconstriction And Shivering Threshold*. Anest. Analg. 87 : 173-9
- Dugashvil, G; Van den Berghe, L; Menabde, G; Janelidze, M; Marks, L. 2017. *Use Of The Universal Pain Assessment Tool For Evaluating Pain Associated With TMD In Youngsters With An Intellectual Disability*. Med Oral Patol Oral Cir Bucal. 1; 22 (1):e88-94.
- Duthie, DJR. 1998. *Remifentanyl And Tramadol, Recent Advances In Opioid Pharmacology*. Br. J. Anaesth. 81 : 51-7
- Gan, TJ. Diclofenac: *An update on its mechanism of action and safety profile*. Curr Med Res Opin. 2010;26:1715–31. [PubMed: 20470236]
- Gwirtz, K. 2006. *Single Dose Intrathecal Opioids In The Management of Acute post op Pain*. In : Sinatra RS. Hord AH, Ginseberg B, Preble LM, eds. *Acute Pain : Mechanism and Management*. St Louis, Mo : Mosby-Year Book : 253-68
- Halpern, S; Yee, J; Oliver, C; Angle, P. *Pain relief after section caesarean: a prospective cohort study*. Can J Anesth 2007; 1:44214.
- Bhagat, H; Malhotra, K; Tyagi, C; Gangwar, N; Pal, N. *Evaluation Of Preoperative Rectal diclofenac For Perioperative Analgesi In ENT Surgery*. Indian J Anesth 2003; 47(6):463-466
- Ismail, S. 2012. *What Is New In Analgesi After section caesarean?*. Karachi. Anaesth Pain & Intensive Care; 16(2): 123-26
- Jaywant, SS and Pai, AV, 2003. *A Comparative Study of Pain Measurement scales in Acute Burn Patient*. IJOT, 35 (3) : 13-17



Kirchheimer, J; Meineke, I; Steinbach, N; Meisel, C; Roots, I; Brockmöller, J. *Pharmacokinetics Of diclofenac And Inhibition Of Cyclooxygenases 1 And 2: No Relationship To The CYP2C9 Genetic Polymorphism In Humans.* J Clin Pharmacol, 55, 51–61, 2003

Kasjmir Y., 2004. Penatalaksanaan Nyeri Akut : *Multimodal Analgesi*. Temu Ilmiah Reumatologi Dan Kursus Nyeri Ikatan Reumatologi Indonesia. p. 189

Katz, JA., Berry PH., Covington, EC., Dahl JL., Miaskowski C., 2007, *Pain : Current Understanding of Assesment, Management, and Treatments*. Clinical Journal of Pain : 23 : 648-60

Kayalvizhi, K. B ; Venkatesh, M; Deepak, S. *Multimodal Analgesia Using Bilateral Ilioinguinal-Iliohypogastric Block Along With Rectal Diclofenac for Post section caesarean Cases. International Journal of Current Medical And Applied Sciences, vol. 6. Issue 3, May: 2015. PP: 193-198*

Keskin HL, Keskin EA, Avsar AF, Tabuk M, Caglar GS. *Pethidine versus tramadol for pain relief during labor.* Int J Gynaecol Obstet. 2003 Jul;82(1):116

Lehmann KA. *Tramadol for the management of acute pain.* Drugs. 1994;47 Suppl 1:1932

Moote, Carol. "Efficacy of nonsteroidal anti-inflammatory drugs in the management of postoperative pain." Drugs , 1992 , 44(5) : 14-302.

Morgan GE; Mikhail MS; Murray MJ; Larson CP. 2006. *Anesthesia for Patients with Neurologic and Psychiatric Disease in Clinical Anesthesiology 5th ed.* New York : Lange Medical books/McGraw-Hill Medical Publishing Edition. p. 647-61

Nayna S Solanki, M ihir Goswami, Neelam Thaker. *Bupivacaine infiltration versus diclofenac suppositoria rektal for post- tonsillectomy pain relief in paediatric patients.* National journal of medical research volume 2 issue 1 Jan-march 2012

Ng P, Kam CW, Yau HH. *A comparison of ketoprofen and diclofenac for acute musculoskeletal pain relief: A prospective randomised clinical trial.* Hong Kong J Emerg Med. 2001;8:73–7

Norman, AW., Mizwicki, MT., Norman, DPG, 2004, *Steroid Hormoon Rapid Action, Membrane Receptors and a Conformational Ensemble Model, Nature Reviews Drug Discovery*, 3: 27-41



Pekmezci, Ali, Et Al. *The Effect of Ilioinguinal-Iliohypogastric Block with or Without Intra-Venous Paracetamol for Pain Relief after Sesarn Delivery.* "Acta Medica , 2014 ,30 :1183

Perttunen K, Kalso E, Heinonen J, Salo J. *IV diclofenac in post-thoracotomy pain.* Br J Anaesth 1992; 68: 474-80

Purwandari,R. 2006. *Nyeri.* <http://elearning.unej.ac.id>. Diakses 21 Maret 2016

Radbruch L, Grond S, Lehmann KA. *A Risk-Benefit Assessment Of Tramadol In The Management Of Pain.* Drug Saf. 1996 Jul;15(1):8-29

Rashid, M and Jarudi, HM. 2000. *The Use Of Rectal Diclofenac For Postcesarean Analgesia.* Saudi Medical Journal; Vol. 21 (2): 145-149

Rawal, N. 2005. *Pasca operasi Pain Management-Good Clinical Practice : General Recommendations and Principles for Succesful Pain Pain Management,* Department of Anesthesiology and Intensive Care Orebro University Hospital, Orebro, Sweden, p. 1-57

Reuben, SS., SKlar, J, 2000. *Pain Management in Patient Who Undergo Outpatient Arthroscopy Surgey of the Knee, The Journal of Bone and Joint Surgery,* 82-A; 1754-66

Rose JB; Finkel JC; Medve RA. 2003. *Oral Tramadol for Treatment of Pain 7-30 days Duration in children.* Anest Analg. 96 : 78-81

Rowlingson, AJ., Cowan, AR., Liu SS., 2003. *Efficacy of Postopertive Epidural Analgesi : A Meta Analysis.* JAMA ; 290 (18) 2455-63

Rushman GB; Davies NJH; Cashman JN. 1999. *Acute Pain Management.* In: Lee's Synopsis of Anesthesia. 12th ed Oxford : Reed Education and Professional Publishing Ltd : 81-2

Russell IF. *Technique of anaesthesia for section caesarean. Raising the standard: a compendium of audit recipes;* 2006. p. 166-7

Sandkuhler J., Ruscheweyh R. 2005. *Opioid and Central Sensititation. I. Preemptive Analgesi.* European Journal of Pain, 9 : 145-8

Sayyid, S; Sleiman D. 2000. *Epidural Tramadol for Post Operative Pain after section caesarean.* Can J Anesthesia. 46 : 731-55



UNIVERSITAS
GADJAH MADA

PERBANDINGAN DAYA GUNA ANALGETIK ANTARA TRAMADOL 100 mg DAN NATRIUM DIKLOFENAK 100 mg SUPPOSITORIA REKTAL UNTUK PENANGANAN NYERI PASCA OPERASI SESAR DENGAN TEKNIK PEMBIUSAN BLOK SUBARACHNOID
ARIEF HARIYADI S, Dr. dr. Sri Rahardjo, Sp.An.KNA KAO.; Dr. dr. Yusmein Uyun, Sp.An. KAO
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Spigset O. *Anaesthetic agents and excretion in breast milk. Acta Anaesthesiol Scand* 1994; 38:94-103.

Stoelting, RK dan Hillier, SC., 2006. Nonbarbiturate Intravenous Anesthetic Drugs. In B. Brown and Murphy, (eds). *Pharmacology and Physiology in Anesthetic Practic.* 4th ed Philadelphia : Lippincot Williams and Wilkins. Ch 1. p. 276-88

Surakarn, J and Tannirandorn, Y. *Intramuscular Diclofenac for Analgesia after Sesarean Delivery: A Randomized Controlled Trial.* J Med Assoc Thai 2009; 92 (6): 733-8

Suza, DE., 2007. *Pain Experiences and Pain Management In Post Operative Patient.* Majalah Kedokteran Nustantara; 40 (1) : 45-51

Tanra, AH., 2004, *Therapeutic Approach For Post Op Pain*, Pain Symposium, Toward Mechanism Based Treatment, Yogyakarta

Tsai YC ; Chu KSA, 2001. *Comparison Of Tramadol, Amitriptyline, And Meperidine For Post Eidural Anesthetic Shivering In Parturients.* *Anest. Analg.* 93 : 1288-92

Verstraete, Sören, and Marc Van de Velde. *Post section caesarean analgesi. Actaan aesthesiologica Belgica, 2011, 63 (4): 147-167*

Vyankatesh, J S, Vyavahare R. D, Ganesh K, ShiledarVikram, Jamadar N P. Comparative Study Of Analgesik Efficacy Of Rectal Suppository Of Tramadol Versus Diclofenac In Suppressing Postoperative Pain After Cesarean Section. International J. of Healthcare & Biomedical Research, Volume: 1, Issue: 2, January 2013, P: 32-37

Wesley E. S. *Factors That Affect Pain Behaviour.* CRANIO : The Journal of Craniomandibular Practice. 2011. Vol 29, issue 2

Wu, CL., Raja, SN. 2011, *Treatment of Acute Post Op Pain*, Lancet 377:2215-25

www.depkes.go.id/pengertian-wus diakses pada 15 April 2018