

DAFTAR PUSTAKA

- Arwin, H., 2001, Is ellipsometry suitable for sensor applications?, *Sensors and Actuators, A: Physical*, 92(1-3), pp. 43-51, doi: 10.1016/S0924-4247(01)00538-6.
- Arwin, H., 2011, Application of ellipsometry techniques to biological materials, *Thin Solid Films*, Elsevier B.V., 519(9), pp. 2589-2592, doi: 10.1016/j.tsf.2010.11.082.
- Aspnes, D. E., 2014, Spectroscopic ellipsometry - past, present, and future, *Thin Solid Films*, Elsevier B.V., 571(P3), pp. 334-344, doi: 10.1016/j.tsf.2014.03.056.
- Beyene, H. T., Weber, J. W., Verheijen, M. A., van de Sanden, M. C. M., dan Creatore, M., 2012, Real time in situ spectroscopic ellipsometry of the growth and plasmonic properties of Au nanoparticles on SiO₂, *Nano Research*, 5(8), pp. 513-520, doi: 10.1007/s12274-012-0236-z.
- Bodurov, I., Vlaeva, I., Viraneva, A., Yovcheva, T., dan Sainov, S., 2016, Modified design of a laser refractometer, *Nanoscience & Nanotechnology*, 16, pp. 31-33.
- Bruno, G., Losurdo, M., Giangregorio, M. M., Capezzuto, P., Brown, A. S., Kim, T. H., dan Choi, S., 2006, Real time ellipsometry for monitoring plasma-assisted epitaxial growth of GaN, *Applied Surface Science*, 253(1 SPEC. ISS.), pp. 219-223, doi: 10.1016/j.apsusc.2006.05.129.
- Fouad, R. R., Aljohani, H. A., dan Shouair, K. R., 2016, Biocompatible Poly (Vynil Alcohol) Nanoparticle-Based Binary Blends for Oil Spill Control, *Marine Pollution Buletin*, 112, pp. 46-52.
- Fox, M., 2010, *Optical Properties of Solids*, Oxford University Press, New York.
- Fujiwara, H., 2007, *Spectroscopic Ellipsometry Principles and Applications*, John Wiley & Sons, Ltd., England.
- Grosso, G. dan Parravicini, G.P. (2014) 'Solid State Physics' Second Edition, Academic Press, UK.
- Haidu, F., Ludemann, M., Schafer, P., Gordan, O. D., dan Zahn, D. R. T., 2014, In situ ellipsometry - A powerful tool for monitoring alkali doping of organic thin films, *Thin Solid Films*, 571(P3), pp. 426-430, <https://doi.org/10.1016/j.tsf.2014.02.101>.
- Halim, R., Hosikian, A., Lim, S., dan Danquah, M. K., 2010, Chlorophyll extraction from microalgae: A review on the process engineering aspects, *International Journal of Chemical Engineering*, pp. 1-11, <https://doi.org/10.1155/2010/391632>.

- Helena, L., Rodrigues, R., Arenzon, A., Raya-rodriguez, M. T., dan Fontoura, N. F., 2011, Algal density assessed by spectrophotometry : A calibration curve for the unicellular algae *Pseudokirchneriella subcapitata*, *Journal of Environmental Chemistry and Ecotoxicology*, 3(August), pp. 225–228.
- Herawati, A., 2017, Aplikasi Spectroscopic Ellipsometry pada Thin Film Chromium sebagai Piranti Biosensor Mikroalga melalui Investigasi Multi Panjang Gelombang, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Huang, Y. Y. dan Chou, K. S., 2003, Studies on the spin coating process of silica films, *Ceramics International*, 29(5), pp. 485–493, [https://doi.org/10.1016/S0272-8842\(02\)00191-8](https://doi.org/10.1016/S0272-8842(02)00191-8).
- Jia, F., Kacira, M., dan Ogden, K. L., 2015, Multi-Wavelength Based Optical Density Sensor for Autonomous Monitoring of Microalgae, *Sensors*, 1, pp. 22234–22248, doi: 10.3390/s150922234.
- Johnson, P. B. dan Christy, R. W., 1972, Optical Constants of the Nobel Metals, *Physical Review B*, 6(1972), pp. 4370–4379.
- Khasanah, R. A. N., 2017, Kajian Spectroscopic Ellipsometry pada Lapisan Tipis Emas untuk Aplikasi Biosensor, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Le, N. C. H., Gubala, V., Gandhiraman, R. P., Coyle, C., Daniels, S., dan Williams, D. E., 2010, Total internal reflection ellipsometry as a label-free assessment method for optimization of the reactive surface of bioassay devices based on a functionalized cycloolefin polymer, *Analytical and Bioanalytical Chemistry*, 398(5), pp. 1927–1936, doi: 10.1007/s00216-010-4099-4.
- Lee, E., Jalalizadeh, M., dan Zhang, Q., 2015, Growth kinetic models for microalgae cultivation: A review, *Algal Research*, Elsevier B.V., 12, pp. 497–512, doi: 10.1016/j.algal.2015.10.004.
- Levallois, J., Tran, M. K., Pouliot, D., Presura, C. N., Greene, L. H., Eckstein, J. N., Uccelli, J., Giannini, E., Gu, G. D., Leggett, A. J., dan van der Marel, D., 2016, Temperature-dependent ellipsometry measurements of partial coulomb energy in superconducting cuprates. *Physical Review X*, 6(3), pp. 1–24, <https://doi.org/10.1103/PhysRevX.6.031027>.
- Li, K., Wang, S., Wang, L., Yu, H., Jing, N., Xue, R., dan Wang, Z., 2017, Fast and Sensitive Ellipsometry-Based Biosensing, *Sensors*, 18(1), 15, doi: 10.3390/s18010015.
- Logothetidis, S., Georgiou, D., Laskarakis, A., Koidis, C., dan Kalfagiannis, N., 2013, In-line spectroscopic ellipsometry for the monitoring of the optical properties and quality of roll-to-roll printed nanolayers for organic

- photovoltaics, *Solar Energy Materials and Solar Cells*, Elsevier, 112, pp. 144–156, doi: 10.1016/j.solmat.2013.01.007.
- Losurdo, M., Giangregorio, M. M., Bianco, G. V., Capezzuto, P., dan Bruno, G., 2014, How spectroscopic ellipsometry can aid graphene technology?, *Thin Solid Films*, Elsevier B.V., 571(P3), pp. 389–394, doi: 10.1016/j.tsf.2014.03.057.
- Lousinian, S. dan Logothetidis, S., 2008, In-situ and real-time protein adsorption study by Spectroscopic Ellipsometry, *Thin Solid Films*, 516(22), pp. 8002–8008, doi: 10.1016/j.tsf.2008.04.043.
- Magnozzi, M., Bisio, F., dan Canepa, M., 2017, Solid-state dewetting of thin Au films studied with real-time, in situ spectroscopic ellipsometry, *Applied Surface Science*, Elsevier B.V., 421, pp. 651–655, doi: 10.1016/j.apsusc.2016.09.115.
- Maulana, L. Z., 2016, Aplikasi Spectroscopic Ellipsometry dengan Panjang Gelombang Tunggal sebagai Biosensor, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Maulana, L. Z., Megasari, K., Suharyadi, E., Anugraha, R., Abraha, K., dan Santoso, I., 2017, Inexpensive Home-Made Single Wavelength Ellipsometer ($\lambda = 633$ nm) for Measuring the Optical Constant of Nanostructured Materials, *IOP Conference Series: Materials Science and Engineering*, 202, p. 12031, doi: 10.1088/1757-899X/202/1/012031.
- Maurya, D. K., Sardarinejad, A., dan Alameh, K., 2014, Recent Developments in R.F. Magnetron Sputtered Thin Films for pH Sensing Applications—An Overview, *Coatings*, pp. 756–771, doi: 10.3390/coatings4040756.
- McPeak, K. M., Jayanti, S.V., Kress, S. J. P., Meyer, S., Iotti, S., Rossinelli, A., dan Norris, D.J., 2015, Plasmonic Films Can Easily Be Better: Rules and Recipes, *American Chemical Society*, 2, pp. 326–333, <https://doi.org/10.1021/ph5004237>.
- Montgomery, D. C., 2013, *Design and Analysis of Experiments*, Eight edition, John Wiley & Son, Inc., Arizona.
- de Moraes, M. G. dan Costa, J. A. V., 2007, Biofixation of carbon dioxide by *Spirulina* sp. and *Scenedesmus obliquus* cultivated in a three-stage serial tubular photobioreactor, *Journal of Biotechnology*, 129(3), pp. 439–445, doi: 10.1016/j.jbiotec.2007.01.009.
- Muhammad, F. F., Aziz, S. B., dan Hussein, S. A., 2014, Effect of the dopant salt on the optical parameters of PVA:NaNO₃ solid polymer electrolyte, *Journal of Materials Science: Materials in Electronics*, 26(1), pp. 521–529, <https://doi.org/10.1007/s10854-014-2430-0>.

- Nurrohman, D. T., 2016, Monitoring pertumbuhan mikroalga dengan Biosensor Berbasis Surface Plasmon Resonance (SPR) Menggunakan Pengikat Aktif Nanopartikel Magnetik Fe₃O₄, *Tesis*, Universitas Gadjah Mada, Yogyakarta.
- Ocean optics, 2009, *Red Tide USB650 Fiber Optic Spectrometer, Installation and Operation Manual Document Number 170-00000-RT-02-0908*, Ocean Optics, Inc., USA
- Pascu, R. dan Dinescu, M., 2012, Spectroscopic ellipsometry, *Romanian Reports in physics*, 64(1), pp. 135–142.
- Rakic, A. D., Djuricic, A. B., Elazar, J. M., dan Majewski, M. L., 1998, Optical properties of metallic films for vertical-cavity optoelectronic devices, *Applied Optics*, 37(22), pp. 5271–5283, <https://doi.org/10.1364/AO.37.005271>.
- Rouessac, F. dan Rouessac, A., 2007, *Chemical Analysis: Modern Instrumentation Methods and Techniques*, John Wiley & Son, Ltd., England.
- Saqer, L., Ahmad, M. Al, Ain, A., Ain, A., Naqbi, A. H. Al, dan Ain, A., 2015, Monitoring of Microalgae Lipid Accumulation System Overview, *Proceeding of the 8th IEEE GCC Conference and Exhibition*, pp. 1–4.
- Schnepf, M., Mayer, M., Kuttner, C., Tebbe, M., Wolf, D., Dulle, M., Altantzis, T., Formanek, P., Förster, S., Bals, S., Koenig, T.A.F., dan Fery, A., 2017, Nanorattles with Tailored Electric Field Enhancement, *Nanoscale*, pp. 1-22, doi: 10.1039/C7NR02952G.
- Schram, T., Franquet, a, Terry, H., dan Vereecken, J., 1999, Spectroscopic Ellipsometry: a Non-destructive Technique for Surface Analysis, *Advanced Engineering Materials*, 1(1), pp. 63–66, doi: 10.1002/(SICI)1527-2648(199909)1:1<63::AID-ADEM63>3.0.CO;2-1.
- Suyono, E.A., Haryadi, W., Zusron, M., Nuhamunada, M., Rahayu, S., dan Nugroho, A.P., 2015, The Effect of Salinity on Growth, Dry Weight and Lipid Content of the Mixed Microalgae Culture Isolated from Glagah as Biodiesel Substrate, *Journal of Life Sciences*, 10(5), doi: 10.17265/1934-7391/2015.05.006.
- Suyono, E. A., Fahrunnida, Nopitasari, S., dan Utama, I. V., 2016, Identification of microalgae species and lipid profiling of Glagah consortium for biodiesel development from local marine resource, *ARPN Journal of Engineering and Applied Sciences*, 11(16), pp. 9970–9973.
- Tompkins, H. G., Tasic, S., Baker, J. dan Convey, D., 2000, Spectroscopic ellipsometry measurements of thin metal films, *Surface and interface analysis*, 29 (June 1999), pp. 179–187, doi: 10.1002/(SICI)1096-9918(200003)29:3<179::AID-SIA701>3.0.CO;2-O.

- Tsuchiya, K., Kitagawa, T., dan Nakamachi, E., 2003, Development of RF magnetron sputtering method to fabricate PZT thin film actuator, *Precision Engineering*, 27 (3), pp. 258–264. doi: 10.1016/S0141-6359(03)00006-0.
- Utama, I., Novitasari, S., Stevanus, dan Fahrunnida, 2015, Isolasi Kultur Murni Alga dan Konsorsium Superstain Glagah sebagai Stok Culture Collection di Indonesia, *Program Kreativitas Mahasiswa*, Universitas Gadjah Mada, Yogyakarta.
- Xu, Z., Wan, L., dan Huang, X., 2009, *Surface Engineering of Polymer Membranes*, Zhejiang University Press, Hangzhou, dan Springer-Verlag GmbH Berlin, Heidelberg, <https://doi.org/10.1007/978-3-540-88413-2>.
- Worsley, G. J., Tourniaire, G. A., Medlock, K. E. S., Sartain, F. K., Harmer, H. E., Thatcher, M., dan Horgan, A. M., 2007, Continuous Blood Glucose Monitoring with a Thin-Film Optical Sensor, *Clinical Chemistry*, 53, 10, pp. 1820–1826, doi: 10.1373/clinchem.2007.091629.