

DAFTAR PUSTAKA

- Adam, J.M., 2009. *Buku Ajar Ilmu Penyakit Dalam Jilid III Ed. IV*. Balai Penerbit FKUI, Jakarta. Halaman 1984-1992.
- Ahmed, O.M., Moneim, A.A., Yazid, I.A., Mahmoud A.M., 2010. Antihyperglycemic, antihyperlipidemic and antioxidant effects and the probable mechanisms of action of *Ruta graveolens* infusion and rutin in nicotinamide-streptozotocin-induced diabetic rats. *Diabet. Croatica*. 39(1): 15-35.
- Akhgari, M., Abdollahi, M., Kebryaezadeh, A., Hosseini, R., Sabzevari, O., 2003. Biochemical evidence for free radical induce lipid peroxidation as a mechanism for subchronic toxicity of malathion in blood and liver of rats. *HET*. 22: 205-211.
- Arovah, N.I., 2011. Pemrograman latihan fisik pada penyakit kronis. Artikel penelitian [serial online] [sitasi 2017 Agustus 21]. Tersedia pada: <http://staffnew.uny.ac.id/upload/132300162/penelitian/5.+Prinsip+Pemrograman+Latihan+Fisik+Pada+Penderita+Penyakit+Kronis.pdf>.
- Astuti, S., Muchtadi, D., Astawan, M., Purwantara, B., Wresdiyati, T., 2009. Pengaruh pemberian tepung kedelai kaya isoflavon terhadap kadar malonaldehid (MDA), aktivitas superoksida dismutase (SOD) testis dan profil Cu,Zn-SOD tubuli seminiferi testid tikus jantan. *J.Teknol. & Indus. Pangan*. 20 (2): 129-134.
- Azima, F., Muchtadi, D., Zakaria, F.R., Prosoeryanto, B.P., 2004. Kandungan fitokimia dan aktivitas antioksidan ekstrak cassia vera (*Cinnamomum burmanii*). *Stigma*. 12(2): 232-236.
- Chen, J., Zhang, Z., Cai, L., 2014. Diabetic cardiomyopathy and its prevention by Nrf2: current status. *DMJ*. 38: 337-345.
- Choi, J.H., Rho, M.C., Lee, S.W., Choi, J.N., Kim, K., Song, G.Y., *et al.*, 2008. Bavachin and isobavachalcone, Acyl-coenzyme A: Cholesterol acyltransferase inhibitors from *Psoralea corylifolia*. *Arch. Pharm. Res*. 31(11): 1419-1423.
- Daniel, R.S., Devi, K.S., Augusti, K.T., Nair, C.R.S., 2003. Mechanism of action of antiatherogenic and related effects of *Ficus bengalensis* Linn. Flavonoids in experimental animals. *IJEB*. 41: 296-303.
- Dewi, M., Resistensi insulin terkait obesitas: mekanisme endokrin dan intrinsic sel. *J. Gizi & Pangan*, 2(2): 49-54.
- Evans, C.A.R., Diplock, A.T., Simons, M.C.R., 1991. *Techniques in Free Radical Research*. Elsevier Science Publisher, Amsterdam.

- Falah, S., Suzuki, T., Katayama, T., 2008. Chemical constituent from *Swietenia macrophylla* bark and their antioxidant activity. *Pak. J. Biol. Sci.* 11(16): 2007-2012.
- Farris, M., W., Chan, C., B., Patel, M., Van Houten, B., Orrenius, S., 2005. Role of mitochondria in toxic oxidative stress. *Mol. Intervent.* 5(2): 94-111.
- Feng, F.J., Yu, C.H., Ying, K.J., Hua, J., Dai, X.Y., 2011. Hypolipidemic and antioxidant effects of total flavonoids of *Perilla Frutescens* leaves in hyperlipidemia rats induced by high-fat diet. *Food Res. International.* 44: 404-409.
- Goh, B.H., Kadir, H.A., 2011. In vitro cytotoxic potential *Sweitenia macrophylla* King seeds against human carcinoma cell lines. *JMPR.* 5(8): 1395-1404.
- Gorinstein, S., Leontowicz, H., Leontowicz, M., Krzeminski, R., Gralak, M., Licon, E.D., *et al.*, 2005. Changes in plasma lipid and antioxidant activity in rats as a result of naringin and red grapefruit supplementation. *J. Agric. Food Chem.* 53: 3223-3228.
- Guyton, Hall J.E., 2007. *Buku Ajar Fisiologi Kedokteran (Terjemahan) Edisi 11.* Rachman, R.Y., Hartanto, H., Novrianti, A., Wulandari, N. (Eds). Penerbit EGC, Jakarta. Halaman 891-892.
- Hidayati, S.N., Hadi, H., Lestariana, W., 2006. Hubungan asupan zat gizi dan indeks masa tubuh dengan hyperlipidemia pada murid SLTP yang obesitas di Yogyakarta. *Sari Ped.* 8(1): 25-31.
- Ihedioha, J., I., 2013. Reference values for the serum lipid profile of albino rats (*Rattus norvegicus*) of varied ages and sexes. *Comp. Clin. Pathol.* 22: 93-99.
- Info agribisnis, 2015. Biji mahoni ampuh atasi diabetes mellitus. <http://www.infoagribisnis.com/2015/06/biji-mahoni/>.
- Ismail, M., Al-Naqeep, G., Chan, K.W., 2010. *Nigella sativa* thymoquinone-rich fraction greatly improves plasma antioxidant capacity and expression of antioxidant genes in hypercholesterolemic rats. *Free Radical Biology & Medicine.* 48:664-672.
- Jaagus, H., Sildmae, S., Hedman, A., Kadarik, M., Kaljusaar, H., Masik, S., Pilv, S., Ueetoa, T., 2010. Impact of hypertension, age and gender on atherosclerosis of descending aorta. *J. Hypertens.* 28: 464.
- Kemenkes RI, 2010. Profil kesehatan Indonesia tahun 2009. [sitasi 22 agustus 2017]. Tersedia pada: <http://www.depkes.go.id/resources/download/pusdatin/profil-kesehatan-indonesia/profil-kesehatan-indonesia-2009.pdf>
- Kemenkes RI, 2014. Info datin: Pusat data dan informasi kementerian kesehatan RI Situasi kesehatan jantung. [akses 1 Juli 2017]. www.depkes.go.id/download.php?file=download/pusdatin/infodatin/infodatin...pdf

- Khaerunnisa, S., Kuswarini, S., Suhartati, Lukitasari, L., Humairah, I., Arta, R.B.N., Gwenny, I.P., 2014. Sari etanol etil asetat alang-alang (*Imperata cylindrical*) terhadap suproksida dismutase (SOD). *IJCP & ML*. 20(2); 128-132.
- Kobayashi, Y., Miyazawa, M., Kamei, A., Abe, K., Kojima, T., 2010. Ameliorative effects of mulberry (*Morus alba* L.) leaves on hyperlipidemia in rats fed a high-fat diet: Induction of fatty acid oxidation, inhibition of lipogenesis, and suppression of oxidative stress. *Biosci. Biotechnol. Biochem.* 74 (12): 2385–2395.
- Koo, S.I., Noh, S.K., 2007. Green tea as inhibitor of the intestinal absorption of lipids: potential mechanism for its lipid lowering effect. *J. Nut. Biochem.* 18: 179-183.
- Krisnawati, H., Kallio, M., Kanninen, M., 2011. *Swietenia macrophylla* King: *Ecology, Silviculture and Productivity*. CIFOR, Bogor. Halaman 1-3.
- Li, H., Horke, S., Forstermann, U., 2013. Oxidative stress in vascular disease and its pharmacological prevention. *Trends in Pharm. Sci.* 34 (6): 313-319.
- Li, Y.M., Chan, H.Y.E., Huang, Y., Chen, Z.Y., 2007. Green tea catechins upregulate superoxide dismutase and catalase in fruit flies. *Mol. Nutr. Food Res.* 51: 546-554.
- Liu, C., Lin, J.D., 2011. PGC-1 coactivators in the control of energy metabolism. *Acta Biochim Biophys Sin.* 43(4): 248-257.
- Livak, K.J., Schmittgen, T.D., 2001. Analysis of relative gene expression data using realtime euantitative PCR and the $2^{-\Delta\Delta C_t}$ method. *Methods* 25: 402-408.
- Magalingam, K.B., Radhakrishnan, A., Haleagrahara, N., 2013. Rutin, a bioflavonoid antioxidant protects rat pheochromocytoma (PC-12) cells against 6-hydroxydopamine (6-OHDA)-induced neurotoxicity. *IJMM*. 32: 235-240.
- Manach, C., Scalbert, A., Morand, C., remesy, C., Jimenez, L., 2004. Polyphenols: food source and bioavailability. *Am. J. Clin. Nutr.* 79: 727-747.
- Marks ,D.B., Marks, A.D., Smith C.M., 2000. *Biokimia Kedokteran Dasar: Sebuah Pendekatan Klinis*. Brahm U, Pendit, penerjemah; Suyono J, Sadikin V, Mandera LI, editor. Terjemahan dari: *Basic Medical Biochemistry: A Clinical Approach*. Penerbit EGC, Jakarta. Halaman 324, 478.
- Martin, M.A., Serrano, B.G., Ramos, S., Pulido, M.I., Bravo, L., Goya, L., 2010. Cocoa flavonoids up-regulate antioxidant enzyme activity via the ERK1/2 pathway to protect against oxidative stress-induced apoptosis in HepG2 cells. *J. Nut. Biochem.* 21: 196-205.

- Moghadamtousi, S.Z., Goh, B.H., Chan, C.K., Shabab, T., Kadir, H.A., 2013. Biological activities and phytochemicals of *Swietenia macrophylla* King. *Molecules*. 18: 10465-10483
- Mursiti, S., 2015. Isolasi Senyawa Metabolit Sekunder Antihiperglikemik dari Biji Mahoni (*Swietenia macrophylla*, King). [Disertasi]. UGM, Yogyakarta.
- Mycek, M.J., Harvey, R.A., dan Champe C.C., 2001. *Farmakologi Ulasan Bergambar. Lippincott's Illustrated Reviews: Pharmacology*. Penerjemah Azwar Agoes. Widya Medika, Jakarta. Halaman 35-38.
- Naso, F.C., Dias, A.S., Porawski, M., Marroni, N.A.P., 2011. Exogenous superoxide dismutase: Action on liver oxidative stress in animals with streptozotocin-induced diabetes. *Exp.Diabet.Res.* 11: 1-6.
- National Centre for Biotechnology Information (NCBI), 2006. Sod2 superoxide dismutase 2 [*Rattus norvegicus* (Norway rat)]. <https://www.ncbi.nlm.nih.gov/gene/24787>
- Ott, M., Gogvadze, V., Orrenius, S., 2007. Mitochondria, oxidative stress and cell death. *Apoptosis*. 12: 913-922.
- Packer, L., 2002. *Methods in Enzymology Volume 349; Superoxide Dismutase*. Academic Press, California. Halaman 61-74.
- Pandey, M.K., Mittra, P., Maheshwari, P.K., 2012. The lipid peroxidation product as a marker of oxidative stress in epilepsy. *JCDR*. 6(4): 590-592.
- Prasetyastuti, 2016. Potensi Antidiabetik 7-hidroksi-2-(4-hidroksi-3-metoksifenil)-kroman-4-one Biji Mahoni (*Swietenia macrophylla* King) Pada Model Tikus Diabetes Tipe 2 : Kajian Ekspresi Gen Glucagon Like peptide-1 (GLP-1), Retinol Binding Protein-4 (RBP-4) dan Phosphoenolpyruvate carboxykinase (PEPCK). [disertasi]. UGM, Yogyakarta.
- Prasetyastuti, Sunarti, Sadewa, A.H., Mustofa., 2016. Effect of 7-hydroxy-2-(4-hydroxy-3-methoxy-phenyl)- chroman-4-one (*Swietenia macrophylla* King seed) on retinol binding protein-4 and phosphoenolpyruvate carboxykinase gene expression in type 2 diabetic rats. *Rom. J. Diabetes. Metab. Dis.* 23(3): 255-265.
- Pratiwi, N.L., 2016. The effect of crude extract alginate *Sargassum crassifolium* powder for cholesterol total level on rats (*Rattus norvegicus*). *JLAT*. 2(2): 309-317.
- Price, S.A., Wilson, L.M., 2006. *Patofisiologi: Konsep Klinis Proses-Proses Penyakit Ed. 6 Vol. 1*. Penerbit EGC, Jakarta. Halaman 42-48.
- Prince, P., Kannan, N.K., 2006. Protective effect of rutin on lipids, lipoproteins, lipid metabolizing enzymes and glycoproteins in streptozotocin-induced diabetic rats. *J. Phar.* 58: 1373-1383.
- Puskas, L.G., Nagy, Z.B., Giricz, Z., Onody, A., Csonka, C., Kitajka, K., Hackler, L., Zvara, A., Ferdinandy, P., 2004. Cholesterol diet-induced hyperlipidemia

influences gene expression pattern of rat hearts: a DNA microarray study. *FEBS Letters*. 562: 99-104.

- Ramos, S., Moulay, L., Serrano, B.G., Vilanova, O., Muguerza, B., Goya, L., Bravo, L., 2008. Hypolipidemic effect in cholesterol-fed rats of a soluble fiber-rich product obtained from cocoa husks. *J. Agric. Food Chem.* 56: 6985-6993.
- Redha, A., 2010. Flavonoid: struktur, sifat antoksidatif dan peranannya dalam sistem biologi. *J. Belian*. 9(2): 196-202.
- Rubenstein, D., Wayne, D., Bradley, J., 2003. *Lecture Notes on Clinical Medicine: Sixth Edition*. Penerjemah; Amalia S. Penerbit Erlangga, Jakarta. Halaman 190-193.
- Satriyasa, B.K., Aqueous extract of purple sweet potato tubers decrease MDA and increase SOD2 in kidney of diabetic rats. *Bali Med J.* 5(3): 29-32.
- Shigematsu, K., Watanabe, Y., Nakano, H., 2015. Influences of hyperlipidemia history on stroke outcome; a retrospective cohort study based on the Kyoto stroke registry. *BMC Neurology*. 15(44): 1-6.
- Sumardika, I.W., Jawi, I.M., 2012. Ekstrak air daun ubijalar ungu memperbaiki profil lipid dan meningkatkan kadar SOD darah tikus yang diberi makanan tinggi kolesterol. *MEDICINA*. 43 (2): 67-70.
- Sumardjo, D., 2008. *Pengantar Kimia: Buku Panduan Kuliah Mahasiswa Kedokteran dan Program Strata I Fakultas Bioeksakta*. Penerbit EGC, Jakarta. Halaman 263.
- Tjay, T.H., Rahardja, K., 2007. *Obat-obat Penting: Kasiat, Penggunaan dan Efek-efek Sampingnya*. Elex Media Komputindo, Jakarta. Halaman 570-577.
- Trisna, I., Hamid, S., 2009. Faktor-faktor yang berhubungan dengan obesitas sentral pada wanita dewasa 930-50 tahun) di Kecamatan Lubuk Sikaping tahun 2008. *JKM*. 3(2): 68-71.
- Vomhof-DeKrey, E., E., Picklo, M., J., 2012. The Nrf2-antioxidant response element pathway: a target for regulating energy metabolism. *J. Nutr. Biochem*. 23: 1201-1206
- Walle, T., 2004. Flavonoids and isoflavones (phytoestrogens): Absorption, metabolism and bioactivity. *Free Radical Bio. Med.* 36(7): 829-837.
- Winarsi, 2007. *Antioksidan Alami dan Radikal Bebas*. Penerbit Kanisius, Yogyakarta. Halaman 86.
- World Health Organization (WHO), 2015. Top 10 causes of death worldwide. [akses: 23 Februari 2018]. <http://www.who.int/mediacentre/factsheets/fs310/en/>.
- Wu, S.F., Lin, C.K., Chuang, Y.S., Chang, F.R., Tseng, C.K., Wu, Y.C., Lee, J.C. 2012. Anti-hepatitis C virus activity of 3-hydroxy caruillignan C from *Swietenia macrophylla* stems. *JVH*. 19: 364-370.



- Zainuri, M., Wanandi, S.I., 2012. Aktivitas spesifik manganese superoxide dismutase (MnSOD) dan katalase pada hati tikus yang diinduksi hipoksia sistemik: hubungannya dengan kerusakan oksidatif. *Media Litbang Kesehatan*. 22 (2): 87-92.
- Zhu, F.S., Liu, S., Chen, X.M., Huang, Z.G., Zhang, D.W., 2008. Effects of n-3 polyunsaturated fatty acids from seal oils on nonalcoholic fatty liver disease associated with hyperlipidemia. *World J. Gastroenterol*. 14(41): 6395-640.