

DAFTAR PUSTAKA

- Agency for Toxic Substances and Disease Registry (ATSDR), 1990, *Toxicological Profile for Nitrobenzene*, U.S Department of Health and Human Service, Atlanta.
- Ahangaran, F., Hassanzadeh, A., and Nouri, S., 2013, Surface Modification of Fe₃O₄@SiO₂ Microsphere by Silane Coupling Agent, *Int. Nano. Lett.*, 3 (23).
- Akerlöf, G., 1932, Dielectric Constants of Some Organic Solvent-Water Mixtures at Various Temperatures, *J. Amer. Chem. Soc.*, 54, 11.
- Aljahdali, M. S., Amin, M. S., and Mohamed, R. M., 2018, Gd-Cobalt Selenite as an Efficient Nanocomposite for Aniline Synthesis from Photocatalytic Reduction of Nitrobenzene, *Mater. Res. Bull.*, 99, 161–167.
- Astruc, D., Lu, F., and Aranzaes, J. R., 2005, Nanoparticles as Recyclable Catalysts: The Frontier Between Homogeneous and Heterogeneous Catalysis, *Angew. Chem. Int. Ed. Engl.*, 44 (48), 7852–7872.
- Beydoun, D., Amal, R., Low, G.K.-C., and McEvoy, S., 2000, Novel Photocatalyst: Titania-Coated Magnetite. Activity and Photodissolution, *J. Phys. Chem. B.*, 104, 4387-4396.
- Beydoun, D., Amal, R., Low, G., dan McEvoy, S., 2002, Occurrence and Prevention of Photodissolution at the Phase Junction of Magnetite and Titanium Dioxide, *J. Mol. Catal. A: Chem.*, 180, 193-200.
- Bokhimi, X., Morales, A., Aguilar, M., Toledo-Antonio, J. A., and Pedraza, F., 2001, Local Order in Titania Polymorphs, *Int. J. Hydrogen Energy*, 26 (12), 1279-1287.
- Brezová, V., Tarábek, P., Dvoranová, D., Staško, A., and Biskupič, S., 2003, EPR Study of Photoinduced Reduction of Nitroso Compounds in Titanium Dioxide Suspensions, *J. Photochem. Photobio. A.*, 155, 179-198.
- Castillo, R.R.V., Gracia, M.E.R., Mendoza, R.N., Ruiz, M.G., and Cortez-Lorenzo, F.A., 2013, Crystallographic Study of TiO₂ Obtained by Different Synthesis Methods, *Sci. Res.*, 1, 30-37.
- Chen, J. W., and Qin, C. Q., 1992, Reduction of Alkenes and Aromatic Nitro Compounds with Borohydride Exchange Resin (BER) Catalyzed by Transition Metal Compounds, *React. Polym.*, 16 (3), 287–295.

- Chen, X., and Mao, S.S., 2007, Titanium Dioxide Nanomaterials: Synthesis, Properties, Modifications, and Applications, *Chem. Rev.*, 107, 2891-2959.
- Chen, S., Zhang, H., Yu, X., and Liu, W., 2010, Photocatalytic Reduction of Nitrobenzene by Titanium Dioxide Powder, *Chin. J. Chem.*, 28, 21-26.
- Chen, S., Zhang, H., Yu, X., and Wei, L., 2011, Photocatalytic Reduction of Nitro Compounds Using TiO₂ Photocatalyst by UV and Vis Dye-sensitized Systems, *Chin. J. Chem.*, 29 (3), 399–404.
- Farimani, M.H.R., Shahtahmasebi, N., Roknabadi, M.R., dan Ghows, N., 2013, Synthesis and Study of Structural and Magnetic Properties of Super Paramagnetic Fe₃O₄@SiO₂ Core/Shell Nanocomposite for Bimedical Applications, *Nanomed. J.*, 1, 71-78.
- Ferry, J. L., and Glaze, W. H., 1998, Photocatalytic Reduction of Nitro Organics Over Illuminated Titanium Dioxide: Role of The TiO₂ Surface, *Langmuir*, 14, 3551–3555.
- Flores, S. O., Rios-Bernij, O., Valenzuela, M. A., Córdova, I., Gómez, R., and Gutiérrez, R., 2007, Photocatalytic Reduction of Nitrobenzene Over Titanium Dioxide: by-Product Identification and Possible Pathways, *Top. Catal.* 44, 507–511.
- Fu, H., and Zhu, D., 2013, Graphene Oxide-Facilitated Reduction of Nitrobenzene In Sulfide Containing Aqueous Solutions, *Environ. Sci. Technol*, 47, 4204–4213.
- Fuertes, V.C., Negre, C.F.A., Oviedo, M.B., Bonafe, F.P., Oliva, F.Y., and Sanchez, C.G., 2013, A Theoretical Study of The Optical Properties of Nanostructured TiO₂, *J. Phys.: Condens. Matter*, 25, 1-7.
- Fujishimaa, A., Zhang, X., and Tryk, D.A., 2008, TiO₂ Photocatalysis and Related Surface Phenomena, *Surf. Sci. Rep.* 63, 515–582.
- Gad-Allah, T.A., Kato, S., Satokawa, S., and Kojima, T., 2007, Role of Core Diameter and Silica Content in Photocatalytic Activity of TiO₂/SiO₂/Fe₃O₄ Composite, *Solid State Sci.*, 9, 737-743.
- Gao, M., Li, W., Dong, J., Zhang, Z., and Yang, B., 2011, Synthesis and Characterization of Superparamagnetic Fe₃O₄@SiO₂ Core-Shell Composite Nanoparticles, *World Journal of Condensed Matter Physics*, 1, 49-54.
- Huang, X., Wang, G., Yang, Mu., Guo, W., and Gao, H., 2011, Synthesis of Polyaniline-Modified Fe₃O₄/SiO₂/TiO₂ Composite Microspheres and Their Photocatalytic Application, *Material Letters*, 65, 2887-2890.

- Hoffmann, M.R., Martin, S.T., Choi, W., and Bahnemann, D.W., 1995, Environmental Application of Semiconductor Photocatalyst, *Chem.Rev.*, 95, 69-96.
- Jimmy, C., Zhang, L., Zheng, Z., and Zhao, J., 2003, Synthesis and Characterization of Phosphated Mesoporous Titanium Dioxide with High Photocatalytic Activity: Supporting Information, *Chem. Mater.*, (15), 2280–2286.
- Jo, W.K., Won, Y.S., Hwang, I., and Tayade, R.J., 2014, Enhanced Photocatalytic Degradation of Aqueous Nitrobenzene Using Graphitic Carbon-TiO₂ Composites, *Ind. Eng. Chem. Res.*, 53, 3455-3461.
- Kementerian Lingkungan Hidup dan Kehutanan, 2018, *KLHK Tegas Tangani Kasus Pencemaran Lingkungan* dalam http://ppid.menlhk.go.id/siaran_pers/browse/1148 diakses pada 26 April 2018.
- Kominami, H., Iwasaki, S., Maeda, T., Imamura, K., Hashimoto, K., Kera, Y., and Ohtani, B., 2009, Photocatalytic Reduction of Nitrobenzene to Aniline in an Aqueous Suspension of Titanium (IV) Oxide Particles in the Presence of Oxalic Acid as a Hole Scavenger and Promotive Effect of Dioxygen in the System, *Chem. Lett.*, 38 (5), 410-411.
- Kunarti, E.S., Syoufian, A., Budi, I.S., and Pradipta, A.R., 2016, Preparation and Properties of Fe₃O₄/SiO₂/TiO₂ Core/Shell Nanocomposite as Recoverable Photocatalyst, *Asian J. Chem.*, 28, 1343-1346.
- Lee, S.W., Drwiega, J., Mazyck, D., Wu, C.Y., and Sigmund, W.M., 2006, Synthesis and Characterization of Hard Magnetic Composite Photocatalyst: Barium Ferrite/ Silica/Titania, *Mater. Chem. Phys.*, 96, 483-488.
- Li, X., Wang, D., Cheng, G., Luo, Q., An, J., and Wang, Y., 2008, Preparation of Polyaniline-modified TiO₂ Nanoparticles and Their Photocatalytic Activity Under Visible Light Illumination, *Appl. Catal. B.*, 8, 267-273.
- Li, T., Zhou, Z., and He, L., 2017, A Novel Approach for Enhancing Bacterial Strains' Nitrobenzene Degradation Rate International Biodeterioration and Biodegradation, *Int. Biodeterior. Biodegradation*, 123, 63-69.
- Liu, S., Wang, Y., Jiang, J., and Jin, Z., 2009, The Selective Reduction of Nitroarenes to Narylhydroxylamines Using Zn in A CO₂/H₂O System, *Green Chem.*, 11, 1397-1400.
- Ma, X., Jiang, T., Han, B., Zhang, J., Miao, S., Ding, K., An, G., Xie, Y., Zhou, Y., and Zhu, A., 2008, Palladium Nanoparticles in Polyethylene Glycols: Efficient and Recyclable Catalyst System for Hydrogenation of Olefins, *Catal. Commun.*, 9, 70-74.

- Majewski, P. dan Thierry, 2013, Functionalized Magnetite Nanoparticles Synthesis, Properties, and Bio-Applications, *Crit. Rev. Solid State Mater. Sci.*, 32, 203-215.
- Makarova, O. V., Rajh, T., Thurnauer, M. C., Martin, A., Kemme, P. A., and Cropek, D., 2000, Surface Modification of TiO₂ Nanoparticles for Photochemical Reduction of Nitrobenzene, *Environ. Sci. Technol.*, 34 (22), 4797–4803.
- Mital, G.S., and Manoj, T., 2011, A Review of TiO₂ Nanoparticles, *Chin. Sci. Bull.*, 56 (16), 1639-1657.
- Na, Y., Yang, S., and Lee, S., 2014, Evaluation of Citrate-Coated Magnetic Nanoparticles as Draw Solute for Forward Osmosis, *Desalination*, 347, 3442.
- Nishikawa, Y., and Okumura, T., 1995, Determination of Nitrobenzenes In River Water, Sediment And Fish Samples by Gas Chromatography-Mass Spectrometry, *Anal. Chim. Acta*, 312, 45–55.
- Noganta, S., 2015, Photocatalytic Degradation of Organic Pollutants Using Ag-Fe₃O₄/SiO₂/TiO₂ Nanocomposite, *Thesis*, University of Western Cape, Cape Town.
- Park, J.Y., Lee, C., Jung, K.W., and Jung, D., 2009, Structure Related Photocatalytic Properties of TiO₂, *Bull. Korean Chem. Soc.*, 30, 402-404.
- Petcharoen, K. and Sirivat, A., 2012, Synthesis and Characterization of Magnetite Nanoparticles via the Chemical Co-precipitation Method, *Materials Science and Engineering*, B 177, 421-427.
- Poole Jr, C.P., dan Owens, F.J., 2003, *Introduction to Nanotechnology. Illustrated ed.* Hoboken, John Wiley & Sons, New Jersey.
- Pozzo, R.L., Baltan'as, M.A, and Cassano, A.E., 1997, Supported Titanium Dioxide as Photocatalyst in Water Decontamination, *J. State of The Art. Catal.*, 39, 219-231.
- Ragaini, F., Cenini, S., and Gasperini, M., 2001, Reduction of Nitrobenzene to Aniline by CO/H₂O Catalysed by Ru-3(CO)(12)/Chelating Diimines, *J. Mol. Catal. A: Chem.*, 174, 51-57.
- Rajendran, V., and Vijayalakshmi, R., 2012, Synthesis and Characterization of Nano-TiO₂ via Different Methods, *Arch. Appl. Sci. Res.*, 4(2), 1183-1190.
- Shchukin, D.G., Kulak, A.I., and Sviridov, D.V., 2002, Magnetic Photocatalysts of Core-Shell Type, *Photochem. Photobiol. Sci.*, 1, 742–744.

- Sulaiman, F., 2016, *Mengenal Industri Petrokimia*, Untirta Press, Serang.
- Tan, T., Beydoun, D., and Amal, R., 2003, Effects of Organic Hole Scavengers on The Photocatalytic Reduction of Selenium Anions, *J. Photochem. Photobiol.*, 159 (3), 273–280.
- Tanaka, A., Nishino, Y., Sakaguchi, S., Yoshikawa, T., Imamura, K., Hashimoto, K., and Kominami, H., 2013, Functionalization of a Plasmonic Au/TiO₂ Photocatalyst with an Ag Co-Catalyst for Quantitative Reduction of Nitrobenzene to Aniline in 2-Propanol Suspensions Under Irradiation of Visible Light, *Chem. Commun.*, 49, 2551-2553.
- Ullah, S., Ferreira-Neto, E.P., Pasa, A.A., Alcântara, C.C.J., Acuña, J.J.S., Bilmes, S.A., Ricci, M.L.M., Landers, R., Fermino, T.Z., and Rodrigues-Filho, U.P., 2015, Enhanced Photocatalytic Properties of Core@Shell SiO₂@TiO₂ Nanoparticles, *App. Cat. B: Environ.*, 179, 333-343.
- Wang, L. M., Wang, N., Zhu, L. H., Yu, H. W., and Tang, H.Q., 2008, Photocatalytic Reduction of Cr(VI) Over Different TiO₂ Photocatalysts and The Effects Of Dissolved Organic Species, *J. Hazard. Mater.*, 152, 93-99.
- Wang, A., Cheng, H., Liang, B., Ren, N., Cui, D., Lin, N., Kim, B.H., and Rabaey, K., 2011, Efficient Reduction of Nitrobenzene to Aniline with a Biocatalyzed Cathode, *Environ. Sci. Technol.*, 45, 10186–10191.
- Watts, J.R., Kong, S., and Lee, W., 1995, Sedimentation and Reuse of Titanium Dioxide: Application to Suspended-Photocatalyst Reactors, *J. Environ. Eng.*, 121, 730-735.
- Xi, W., and Geissen, S.U., 2001, Separation of Titanium Dioxide from Photocatalytically Treated Water by Cross-Flow Microfiltration, *Wat. Res.*, 35, 1256-1262.
- Xu, M., Gao, Y., Moreno, M.E., Kunst, M., Muhler, M., Wang, Y., Idriss, H., and Wöll, C., 2011, Photocatalytic Activity of Bulk TiO₂ Anatase and Rutile Single Crystals Using Infrared Absorption Spectroscopy, *Phys. Rev. Lett.*, 106.
- Zielińska-Jurek, A., Bielan, Z., Dudziak, S., Wolak, I., Sobczak, Z., Klimczuk, T., Nowaczyk, G., and Hupka, J., 2017, Design and Application of Magnetic Photocatalysts for Water Treatment. The Effect of Particle Charge on Surface Functionality. *Catalysts*, 7, 360.
- Zhang, H., Lv, X., Li, Y., Wang, Y., and Li, J., 2009, P25-Graphene Composite as a High Performance Photocatalyst, *ACS Nano*, 4, 380-386.
- Zhang, Y., Zhang, K., Dai, C., and Zhou, X., 2014, Performance and Mechanism of Pyrite for Nitrobenzene Removal In Aqueous Solution, *Chem. Eng. Sci.*, 111, 135–141.