

## DAFTAR PUSTAKA

- Ahmad, N., Hussain, S.T., Bakhtiar Muhammad, B., Ali, N., Abbas, S.M. and Ali, Z., 2013, Zr-pillared montmorillonit supported cobalt nanoparticles for Fischer–Tropsch synthesis. *Progress in Natural Science: Materials International*, 23; 4, 374–381
- Ahmed, R., Sinnathambi, C.M., Subbarao, D., 2011, Kinetics of De-coking of Spent Reforming catalyst, *J Appl Sci*, 11 (7), 1225-1230
- Alstrup, I., 1988, A new model explaining carbon filament growth on nickel, iron, and Ni-Cu alloy catalysts. *J. Catal*, 109; 2, 241-251
- Arbeláez O., Reina T.R., Ivanova S., Bustamante F., Villa A.L., Centeno M.A., Odriozola J. A., 2015, Mono and bimetallic Cu-Ni structured catalysts for the water gas shift reaction, *App. Catal. A: General*, 497, 1-9
- Ashok, J.S., Kumar, N., Subrahmanyam, M. and Venugopal, A., 2008, Catalytic decomposition of CH<sub>4</sub> over Ni-Al<sub>2</sub>O<sub>3</sub>-SiO<sub>2</sub> catalysts: influence of pretreatment conditions for the production of H<sub>2</sub>. *Catal. Lett.*, 121, 283
- Bagshaw, S. A. and Cooney, R P., 1993, FTIR surface site analysis of pillared clays using pyridine probe species, *Chem. Mater.* 5, 1101-1109
- Bahamonde, A., Mohino, F., Rebollar M., Yates, M., Avila, P. and Mendioroz, S., 2001, Pillared clay and zirconia-based monolithic catalysts for selective catalytic reduction of nitric oxide by methane, *Catal. Today*. 69, 1-4, 233-239
- Bahranowski, K., Labanawska, M., and Serwicka, E.M., 1996, ESR Characterization of Catalytically Active V Centres Supported on Alumina-, Titania-, and Zirconia-Pillared Montmorillonite Clays, *Appl. Magn. Reson.*; 10, 477-490
- Bahranowski, K., Grabowski, R., Grzybowska, B., Kielski, A., Serwicka, E. M., Wcislo, K., Wisla-Walsh, E. and Wodnicka, K., 2000, Synthesis and physico-chemical properties of vanadium-doped zirconia pillared montmorillonites in relation to oxidative dehydrogenation of propane. *Top. Catal.* 11, 12, 255-261
- Barrer, R.M. and McLeod, D.M., 1955, Activation of montmorillonit by ion exchange and sorption complexes of tetraalkyl ammonium montmorillonites. *Trans. Faraday Soc.*, 51, 1290.
- Barrer, R.M., 1989, Clay minerals as selective and shape-selective sorbents, *Pure & Appl. Chem*, 61, 11, 1903-1912.
- Bartley, G and Burch, J., 1989, Zr-Containing Pillared Interlayer Clays. Part IV. Copper Containing Catalysts For The Synthesis Gas Reaction, *Appl. Catal*, 28, 209-221
- Bartholomew, C.H., 1982, Carbon deposition in steam reforming and methanation. *Catal. Rev.*, 24(1), 67-112
- Bathia, S., Mohammed, A.R, and Shah, N.A.A., 2009, Composite as cracking Catalyst in the Production of Biofuel from Palm Oil: Deactivation Studies. *Chem. Eng. J.* , 155, 347-354
- Benson, T.J., Hernandez, R., French, W.T., Alley, E.G., and Holmes, W.E., 2009, Elucidation of the Catalytic Pathway to Unsaturated mono-

- ,di- and Triacylglycerides on Solid Acid Catalysts. *J. Mol. Catal. A*: 303, 117-123
- Bergaya, F. and Lagaly, G., 2006, Chapter 1: General Introduction: Clays, Clay Minerals, and Clay Science, *Handbook of Clay Science*, Elsevier, 1; 1-18
- Bertella, F. and Pergher, S. B.C., 2015, Pillaring of bentonite clay with Al and Co, *Micropor Mesopor Mater*, 201,116–123.
- Bezergianni,S. and Koligianni, A., 2009, Hydrocracking of used cooking oil for biofuel production, *Bioresour. Technol.*, 100, 3927-3932.
- Bineesh, K.V. and Park, D.W., 2011,Structural modification of montmorillonit clay by pillaring process: Its characterization and applications division of chemical engineering, *Pusan National University*, Busan 609-735, Republic of Korea, Nova Science Publishers, Inc.
- Bineesh, K. V., Kim, M., Lee, G.H., Selvaraj, M. and Park, D.W., 2013, Research paper: Catalytic performance of vanadia-doped alumina-pillared clay for selective oxidation of H<sub>2</sub>S, *Appl. Clay. Sci.* 74, 127-134.
- Birgersson M., BÖrgesson L., Hedström M., Karnland O.and and Nilsson U., 2009, Bentonite Erosion. SKB, *Technical Report TR*, Svensk Kärnbränslehantering AB, 9-34.
- Bosoglu, F. and Balci, S., 2009, Surface properties of metal-incorporated Al-Pillared interlayered clay selective catalytic analyzed by chemisorptions and infrared Analysis, *G.U. J. Sci.*, 22(3), 215-225
- Brindley G.W. and Sempels, R.E., 1977, Preparation and Properties of Some Hydroxy-Aluminium Beidellites, *Clay Miner.*, 12: 229-237
- Bueno, F.D.R., Rodrigues, A.G., Arjona, A.M., Caballero, F.J. D. R. P., 1995, Acidity of montmorillonite -(Ce or Zr) phosphate cross-linked compounds, *Clay Clay Miner.*, 43, 5, 554-561.
- Burch, R. and Warburton, C.I., 1986, Zr-Containing pillared interlayer clays: I. Preparation and structural characterisation, *J. Catal.* 97, 503-510
- Cangiano, M.A., Ojeda, M.W., Carreras A.C., González, J.A., Ruiz M.C., 2010, A study of the composition and microstructure of nanodispersed Cu–Ni alloys obtained by different routes from copper and nickel oxides, *Materials Characterization*, 61, 1135-1146
- Carvalho,A.P., Martins,A., Silva, J. Pires, J. Vasques, H. and de-Carvalho, B., 2003, Characterization of the acidity of Aland Zr-Pillared Clay, *Clays Clay Miner.* 51(3), 340-249
- Cerqueira H.S., Caeiro G., Costa L., Ramôa Ribeiro F., 2008, Deactivation of FCC catalysts, *J. of Mol. Catal A: Chemical*, 292, 1–13.
- Chen, J., Yongdan Li., Zongquan Li. and Zhang X., 2004, Production of CO<sub>x</sub>-free hydrogen and nanocarbon by direct decomposition of undiluted methane on Ni–Cu–alumina, *Appl. Cat A: General*, 269(1–2), 179-186.
- Chen M., Fan L., Qi L., Luo, X, Zhou, R. and Zheng, X., 2009, The catalytic combustion of VOCs over copper catalysts supported on cerium-modified and zirconium-pillared montmorillonite, *Catal. Com.*, 10, 838–841
- Cheng,Z.,Wu, Q., Li, J. and Zhu, Q., 1996, Effects of promoters and Preparation procedures on reforming of methane with carbon dioxide over Ni/Al<sub>2</sub>O<sub>3</sub> catalyst, *Catal. Today.*, 30,147-155

- Chew, T.L. and Bhatia, S., 2008, Catalytic Processes Towards the Production of Biofuel in a Palm Oil and Oil Palm Biomass-Based Biorefinery, *Bioresour. Technol.*, 99, 7911–7922
- Chmielarz, L., Gil, B., Kus'trowski, P., Piwowarska, Z., Dudek, B. and Michalik M., 2009, Montmorillonite-based porous clay heterostructures (PCHs) intercalated with silica–titania pillars-synthesis and characterization, *J Solid State Chem.*, 18, 1094–1104.
- Choudhary, V.R., Uphade, S. and Amman, A.S., 1995, Large enhancement in methane-to-syngas conversion activity of supported Ni catalysts due to precoating of catalyst supports with MgO, CaO or rare-earth oxide. *Catal.Lett*, 32(3-4), 387-390.
- Cool, P. and E.F. Vansant, 1996, Preparation and characterization of zirconium pillared laponite and hectorite, *Micropor Mater.*, 6, 27-36
- Cunha, A.F., Órfão J. M. and Figueiredo, J. L., 2009, Methane decomposition on Ni–Cu alloyed Raney-type catalysts, *Int.J.Hydrogen Energy.*, 34 (11), 4763-4772
- Dandik, L., and Aksoy, H.A., 1998, Pyrolysis of used sunfloweroil in presence of sodium carbonate by using fractionating pyrolysis reactor, *Fuel Process. Technol.*, 57, 2, 81-92
- De Rogatis L., Montini T., Cognigni A., Olivi L. and Fornasiero P., 2009, Methane partial oxidation on NiCu-based catalysts, *Catalysis Today*, 145, 176–185.
- Ding, Z., Zhu, H.Y., Greenfield, P.F. and Lu, G.Q., 2001<sup>a</sup>, Characterization of Pore Structure and Coordination of Titanium in TiO<sub>2</sub> and SiO<sub>2</sub>–TiO<sub>2</sub> Sol-Pillared Clays, *Colloid Interf.Sci.* 238, 267-272.
- Ding, Z., Klopprogge, J.T., Frost, R. and Zhu, L.H., 2001<sup>b</sup>, Porous clays and pillared clays-based catalysts. Part 2: a review of the catalytic and molecular sieve applications, *J.Porous Mater.* 8 (4): 273-293.
- Djomgoue, P., and Njopwouo, D., 2013, FT-IR Spectroscopy Applied for Surface Clays. *J. Surf. Eng. Mater. Adv. Technol.*, 3, 275–282.
- Dupain, X., Costa, D.J., Schaverien, C.J., Makkee, M. and Moulijn, J.A., 2007, Cracking of a rapeseed vegetable oil under realistic FCC conditions, *Appl. Catal., B*, 72, 44-61.
- Echegoyen, Y., Suelves, I., Lázaro, M.J., Sanjuán, M.L. and Moliner, R., 2007, Thermo catalytic decomposition of methane over Ni–Mg and Ni–Cu–Mg catalysts: Effect of catalyst preparation method. *Appl.Catal., A.*, 333 (2), 229-237.
- Ermakova, M.A. and D. Y. Ermakov, 2002, Ni/SiO<sub>2</sub> and Fe/SiO<sub>2</sub> catalysts for production of hydrogen and filamentous carbon via methane decomposition, *Catal.Today.*, 77, 225-235
- Farfan–Torres, E.M., Sham, E. and Grange, P., 1992, Preparation and Characterization of Zirconium Pillared Montmorillonit, *Catal.Today*, 15, 515-526
- Farouq, A., Twaiq, A., Mohamad, R. and Bhatia, S., 2004, Performance of Composite In Palm Oil for the Production of Liquid Fuels and Chemicals. *Fuel Process. Technol.*, 85, 1283-1300.
- Fatimah, I, dan Wijaya K., 2006, Pengaruh metode preparasi terhadap karakter fisiko kimiawi montmorillonit termodifikasi ZrO<sub>2</sub>, *Akta Kimindo*, 1(2): 87-92.

- Fatimah, I., Wijaya, K. dan Setyawan, K.H., 2008, Synthesis ZrO<sub>2</sub>-Montmorillonit and Application as Catalyst in Catalytic Cracking of Heavy Fraction of Crude Oil, *Bull. Chem. React Eng. Catal.*, 3(1-3), 9-13
- Fatimah, I., 2009, Zirconium Dioxide Dispersed in SiO<sub>2</sub>-Montmorillonit: Heterogeneous Catalyst for Citronellal Conversion To Isopulegol, *J. Appl. Sci. Res.*, 5 (10), 1277-1284
- Fatimah, I., 2014, Preparation of ZrO<sub>2</sub>/Al<sub>2</sub>O<sub>3</sub>-montmorillonite composite as catalyst for phenol hydroxylation, *J. Adv. Res.*, 5, 6, 663-670
- Fatimah, I., Rubiyanto, D., Huda, T., Handayani, S., Ilahi, O.M., and Yudha, S.P., 2015, Ni Dispersed on Sulfated Zirconia Pillared Montmorillonite as Bifunctional Catalyst in Eco-Friendly Citronellal Conversion, *Engineering Journal*, 19, 2015, 43-53.
- Fatimah, I., Rubiyanto, R., and Kartika, N.C., 2016, Effect of Calcination Temperature on the Synthesis of ZrO<sub>2</sub>-Pillared Saponite to Catalytic Activity in Menthol Esterification, *Indones. J. Chem.*, 16 (1), 8 – 13,
- Gandariasa I., Requies J., Ariasa P.L., Armbrusterb U., Martinb A., 2012, Liquid-phase glycerol hydrogenolysis by formic acid over Ni–Cu/Al<sub>2</sub>O<sub>3</sub> catalysts, *J. Catal*, 290, 79-89.
- Gandia, L.M., Vicente, M.A. and Gil, A., 2000 Preparation and characterization of manganese oxide catalysts supported on alumina and zirconia-pillared clays, *Appl. Catal. A*, 196, 281–292
- Gil, A., Vicente MA. and Gandía, M., 2000, Main factors controlling the texture of zirconia and alumina pillared clays. *Micro. Meso Mat.*, 34, 115-125.
- Gil, A., Korili, S.A., Trujillano, R. and Vicente, M.A., 2011, A Review on Characterization of pillared clay by specific techniques, *Appl. Clay Sci.*, 53 (2), 97-105
- Grosman A. and Ortega C., 2008, Capillary Condensation in Porous Materials. Hysteresis and Interaction Mechanism without Pore Blocking/Percolation Process, American Chemical Society, *Langmuir*, 24, 8, 3977–3986
- Guil-Lopez, R., La Parola, V., M., Pena, A. and Fierro, J. L. G., 2012, Evolution of the Ni-active centres into ex hydrotalcite oxide catalysts during the CO<sub>x</sub>-free hydrogen production by methane decomposition. *Int. J. Hydrogen Energy*, 37, 7042-7055.
- Habimana, F., Li, X., Lang, B., Sun D. and Li, C., 2009, Effect of Cu Promotor on Ni-based SBA-15 catalysts for partial oxidation of methane to syngas, *J. Nat. Gas Chem*, 18, 1-7
- Hao, Z., Zhu, H.Y. and Lu, G.Q., 2003, Zr-Laponite pillared clay-based nickel catalysts methane reforming with carbon dioxide, *Appl. Catal. A*, 242, 275–286
- Hasanudin, Muhammad, S., Muhammad, F., Muhammad, H.T. and Karna Wijaya, 2012, Hydrocracking of oil residue from palm oil mill effluent to biofuel. *Sustain. Environ. Res.*, 22(6), 395-400
- Huang, T.-J., Yu, T.-C. and Jhao, S.Y., 2005, Weighting variation of water-gas shift in steam reforming of methane over supported Ni and Ni–Cu catalysts. *Ind Eng Chem Res*, 45(1), 150-156

- Hua, T., Chunyi, L.L., Yang C., H. and Honghong, S., 2008, Alternative Processing Technology for Converting Vegetable Oils and Animal Fats to Clean Fuels and Light Olefins, *Chin. J. Chem. Eng.*, 16, 3, 394-400
- Huston, N.D., Hoekstra, M.J. and Yang, R.T., 1999, *Micropor Mesopor Mater.*, 28, 447-459.
- Issaadi, R., Garin, F., Chitour, C.E. and Maire G., 2001, Catalytic behaviour of combined palladium-acid catalysts: use of Al and Zr-pillared montmorillonite as supports: Part I. Reactivity of linear, branched and cyclic hexane hydrocarbons, *Appl. Catal.*, (207), 323-332.
- Idem, R.O., Katikeneni, S.P.R. and Bakhshi, N.N., 1997, Catalytic conversion of canola oil to fuels and chemicals: roles of catalyst acidity, basicity and shape selectivity on product distribution, *Fuel Process Technol.*, 51 (1-2), 101-125
- Jambor B. and Hájeková E., 2015, Review: Formation of Coke Deposits and Coke Inhibition Methods during Steam Cracking, *Petroleum & Coal*, 57, 2, 143-153
- Jung K.T., Shul, Y.G. and Bell, A.T., 2001, The preparation and surface characterization of zirconia polymorphs, *Korean J. Chem. Eng.*, 181, 992-999
- Kadarwati, Rahmawati, S. F, Rahayu, P.E., Wahyuni, S. and Imam, K., and Supardi, 2013, Kinetics and Mechanism of Ni/Zeolite-catalyzed Hydrocracking of palm oil into biofuel, *Indo. J. Chem.*, 3 (1), 77 – 85
- Katikaneni S.P.R., Adjaye J.D. and Bakhshi N.N., 1995, Catalytic Conversion of Canola Oil to Fuels and chemicals over various cracking catalysts, *Chemical Engineering*, 73, 484-497
- Kim, C.G., 2013, Adsorption/Ion Exchange of Metal ions on Clay Mineral Surfaces *Asian J. Chem*, 25; 10, 5884-5886.
- Kitla, A., Safonova O.V. and Föttinger, K., 2013, Infrared studies on bimetallic copper/nickel catalysts supported on zirconia and ceria/zirconia, *Catal. Lett.*, 143, 517-530
- Kloprogge, J.T., Duong, D. and Frost, R.L., 2005 A review of synthesis and characterization of pillared clay and related porous material for cracking of vegetable oils to produce biofuel, *Environ. Geol.*, 47: 967-981
- Kloprogge, J.T., 1998, Synthesis of smectites and porous pillared clay catalysts: a review, *J. Porous. Mat.*, 5: 5-41.
- Kubicka, D., & Kaluza, L., 2009, Deoxygenation of Vegetable Oils over Sulfided Ni, Mo and NiMo Catalysts, *Appl. Catal. A: General* 372 (2), 199-208
- Komadel P., 2003, Chemically modified smectites, *Clay Miner.*, 38, 127-13
- Kurian, M., Sugunan, S., 2005, Characterisation of the acid-base properties of pillared montmorillonites, *Micropor Mesopor Mat.*, 83, 25-34
- Lázaro, M.J., Echegoyen, Y., Suelves, I., Palacios, J. M. and Moliner, R., 2007, Decomposition of methane over Ni-SiO<sub>2</sub> and Ni-Cu-SiO<sub>2</sub> catalysts: Effect of catalyst preparation method. *Appl. Catal. A.*, 329: 22-29.
- Leng, T. Y., Mohamed, A. R. and S. Bhatia, 1999, Catalytic conversion of palm oil to fuels and chemicals, *Can. J. Chem. Eng.*, 77, 156-162



- Leonard, V. I., Lawrence, A. C., and Arthur, B. E., 1995, Material Chemistry: An Emerging Discipline, *Am. Chem. Soc.*, 245, Washington.
- Leung, D.Y.C., Wu, X., Leung, M.K.H., 2010, A review on biodiesel production using catalyzed transesterification, *Appl. Energy*, , 87, 1083–1095.
- Li, J., Lu, G., Li, K., Wang, W., 2004, Active Nb<sub>2</sub>O<sub>5</sub>-supported nickel and nickel–copper catalysts for methane decomposition to hydrogen and filamentous carbon. *J.Mol.Catal. A: Chem.*, 221(1–2): 105-112
- Li, Z., Chen, J., Zhang, X., Li, Y. and Fung, K.K., 2002, Catalytic synthesized carbon nanostructures from methane using nanocrystalline Ni, *Carbon*, 40, (3), 409-415
- Li, Y., D. Li and G. Wang, 2011, Methane decomposition to CO<sub>x</sub>-free hydrogen and nano-carbon material on group 8–10 base metal catalysts: A review, *Catal. Today*, 162,(1). 1-48.
- Liew, S.C. and Hill, J.M., 2015, Impacts of vanadium and coke deposits on the CO<sub>2</sub> gasification of nickel catalysts supported on activated carbon from petroleum coke, *Appl. Catal A: General*, 504, 5, 420-428
- Liu, Y., Ding, D. , Bi, J., Sun, Y., Zhang, J., Liu, K., Kong, F., Xiao, H., Chen, J., 2017, Effect of Cu-doping on the structure and performance of molybdenum carbide catalyst for low-temperature hydrogenation of dimethyl oxalate to ethanol, *Appl. Catal A: General*, 529, 143–155
- Maher, K.D. & Bressler, D.C., 2006, Pyrolysis Of Triglyceride Materials For The Production of Renewable Fuels and Chemicals. *Bioresour. Technol.*, 23, 126-135.
- Maurice, P.A., Haack, E.A. and Mishra, B., 2009, Siderophore sorption to clays, *Biometals*, 22, 649 – 658.
- Mishra, B.G and Rao, G.R, 2003, Influence of Synthesis Conditions and Cerium Incorporation on the Properties of Zr-Pillared Clays, *J.Porous Mater.*, 10, 93-103
- Mnasri, S. and Frini-Srasra, N., 2013, Evolution of Bronsted and Lewis Acidity of Single and Mixed Pillared Bentonit, *Infrared Phys Techn*, 58 ;15-20
- Moreno, S.Kou, R.S and Poncelet, G, 1996, Hydroconversion of heptane over Pt/Al-pillared montmorillonites and saponites, a comparative study, *J.Catal*, 162 (2) :198-208
- Molina, C.B, Casas J. A., Pizarro, A. H., dan Rodriguez, J.J., 2011, Pillared clays as green chemistry catalysts: *Application to wastewater treatment*, Nova Science Publishers, Inc
- Moliner, R., Echegoyen, Y., Suelves, I., Lázaro, M.J. and Palacios, 2008, Ni–Mg and Ni–Cu–Mg catalysts for simultaneous production of hydrogen and carbon nanofibers: The effect of calcination temperature. *Int. J. Hydrogen Energy*, 33(6): p. 1719-1728.
- Monzón, A., N. Latorre, T. Ubieto, C. Royo, E. Romeo, J. I. Villacampa, L. Dussault, J. C. Dupin, C. Guimon and Montieux, M., 2006, Improvement of activity and stability of Ni–Mg–Al catalysts by Cu addition during hydrogen production by catalytic decomposition of methane, *Catal. Today*, 116, 264-270
- Morris D. A. and Calvin H.B., 2015, Review heterogeneous catalyst deactivation and regeneration, *Catalysts*, 5, 145-269.

- Murray, H.H., 2006, Chapter 2: Structure and composition of the clay minerals and their physical and chemical properties, *Applied Clay Mineralogy: Occurrences, Processing and Application of Kaolins, Bentonites, Palygorskite-Sepiolite, and Common Clays*, Elsevier, 2; 7-31
- Nasikin, M., Susanto, B.H., Hirsaman, M.A. and Wijanarko, A., 2009, Biogasoline from palm oil by simultaneous cracking and hydrogenation reaction over nimo/zeolite catalyst., *World Appl. Sci.J.*, 5 (special issue), 74-79.
- Occelli, M.L. and R.J. Rennard, 1988, Hydrotreating catalysts containing pillared clays. *Catal. Today* 2, 309-319
- Ohtsuka K., Hayashi Y. and Suda M, 1993, Microporous ZrO<sub>2</sub>-Pillared clays derived from three kinds of Zr polynuclear ionic species, *Chem. matter*, 5, 1823-1829
- Okoye, I.P., dan Obi, C., 2011, Synthesis and characterization of Al-Pillared bentonit clay minerals, *Res. J. Appl. Sci.*, 6 (7-120), 447-450
- Olszewska, D., 2004, Comparison of acidity of ZrO<sub>2</sub> pillared clay with MnOx as DeNOx catalyst, *Akademia GórniczoHutnicz*,
- Olszewska D., 2011, Characterization of ZrO<sub>2</sub>-acid activated montmorillonit doped with Cu, Ni or Mn ions, *Appl. Clay Sci.*, 53 (2), 353-358
- Ooi, Y.S., & Bhatia, S., 2007, Aluminium-Containing SBA-15 as Cracking Catalyst for The Production of Biofuel from Waste Used Palm Oil, *Microporous Mesoporous. Mater.* 102, 310-317.
- Padmaja, K.V., Atheya, N., and Bathnagar, A.K, 2009, Upgrading of candelilla biocrude to hydrocarbon fuels by fluid catalytic cracking, *Biomass Bioenergy*, 33, 1664-1669
- Pérez-Hernández, R., Mondragón, G., Galicia, D., Mendoza, A., Palacios, J., Angeles - Chavez, C. and Arenas-Alatorre J. 2008 *Int J. Hydrogen Energy*, 33, 45-69.
- Petrović Z., Dugić P., Aleksić V., Begić S., Sadadinović J., Mičić V., Kljajić N., 2014, Composition, structure and textural characteristics of domestic acid activated bentonite, *Contemporary Materials*, 1, 133-139.
- Pinnavaia, T.J., 1983, Intercalated clay catalysts, *Science*, 220, 4595: 365-371
- Pires João, 2014, Nanoporous Materials: Pillared Clays and Regular Silica as an Examples of Synthesis and Their Porosity Characterization by X-ray Diffraction, *Quim. Nova*, 37, 1, 168-170.
- Radwan, D., Saad, L., Mikhail and Selim, S.A, 2009, Catalytic evaluation of sulfated zirconia pillared clay in N-Hexane Transformation, *J. Appl. Sci. Res.* 5(12): 2332-2342
- Roesyadi, A., Prajitno, D.H., Nurjannah, N., Savitri, S.D.: 2013, HZSM-5 Catalyst for cracking palm oil to gasoline: A comparative study with and without impregnation, *Bulletin of Chemical Reaction Engineering & Catalysis*, 7 (3), 185 -190.
- Rostrup-Nielsen, J.R., J. Sehested, and J.K. Nørskov, 2002, Hydrogen and synthesis gas by steam- and CO<sub>2</sub> reforming, in *Advances in Catalysis*. Academic Press, 65-139.
- Russel, J.D. and Fraser, A.R., 1971, IR Spectroscopic evidence for interaction between Hydronium ions and lattice OH groups in montmorillonit, *Clays Clay Miner*, 19, 55-59

- Santen., R.A., Leeuwen, P.W.N.M., Moulijn, J.A. dan Averil, B.A., 1999, Catalysis: an integrated approach, *Netherland Institute for Catalysis Research.*, Amsterdam.
- Segad M., Jonsson Bo., Kesson T. A. and Cabane, B., 2010, Ca/Na Montmorillonite: Structure, Forces and Swelling Properties, *Langmuir*, 26(8), 5782–5790
- Segad M., Hanski S., Olsson U., Ruokolainen J., Åkesson T. and Jönsson Bo, 2012, Microstructural and Swelling Properties of Ca and Na Montmorillonite: (In Situ) Observations with Cryo-TEM and SAXS, *J. Phys. Chem. C*, 12, 116, 7596–7601.
- Shichi, T. and Takagi, K., 2000, Clay minerals as photochemical reaction fields, *J. Photochem. Photobiol. C*, 1, (2), 113-130
- Sinfelt, J.H., Carter, J.L. and Yates, D.J.C., 1972, Catalytic hydrogenolysis and dehydrogenation over copper-nickel alloys, *J. Catal.* 24(2):283-296.
- Sing, K.S.W., Williams, R.T., 2005, Physisorption hysteresis loop and characterization of nanoporous material, *Reviews, AST*, 22, 10, 64, 773-782.
- Steudel, A. and Emmerich, K., 2013, Strategies for the successful preparation of homoionic smectites, *Appl. Clay Sci.*, 75-76:13-21
- Stocker, M.: 2008, Biofuel and Biomass-to-Liquid Fuels In The Biorefinery: Catalytic Conversion of Lignocellulosic Biomass Using Porous Materials, *Angew. Chem. Int*, 47, 9200–9211.
- Suelves, I., M. J. Lazaro, R. Moliner, Y. Echegoyen and J. M. P alacios, 2006, Characterization of NiAl and NiCuAl catalysts prepared by different methods for hydrogen production by thermo catalytic decomposition of methane. *Catal. Today*, 116 (3), 271-280.
- Suelves, I., La'zaro, M.J., Moliner, R., Echegoyen, Y., Palacios, J.M., 2006, Characterization of NiAl and NiCuAl catalysts prepared by different methods for hydrogen production by thermo catalytic decomposition of methane, *Catal. Today*, 116 (3):p. 271-280
- Suseno A., Wijaya K., Trisunaryanti W. and Shidiq M., 2015, Synthesis and Characterization of ZrO<sub>2</sub> Pillared Bentonites, *Asian J. Chem*, 27, 7, 2619-2623.
- Suseno A., Wijaya K., Trisunaryanti W., 2016, Study of the acidic properties of ZrO<sub>2</sub> pillared bentonite, *IOP Conf. Series: Materials Science and Engineering*, 107, 012040.
- Suseno A., Wijaya K., Trisunaryanti W. and Roto., 2018, Synthesis and characterization of Ni-Cu doped Zirconia-pillared Bentonite, *Orient J Chem*, 34, 3, 1427-1431.
- Svoboda, J., 2013, The experimental study of bentonite swelling into fissures, *Clay Min.*, 48, 383–389
- Tamunaidu, P., Bhatia, S., 2007, Catalytic Cracking Of Palm Oil For The Production Of Biofuel: Optimization Studies. *Bioresour. Technol.*, 98, 3593–3601.
- Tomul F., 2012, Adsorption and catalytic properties of Fe/Cr-pillared bentonites, *Chem Eng J.*, 185–186, 380-390.



- Twaiq, F.A., Mohamed, A.R. and Bathia, S., 2004, Performance of Composite catalyst in Palm Oil Cracking for the Production of liquid Fuels and Chemicals, *Fuel and Chemicals, Fuel Process. Technol.*, 85, 1283-1300
- Twaiq, F.A., Mohamed, A.R. and Bhatia, S., 2003<sup>a</sup>, Liquid hydrocarbon fuels from palm oil by catalytic Cracking over aluminosilicate mesoporous catalysts with various Si/Al ratios, *Micropor Mesopor Mater.*, 64, 1-3, 95-10.
- Twaiq, F.A., Zabidi, N.A., Mohamed, A.R. and Bhatia, S., 2003<sup>b</sup>, Catalytic conversion of palm oil over mesoporous aluminosilicate MCM-41 for the production of liquid hydrocarbon fuels, *Fuel Process. Technol.* 84, 1-3, 105-120.
- Vadia, N., Desai, D. and Rajput, S., 2013, Hydrothermal treatment and mesoporosity of MCM-41 mesoporous nanocomposite, *Journal of Applied Pharmaceutical Science*, 3(03), 024-029
- Vaughan D.E.W., Lussier, R.J., and Magee, J.S., 1981, Pillared Interlayered Clay Materials Useful as Catalysts and Sorbents. *U.S. Patent*, 4,248,739
- Vaughan, D.E.W., Lussier, R.J., Magee, J.S., 1979, Pillared Interlayered Clay Materials Useful as Catalysts and Sorbents., *US Patent*, 4, 176, 090.
- Vaughan, D.E., 1988, Pillared Clays-A Historical Perspective. *Catal. Today*, 2, 187.
- Vicente M.A., Gil A., 2008, Zirconia-Pillared Clays. In: Schubert U., Hüsing N., Laine R.M. (eds) *Materials Syntheses*. Springer, Vienna
- Vicente. M. A., Banares-Munoz. M. A., Gandia L. M., and Gil A., 2001, On the Structural Change of a Saponite Intercalated With Various Poycation Upon Thermal Treatment, *Fuel Process. Technol.*, 217 : 191-204
- Wahyuningsih P., Wijaya, K., Trisunaryanti, W., Mara A., and Suheryanto, 2015, Synthesis and Application of Alumina Pillared Bentonite Catalyst for Esterification of Acetic Acid with Different Alcohols, *Asian J. Chem.*; 27; 4; 1304-1308
- Wang, H. and Baker, R.T.K., 2004, Decomposition of methane over a Ni-Cu-MgO catalyst to produce hydrogen and carbon nanofibers, *J. Phys. Chem.*, 108 (52): 20273-20277.
- Wang, J., Merino, J., Aranda, P., Galv'an, J and Ruiz-Hitzky, G., 1998, Reactive nanocomposites based on pillared clays, *J. Mater. Chem*, 9, 161-168
- Wijaya, K., 2000, Lempung Terpillar (*Pillared Clay*) sebagai Material Multiguna, *Jurnal Ilmu Kimia*, 1, 2, 1-10.
- Wijaya, K., Tahir, I. dan Baikuni, A. 2002, The synthesis of Cr<sub>2</sub>O<sub>3</sub>-pillared montmorillonit (CrPM) and Its usage for host material of p-nitroaniline, *Ind. J. Chem.*, 2 (1): 11-19.
- Wijaya, K., 2002, Multifunction of Layered and Porous Materials, *Ind. J. Chem*, 2 (3), 142-154.
- Wijaya, K., Sugiharto, E., Mudasir, Tahir, I., Liawati, I., 2004, Sintesis Komposit Oksida Besi Montmorillonit dan Uji Stabilitas Strukturnya Terhadap Asam Sulfat. *Ind. J. Chem*, 4(1), 33-42.
- Wolfbeisser, A., Dmitry, Z., K., Johannes, B. and Günther, R., Lukas, M., Raffael, R. and Karin, F., 2015, Surface modification processes during methane decomposition on Cu-promoted Ni-ZrO<sub>2</sub> Catalysts. *Catal. Sci. Technol.*, 5, 967

- Xue, B., Guo, H., Liu, L. and Chen. M., 2015, Preparation, characterization and catalytic properties of yttrium-zirconium-pillared montmorillonite and their application in supported Ce catalysts, *Clay Min.*, 50; 211–219
- Yamanaka and Brindley, 1979, High Surface area solids obtained by reaction of montmorillonite with zirconyl chloride, *Clays Clay Miner.*, 27; 2; 119-124
- Yang, J., Yu, K. and Liu, C., 2017, Chromium immobilization in soil using quaternary ammonium cations modified montmorillonite: Characterization and mechanism, *J. Hazard Mater.*, 321, 73–80
- Ying, Z., Aiping, C., Chunzhong, L., Meifang, L., XU., 2012, Laminar Meso-porous Structure of Modified Montmorillonite Clays and Its Formation Mechanism, *Journal of Wuhan Univ. of Technology-Mater.Sci. Ed.* Apr
- Zhang, Y., C. Aiping, L. Chunzhong, L. M, Xu, Z, Zhenliang, 2012, Laminar Mesoporous Structure of Modified Montmorillonite Clays and Its Formation Mechanism, *Journal of Wuhan University of Technology-Mater. Sci. Ed.* Apr
- Zhou, C.H. and Keeling, J., 2013, Fundamental and applied research on clay minerals: From climate and environment to nanotechnology, *Appl. Clay Sci.* 74, 3-9.
- Zhou, Chun Hui, 2011, An Overview on Strategies toward Clay-Based Designer Catalyst for Green and Sustainable Catalysis, *Appl. Clay Sci.*, 53, 87-96