

DAFTAR PUSTAKA

- Anonim. 2003, *Pedoman Nasional Perawatan, Dukungan dan Pengobatan bagi ODHA: Buku Pedoman Petugas Kesehatan dan Petugas Lainnya*, Direktorat Jenderal Pemberantasan Penyakit Menular dan Penyehatan Lingkungan Departemen Kesehatan Republik Indonesia, Jakarta
- Anonim. 2004, *Pedoman Nasional Terapi Antiretroviral*, Departemen Kesehatan RI, Direktorat Jenderal Pemberantasan Penyakit Menular dan Penyehatan Lingkungan Departemen Kesehatan Republik Indonesia, Jakarta
- Anonim. 2006, *Pedoman Pelayanan Kefarmasian untuk Orang dengan HIV/AIDS (ODHA)*, Direktorat Bina Farmasi Komunitas dan Klinik, Ditjen Bina Kefarmasian dan Alat Kesehatan, Depkes RI, Jakarta
- Anonim. 2011, *Pedoman Nasional Tatalaksana Klinis Infeksi HIV dan Terapi Antiretroviral pada Orang Dewasa dan Remaja*, Direktorat Jenderal Pemberantasan Penyakit Menular dan Penyehatan Lingkungan, Kementerian Kesehatan RI, Jakarta
- Anonim. 2013, *Guidelines for the Prevention and Treatment of Opportunistic Infections in HIV-Exposed and HIV-Infected Children*, *Department of Health and Human Services*, USA
- Anonim. 2016^a, *Global AIDS Update 2016*, UNAIDS, Switzerland, http://www.unaids.org/sites/default/files/media_asset/global-AIDS-update-2016_en.pdf, 16 Februari 2017
- Anonim. 2016^b, *Situasi Penyakit HIV/AIDS di Indonesia*, Infodatin, *Pusat Data dan Informasi Kementerian Kesehatan RI*, Jakarta
- Anonim. 2016^c, *Guidelines for the Use of Antiretroviral Agents in HIV-1-Infected Adults and Adolescents*, *Department of Health and Human Services*, USA
- Anonim. 2017. *Country Factsheets Indonesia*, AIDSinfo, UNAIDS, Switzerland, <https://aidsinfo.nih.gov/understanding-hiv-aids>
- Anwar, K.P., Malik, A., dan Subhan, K.H. 2012, Profile of candidiasis in HIV infected patients. *Iranian journal of microbiology*, **4**: 204
- Bhatt, N.B., Baudin, E., Meggi, B., Da Silva, C., Barrail-Tran, A., Furlan, V., dkk. 2015, Nevirapine or efavirenz for tuberculosis and HIV coinfecting patients: exposure and virological failure relationship*. *Journal of Antimicrobial Chemotherapy*, **70**: 225–232
- Bennet, D., 2008. *HIV drug resistance*, Presentasi WHO HIV Drug Resistance Surveillance and Monitoring Network
- Bezabhe, W.M., Chalmers, L., Bereznicki, L.R., and Peterson, G.M. 2016, Adherence to Antiretroviral Therapy and Virologic Failure: A Meta-Analysis. *Medicine*, **95**: e3361
- Bigna Jean Joel R, Plottel Claudia S, and Koulla-Shiro Sinata. 2016, Challenges in initiating antiretroviral therapy for all HIV-infected people regardless of CD4 cell count
- Cardoso Sandra, W. 2014, Effectiveness of first-line antiretroviral therapy in the IPEC cohort, *AIDS Research and Therapy*, **11**:29 Rio de Janeiro, Brazil

- Carey, D., Hughes, J., Donnelly, R., and James-Chatgilaov, G. 1998, HIV/AIDS Clinical Pharmacy: A Practical Approach, *The Society of Hospital-Pharmacist of Australia*, Victoria
- Cheung, C.P., Lai Wen Hong, and Shuter Jonathan. 2017, Zidovudine- versus Tenofovir-Based Antiretroviral Therapy for the Initial Treatment of HIV Infection in the Ethnic Minority Region of Liangshan Prefecture, Sichuan Province, China: An Observational Cohort Study, *Journal of the International Association of Providers of AIDS Care 1–5*, China
- Dahlan, M., Sopiudin. 2012, *Seri 11 Analisis Survival : Dasar-dasar teori dan Aplikasi dengan Program SPSS*, Epidemiologi Indonesia, Jakarta
- Dong, B.J., Zheng, Y., Hughes, M.D., Frymoyer, A., Verotta, D., Lizak, P., dkk. 2012, Nevirapine pharmacokinetics and risk of rash and hepatitis among HIV-infected sub-Saharan African women: *AIDS*, **26**: 833–841
- Gale, H.B., Giettermann S.R., and Hoffman H.J. 2013, Is frequent CD4+ T-lymphocyte count monitoring necessary for persons with counts >300 cells/mm³ and HIV-1 suppression? *Clin Infect Dis* ;**56**:1340-1343
- Geel, J., Pitt, J., Orell, C.J. 2004. The effect of fluconazole on nevirapine pharmacokinetics, *15th International AIDS Conference*, Bangkok
- Gregory, P.B., Robert, G.S.B., Jesse, C., Michael, H., Leon, R., Ian, F., Gary, M., Jean,B.N., 2009. Pharmacy Refill adherence compared with CD4 count changes for monitoring HIV infected adults on antiretroviral therapy. *PLoS Medicine*/<http://www.plosmedicine.org>. Volume 5/Issue 5/e109
- Herout, S., Mandorfer, M., Breitenecker, F., Reiberger, T., Grabmeier-Pfistershammer,K., Rieger, A., dkk. 2016, Impact of Early Initiation of Antiretroviral Therapy in Patients with Acute HIV Infection in Vienna, Austria. *PLoS ONE 11(4): e0152910. doi:10.1371/journal.pone.0152910*
- Hughes, C.A., Tseng, A., dan Cooper, R., 2015. Managing drug interactions in HIV-infected adults with comorbid illness. *Canadian Medical Association Journal*, **187**: 36–43.
- Jensen-Fangel, S. 2004, The Effectiveness of Highly Active Antiretroviral Therapy in HIV-Infected Patients, *Danish Medikal Bulletin*, **51** (4), 371-392
- Jiang, H.Y., Zhang, M.N., Chen, H.J., Yang, Y., Deng, M., and Ruan, B. 2014. Nevirapine versus efavirenz for patients co-infected with HIV and tuberculosis: a systematic review and meta-analysis. *International Journal of Infectious Diseases*, **25**: 130–135
- Jin Young. 2015, Effects of CD4 monitoring frequency on clinical endpoints in clinically stable HIV-infected patients with viral suppression, *J Acquir Immune Defic Syndr*, **69**(3): e85–e92, Seoul
- Kalyesubula, R., Kagimu, M., Opio, K.C., Kiguba, R., Semitala, C.F., Schlech, W.F., dkk. 2011, Hepatotoxicity from first line antiretroviral therapy: an experience from a resource limited setting. *African health sciences*, **11**

- Kementerian Kesehatan RI. 2015, *Peraturan Menteri Kesehatan Republik Indonesia Nomor 87 Tahun 2014 Tentang Pedoman Pengobatan Antiretroviral*, Jakarta
- Kementerian Kesehatan RI. 2016, *Statistik Kasus HIV/AIDS di Indonesia dilaporkan s/d Maret 2016*, Kementerian Kesehatan Republik Indonesia, Jakarta
- Knobel, H., Guelar, A., Montero, M., Carmona, A., Luque, S., Berenguer, N., dkk. 2008, Risk of side effects associated with the use of nevirapine in treatment-naïve patients, with respect to gender and CD4 cell count. *HIV medicine*, **9**: 14–18
- Mandal, B.K. 2008, *Penyakit Infeksi*. Lecture Notes, 6th ed, Jakarta: Erlangga
- McEvoy and Gerald, K. 2004, *AHFS Drug Information*. American Society Health-System Pharmacists
- Mocroft, A, Furrer, H.J., and Miro, J.M. 2013, The incidence of AIDS-defining illnesses at a current CD4 count \geq 200 cells/ μ L in the post-combination antiretroviral therapy era. *Clin Infect Dis*. 57(7):1038-1047. Available at <http://www.ncbi.nlm.nih.gov/pubmed/23921881>
- Nancy Dian Anggraeni. 2010, *Ketahanan Hidup Satu Tahun Pasien HIV/AIDS dengan Pengobatan Regimen ARV Lini Pertama Berdasarkan Jumlah CD4 Sebelum Pengobatan ARV di RSPI dr. Sulianti Saroso Tahun 2005-2010*. Tesis FKM UI. Jakarta
- Nasronudin. 2007, *HIV dan AIDS Pendekatan Biologi Molekuler, Klinis dan Sosial*. Surabaya. Airlangga University Press
- Neuman, M.G., Schneider, M., Nanau, R.M., dan Parry, C. 2012. HIV-Antiretroviral Therapy Induced Liver, Gastrointestinal, and Pancreatic Injury. *International Journal of Hepatology*, **2012**: 1–23
- Pappas, P.G., Kauffman, C.A., Andes, D.R. 2016, Clinical Practice Guideline for the Management of Candidiasis: 2016 Update by the Infectious Diseases Society of America. *Clin Infect Dis*. Feb 15; **62**(4):e1-50
- Princeton, D. 2003, *Manual of HIV/AIDS therapy*. Laguna Hills, Calif.: Current Clinical Strategies Publ
- Sahai, J., Gallicano, K., Pakuts, A. 1994, Effect of Fluconazole on zidovudin Pharmacokinetics in Patients Infected with Human Immunodeficiency Virus, *J Infect Dis*, **169** (5):1103-7
- Shiboski, C.H., Chen, H., Ghannoum, M.A., Komarow, L., Evans, S., Mukherjee, P.K., dkk. 2014, Role of oral candidiasis in TB and HIV co-infection: AIDS Clinical Trial Group Protocol A5253. *The International Journal of Tuberculosis and Lung Disease*, **18**: 682–688
- Sriwiryajan, S, Mahatthanatrakul, W, Ridditid, W, and Jaruratanasirikul S. 2007, Effect of Efavirenz on the Pharmacokinetics of Ketoconazole in HIV-infected patients, *Eur J Clin Pharmacol*, **63**(5):479-483
- Thuppal, S.V., Wanke, C.A., Noubary, F., Cohen, J.T., Mwamburi, M., Oriapdickal, A.C., dkk. 2015, Toxicity and clinical outcomes in patients with HIV on zidovudine and tenofovir based regimens: a retrospective cohort study.

Transactions of The Royal Society of Tropical Medicine and Hygiene, **109**:
379–385

UNAIDS. 2016, *Global AIDS Update*, Joint United Nations Programme on
HIV/AIDS, Geneva, Switzerland

Uyanto Stanislaus, S. 2009, *Pedoman analisis data dengan SPSS*, Edisi ketiga,
Jakarta, Graha Ilmu

Velen, K., Lewis, J.J., Charalambous, S., Grant, A.D., Churchyard, G.J., Hoffman
Christopher, J. 2013, Comparison of Tenofovir, Zidovudine, or Stavudine as
Part of First-Line Antiretroviral Therapy in a Resource – Limited -Setting: A
Cohort Study, *PLoS ONE* **8**(5): e64459. doi:10.1371 / journal.pone. 0064459
, France

Virmani, S. 2017, A Rare Cause of Anaemia in HIV/AIDS. *Journal of Clinical and
Diagnostic Research*, doi.org/10.7860/JCDR/2017/28560.10338

Wakeham, K., Parkes-Rantashi, R., Watson, V. 2010, Co-administration of
fluconazole increases nevirapin concentrations in HIV-infected Ugandans, *J
Antimicrob Chemother*, **65** (2):316-9

Widiyanti Mirna., Sandy Samuel., dan Fitriana Eva. 2015, Dampak Perpaduan Obat
ARV pada Pasien HIV/AIDS ditinjau dari Kenaikan Jumlah Limfosit CD4+
di RSUD Dok II Kota Jayapura, *PLASMA*, Vol. 1, **2**:53-58, Jayapura

Wood, E., Hogg, R.S., Yip, B., Moore, D., Harrigan, P.R., Montaner, J.S. 2006,
Impact of baseline viral load and adherence on survival of HIV-infected adults
with baseline CD4 cell counts =200 cells/ μ l. *Columbia Centre for Excellence
in HIV/AIDS, St Paul's Hospital*, 667-1081 Burrard St, Vancouver, BC V6Z
1Y6, Canada

World Health Organization. 2009, *Rapid advice : Antiretroviral therapy for HIV
infection in adults and adolescents*, Geneva, Switzerland.

World Health Organization. 2013, *Gobal Update on HIV Treatment 2013 : Results,
Impact, and Opportunities*, *WHO Report in Partnership with UNICEF and
UNAIDS*, Geneva, Switzerland

World Health Organization. 2013, *Consolidated Guidelines on The Use of
Antiretoviral Drugs for Treating and Preventing HIV Infection
Recommendations for A Public Health Approach*, Geneva, Switzerland

World Health Organization. 2015, *Guidline On When to Start Antiretroviral Therapy
and On Pre-Exposure Prophylaxis for HIV*, Geneva, Switzerland

Yasin, N.M., Maranty, H., dan Ningsih, W.R. 2011, Analisis respon terapi
antiretroviral pada pasien HIV/AIDS, *Majalah Farmasi Indonesia*, **22**(3), 212
– 222, Yogyakarta