

## DAFTAR PUSTAKA

- Abbaszadeh F., Hajizadeh, Z. & Jahangiri, M. (2016). *Comparing The Impact Of Topical Application Of Human Milk And Chlorhexidine On Cord Separation Time In Newbors*. Pak J Med Sci, 32(1): 239-243. <http://dx.doi.org/10.12669.pjms.321.8223>.
- Aghamohammadi, A., Zafari, M., & Moslemi, L. (2012). *Comparing The Effect Of Topical Application Of Human Milk And Dry Cord Care On Umbilical Cord Separatime In Healthy Newborn Infants*. Iran Journal Pediatri. Vol. 22 (No 2), Pp: 158-162. <http://ijp.tums.ac.ir>.
- Asiyah, N., Islami, & Mustagfiroh, L. (2017). *Perawatan Tali Pusat Terbuka Sebagai Upaya Mempercepat Pelepasan Tali Pusat*. Indonesia Jurnal Kebidanan. Volume 1, No.1:29-36.
- Aydemir, H., Alparslan, O., & Demirel, Y. (2012). *Comparison Of The Effects Of 70% Alcohol, 10% Povidone-Iodine And 0,4% Chlorhexidine Whicah Are Used In Umbilical Care On Colonization And Umbulical Cord Separation Time*. African Journal Of Microbiology Research Volume 6 (13), pp. 3112-3118. DOI: 10.5897/AJMR11.1087.
- Behrman, R.E., Kliegman, R.M., Ann, M. (1999). *Ilmu Kesehatan Anak Nelson Volume 1*. Jakarta: EGC.
- Behrman, R.E., Kliegman, R.M., Ann, M. (2000). *Ilmu Kesehatan Anak Nelson Volume 2*. Jakarta: EGC.
- Blencowe, H., Cousens, S., Mullany, L.C., Lee, A.CC., Kerber, K., Wall, S., Darmstadt, G.L., & Lawn, J.E. (2011). *Clean Birth And Postnatal Care Practices To Reduce Neonatal deaths From Sepsis And Tetanus: A Systematic Review And Delphi Estimation Of Mortality Effect*. BMC Public Health, 11(Suppl 3): S11.
- Broom, M.A., & Smith, S.L. (2012). *Late Presentation Of Neonatal Omphalitis Following Dry Cord Care*. Clinical Pediatrics, 52(7): 675-677. DOI: 10.1177/0009922812446745.
- Chawla, G., & Diwakar, K.K. *Comparison Of Umbilical Cord Cleansing Using Sterile Water And Povidone Iodine Spirit During Early Neonatal Period: A Double Blind Randomized Control Trial*. Journal Of Clinical and

Diagnostic Research. Volume 9 (7):SC01-SC03. DOI: 10.7860/JCDR/2015/13562.6162.

Cunningham, FG., Leveno, KJ., & Bloom, SL. *Obstetri Williams, Edisi bahasa Indonesia*. Volume 1. Jakarta: EGC.

Dahlan, M.S. (2017). *Statistik Untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Dengan Menggunakan SPSS*. Jakarta: Epidemiologi Indonesia.

Dandona, R., Priyanka, S.K., Kumar, G.A., & Dandona, L. (2017). *Use Of Antiseptic For Cord Carre And Its Association With Neonatal Mortality In A Population-Based Assessment In Bihar State, India*. *BMJ Open*, 7:e012436. DOI: 10.1136/bmjopen-2016-012436.

Departemen Kesehatan Republik Indonesia. (2009). *Buku Kesehatan Ibu dan Anak*. Jakarta: Depkes RI.

Dinas Kesehatan Kota Yogyakarta. (2015). *Profil Kesehatan Kota Yogyakarta Tahun 2015*. Yogyakarta.

Dhingra, U., Sazawal, S., Dhingra, P., Dutta, A., Ali, S.M., Ame, S.M., Deb, S., Sulaeman, A.M., & Black, R.E. (2015). *Trial Of Improved Practices Approach To Explore The Acceptability And Feasibility Of Defferent Modes Of Chlorhexidine Application For Neonatal Cord Care In Pemba, Tanzania*. *BMC Pregnancy and Childbirth*, 15:354. DOI: 10.1186/s12884-015-0760-4.

Erenel, A.S., Vural, G., Efe, S.Y., Ozkan, S., Ozgen, S., & Erenoglu, S. (2010). *Comparison Of Olive Oil And Dry Clean Keeping Methods In Umbilical Cord Care As Microbiological*. *Maternal and Child Health Journal*. 14(6): 999-1004.

Golshan, M., & Hossein, N. (2013). *Impact Of Ethanol, Dry Care And Human Milk On The Time For Umbilical Cort Separation*. *JPMA* 63:1117. Department Of Paediatric, Shahid Sadoughi University Of Mdicla Sciences and Health Services, Yazd, Iran.

Gras-Le Guen, C. (2017). *Dry Care Versus Antiseptics For Umbilical Care: A Cluster Randomized Trial*. *Pediatrics* Volume 139, Number 1. DOI: 10.1542/peds.2016-1857.

<http://pediatrics.aapublications.org/content/139/1/e20161857>

- Henbest, D.M., & Steele, D.W. (2013). *Periumbilical Erythema In A Neonate*. *Clinical Pediatrics*, 52(4): 374-377. DOI: 10.1177/0009922813479167.
- Henderson, C. (2005). *Buku Ajar Konsep Kebidanan*. Jakarta: EGC.
- Hodgins, S., Pradhan, YV., Khanal, L., & Pratap, N.K.C. (2013). *Chlorhexidine For Umbilical Cord Care: Game-Changer For Newborn Survival*. *Global Health: Science and Practice*, Volume 1, Number 1. [www.ghspjournal.org](http://www.ghspjournal.org)
- IDAI, MNH-JHPIEGO, Depkes RI. (2010). *Manajemen Masalah Bayi Baru Lahir Untuk Dokter, Bidan, dan Perawat Di Rumah Sakit*. Jakarta: Kementerian Kesehatan.
- Imdad, A., Mullany, L.C., Baqui, A.H., Arifeen, S.E., Tielsch, J.M., Khatry, S.K., Shah, R., Cousens, S., Black, R.E., & Bhutta, Z.A. (2013). *The Effect Of Umbilical Cord Cleansing With Chlorhexidine On Omphalitis And Neonatal Mortality In Community Setting In Developing Countries: A Meta-Analysis*. *BMC Public Health*, 13 (Suppl 3): S15. <http://www.biomedcentral.com/1471-2458/13/S3/S15>
- Imdad, A., Bautista, R.M.M., Senen, K.A.A., Mev, U., , Mataring, J.B., & Bhutta, Z.A. (2013). *Umbilical Cord Antiseptics For Preventing Sepsis And Death Among Newborns*. *Cochrane Database of Systematic Reviews*, Issue 5. Art. No.: CD008635. DOI: 10.1002/14651858.CD008635.pub2.
- Janssen. P.A., Selwood, B.L., Dobson, S.R., Peacock, D., & Thlessen, P.N. (2003). *To Dye Or Not To Dye: A Randomized, Clinical Trial Of A Triple Dye/Alcohol Regime Versus Dry Cord Care*. *Pediatrics*, Volume 111, Number 1. DOI: 10.1542/peds.111.1.15.
- Kartika, Nurdianti, D.S., & Wiboeo, T. (2016). *Penggunaan Minyak Kelapa Murni Dibandingkan Minyak Mineral Pada Pijat Bayi Terhadap Peningkatan Berat Badan Bayi: Randomized Controlled Trial*. Yogyakarta: Tesis FK UGM.
- Karumbi, J., Mulaku, M., Aluvaala, J., English, M., & Opiyo, N. (2013). *Topical Umbilical Cord Care For Prevention Of Infection And Neonatal Mortality*. *Pediatric Infect Disease Journal*; 32 (1): 78-83. DOI: 10.1097/INF.0b013e3182783dc3.
- Kementerian Kesehatan Republik Indonesia. (2010). *Buku Saku Pelayanan Neonatal Esensial: Pedoman Teknis Pelayanan Dasar*. Jakarta: Kementerian Kesehatan.

- Kementerian Kesehatan Republik Indonesia. (2016). *Profil Kesehatan RI Tahun 2016*.
- Kosim, M.S., Yunanto, A., Rizalya, D., Gato, I.S., & Ali, S. (2014). *Buku Ajar Neonatologi Edisi I*. Jakarta: Badan Penerbit IDAI.
- Krajcinovic, S.S., Doronjski, A., Barisic, N., & Stojanovic V. (2015). *Risk Factors For Neonatal Sepsis and Method For Reduction Of Blood Culture Contamination*. *Malawi Medical Journal*, 27 (1): 20-24. <http://dx.doi.org/10.4314/mmj.v27i1.6>
- Lemeshow, S., Jr, D.W.H., & Klar, J. (1997). *Besar sampel dalam Penelitian Kesehatan (Terjemahan)*. Yogyakarta: Gadjah Mada University Press.
- Marmi & Kukuh R. (2015). *Asuhan Neonatus, Bayi, Balita dan Anak Prasekolah*. Yogyakarta: Pustaka Pelajar.
- Mullany, L.C., , Shah, R., Arifeen, S.E., Mannan, I., Winch, P.J., Hill, A., Darmsadt, G.L., & Baqui, A.H. (2013). *Chlorhexidine Cleansing Of The Umbilical Cord And Separation Time: A Cluster-Randomized Trial*. *Pediatrics* Volume 131, Number 4. DOI: 10.1542/peds.2012-2951. <http://pediatrics.aappublications.org/content/131/4/708>
- Mullany, L.C., Darmstadt, G.L., Katz, J., Khaty, S.K., Steven, C., LeClerq, Adhikari, R.K., & Tielsch, J.M. (2007). *Risk Factor For Umbilical Infection Among Newborns Of Southern Nepal*. *Am J Epidemiol*, 165 (2): 203-211.
- Mullany, L.C., Arifeen, S.E., Winch, P.I., Shah, R., Mannan, I., Rahman, S.M., Rahman, M.R., Darmstadt, G.I., Ahmaed, S., Santoshan, M., Black, R.E., & Baqui, A.H. (2009). *Impact Of 4% Chlorhexidine Cleansing Of The Umbilical Cord On Mortality And Omphalitis Among Newborns Of Sylhet, Bangladesh: Design Of A Community-Based Cluster Randomized Trial*. *BMC Pediatrics*, 9:67. DOI: 10.1186/147-2431-9-67.
- Nalwadda, C.K., Peter, Waiswa, W., Guwatudde, D., Kerber, K., Peterson, S., & Kiguli, J. (2015). *As Soon As The Umbilical Cord Gets Off, The Child Ceases To Be Called A Newborn: Sociocultural Beliefs And Newborn Referral In Rural Uganda*. *Glob Health Action*, 8: 24386. <http://dx.doi.org/10.3402/gha.v8.24386>.
- Nangia, S., Dhingra, U., Dhingra, P., Dutta, A., Menon, V.P., Black, R.E., & Sazawal, S. (2016). *Effect Of 4% Chlorhexidine On Cord Colonization*

*Among Hospital And Community Births In India: A Randomized Controlled Study.* BMC Pediatrics, 16:121. DOI: 10.1186/s12887-016-0625-7.

Nankabirwa, V., Tylleskar, T., Tumuhame, J., Tumwine, J.K, GraceNdeezi, Martines, J.C., & Sommerfelt, H. (2017). *Efficacy Of Umbilical Cleansing With A Single Application Of 4% Chlorhexidine For The Prevention Of Newborn Infections in Uganda: Study Protocol For Randomized Controlled Trial.* BMC, 18:322. DOI: 10.1186/s13063-017-2050-0.

Nourian M., Allaii, F., Heidari, A. (2009). *Comparison of The Effect Of Alcohol 70% Versus Dry Cord Care On Cord Bacterial Colonization and Cord Separation Time Among Newborns.* Park J Med Sci, 25(1): 103-7.

Ozdemir, H., Bilgen, H., Topuzoglu, A., Coskun, S., Soyletir, G., Bakir, M., & Ozek, E. (2017). *Impact Of Different Antiseptics On Umbilical Cord Colonization And Cord Separation Time.* The Journal Of Infection In Developing Countries; 11 (2): 152-157. DOI: 10.3855/jidc.7224.

Puskesmas Jetis Yogyakarta. (2016). *Profil Puskesmas Jetis Yogyakarta tahun 2016.* Yogyakarta.

Pusponegoro. (2010). *Sepsis Pada Neonatus (Sepsis Neonatal).* Sari Pediatri, Volume 2, No.2:96-102.

Quattrin, R., Iacobucci, K., Tina, A.L.D., Gallina, L., Pittini, C., & Brusaferrò, S. (2016). *70% Alcohol Versus Dry Cord Care in The Umbilical Cord Care: A Case Control Study In Italy.* Medicine, Volume 95, Number 14. [www.md-journal.com](http://www.md-journal.com).

Rejeki, S., Machmudah, & Juwarningsih. (2017). *Praktik Perawatan Tali Pusat Oleh Ibu Dengan Kejadian Infeksi Tali Pusat Bayi Baru Lahir Di Semarang.* Yogyakarta: The 5th Urecool Proceeding.

Saifudin, A.B., George, A., Gulardi, H.W., & Djoko, W. (2006). *Buku Acuan Nasional Pelayanan Kesehatan Maternal dan Neonatal Edisi I.* Jakarta: Jakarta: YBP-SP.

Saraswati, M. (2009). *Ilmu Pengetahuan Sosial.* Jakarta: Grafindo Media Pratama.

Sastroasmoro, S. (2014). *Dasar-dasar Metodologi Penelitian Klinis.* Jakarta: Sagung Seto.

- Sastroasmoro, S. (2017). *Uji Klinis Landasan Teori dan Panduan Praktis*. Jakarta: Sagung Seto.
- Sazawal, S., Dhingra, U., Ali, S.M., Dutta, A., Deb, S., Ame, S.M., Mkasha, Yadav, A., & Black, R.E. (2016). *Efficacy Of Chlorhexidine Application To Umbilical Cord On Neonatal Mortality In Pemba, Tanzania: A Community-Based Randomised Controlled Trial*.
- Schulz, K.F., Douglas, G.A., & Moher, D. (2010). *Consort 2010 Statement: Updated Guidelines For Reporting Parallel Group Randomised Trials*. *BMJ*; 340:c332. <https://doi.org/10.1136/bmj.c332>.
- Semrau, K., Herlihy, J., Gragon, C., Musokatwane, K., Antwi, K.Y., Mbewe, R., Banda, B., Mpamba, C., Hamomba, F., Pilingana, P., Zulu, A., Kapata, P.C., Biemba, G., Thea, D.M., Maclead, W.B., Simon, J.L., & Hamer, D.H. (2016). *Effectiveness Of 4% Chlorhexidine Umbilical Cord Care On Neonatal Mortality In Southern Province, Zambia (ZamCat): A Cluster-Randomised Controlled Trial*. *Lancet Glob Health*, 4:e827-36.
- Simkin, Penny. (2007). *Kehamilan, Melahirkan & Bayi : Panduan Lengkap*. Jakarta: Arcan.
- Stewart, D., Benit, W., & Committee On Fetus And Newborn. (2016). *Umbilical Cord Care In The Newborn Infant*. *Pediatrics*: 138. DOI: 10.1542/peds.2016-2149. <http://pediatrics.aappublications.org/content/138/3/e20162149>
- Sumaryani, S. (2009). *Pelepasan Tali Pusat dan Omphalitis Kajian Terhadap Perawatan Dengan Air Susu Ibu, Alkohol 70% dan Teknik Kering Terbuka*. *Mutiara Medika Volume 9 No. 1*: 42-49.
- Waiswa, P., Pariyo, G., Kallander, K., Akuze, J., Namanzzi, G., Kiracho, E.E., Kerber, K., Sengendo, H., Aliganyira, P., Lawn, J.E., Peterson, S. (2015). *Effect Of The Uganda Newborn Study On Care-Seeking And Care Practices: A Cluster-Randomised Controlled Trial*. *Glob Health Action*, 8: 24584. <http://dx.doi.org/10.3402/gha/v8.24584>.
- World Health Organization. (2009). *Newborn Care Until The First Week Of Life: Clinical Practice Pocket Guide*. Switzerland: WHO Press.
- World Health Organization. (2014). *Early Essential Newborn Care: Clinical Practice Pocket Guide*. Switzerland: WHO Press.

World Health Organization. (2015). *Global Health Observatory Data Repository*.

Diakses dari <http://apps.who.int/gho/data/view.main.CM1300R?lang=en>