

DAFTAR PUSTAKA

- Addo, O.Y., Aryeh,D., Horta B.L et al. (2013). Maternal Height and Child Growth Patterns. *The Journal of Pediatrics*,163(2),p.549–554.
- Adni, 2008. Pola asuh ibu sebagai faktor risiko kejadian stunting pada anak balita di Kecamatan Bungku Utara Kabupaten Morowali Propinsi Sulawesi Tengah. *Jurnal Kesehatan Masyarakat*.
- Ahmed, T. Hossain, M., Sanin, K.I. (2013). Global Burden of Maternal and Child Undernutrition and Micronutrien Defeciensis. *Nutrition and Metabolism*; 61(suppl 1), pp.8–17.
- Alini, M. (1996). A Novel Angiogenic Molecule Produced at the Time of Chondrocyte Hypertrophy during Endochondral Bone Formation. *BMC Public Health* ;132(120), pp.124–132.
- Alburto, N.J., Adudou, M., Candias, V., Wu, T. (2014). Effect of Salt Iodization to Prevent Iodine Deficiency Disorder: A systemic Review with Meta - Analisis. *BMJ*; pp.142.
- Almatzier, S. (2004). Prinsip Dasar Ilmu Gizi. Jakarta: PT Gramedia Pustaka Utama; 78-86.
- Allen, L.H. (2006). Symposium : Food Fortification in Developing Countries New Approaches for Designing and Evaluating Food Fortification Programs. *American Society for Nutrition*; pp.1055–1058.
- Anasiru, M.A., Domili, I. (2018). Pengaruh asupan energi dan protein, Pola asuh dan status kesehatan terhadap kejadian stunting pada anak usia 12-36 bulan di Puskesmas Tilangi Kabupaten Gorontalo. *Health and Nutrition Journal*;vol.4.no 1. ISSN: 2407-0484.
- Anindita, P. (2012). HubunganTingkat Pendidikan Ibu, Pendapatan Keluarga, Kecukupan Protein dan Zinc dengan Stunting (pendek) pada Balita Usia 6-35 Bulan di Kecamatan Tembalang kota Semarang. *Jurnal Kesehatan Masyarakat*;1, pp.1–10. 617-625.
- Aridiyah, F.O., Rohmawati, N. & Ririanty, M. (2015). Faktor-faktor yang Mempengaruhi Kejadian Stunting pada Anak Balita di Wilayah Pedesaan dan Perkotaan (The Factors Affecting Stunting on Toddlers in Rural and Urban Area). *e-Jurnal Pustaka Kesehatan*;3(1).
- Arifin, D.Z., Irdasari, S.Y. & Sukandar, H. (2012). Analisis Sebaran dan Faktor Risiko Stunting pada Balita di Kabupaten Purwakarta 2012. *Komunitas Epidemiologi Fakultas Kedokteran*. Universitas Padjajaran Bandung.

- Aryastami, N.K. Shankar, A., Kusumawardhani, N. et al. (2017). Low birth weight was the most dominant predictor associated with stunting among children aged 12 – 23 months in Indonesia. *Bio Medical Central (BMC) Nutrition*; pp.1–16.
- Astutik,M., Rahfiludin, Zen., Aruben, R. (2018). Faktor Risiko Kejadian Stunting pada Anak Blita Usia 24-59 Bulan (Studi Kasus di Wilayah Kerja Puskesmas Gabus II Kabupaten Pati). *Jurnal Kesehatan Masyarakat.*; vol 6, pp.409–418.
- Balitbangkes. Kementrian Kesehatan Republik Indonesia.(2013). *Minister of Health Republics of Indonesia.*
- Bassett, J.H.D., Wiliams, G.R. (2017). A Lack of Thyroid Hormones Rather than Excess Thyrotropin Causes Abnormal Skeletal Development in Hypothyroidism. *Endocrine Reviews*; 29.501–512.
- Black, R.E., Victoria, C.G., Walker, S.P., Bhutta, Z.A., Christin, P.C. (2013). Maternal and Child Undernutrition and Overweight in Low-Middle Income Countries. *The Lancet*: 382 (3).
- Chambers, R., Medeazza, G.V. (2013). Sanitation and Stunting in India. *Economic and Political*; 28(5).
- Christmann, V., Putten, M.E.V., Rodwell,I., Steiner, K. (2018). Effect of early nutritional intake on long-term growth and bone mineralization of former very low birth weight infants. *Bone*;108,pp.89–97.
- Darapheak, C., Takano, t., Kizuki, M., Nakamura, K., Seino, K. (2015). Consumption of animal source foods and dietary diversity reduce stunting in children in Cambodia. *BMC International Archieves of Medicine*; 6.(29).
- Darwis, Rifka Ekariyani., Majid, Ruslan., Faizal, A. (2017). Analisis determinan yang berhubungan dengan kejadian gizi kurang pada balita usia 12-59 bulan di wilayah kerja puskesmas benu-benu kota kendari tahun 2017. *Jurnal Ilmiah Kesehatan Masyarakat*; vol 2.(6). ISSN: 250-731x.
- Dinas Kesehatan Kabupaten Timor Tengah Utara. (2016). Profil Kesehatan. Pemerintah Kabupaten Timor Tengah Utara.
- Dinas Kesehatan Kabupaten Timor Tengah Utara. (2017). Profil Kesehatan. Pemerintah Kabupaten Timor Tengah Utara.
- Deboer, M.D., Rebecca, J., Scharf, M.D. et al. (2017). Systemic inflammation , growth factors , and linear growth in the setting of infection and malnutrition. *Nutrition*; 33, pp.248–253

- Dekker, L.H. (2010). Stunting associated with poor socioeconomic and maternal nutrition status and respiratory morbidity in Colombian school children. *Food and Maternal Nutrition* ; vol 31 no 2. pp.242-250.
- Delange, F., Benoit, B., Pretell, E., Dunn, J.T. (2001). Iodine Deficiency in the World : Where Do we Stand at the Turn of the Century. *Thiroid*; 11(5).
- Dewey, K.G. & Begum, K. (2011). Original Article Long-term consequences of stunting in early life. *Maternal and Child Nutrition*; 7, pp.5–18.
- Dewi, D.C. (2014). Faktor-faktor yang berhubungan dengan Kejadian Gangguan Akibat Kekurangan Iodium (GAKI) di Daerah Pegunungan Kapur Wonogiri Jawa Tengah. *Universitas Gadjah Mada*. Yogyakarta.
- Dewi, C. & Adhi, T. (2016). Pengaruh Konsumsi Protein Dan Seng Serta Riwayat Penyakit Infeksi Terhadap Kejadian Stunting Pada Anak Balita Umur 24-59 Bulan Di Wilayah Kerja Puskesmas Nusa Penida. *Arc. Com. Health*; 3(1), pp.36–46.
- Djokomoeljanto, R. (1994). Hipotiroid di daerah Defisiensi Iodium. Kumpulan Naskah Simposium GAKI. Universitas Diponegoro;35-46.
- Drake , L., Maier, Jukes, M., Parkitaos, A. (2002). School age children : Their nutrition and health. *Partnership For Child Development Nutrition Works*; 25(1); vol. 1 (1-8).
- Dorshkind, K. & Horseman, N.D. (2017). The Roles of Prolactin, Growth Hormone, Insulin-Like Growth Factor-I, and Thyroid Hormones in Lymphocyte Development and Function : *Endocrine Review*;21 (3), pp.292–312.
- Eastman, C.J., Philips, D.I.W. (1988). Endemis Goitre and Iodine Deficincy Disorder-Aetiologi, Epidemiologic and Treatman. *Clinical Endocrinology and Metabolism*; 2(3).
- Erasmus, E.T., Hadi, H., Widodo, U.S. (2004). Sulementasi kapsul iodium terhadap pertumbuhan fisik dan kecerdasan anak stunted di Kecamatan Konda Kabupaten Kendari Propinsi Sulawesi Tenggara. *Sains Kesehatan*; 3(5).
- Fadnes, L.T. (2016). Effect of an Exclusive breastfeeding Intervention for Six Montrh on Growth Patterns of 4-5 Year Old Children in Uganda: *BMC Public Health*; pp.1-9.

- Farebrother, J. et al., 2018. Effects of Iodized Salt and Iodine Supplements on Prenatal and Postnatal Growth : A Systematic Review. , (May), pp.219–237.
- Favler, A.E. (1992). Hormonal Effects of Zinc on Growth in Children. *BMC Public Health*; 32, pp.383–384.
- Ferrari, F., Bracca, M. (2002). Impact of Micronutrien Deficiency on Growth: The Stunting Syndrome. *Nutrition Metabolism*; 46(suppl 1), pp.8-17.
- Fitri, L. (2012). Berat Lahir Rendah Sebagai Determinan terjadinya Stunting pada Balita (12-59) Bulan Di Sumatra 9 Analisis Data Riskesdas Tahun 2010. *Universitas Indonesia*; 3(1), pp.131–137.
- Fitri, L. (2018). Hubungan Berat Bayi Lahir Rendah dan Asi Eksklusif dengan Kejadian Stunting di Puskesmas Lima Puluh Pekanbaru. *Jurnal Endurance*; 3 (1). pp.131–137.
- Francis, L., Kirunda, B.E. & Orach, C.G. (2012). Intestinal Helminth Infections and Nutritional Status of Children Attending Primary Schools in Wakiso District , Central Uganda. *Environment Research*; pp.2910–2921.
- Friedman, J.F. et al. (2005). Progression of stunting and its predictors among school-aged children in western Kenya. *European Journal of Clinical Nutrition*; pp.914–922.
- Gaitan,E. & Dunn, J.I. (1992). Epidemiology of Iodine Deficiency. *Environmental Geochemistry and Health*; 3(5).31-54.
- Gaitan, E. (1998). Goitrogens Bailiere's. *Clinical Endocrinology and Metabolism*; 2(3): 683-702.
- Gibney, J.M., Margarets, M.B., Kearney, M.J., Arab, L. (2009). Gizi Kesehatan Masyarakat. Jakarta: Buku Kedokteran EGC. 344-347.
- Gibbs, J.P. (2006). AComparative Toxicological Assesment of Perchlorate and Thiocyanate Based on Competitive Inhibition of Iodine Uptake as the Common Mode of Action. *Human and Ecological*; 12 (1): 157-73.
- Ghosh, S., Suri, D., Uauy, R. (2018). Assessment of protein adequacy in developing countries : quality matters. *British Journal of Nutrition*; 108.77-87.
- Granner, D. (2003). Hormon Thiroid dalam Biokimia Herper. Edisi 25. Alih Bhasa Indonesia Andri Harono. Jakarta; *Penerbit Buku Kedokteran EGC*. 221-224.

- Green, M.A., Corsi, D.J. (2018). Distinct clusters of stunted children in India : An observational study. *Maternal and Child Nutrition*; pp.1–9.
- Greespan, F.S. (1994). The Thiroid Glands. Basic and Clinical Endocrinology, fourth edition. Prentice-Hall International Inc. A Lange Medical Book. University of California, San Francisco, 1994: 164-166.
- Hadi, H., Julia, M. & Herman, S. (2009). Defisiensi Vitamin A Dan Zinc Sebagaifaktor Risiko Terjadinya Stunting Pada Balita Di Nusa Tenggara Barat. *Media Penelitian dan Pengembangan Kesehatan*;19 (2).
- Hadi Riyadi, AliKhomson, Dadang S, Faisal A, E.S.M. (2006). Studi tentang status gizi pada rumahtangga miskin dan tidak miskin. *Jurnal Gizi Indonesia*.
- Hairunis, M.N., Rohmawati, N. & Ratnawati, L.Y. (2016). Determinan Kejadian Stunting pada Anak Balita di Wilayah Kerja Puskesmas Soromandi Kabupaten Bima Nusa Tenggara Barat. *e-Jurnal Pustaka Kesehatan*;4(2), pp.323–329.
- Hanum, F., Khomsan, A. & D.G. (2014). Hubungan asupan gizi dan tinggi badan ibu dengan status gizi anak balita. *Jurnal Gizi Klinik Indonesia*; 9(1), pp.1–6.
- Hastin, H., Kusrini. (2010). Status gizi dan status iodium pada balita dengan Down Syndrome. *Jurnal Kesehatan Masyarakat*. 5(2). 16-22.
- Hetzel, B.S. (1988). The International Council for Control of Iodine Disorders. *The Lancet*; pp.36–37.
- Hetzel, B.S. (1996). Iodine Deficiency Disorder and Their Eradication. *The Lancet*;12 (1).
- Irawati, T.E., Hadi, H. & Widodo, U. (2011). Tingkat konsumsi garam beryodium dan kaitannya dengan gangguan akibat kekurangan yodium ibu hamil. *Jurnal Gizi Klinik Indonesia*; 8(1), pp.1–6.
- Joshi, K., Nair, S. (2011). Prevalence of Iodine and Iron Malnutrition Among Rural School Children of Gyjarat India. *International Journal of Applied Biology and Pharmaceutical Technology*; 584-592 (2011).
- Kartono, D., Soekatri, M. (2004). Angka Kecukupan Mineral: Besi, Iodium, Seng, Mangan, Selenium dalam Prosiding Widya Karya Nasional Pangan dan Gizi VII. Jakarta: Lembaga Ilmu Pengetahuan Indonesia (LIPI).
- Kismul, H., Acharya, P., Mapatamo, M.A., Hatley, A. (2018). Determinants of childhood stunting in the Democratic Republic of Congo : further analysis of

Demographic and Health Survey 2013 – 14. *BMC Public Health*; pp.1–14.

Kemkes RI. (2014). Waspada Diabetes. Pusat Data dan Informasi Kementerian Kesehatan Republik Indonesia .Jakarta.

Koutras, D.A., Kristakis, D., Richopoulos, A., Malamos, B. (1977). Endemic Goiter in Greece: Nutritional Status, Growth Skeletal Development of Goitrous and Non Goitrous Population. *Am J Clin Nutr* ; 26: 1360-13.

Krishna, A. Juhman, O., Lee, J.K., Perkins, J.M., Hoe, J., Subramanian, S.V. (2015). Short-term and long-term associations between household wealth and physical growth: a cross-comparative analysis of children from four low- and middle-income countries. *Global Health Action* 8(1);ISSN; 1654-9716.

Kusuma, S.T., Budiono, I. (2016). Faktor Konsumsi yang Berhubungan dengan Kejadian Gangguan Akibat Kekurangan Iodium (GAKI). *Unnes Journal of Public Health*; 5(2), pp.149–155.

Kusrini, I., Sukandar, P.B. (2010). Hubungan antara Status Iodium dan Status Gizi pada Anak Riwayat Hipotiroid. *MGMI*:1(1);31-38.

Latifah, L., Ismail, D., Gamayanti, I.L., Prabandari, Y.S. (2013). Dampak Stimulasi Kognitif Disertai Pemberian Garam Beriodium Tiga Bulan Terhadap Kecukupan Iodium, Kualitas Lingkungan, Pengaruh Dan Perkembangan Kognitif Balita Di Daerah Endemik GAKI. *MGMI*;5 (1);1-16.

Linder, M.C. (1992). Biokimia Nutrisi dan Metabolisme, Parakkasi, A. Penerjemah. Jakarta. *Penerbit UI Press*. 344-347.

Lemeshow, S. Hosmer D.W., Klar J., Lwanga S.K. (1990). *Adequacy of Sample Size in Health Study*, New York: John Wiley & Sons Ltd.

Lazarus, J.H. (2015). The importance of iodine in public health. *Environmental Geochemistry and Health*, pp.605–618.

Lazzaroni, S. & Wagner, N. (2016). Economics and Human Biology Misfortunes never come singly : Structural change, multiple shocks and child malnutrition in rural Senegal. *Economics and Human Biology*, 23, pp.246–262.

Luby, S.P., Rahman, M., Arnold, B.J., Ashraf, Steward, C.P. (2018). Effects of water quality , sanitation , handwashing , and nutritional interventions on diarrhoea and child growth in rural Bangladesh : a cluster randomised controlled trial. *The Lancet Global Health*, 6(3), pp.e302–e315.

Lui, J.C. & Baron, J. (2014). Mechanisms Limiting Body Growth in Mammals. *Endocrine Review*; 32, pp.422–440.

- Mackie, E.J., Tatarczuch, L. & Mirams, M. (2011). The skeleton : a multi-functional complex organ . The growth plate chondrocyte and endochondral ossification. *Endocrinology*; 2(11),pp109-121.
- Millward, D.J. (2018). Nutrition , infection and stunting : the roles of deficiencies of individual nutrients and foods , and of inflammation , as determinants of reduced linear growth of children *Nutrition Research Reviews*. *Maternal and Child Nutrition*; pp.50–72.
- Moro, C. & Covino, J. (2018). Nutrition and growth : assessing the impact of regional nutritional intake on childhood development and metacarpal parameters. *Anatomy and Cell Biology*; pp.31–40.
- Mosites, E., Hann E, D., Walson, J., Rahbar, A.R. (2016). Paediatrics and International Child Health Piecing together the stunting puzzle : a framework for attributable factors of child stunting Piecing together the stunting puzzle : a framework for attributable factors of child stunting. *Paediatrics and International Child Health*; pp.1–8.
- Müller, O. & Krawinkel, M. (2005). Malnutrition and health in developing countries. *MAJ*, 173(3), pp.2000–2003.
- Munirul,M.I., Sanih, K.I., Mahfuz, M., Ahmed, S. (2016). Risk Factor of Stunting among Children Living in an Urban Slum of Bangladesh: Findings of a Prospective Cohort Study. *BMC Public Health*; 18:197.
- Murdiana, A., Sukati, S. (2001). Kadar Sianida dalam Sayuran dan Umbi-umbian di daerah GAKI. *Jurnal GAKI Indonesia*. 24:33-37.
- Mulyantoro, D.K., Hakimi, M. & Basuki, E. (2013). Hubungan Kadar Iodium dalam Garam Beriodium di Rumah Tangga dengan Kecukupan Iodium Berdasarkan Nilai Ekskresi Iodium Urin pada Wanita Usia Subur. (2013). *MGMI*;vol.5(1); 41-52.
- Murray, P.G., Clayton, P.E. & Chernausek, S.D. (2017). Review A genetic approach to evaluation of short stature of undetermined cause. *The Lancet Diabetes & Endocrinology*, 8587(18), pp.1–11.
- Murage, E.W.K., Khan,K., Pettifor, J.M., Tollbar, S.M., et al. (2010). The Prevalence of Stunting, Overweight and Obesity and Metabolic Disease Risk in Rural South Africa Children. *BMC Public Health*; 10.158.
- Murti, B. (2016). Surveilans untuk Mengatasi Masalah Gangguan Akibat Kekurangan Iodium. *Kemendes RI*. 1-5.

- Nabuasa, C. D. (2011). Hubungan riwayat pola asuh, pola makan, asupan zat gizi, terhadap kejadian stunting pada anak usia 24-59 bulan di Kecamatan Biboki Utara Kabupaten Timor Tengah Utara Propinsi Nusa Tenggara Timur. *Universitas Gadjah Mada*. Yogyakarta.
- Nasution, D., Nurdiati, D.S. & Huriyati, E. (2014). Berat Badan Lahir Rendah (BBLR) dengan Kejadian Stunting pada Anak Usia 6-24 Bulan. *Jurnal Gizi Klinik Indonesia*; 11(1), pp.31–37.
- Ningtyas, F.W., Asdie, A.H., Julia, M., Prabandari, Y.S. (2014). Eksplorasi Kearifan Lokal Masyarakat dalam Mengonsumsi Pangan Sumber Goitrogenik Terhadap Gangguan Akibat Kekurangan Iodium. *Jurnal Kesehatan Masyarakat*.8(7).
- Norliani. (2005). Tingkat Sosial Ekonomi, Tinggi Badan Orang Tua Dan Panjang Badan Lahir Dengan Tinggi Badan Anak Baru Masuk Sekolah Di Kota Palangkaraya. *Universitas Gadjah Mada*. Yogyakarta.
- Onis, M. Dewey, K.G., Borghi, E., et al. (2013). Original Article The World Health Organization’s global target for reducing childhood stunting by 2025 : rationale and proposed actions. *Maternal and Child Nutrition*; 9, pp.6–26.
- Onis, M. De & Branca, F. (2016). Review Article Childhood stunting : a global perspective. *The Lancet*; 12, pp.12–26.
- Otten, B.J. & Stoelinga, G.B.A. (1996). Catch-up growth after prolonged hypothyroidism. *Endocrinology*; pp.362–363.
- Ozaltin, E., Hill, K., Subramanian, S.V. (2010). Association of Maternal Stature With Offspring Mortality , Underweight , and Stunting. *American Medical Association*; 303(15), pp.1507–1516.
- Palmer, S. (1997). Vitamin A Deficiency, Child Health , and Survival. *BMC Public Health*; 9007(97), pp.484–485.
- Penington, J., Douglas, J. (2014). Food Sources of Iodine. *Dietitians of Canada*.
- Poel, E., Van De. (2008). Socioeconomic inequality in malnutrition in developing countries. *World Health and Nutrition Buletin*; 86 (4) 44800.
- Prendergast, A.J., Humprey, J.H. (2014). The stunting syndrome in developing countries. *Pediatric and International Child Health*; 34 (4);250-265.
- Priyono, P., Ratnawati, L.Y. (2015). Determinan Kejadian Stunting pada Anak Balita Usia 12-36 Bulan di Wilayah Kerja Puskesmas Randuagung Kabupaten Lumajang. *e-Jurnal Pustaka Kesehatan*; 3(2), pp.349–355.

- Rahayu, L.S. (2011). Hubungan kadar iodium air minum dengan kadar iodium urin anak sekolah dasar di daerah endemik GAKI. *Universitas Diponegoro*. Semarang.
- Rahayu, R. Mutalazimah., Mustikaningrum, F. (2015). Hubungan faktor demografi, frekuensi konsumsi zat goitrogenik dan status yodium urin bumil. *University Research Colloquim*; ISSN;2047-9189.
- Remer, T., Neubert, A., Maser G. C. (2002). Anthropometry-based reference values for 24-h urinary creatinine excretion during growth and their use in endocrine and nutritional. *American Nutrition and Health*; 22 (2); 501-512.
- Riyadi, H., Khomson, A., Faizal, A., Mudjajanto, E.S. (2006). Studi Tentang Status Gizi Pada Rumah Tangga Miskin Dan Tidak Miskin. *Jurnal Gizi Indonesia*; 12 (5).
- Riyadi, H., Drajat Martianto, Dwi Hastuti, Evy Damayanti, K.M. (2011). Faktor-Faktor Yang Mempengaruhi Status Gizi Anak Balita Di Kabupaten Timor Tengah Utara , Provinsi Nusa Tenggara Timur. *Jurnal Gizi dan Pangan*; 6(1), pp.66–73.
- Rosha, B.C. Putri, D.S.K., Putri, I.Y.S. (2013). Determinan Status Gizi Pendek Anak Balita Dengan Riwayat Berat Badan Lahir Rendah (BBLB) Di Indonesia (Analisis Data Riskesdas 2007-2010). *Jurnal Ekologi Kesehatan*: vol.12.no.3.ISSN;193-205.
- Sandu, S. (2016). Kejadian Diare Berdasarkan Perilaku Hidup Bersih dan Sehat (PHBS) dan Sanitasi Lingkungan Rumah di Wilayah Puskesmas Tamis Di Nusa Tenggara Timur. *STIKes Surya Mitra* , pp.148–157.
- Sahertian, M. (2017). Hubungan kadar garam beriodium dan kadar iodium urin dengan kejadian stunting. (Analisis Data Riskesdas 2013). Universitas Gadjah Mada Yogyakarta.
- Sharma, A.K., Big, V.N., Yadev, A.K., Bharadwj, A.K., Sigh, R. (2010). Prevalence and Risk Factor for Stunting. *The Lancet*;ISSN 0976, 3325.
- Semba, R.D., P, Fanner, R.M., Sun, K., Pee, S.D. (2011). Consumption of micronutrient-fortified milk and noodles is associated with lower risk of stunting in preschool-aged children in Indonesia. *Food and Nutrition Buletin*;32(4), pp.347–353.
- Sediaoetama, A.D. (2004). Ilmu Gizi untuk Mahasiswa dan Profesi. Jilid II Jakarta: Dian Rakyat. 133.137.
- Semba, R.D. Pee,S., Sari, M., Akter, N., Bloem, M. (2008). Eff ect of parental

formal education on risk of child stunting in Indonesia and Bangladesh : a cross-sectional study. *The Lancet*; 371, pp.322–328.

Semba, R.D. (2008). Iodine Deficiency Disorder in Nutrition and Health in Developing Countries. *The Lancet*. 372: 1251-62.

Semba, D.R., Pee, S.D., Hess, S.Y., Bloem, M.W. (2011). Child Malnutrition and Mortality among Families not Utilizing Adequately Iodized Salt in Indonesia. *Am.J. Clin. Nut.*;87.44.438.

Senbanjo, I.O. (2011). Prevalence of and Risk factors for Stunting among School Children and Adolescents in Abeokuta , Southwest Nigeria. *Health and Nutrition*; 29(4), pp.364–370.

Shea, P.J.O. (2017). A Thyrotoxic Skeletal Phenotype of Advanced Bone Formation in Mice with Resistance to Thyroid Hormone. *Moleculer Endocrine*; pp.1410–1424.

Sinha, B., Taneerja,S., Choedury, R., et al. (2017). Low - birth weight infants born to short - stature mothers are at additional risk of stunting and poor growth velocity; Evidence from secondary data analyses. *Maternal and Child Nutrition*: pp.1–9. 12504.

Siswanto. (2008). Faktor-faktor penyimpang positif status gizi balita Suku Dawan di Kabupaten Timor Tengah Utara. *Universitas Gadjah Mada*. Yogyakarta.

Solomon, M.N. (2014). Iodine Status of Rural School Children in Vhembe District of Limpopo Province , South Africa. *Nutrition and Food Science*: 2(2), pp.98–105.

Spears, D. (2012). Effects of Rural Sanitation on Infant Mortality and Human Capital : Evidence from India ' s Total Sanitation Campaign.

Stephenson, J.B. (1999). Burden of infection on growth failure. *Acta Tropica*; 145,pp.17-22.

Sukati. S, Suryati.K, M. Ichsan, Mucherdiyantiningsih, D.K. (2005). Hubungan Kadar Enzym Kholinesterase Dengan Kadar Hormon Thyroid Pada Wus DI Daerah Gondok Endemik. , 29(1), pp.38–47.

Supariasa, I.D.N. (2002). Penilaian Status Gizi. EGC. Jakarta; 122-126.

Supariasa, I.D.N., Fajar, B.B. (2014). Penilaian Status Gizi;Edisi 2 *EGC*. Jakarta;75-79.

Sudargo,T., Kusmayanti, N.A., Hidayati, N.L. (2014). Defisiensi Iodium, Zat Besi

dan Kecerdasan. *Gadjah Mada University Press*. 115-118.

Sulistiyani, R., Rahayuningsih, H.M. (2013). Gambaran konsumsi garam iodium, kadar TSH dan Kadar UIE pada ibu hamil. *Jurnal of Nutrition College*; 2, pp.720–729.

Swathma, D., Lestari, H., Teguh, R. (2016). Riwayat Imunisasi Dasar Terhadap Kejadian Stunting Pada Balita Usia 12-36 Bulan Di Wilayah Kerja Puskesmas Kandai Kota Kendari 2016. *Jurnal Kesehatan Masyarakat*; pp.1–10.

Swinburn, B., Sacks, G., Vandevijvero, s., Kumenyika, S. (2013). INFORMAS (International Network for Food and Obesity/Non Communicable Disease Research: Monitoring and Action Support): *Overview and Key Principles. Obesity*; 14 (Suppl.1) 1-12.

Tando, N.M., 2012. Stunting Pada Anak Sd Di Kecamatan Malalayang Kota Manado. *Gizi Klinik Indonesia*: 4(1), pp.338–348.

Tarim, O. (2011). Thyroid Hormones and Growth in Health and Disease. *Pediatric and Endocrinology*: 3(2), pp.51–55.

Thaha, A.R., Djunaidi, M., Nurhaedar, J. (2001). Analisis Konsumsi Goitrogenik dan Iodium Terhadap Gangguan Akibat Kekurangan Iodium di Propinsi Maluku. *Jurnal GAKI Indonesia*; 3 (2);1-3.

Tayade, S.A. & Chhabra, S. (2018). Iodine status and its determinants in subpopulation of pregnant women in rural Central India. *Journal of Tropical Pediatrics*; 7(2), pp.665–670.

Tofani, Sarah Yuneke. (2013). Status iodium, status gizi, dan kecerdasan pada anak sekolah dasar di wilayah pantai kabupaten karawang. *Institut Pertanian Bogor*.

TNP2K. (2017). Tim Nasional Percepatan Penanggulangan Kemiskinan: 100 Kabupaten /Kota prioritas untuk intervensi anak kerdil (stunting). Sekretariat Wakil Presiden Republik Indonesia; Jakarta vol (1).

Tumilowicz, A., Beal, T. & Neufeld, L.M. (2018). A review of child stunting determinants in Indonesia. *Maternal and Child Nutrition*; pp.1–10.

Ulfani, D.H., Martianto, D. (2011). Faktor-Faktor Sosial Ekonomi Dan Kesehatan Masyarakat Kaitannya Dengan Masalah Gizi Underweight , Stunted , Dan Wasted Di Indonesia: *Jurnal Gizi dan Pangan*; 6(1), pp.59–65.

Wardani, Setyawati Ika (2015). Hubungan pengetahuan dan pengelolaan garam

dengan Ekskresi Iodium Urin ibu hamil di Puskesmas Mususk Kecamatan Musuk Kabupaten Boyolali. *Universitas Muhammadiyah*. Surakarta.

Wahdah, S. (2012). Faktor Risiko Kejadian Stunting pada Anak Umur 6-36 Bulan di Wilayah Pedalaman Kecamatan Silat Hulu Kabupaten Kapuas Hulu Propinsi Kalimantan Barat. *Universitas Gadjah Mada*. Yogyakarta.

Walker, SP., Wachth, TD., MacGregor, SP., Black, MM., Nelson, CA. (2011). Inequity in Early Children in Obukpa, a rural Nigerian community. *Public Health and Epidemiology*; 4(9) pp.246-252.

Westphal, AJ., Dorhofer, RP., Muller, MJ. (2009). Short Stature and Obesity: Positive Association in Adults But Association in Children and Adolescent. *British Journal of Nutrition*; (102), 453-461.

WHO-ICCIDD. (2007). Assessment of iodine deficiency disorders and monitoring their elimination. *Unicef-ICCIDD*. Geneva.

WHO-ICCIDD. (2001). Assessment of Iodine Deficiency Disorders and Monitoring their Elimination. *Unicef-ICCIDD*. Geneva.

WHO (2004). Concise International Chemical Assessment Document 61 Hydrogen Cyanide And Cyanides : Human Health Aspects. *Unicef*.USA.

Wirth, J.P., Rohnes, F., Petry, N., Ongongo, A.W. (2016). Original Article Assessment of the WHO Stunting Framework using Ethiopia as a case study. *Maternal and Child Nutrition*; pp.1–16.

Wojcicka, A., Bassett, J.H.D. & Williams, G.R. (2013). Biochimica et Biophysica Acta Mechanisms of action of thyroid hormones in the skeleton. *BBA - General Subjects*, 1830(7), pp.3979–3986.

World Bank. (2006). Repositioning Nutrition as Central to Development. USA.

Wong, S.C., Dobie, R., Altowali, M.A., Farquharson, C. (2018). Growth and the Growth Hormone-Insulin Like Growth Factor 1 Axis in Children With Chronic Inflammation : Current Evidence, Gaps in Knowledge; *Endocrine Review*; pp.62–110.

Woodruff, B.A., Wirth, J.P., Baltas, A., Matji, J., Rohner, F. (2016). Determinants of stunting reduction in Ethiopia 2000 – 2011. *Maternal and Child Nutrition*; pp.1–17.

Yablonski, G., Philip, M. (2015). Nutritionally-induced Catch Up Growth. *Nutritiens*; ISSN;2072

Yang, Yu., Huang, H., Yuan, Y., Wang, W., Ying, W. (2018). Association of single nucleotide polymorphisms in estrogen receptor 1 gene with the risk of idiopathic short stature. *Biomedical Research* ;29(6). pp.1184–1189.

Zimmermann, M.B. (2007). The Adverse Effects of Mild-to-Moderate Iodine Deficiency during Pregnancy and Childhood: A Review. *Endocrinology*; 17(9).

Zimmerman, M.B. Joostle, P.L., Pandou, C.S. (2008). Iodine Deficiency Disorder. *The Lancet*; 372.

Zimmermann, M.B. (2012). The Effects of Iodine Deficiency in Pregnancy and Infancy. *Endocrinology*;, 26, pp.108–117.