

DAFTAR PUSTAKA

- Abdul, H.P.S., 2014, Production and Modification of Nanofibrillated Cellulose Using Various Mechanical Process, *Carbohydr. Polym.*, 99, 649-665.
- Albano, C., Gonzales, J., Ichazo, M., Velasco, N., Guevara, J., dan Mantia, F.L., 2003, Thermal Stability of Polypropylene with Acetylated Sisal Fiber: Romero Garcia Kinetic Method, *Polym. Bull.*, 51, 245-254.
- Baiardo, M., Frisoni, G., Scandola, M., and Licciardello, A., 2002, Surface Chemical Modification of Natural Cellulose Fiber, *J. Appl. Polym. Sci.*, 83, 38.
- Batubara, R., 2006, *Teknologi Bleaching Ramah Lingkungan*, Universitas Sumatra Utara, Medan.
- Bengtsson, M., Baillif, M.L., and Oksman, K., 2007, Extrusion and Mechanical Properties of Highly Filled Cellulose Fibre-Polypropylene Composites, *Composites: Part A*, 38, 1922-1931.
- Bledzki, A.K and Gassan, J., 1999, Composite Reinforced with Cellulose Based Fiber, *Prog. Polym. Sci.* 24, 211-274.
- Bledzki, A.K., Mamun, A.A., Lucka-Gabor, M., and Gutowski, V.S., 2008, The Effect of Acetylation on Properties of Flax Fibre and its Polypropylene Composites, *Express Polym. Lett.*, 2(6), 413-422.
- Browning, B.L., 1967, *Methods of Wood Chemistry*, Volume II, Interscience Publisher, Wisconsin.
- Chen, H., 2014, *Biotechnology of Lignocellulose: Theory and Practice*, Chemical Industry Press, Beijing.
- Coniwanti, P., Anka, M.N.P., dan Sanders, C., 2015, Pengaruh Konsentrasi, Waktu dan Temperatur terhadap Kandungan Lignin pada Proses Pemutihan Bubur Kertas Bekas, *J Tek. Kim.*, 3(21), 50-58.
- Das, A.M., Ali, A.A., and Hazarika, M.P., 2014, Synthesis and Characterization of Cellulose Acetate from Rice Husk: Ecofriendly Condition, *Carbohydr. Polym.*, 112, 342-349.
- Ebnesajjad, S., 2012, *Handbook of Biopolymers and Biodegradable Plastics*, 1st edition, Elsevier, USA.
- Ernest-Saunders, R., Pawlak, J.J., and Lee, J.M., 2014, Properties of Surface Acetylated Microfibrillated Cellulose Relative to Intra and Inter Fibril Bonding, *Cellulose*, 21, 1541-1552.

- Fatriasari, W. dan Hermiati, E., 2008, Analisis Morfologi Serat dan Sifat Fisis-Kimia pada Enam Jenis Bambu Sebagai Bahan Baku Pulp dan Kertas, *JITHH*, 1(2), 67-72
- Filho, C. and Ulrich, H., 2002, *Hydrogen Peroxide in Chemical Pulp Bleaching*, Iberoamerican Congress on Pulp and Paper Research, Brazil.
- Frisoni, G., Baiardo, M., Scandola, M., Lednicka, D., Cnockaert, M.C., Mergaret, J., and Swings, J., 2001, Natural Cellulose Fibers: Heterogeneous Acetylation Kinetics and Biodegradation Behavior, *Biomacromolecules*, 2(2), 476-482.
- Garlotta, D.A., 2001, Literature review of poly (lactic acid), *J. Polym. Environ.*, 9(2), 63-84.
- Goffin L., 2011, From Interfacial Ring-Opening Polymerization to Melt Processing of Cellulose Nanowhisker-Filled Polylactide-Based Nanocomposites, *Biomacromolecule*, 12(7), 2456–2465.
- Gurunathan, T., Mohanty, S., Nayak, S.K., 2015, A Review of the Recent Developments in Biocomposites Based on Natural Fibers and Their Application Perspectives, *Composites: Part A*.
- Halasz, K. and Csoka, L., 2013, Plasticized Biodegradable Poly Lactic Acid Based Composites Containing Cellulose in Micro and Nanosize, *J. Eng.*, 2013(3).
- Hartmann MH., 1998, *High Molecular Weight Polylactic Acid Polymers in Biopolymers from Renewable*, Springer-Verlag, Berlin.
- Haygreen, J.G. dan Bowyer, J.L., 1996, Hasil Hutan dan Ilmu Kayu Suatu Pengantar, Terjemahan, Gadjah Mada University Press, Yogyakarta.
- Holbery, J. and Houston, D., 2016, Natural Fiber Reinforced Polymer Composites in Automotive Applications, *JOM*, 80-86.
- Huang, K., Zhang, M., Zhang, G., Jiang, X., and Huang, D., 2012, Acetylation Modification of Rice Straw Fiber and Its Thermal Properties, *Cell. Chem. Technol.*, 48 (3-4), 199-207.
- Ibrahim, A., Wijaya, H.C., Achmadi, S.S., dan Haryadi, Y., 2006, Polikondensasi Azeotropik Asam Laktat Menjadi Poli Asam Laktat sebagai Bahan Baku Kemasan, *Jurnal Sains Materi Indonesia*, 8(1), 58-64.
- Ifuku, S., Nogi, M., Abe, K., Handa, K., Nakatsubo, F., and Yano, H., 2007, Surface Modification of Bacterial Cellulose Nanofibers for Property Enhancement of Optically Transparent Composites: Dependence on Acetyl-group DS, *Biomacromolecules*, 8(6), 1973-1978
- Jiang, L. dan Zhang, J., 2011, *Applied Plastics Engineering Handbook: Biodegradable and Biobased Polymers*, Elsevier, Washington.

- John, M.J. and Anandjiwala, R.D., 2009, *Surface Modification and Preparation Techniques for Textile Materials*, Woodhead Publishing, Cambridge.
- John, M.J. and Thomas S, 2008, Biofibres and Biocomposites, *Carbohydr. Polym.*, 71, 343-364.
- Jonoobi, M., Harun, J., Mathew, A.P., Hussein, M.Z., and Oksman, K., 2010, Preparation of Cellulose Nanofibers with Hydrophobic Surface Characteristic, *Cellulose*, 17, 299-307.
- Kusumaningrum, W.B., Rochmadi, dan Subyakto, 2017, Pembuatan Selulosa Terasetilasi dari Pulp Bambu (*Dendrocalamus asper*) serta Pengaruhnya Terhadap Sifat Mekanis Biokomposit Polipropilena, *Reaktor*, 17(1), 25-35.
- Kusumaningrum, W.B., Syamani F.A., Desiana, D., Suryanegara, and L., Subyakto, 2017, Characterization of Acetylated Cellulose from Oil Palm Frond Fiber (*Elaeis guineensis* Jacq.) for Composites Application, *J. Lignocellulose Tech.*, 02, 18-23.
- Li, X., Lope, G.T., and Panigrahi, S., 2007, Chemical Treatments of Natural Fiber for Use in Natural Fiber-Reinforced Composites (A Review), *J. Polym. Env.*, 15, 25-33.
- Lima, G.M., Sierakowski, M.R., Faria-Tischer, P.C.S., and Tischer, C.A., 2011, Characterization of Bacterial Celulose Partly Acetylated by Dimethylacetamide/ Lithium Chloride, *Mater. Sci. Eng.*, 31(2). 190-197.
- Liu, D., Song, J., Anderson, D.P., Chang, P.R., and Hua, Y., 2012, Bamboo Fiber and its Reinforced Composites: Structure and Properties, *Cellulose*, 19, 1449-1480.
- Mi, Y., Chen, X., Guo, Q., 1997, Bamboo fiber-reinforced polypropylene composites: Crystallization and interfacial morphology. *J. Appl. Polym. Sci.* 64:1267–1273.
- Nagiev, T.M., 2007, *Coherent Synchronized Oxidation Reactions by Hydrogen Peroxide*, Elsevier B. V., Amsterdam.
- Olaru, N., Olaru, L., Vasile, C., Ander, P., 2011, Surface Modified Cellulose Obtained by Acetylation Without Solvents of Bleached and Unbleached Kraft Pulps, *Polymery*, 56 (11-12), 834-840.
- Popescu, C., Larsson, P.T., Olaru, N., and Vasile, C., 2012, Spectroscopy Study of Acetylated Kraft Pulp Fibers, *Carbohydr. Polym.*, 88, 530-536.
- Presley, J.R., and Hill, R.T., 1996, The Technology of Mechanical Pulp Bleaching, Chapter 1, *Tappi Press*, Atlanta.

- Radionova, G., Lenes, M., and Eriksen, G., 2011, Surface Chemical Modification of Microfibrillated Cellulose: Improvement of Barrier Properties for Packaging Applications, *Cellulose*, 18, 127-134.
- Ramsden, M.J. and Blake, F.S.R., 1997, A Kinetic Study of The Acetylation of Cellulose, Hemicellulose, and Lignin Components in Wood, *Wood Sci. Technol.*, 31, 45-50.
- Rayung M., 2014, The Effect of Fiber Bleaching Treatment on The Properties of Poly Lactic Acid/Oil Palm Fruit Bunch Fiber Composites, *Int. J. Mol. Sci.*, 15(8), 14728-14742.
- Rowell, R.M., 2005, *Handbook of Wood Chemistry and Wood Composite*, CRC Press, Florida.
- Saleh, A., Pakpahan, M.M.D., Angelina, N., 2009, Pengaruh Konsentrasi Pelarut, Temperatur, dan Waktu Pemasakan pada Pembuatan Pulp dari Sabut Kelapa Muda, *J. Tek. Kim.*, 3(16). 35-44.
- Syamani, F.A., Kurniawan, Y.D., and Suryanegara, L., 2012, Cellulose Fibers from Oil Palm Fronds Reinforced Polylactic Acid Composite, *The International Conference on Materials Science and Technology*, Bogor.
- Syamani, F.A., 2015, Rekayasa Proses Fibrilasi Selulosa untuk Penguat dan Pengisi Komposit Polimer, *Disertasi*, Institut Pertanian Bogor, Bogor.
- Suryanegara, L., Nugraha, R.A., and Achmadi, S.S., 2017, Improvement of Thermal and Mechanical Properties of Composite Based on Poly Lactic Acid and Microfibrillated Cellulose Through Chemical Modification, *Mater. Sci. Eng.*, 223.
- Thielemans, B.L.W., Dufresne, A., Chaussy, D., and Balgacem, M.N., 2008, Surface Functionalization of Cellulose Fibers and Their Incorporation on Renewable Polymer Matrices, *Compos. Sci. Technol.*, 68, 3193-3201.
- Tutus, A and M. Usta., 2004, Bleaching of Chemithermomechanical pulp (CTMP) Using Environmentally Friendly Chemicals, *J. Environ. Biol.*, 25: 141-145.
- Van Daam, J.E.G., 2002, *Coir Processing Technologies: Improvement of Drying, Softening, Bleaching and Dyeing Coir Fibre/Yarn and Printing Coir Floor Coverings*, FAO and CFC, Netherlands.
- Wildan, A., 2010, Studi Proses Pemutihan Serat Kelapa sebagai *Reinforced Fiber*, *Tesis*, Universitas Diponegoro, Semarang.
- Yang, Z., Xu, S., Ma, X., and Wang, S., 2008, Characterization and Acetylation Behaviour of Bamboo Pulp, *Wood Sci. Technol.*, 42, 621-632.

Zakikhani, P., Zahari, R., Sultan M.T.H., and Majid, D.L., 2014, Extraction and Preparation of Bamboo Fibre-Reinforced Composites, *Material and Design*, 63, 820-828.

Zaman, M., Xiao, H., Chibante, F., and Ni, Y., 2012, Synthesis and Characterization of Cationically Modified Nanocrystalline Cellulose, *Carbohydr. Polym.*, 163-170.

Zhang, G., Huang, K., Jiang, X., Huang, D., and Yang, Y., 2013, Acetylation of Rice Straw for Thermoplastic Applications, *Carbohydr. Polym.*, 96, 218-22



UNIVERSITAS
GADJAH MADA

Pengaruh Bleaching dan Lama Asetilasi terhadap Karakteristik Komposit Pulp Bambu Betung dan Poli

Asam Laktat

ALVIEN LERIANZA BARTINDO, M. Fajar Pradipta, S.Si., M.Eng; Dr. Firda Aulya Syamani, S.TP., M.Si

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>