

DAFTAR PUSTAKA

- Abubakari, A., Kynast-Wolf, G. & Jahn, A. (2015) Prevalence of abnormal birth weight and related factors in Northern region, Ghana. *BMC Pregnancy Childbirth*, 15 (1): 335.
- Alwan, N. A., Cade, J. E., McArdle, H. J., Greenwood, D. C., Hayes, H. E. & Simpson, N. A. (2015) Maternal iron status in early pregnancy and birth outcomes: insights from the Baby's Vascular health and Iron in Pregnancy study. *British Journal of Nutrition*, 113 (12): 1985-1992.
- Bediako, P. T., BeLue, R. & Hillemeier, M. M. (2015) A Comparison of Birth Outcomes Among Black, Hispanic, and Black Hispanic Women. *J Racial Ethn Health Disparities*, 2 (4): 573-582.
- Bhaskar, R. K., Deo, K. K., Neupane, U., Chaudhary Bhaskar, S., Yadav, B. K., Pokharel, H. P. & Pokharel, P. K. (2015) A Case Control Study on Risk Factors Associated with Low Birth Weight Babies in Eastern Nepal. *Int J Pediatr*, 2015 807373.
- Bird, S. T., Chandra, A., Bennett, T. & Harvey, S. M. (2000) Beyond marital status: relationship type and duration and the risk of low birth weight. *Fam Plann Perspect*, 32 (6): 281-7.
- Birgit Reimea, Pamela A. Ratner, N., S., Tomaselli-Reimea, Ann Kellya, Beate A. Schueckingb & Wenzlaffc, P. (2006) The role of mediating factors in the association between social deprivation and low birth weight in Germany. *aUniversity of British Columbia Vancouver, BC, Canada bUniversity of Osnabrueck, Germany cPhysicians' Chamber of Lower Saxony, Germany*.
- Brittain, K., Myer, L., Koen, N., Koopowitz, S., Donald, K. A., Barnett, W., Zar, H. J. & Stein, D. J. (2015) Risk Factors for Antenatal Depression and Associations with Infant Birth Outcomes: Results From a South African Birth Cohort Study. *Paediatr Perinat Epidemiol*, 29 (6): 505-14.
- Chen, I., Jhangri, G. S., Lacasse, M., Kumar, M. & Chandra, S. (2015) Relationship Between Interpregnancy Interval and Adverse Perinatal and Neonatal Outcomes in Northern Alberta. *J Obstet Gynaecol Can*, 37 (7): 598-605.
- Chen, X.-K., Wen, S. W., Fleming, N., Demissie, K., Rhoads, G. G. & Walker, M. (2007) Teenage pregnancy and adverse birth outcomes: a large population based retrospective cohort study. *International journal of epidemiology*, 36 (2): 368-373.

- Chuku, S. N. (2008) *Low Birth Weight in Nigeria: Does Antenatal Care Matter?:* Erasmus University.
- Dahlui, M., Azahar, N., Oche, O. M. & Aziz, N. A. (2016) Risk factors for low birth weight in Nigeria: evidence from the 2013 Nigeria Demographic and Health Survey. *Global health action*, 9.
- De Bernabé, J. V., Soriano, T., Albaladejo, R., Juarranz, M., Calle, M. a. E., Martínez, D. & Domínguez-Rojas, V. (2004) Risk factors for low birth weight: a review. *European Journal of Obstetrics & Gynecology and Reproductive Biology*, 116 (1): 3-15.
- Deal, S. B., Bennett, A. C., Rankin, K. M. & Collins Jr, J. W. (2014) The relation of age to low birth weight rates among foreign-born black mothers: a population-based exploratory study. *Ethnicity & disease*, 24 (4): 413-417.
- Dennis, J. A. & Mollborn, S. (2013) Young maternal age and low birth weight risk: an exploration of racial/ethnic disparities in the birth outcomes of mothers in the United States. *The Social science journal*, 50 (4): 625-634.
- Deshpande, J. D., Phalke, D., Bangal, V., Peeyuusha, D. & Sushen, B. (2011) Maternal risk factors for low birth weight neonates: a hospital based case control study in rural area of western maharashtra, India. *National Journal of Community Medicine*, 2 (3): 394-398.
- Dinkes Kab. Bantul (2015) *Profil Kesehatan Kabupaten Bantul Tahun 2016*, Bantul: Dinas Kesehatan Kabupaten Bantul.
- Fall, C. H., Sachdev, H. S., Osmond, C., Restrepo-Mendez, M. C., Victora, C., Martorell, R., Stein, A. D., Sinha, S., Tandon, N. & Adair, L. (2015) Association between maternal age at childbirth and child and adult outcomes in the offspring: a prospective study in five low-income and middle-income countries (COHORTS collaboration). *The Lancet Global Health*, 3 (7): e366-e377.
- Flower, A., Shawe, J., Stephenson, J. & Doyle, P. (2013) Pregnancy planning, smoking behaviour during pregnancy, and neonatal outcome: UK Millennium Cohort Study. *BMC Pregnancy Childbirth*, 13 238.
- Fraser, D. M. & Cooper, M. A. (2009) *Myles Buku Ajar Bidan 14*.
- Ganchimeg, T., Ota, E., Morisaki, N., Laopaiboon, M., Lumbiganon, P., Zhang, J., Yamdamsuren, B., Temmerman, M., Say, L. & Tunçalp, Ö. (2014) Pregnancy and childbirth outcomes among adolescent mothers: a World Health Organization multicountry study. *BJOG: An International Journal of Obstetrics & Gynaecology*, 121 (s1): 40-48.

- Gibbs, C. M., Wendt, A., Peters, S. & Hogue, C. J. (2012) The impact of early age at first childbirth on maternal and infant health. *Paediatric and perinatal epidemiology*, 26 (s1): 259-284.
- Goli, S., Rammohan, A. & Singh, D. (2015) The effect of early marriages and early childbearing on women's nutritional status in India. *Maternal and child health journal*, 19 (8): 1864-1880.
- Goswami, D. & Tyagi, P. (2015) A Study of correlation between the age of mother and birth weight of the baby: A hospital based study.
- Guimarães, A. M., Bettiol, H., Souza, L. D., Gurgel, R. Q., Almeida, M. L. D., Ribeiro, E. R. D. O., Goldani V, M. Z. & Barbieri, M. A. (2013) Is adolescent pregnancy a risk factor for low birth weight? *Revista de Saúde Pública*, 47 (1): 11-19.
- Harville, E. W., Madkour, A. S. & Xie, Y. (2012) Predictors of birth weight and gestational age among adolescents. *American journal of epidemiology*, 176 (suppl 7): S150-S163.
- Hidayat, A., Santoso, B. R. & Pratama, M. E. (2015) Pengaruh kehamilan usia remaja dengan kejadian persalinan prematur dan BBLR di RSUD dr. H. Moch Ansari Saleh Banjarmasin tahun 2014. *Dinamika Kesehatan Jurnal Kebidanan dan Keperawatan*, 6 (2): 87-97.
- Ikutwa, L. N. (2015) Factors influencing early marriage on the girl child's maternal health projects: a case of Maralal town, Samburu county, Kenya. Kenya: University of Nairobi.
- Imtiaz, A., Ul-Haq, Z., Badrashi, M. & Farooq, S. (2016) Association of teenage pregnancy with low birth weight of neonates: Tertiary Care Hospitals Based Case Control Study in Peshawar, *Khyber Medical University Journal*, 7 (4).
- Istiany, A. (2013) *Gizi Terapan*, Bandung: PT. Remaja Rosdakarya.
- Johnson, D. (2014) The Association between Maternal Age and Low Birth Weight Offspring, NHANES 2007-2008.
- Karim, M. & Kafia, H. (2014) A study to assess the maternal factors leading to low birth weight babies in Selected Hospitals of Pune-India. *Kufa Journal for Nursing Sciences*, 3 (2).
- Kaur, M., Chauhan, A., Manzar, M. D. & Rajput, M. M. (2015) Maternal Anaemia and Neonatal Outcome: A Prospective Study on Urban Pregnant Women. *Journal of clinical and diagnostic research: JCDR*, 9 (12): QC04.

- Kayode, G. A., Amoakoh-Coleman, M., Agyepong, I. A., Ansah, E., Grobbee, D. E. & Klipstein-Grobusch, K. (2014) Contextual Risk Factors for Low Birth Weight: A Multilevel Analysis. *PLoS ONE*, 9 (10): e109333.
- Kemendes RI (2013) *Riset kesehatan dasar (RISKESDAS) 2013*, Jakarta: Badan penelitian dan pengembangan kesehatan, Kementerian Kesehatan Republik Indonesia.
- Li, Y.-M. & Chang, T.-K. (2005) Maternal demographic and psychosocial factors associated with low birth weight in eastern Taiwan. *The Kaohsiung journal of medical sciences*, 21 (11): 502-510.
- Liu, A., Zhang, R., Li, Z., Qu, P., Zhao, Y. & Yan, H. (2015) Incidence of low birth weight among single live birth neonates and influencing factors in Shaanxi. *Zhonghua liu xing bing xue za zhi= Zhonghua liuxingbingxue zazhi*, 36 (11): 1244-1248.
- Luca, A. C., Holoc, A. S. & Iordache, C. (2015) CONGENITAL HEART MALFORMATIONS IN NEWBORN BABIES WITH LOW BIRTH WEIGHT. *Rev Med Chir Soc Med Nat Iasi*, 119 (2): 353-60.
- Manuaba, 1998. Ilmu Kebidanan, Penyakit Kandungan dan Keluarga Berencana untuk Pendidikan Bidan. Jakarta: EGC
- Martin, J. A., Hamilton, B. E., Ventura, S. J., Osterman, M. J., Kirmeyer, S., Mathews, T. & Wilson, E. C. (2012) National vital statistics reports. *National Vital Statistics Reports*, 61 (1).
- Martinson, M. L. & Reichman, N. E. (2016) Socioeconomic Inequalities in Low Birth Weight in the United States, the United Kingdom, Canada, and Australia. *Am J Public Health*, e1-e7.
- Melo, E. C., Oliveira, R. R. & Mathias, T. A. (2015) Factors associated with the quality of prenatal care: an approach to premature birth. *Rev Esc Enferm USP*, 49 (4): 540-9.
- Merklinger-Gruchala, A., Jasienska, G. & Kapiszewska, M. (2015) Short interpregnancy interval and low birth weight: A role of parity. *Am J Hum Biol*, 27 (5): 660-6.
- Mochtar, P. D. R. (1998) Sinopsis Obstetri Obstetri Fisiologi Obstetri Patologi. 2 453.
- Olusanya, B. O. & Ofovwe, G. E. (2010) Predictors of preterm births and low birthweight in an inner-city hospital in sub-Saharan Africa. *Maternal and child health journal*, 14 (6): 978-986.

- Phipps, M. G. & Sowers, M. (2002) Defining early adolescent childbearing. *American Journal of Public Health*, 92 (1): 125-128.
- Prakash, R., Singh, A., Pathak, P. K. & Parasuraman, S. (2011) Early marriage, poor reproductive health status of mother and child well-being in India. *Journal of family planning and reproductive health care*, jfprhc80.
- Prawirohardjo, S. (2014) Ilmu Kebidanan. 4 982.
- Raisanen, S., Kancherla, V., Kramer, M. R., Gissler, M. & Heinonen, S. (2014) Placenta previa and the risk of delivering a small-for-gestational-age newborn. *Obstet Gynecol*, 124 (2 Pt 1): 285-91.
- Restrepo- Méndez, M. C., Lawlor, D. A., Horta, B. L., Matijasevich, A., Santos, I. S., Menezes, A. M., Barros, F. C. & Victora, C. G. (2015) The association of maternal age with birthweight and gestational age: a cross-cohort comparison. *Paediatric and perinatal epidemiology*, 29 (1): 31-40.
- Rusepno Hasan, D. & Husein Alatas, D. (2000) Buku Kuliah Ilmu Kesehatan Anak. 9
- Sable, M. R. & Wilkinson, a. D. S. (2000) Impact of Perceived Stress, Major Life Events and Pregnancy Attitudes on Low Birth Weight. *Family Planning Perspectives*, 32.
- Saeni, R. H. & Hakimi, M. (2012) Hubunganantenatal Care (ANC) dengan Kejadian Bayi Berat Lahir Rendah (BBLR) di Kabupaten Wonosobo. Yogyakarta: Universitas Gadjah Mada.
- Saville, N. M., Shrestha, B. P., Style, S., Harris-Fry, H., Beard, B. J., Sen, A., Jha, S., Rai, A., Paudel, V. & Sah, R. (2018) Impact on birth weight and child growth of Participatory Learning and Action women's groups with and without transfers of food or cash during pregnancy: Findings of the low birth weight South Asia cluster-randomised controlled trial (LBWSAT) in Nepal. *PloS one*, 13 (5): e0194064.
- Sclowitz, I. K. T. & Santos, I. d. S. d. (2006) Risk factors for repetition of low birth weight, intrauterine growth retardation, and prematurity in subsequent pregnancies: a systematic review. *Cadernos de Saúde Pública*, 22 (6): 1129-1136.
- Sharma, S. R., Giri, S., Timalsina, U., Bhandari, S. S., Basyal, B., Wagle, K. & Shrestha, L. (2015) Low birth weight at term and its determinants in a tertiary hospital of Nepal: A case-control study. *PloS one*, 10 (4): e0123962.
- Soetjiningsih (2012) *Tumbuh Kembang Anak*, Jakarta: EGC

- Srinivas, P. & Srinivasan, P. (2015) The relationship between maternal anemia and birth weight in new born. *Journal of Dental and Medical Sciences*, 14 (12): 9-11.
- Suhartati, S., Hestiana, N. & Rahmawati, L. (2017) Hubungan anemia pada ibu hamil dengan kejadian bayi berat lahir rendah di wilayah kerja Puskesmas Tanta Kabupaten Tabalong tahun 2016. *Dinamika Kesehatan Jurnal Kebidanan dan Keperawatan*, 8 (1): 45-54.
- Supariasa, I. D. N., Bakri, B. & Fajar, I. (2012) *Penilaian Status Gizi*, Jakarta: EGC.
- Suryati, S. (2014) Faktor-faktor yang Mempengaruhi Kejadian Bblr Di Wilayah Kerja Puskesmas Air Dingin Tahun 2013. *Jurnal Kesehatan Masyarakat Andalas*, 8 (2): 72-78.
- Syafaah, H., Muwakhidah & Sarbini, D. (2016) Hubungan Status Gizi Dan Asupan Gizi Ibu Hamil Trimester Iii Dengan Panjang Bayi Lahir Di Puskesmas Bendosari Kabupaten Sukoharjo. Surakarta: Universitas Muhammadiyah Surakarta.
- Syafiq, A., Setiarini, A., Utari, D., Achadi, E., Fatmah, K., Sartika, R., Fikawati, S., Pujonarti, S., Sudiarti, T. & Triyanti, Y. H. (2012) *Gizi dan kesehatan masyarakat*, Jakarta: Raja Grafindo Persada.
- Tazkiah, M. (2013) Determinan Epidemiologi Kejadian BBLR pada daerah Endemis Malaria di Kabupaten Banjar Propinsi Kalimantan Selatan. *Jurnal Berkala Epidemiologi*, 1 (2): 266–276.
- Torvie, A. J., Callegari, L. S., Schiff, M. A. & Debiec, K. E. (2015) Labor and delivery outcomes among young adolescents. *American journal of obstetrics and gynecology*, 213 (1): 95. e1-95. e8.
- Trihardiani, I. (2011) Faktor risiko kejadian berat badan lahir rendah di wilayah kerja Puskesmas Singkawang Timur dan Utara Kota Singkawang. Semarang: Diponegoro University.
- Urbaniak, T., Klejewski, A. & Sobczyk, K. (2015) [Influence of smoking on pregnancy course and fetal development]. *Przegl Lek*, 72 (3): 144-7.
- van den Berg, G., van Eijdsden, M., Vrijkotte, T. G. & Gemke, R. J. (2013) Suboptimal maternal vitamin D status and low education level as determinants of small-for-gestational-age birth weight. *Eur J Nutr*, 52 (1): 273-9.
- Wardlaw, T. M. (2004) *Low birthweight: country, regional and global estimates*, New York: UNICEF.

WHO (2012) *WHA Global Nutrition Targets 2025: Low Birth Weight Policy Brief*, Geneva: World Health Organization.

WHO (2013) Child marriages: 39 000 every day.

Widiyastuti, P. (2009) Faktor-Faktor Risiko Ibu Hamil Yang Berhubungan Dengan Kejadian BBLR Studi Kasus di Wilayah Kerja Puskesmas Ampel I Boyolali Tahun 2008. Semarang: Universitas Negeri Semarang.

Xaverius, P., Alman, C., Holtz, L. & Yarber, L. (2015) Risk Factors Associated with Very Low Birth Weight in a Large Urban Area, Stratified by Adequacy of Prenatal Care. *Matern Child Health J.*

Yana, Musafaah, M. & Yulidasari, F. (2017) Hubungan antara usia ibu pada saat hamil dan status anemia dengan kejadian berat badan lahir rendah (BBLR) studi observasional di wilayah kerja Puskesmas Martapura. *Jurnal Publikasi Kesehatan Masyarakat Indonesia*, 3 (1).

Yuan, T., Wang, W., Li, X.-L., Li, C.-F., Li, C., Gou, W.-L. & Han, Z. (2016) Clinical characteristics of fetal and neonatal outcomes in twin pregnancy with preeclampsia in a retrospective case-control study: A STROBE-compliant article. *Medicine*, 95 (43).