

DAFTAR PUSTAKA

- Annisa, Susanto, D., dan Sudrajat, 2016, Kadar Besi(Fe) pada Tanaman Bayam Cabut (*Amaranthus tricolor L.*) yang Ditanam pada Beberapa Media Tanah Bekas Galian Tambang Batubara di Samarinda, *Bioprospek*, 11(1), 33-41.
- Attia, A. S., Bhattacharya, S., dan Pierpont, C. G., 1995, Potential for Redox Isomerism by Quinone Complexes of Iron(III). Studies on Complexes of the FeIII(N-N)(DBSQ)(DBCat) Series with 2,2'-Bipyridine and N,N,N',N'-Tetramethylethylenediamine Coligands, *Inorg. Chem.*, 34, 4427-4433.
- Aubock, G. dan Chergui, M., 2015, Sub-50-fs Photoinduced Spin Crossover in $[\text{Fe}(\text{bpy})_3]^{2+}$, *Nature Chem.*, 1-5.
- Bencini, A. dan Lippolis, V., 2010, 1, 10-Phenanthroline: A versatile building block for the construction of ligands for various purposes, *Coord. Chem. Rev.*, 254, 2096-2180.
- Bishry, R. M., 2010, Penyusunan Neraca Sumber Daya Alam Provinsi Kaltim 2010, *Makalah Seminar*, Balitbangda, Samarinda.
- Chernysh, V.V., Kononets, M.Y., Proskurnin, M.A., Pakhomova, S.V., Komissarov, V.V., Zatsman, A.I., 2001, Thermal Lens Studies of the Reaction of Iron(II) with 1,10-phenanthroline at the Nanogram level, *Fresenius J. Anal. Chem.*, 369, 535-542.
- Coey, J.M.D., 2009, *Magnetism and Magnetic Materials*, Cambridge University Press, New York.
- Cyio, M.B., Efektivitas Bahan Organik dan Tinggi Genangan terhadap Perubahan Eh, pH, dan Status Fe, P, Al Terlarut pada Tanah Utisol, *J. Agroland*, 15(4), 257-263.
- Delahay, P., Pourbaix, M., dan Rysselberghe, P. V., 1950, Potential-pH Diagrams, *Division of Chemical Education of the American Chemical Society in 118th National Meeting in Chicago*, 683-688.
- Effendy, 2011, *Kimia Koordinasi*, Indonesian Academic Publishing, Malang.
- Ferrere, S., 2002, New Photosensitizers Based Upon $[\text{Fe}(\text{III})(\text{L})_2(\text{Cn})_2]$ and $[\text{Fe}(\text{II})\text{L}_3]$, Where L Is Substituted 2,2'-Bipyridine, *Inorg. Chimica Acta*, 329, 79-92.
- Fiore, G. L., Klinkenberg, J. L., dan Fraser, Cassandra L., 2008, Iron Tris(bipyridine)-Centered Poly(ethyleneglycol)-Poly(lactic acid) Star Block Copolymers, *Macromolecules*, 41, 9397-9405.
- Greenwood, N.N. dan Earnshaw, A., 1984, *Chemistry of the Elements*, Pergamon Press, Oxford.

- Harris, I.R. dan Williams, A.J., 2009, Magnetic Materials, *Material Science and Engineering*.
- Housecroft, C. E. dan Sharpe, A. G., 2005, *Inorganic Chemistry*, 2nd edn, Pearson, New York.
- Huheey, J. E., Keiter, E. A., Keiter, R. L., 1993, *Inorganic Chemistry: Principle of Structure and Reactivity*, 4th edn, HarperCollins College Publishers, New York.
- Jordan, C.F., 1985, *Nutrient Cycling in Tropical Forest Ecosystem; Principle and Their Application in Management Conservation*, John Willey & Sons, New York.
- Joris, S. N. dan Male, Y. T., 2011, Metode Inovatif Termodifikasi untuk Sintesis Kompleks Inti Tunggal [Fe(fen)₂(NCS)₂], *Seminar Nasional Kimia 2011*.
- Karimi, M. A., Ardakani, M. M., Mashhadizadeh, M. H., Banifateme, F., 2009, Simultaneous Kinetic Spectrophotometric Determination of Hydrazine and Isoniazid Using H-Point Standard Addition Method and Partial Least Squares Regression in Micellar Media, *Croatia Chem. Acta*, 4, 729-738.
- Khattak, R. and Naqvi, I.I., 2007, Addition Product of Iron(II) Complex of Aromatic Diimine With Sulphuric Acid, *J. of Research (Sc.)*, 18(4), 219-235.
- Kotnala, R.K., dan Shah, J., 2018, Magnetic Materials, *Comprehensive Energy Syst.*, 2, 204-234.
- Kusyanto, A. dan Sugiyarto, K.H., 2017, Sintesis dan Karakterisasi Senyawa Kompleks Besi(III) dengan Ligan 1,10-fenantrolin dan Anion Trifluorometanasulfonat, *Jurnal Kim. Dasar*, 6, 51-58.
- Miessler, G. L., Fischer, P. J., Tarr, D. A., 2014, *Inorganic Chemistry*, 5th edn, Pearson, New York.
- Moon, D., Kim, J., dan Lah, M. S., 2006, Synthesis and Characterization of Mononuclear Octahedral Fe(III) Complex Containing a Biomimetic Tripodal Ligand N-(benzimidazol-2-ylmethyl)iminodiacetic Acid, *Bull. Korean Chem. Soc.*, 27, 1597-1600.
- Morti, T., Destriarti, L. dan Idiawati, N., 2018, Penentuan Kadar Besi (Fe) Pada Air Gambut Menggunakan Spektrofotometer Ultra Violet-Visible dengan Perbandingan Pengompleks Fenantrolin dan Alizarin Red S, *J. Kim. Khatulistiwa*, 7(3), 109-117.
- Nakamoto, K., 2009, *Infrared and raman Spectra of Inorganic and Coordination Compounds Part A: Theory and Applications in Inorganic Chemistry*, 6th edn, John Willey & Sons, New Jersey.
- Odoko, M. dan Okabe, N., 2004, Tris(1,10-fenantrolina-κ²N,N')iron(III) Trinitrate Monohydrate, *Acta Cryst.*, 60, 1822-1824.

- Pattimahu, D. V., 2004, Restorasi Lahan Kritis Pasca Tambang Sesuai Kaidah Ekologi, *Makalah Falsafah Sains (PPS 702)*, 1-18.
- Pavia, D. L., Lampman, G. M., Kriz, G. S., Vyvyan, J. R., 2009, *Introduction to Spectroscopy*, 4th edn, Brooks/Cole Cengage Learning, Kanada.
- Poerwadio, A.D. dan Masduqi, A., 2004, Penurunan Kadar Besi Oleh Media Zeolit Alam Ponorogo Secara Kontinyu, *J. Purifikasi*, 5, 169–174.
- Pratiwi, Widyati, E. dan Boer, C., 2010, *Status Riset Reklamasi Pasca Tambang Batubara*, Balai Besar Penelitian Dipterokarpa, Samarinda.
- Pfister, A. dan Fraser, C. L., 2006, Synthesis and Unexpected Reactivity of Iron Tris(bipyridine) Complexes with Poly(ethyleneglycol) Macroligands, *Biomacromolecules*, 7, 459-468.
- Richardson, J.N. dan Dyer, A.L., 2002, Spectroelectrochemical Sensing Based on Multimode Selectivity Simultaneously Achievable in a Single Device, *Anal. Chem.*, 74, 3330-3335.
- Setifi, Z., Setifi, F., Ng, S. W., Oudahmane, A., El-Ghozzi, M., dan Avignat, D., 2013, Tris(1,10-fenantrolina- κ^2 N,N')iron(II) Bis(1,1,3,3-tetracyano-2-ethoxy-propenide) hemhydrate, *Acta Cryst.*, 69, 12-13.
- Supriyantini, E. dan Endrawati, H., 2015, Kandungan Logam Berat Besi (Fe) Pada Air, Sedimen, dan Kerang Hijau (*Perna viridis*) di Perairan Tanjung Emas Semarang, *J. Kel. Tropis*, 18, 38–45.
- Syarif, I., Priatmadi, B.J., dan Indrayati, E., 2011, Perubahan Kualitas Tanah Sawah di Areal Sekitar Penambangan Batubara di Kabupaten Banjar, *EnviroScienteeae*, 7, 21–30.
- Tempomona, Y., Rorong, J.A., dan Wuntu, A.D., 2015, Fotoreduksi Besi Fe³⁺ Menggunakan Ekstrak Limbah Daun, Kulit, dan Cangkang Biji Pala (*Myristica fragrans*), *J. MIPA Unsrat*, 4(1), 46–50.
- Wang, R., Wang, X., Sundberg, E.B., Nguyen, P., Grant, G.P.G., Sheth, C., Zhao, Q., Herron, S., Kantardjieff, K.A., dan Li, L., 2010, Synthesis, Structures, Spectroscopic and Electrochemical Properties of Dinitrosyl Iron Complexes with Bipyridine, Terpyridine and 1,10-Phenathroline, *Inorg. Chem*, 48(20), 9779-9785.
- Widyati, E., Widyastuti, R., dan Lantifasari, R., 2009, Rapid Assessment of Acid Mine Drainage on Ex-coal Mining Land, *J. Penelitian Hutan Tanaman*, 7, 51–58.
- Yamaguchi, S., Fukura, T., Takiguchi, K., Fujita, C., Nishibori, M., T., Yasutake, dan Yahiro, H., 2015, Selective Hydroxylation of Cyclohexene Over Fe-bipyridine Complexes Encapsulated into Y-type Zeolite Under Environment-friendly Conditions, *Catal. Today*, 242, 261-267.