

DAFTAR PUSTAKA

- Akazawa, Y., Kitamura, T., Fujihara, Y., Yoshimura, Y., Mitome, M., Hasegawa, T., 2013. Forced mastication increases survival of adult neural stem cells in the hippocampal dentate gyrus. *International Journal of Molecular Medicine*, **31**:307-314.
- Akhani, S.P., Vishwakarma, S.L., Goyal, R.K., 2004. Anti-diabetic activity of *Zingiber officinale* in streptozotocin-induced type I diabetic rats. *J Pharm Pharmacol*, **56**(1):101–105.
- Alleman, C.J.M., Westerhout, K.Y., Hensen, M., Chambers, C., Stoker, M., Long, S., van Nooten, F.E., 2015. Humanistic and economic burden of painful diabetic peripheral neuropathy in Europe: A review of the literature. *Diabetes Res. Clin. Pract*, **109**: 215–225.
- American Medical Assosiation (AMA), 2010. *Pathophysiology of Pain and Pain Assessment*, Chicago : Scott Bodell Communications, Inc, p. 1-22.
- Andreae, L.C., Burrone, J., 2014. The role of neuronal activity and transmitter release on synapse formation. *Curr. Opin. Neurobiol*, **27**: 47–52.
- Areti, A., Yerra, V.G., Naidu, V., Kumar, A., 2014. Oxidative stress and nerve damage: Role in chemotherapy induced peripheral neuropathy. *Redox Biol*, **2**: 289–295.
- Azam, S.S., Abbasi, S.W., 2013. Molecular docking studies for the identification of novel melatonergic inhibitors for acetylserotonin-O-methyltransferase using different docking routines. *Theor. Biol. Med. Model*, **10**: 63.
- Bai, H.-P., Liu, P., Wu, Y.-M., Guo, W.-Y., Guo, Y.-X., Wang, X.-L., 2014. Activation of spinal GABAB receptors normalizes N-methyl-D-aspartate receptor in diabetic neuropathy. *J. Neurol. Sci*, **341**: 68–72.
- Bai, X-Z., He, T., Gao, J-X., Liu, Y., Liu, J-Q., Han, S-C., Li, Y., Shi, J-H., Han, J-T., dkk., 2016. Melatonin prevents acute kidney injury in severely burned rats via the activation of SIRT1. *Scientific Reports*, **6**:32199.
- Bakht, M.A., Alajmi, M.F., Alam, A., Alam, P., Aljarba, T.M., 2014. Theoretical and experimental study on lipophilicity and wound healing activity of ginger compounds. *Asian Pacific Journal of Tropical Biomedicine*, **4**(4): 329-333.

- Bardin, L., Malfetes, N., Newman-Tancredi, A., Depoortère, R., 2009. Chronic restraint stress induces mechanical and cold allodynia, and enhances inflammatory pain in rat: Relevance to human stress-associated painful pathologies. *Behav. Brain Res*, **205**: 360–366.
- Bardoni, R., Torsney, C., Tong, C.K., Prandini, M., MacDermott, A.B., 2004. Presynaptic NMDA receptors modulate glutamate release from primary sensory neurons in rats spinal cord dorsal horn, *Journal of Neuroscience*, **24**(11): 2774-2781.
- Barret, K., Brooks, H., Boitano, S., Barman, S., 2010. *Ganong's Review of Medical Physiology*, 23rd Edition, New York : McGraw Hill Companies Inc, p. 167-172.
- Basbaum, A.I., Bautista, D.M., Scherrer, G., Julius, D., 2009. Cellular and Molecular Mechanisms of Pain. *Cell*, **139**: 267–284.
- Baumann, T.J., Strickland, J., 2008. Pain Managemen, *In* Dipiro, J.T., Talbert, R.L., Yee, G.C., Matzke, G.R., Wells, B.G., and Posey, L.M. (Eds), *Pharmacotherapy : A Pathophysiologic Approach*. 7th Edition, New York : Mc Graw Hill Companies Inc, p. 989-1003.
- Bhattacharai, S., Tran, V.H., Duke, C.C., 2007. Stability of [6]-gingerol and [6]-shogaol in simulated gastric and intestinal fluids. *J. Pharm. Biomed. Anal*, **45**: 648–653.
- Bode, A.M., Dong, Z., 2011. The amazing and mighty ginger, Chapter 7. *in*: Benzie, I.F.F., Wachtel-Galor, S., editors. *Herbal Medicine: Biomolecular and Clinical Aspects*, 2nd edition. Boca Raton (FL): CRC Press/Taylor & Francis.
- Bonin, R.P., Bories, C., Koninck, Y.D., 2014. A simplified up-down method (SUDO) for measuring mechanical nociception in rodents using von Frey filaments. *Mol. Pain*, **10**: 26.
- Borgati, T., Pereira, G., Brandão, G., Santos, J., Fernandes, D.A., de Paula, R., do Nascimento, M.F., Soares, L., Lopes, J.C., de Souza Filho, J., de Oliveira, A., 2017. Synthesis by click reactions and antiplasmodial activity of lupeol 1,2,3-triazole derivatives. *J. Braz. Chem. Soc*, **28**(10): 1850-1856.
- Boyko, E.J., Ahroni, J.H., Cohen, V., Nelson, K.M., Heagerty, P.J., 2006. Prediction of diabetic foot ulcer occurrence using commonly available clinical information: the seattle diabetic foot study. *Diabetes Care*, **29**: 1202–1207.

- Brenner, G. J., 2002. Neuronal Basis of Pain. *In*: Ballantyne, J., Fishman, S., dan Abdi, S. (Eds). *The Massachusetts General Hospital Handbook of Pain Management*. 2nd Ed, Philadelphia: Lippincott Williams & Wilkins Publisher, p. 7.
- Bridges, S., 2012. Chronic pain. Chapter 9. *Health Soc. Care Lifestyles*, p. 1-33.
- Bril, V., Perkins, B., Toth, C., 2013. Neuropathy. *Can. J. Diabetes*, **37**: S142–S144.
- Brito, R., Sheth, S., Mukherjea, D., Rybak, L., Ramkumar, V., 2014. TRPV1: A Potential Drug Target for Treating Various Diseases. *Cells*, **3**: 517–545.
- Cardinal, J.W., Allan, D.J., Cameron, D.P., 1998. Differential metabolite accumulation may be the cause of strain differences in sensitivity to streptozotocin-induced β cell death in inbred mice. *Endocrinology*, **139**: 2885–2891.
- Cashman, C.R., Höke, A., 2015. Mechanisms of distal axonal degeneration in peripheral neuropathies. *Neurosci. Lett*, **596**: 33–50.
- Chakraborty, D., Bishayee, K., Ghosh, S., Biswas, R., Kumar Mandal, S., Rahman Khuda-Bukhsh, A., 2012. [6]-Gingerol induces caspase 3 dependent apoptosis and autophagy in cancer cells: Drug–DNA interaction and expression of certain signal genes in HeLa cells. *Eur. J. Pharmacol*, **694**: 20–29.
- Charan, J., Khantarina, N.D., 2013. How to calculate sample size in animal studies? *Journal of Pharmacology and Pharmacotherapeutics*, **4**(4): 303-306.
- Cheng, A.Y.Y., 2013. Introduction. *Canadian Journal of Diabetes*, **37**(2013): S1-S3.
- Chen, D., Oezguen, N., Urvil, P., Ferguson, C., Dann, S.M., Savidge, T.C., 2016. REgulation of protein-ligand binding affinity by hydrogen bond pairing *Computational Chemistry*, **2**:e1501240.
- Chen, H., Lv, L., Soroka, D., Warin, R.F., Parks, T.A., Hu, Y., Zhu, Y., Chen, X., Sang, S., 2012. Metabolism of 6-shogaol in mice and in cancer cels. *Drug.Metab. Dispos*, **40**:742-753.
- Chen, H., Soroka, D., Zhu, Y., Sang, S., 2013. Metabolism of ginger component 6-shogaol in liver microsome from mouse, rat, dog, monkey and human. *Mol Nutri Food Res*, **57**(5): 1-21.

- Chen, L., Zhang, B., Shan, S., Zhao, X., 2016. Neuroprotective Effects of Vitexin against Isoflurane-induced Neurotoxicity by Targeting The TRPV1 and NR2B Signaling Pathways. *Molecular Medicine Reports*, **14**: 5607-5613.
- Chia, P.H., Li, P., Shen, K., 2013. Cell biology in neuroscience: Cellular and molecular mechanisms underlying presynapse formation. *J. Cell Biol*, **203**: 11–22.
- Choi, J.G., Kim, S.Y., Jeong, M., Oh, M.S., 2018. Pharmacotherapeutic potential of ginger and its compounds in age-related neurological disorders. *Pharmacol. Ther*, **182**: 56–69.
- Chrubasik, S., Pittler, M.H., Roufogalis, B.D., 2005. Zingiberis rhizoma: A comprehensive review on the ginger effect and efficacy profiles. *Phytomedicine*, **12**: 684–701.
- Chundi, V., Challa, S.R., Garikapati, D.R., Juvva, G., Jampani, A., Pinnamaneni, S.H., Venigalla, S., 2016. Biochanin-A attenuates neuropathic pain in diabetic rats. *J. Ayurveda Integr. Med*, **7**: 231–237.
- Daily, J.W., Yang, M., Kim, D.S., Park, S., 2015. Efficacy of ginger for treating Type 2 diabetes: A systematic review and meta-analysis of randomized clinical trials. *Journal of Ethic Foods*, **2**(2015):26-43.
- Dedov, V.N., Tran, V.H., Duke, C.C., Connor, M., Christie, M.J., Mandadi, S., Roufogalis, B.D., 2002. Gingerols: a novel class of vanilloid receptor (VR1) agonists. *Br. J. Pharmacol*, **137**: 793–798.
- Diaz-Garcia, C.M., Morales-Lazaro, S.L., Sanchez-Soto, C., Velasco, M., Rosenbaum, T., Hiriart, M., 2014. Role for the TRPV1 channel in insulin secretion from pancreatic beta cells. *J Membrane Biol*, **247**: 479-491.
- D’Mello, R., dan Dickenson, A. H., 2008. Spinal Cord Mechanisms of Pain. *British Journal of Anaesthesia*, **100**(4): 1-9.
- Dobretsov, M., Backonja, M.M., Romanovsky, D., Stimers, J.R., 2011. Animal Models of Diabetic Neuropathic Pain. In: Ma, C., Zhang, J.-M. (Eds.), *Animal Models of Pain*. Humana Press, Totowa, NJ, p. 147–169.
- Domer, F.R., 1971. Techniques for evaluation of analgesics. In: *Animal Experiments in Pharmacological Analysis*. Springfield, IL" Thomas. p. 275-318.
- Dubin, A.E., Patapoutian, A., 2010. Nociceptors: the sensors of the pain pathway. *J. Clin. Invest*, **120**: 3760–3772.

- Dugasani, S., Pichika, M.R., Nadarajah, V.D., Balijepalli, M.K., Tandra, S., Korlakunta, J.N., 2010. Comparative antioxidant and anti-inflammatory effects of [6]-gingerol, [8]-gingerol, [10]-gingerol and [6]-shogaol. *J. Ethnopharmacol*, **127**: 515–520.
- El-Akabawy, G., El-Kholy, W., 2014. Neuroprotective effect of ginger in the brain of streptozotocin-induced diabetic rats. *Ann. Anat. - Anat. Anz*, **196**: 119–128.
- Elberry, A., Ghareib, S., El-Bassossy, H., Azhar, A., Watson, M., Banjar, Z., 2015. 6-Gingerol alleviates exaggerated vasoconstriction in diabetic rat aorta through direct vasodilation and nitric oxide generation. *Drug Des. Devel. Ther*, **9**: 6019-6026
- El-Kordy, E., Alshahrani, A.M., 2015. Effect of genistein, a natural soy isoflavone, on pancreatic beta cells of streptozotocin-induced diabetic rats: histological and immunohistochemical study. *Journal of Microscopy and Ultrastructure*, **3(2015)**: 108-119.
- Farmer, K.L., Li, C., Dobrowsky, R.T., 2012. Diabetic Peripheral Neuropathy: Should a Chaperone Accompany Our Therapeutic Approach? *Pharmacol. Rev*, **64**: 880–900.
- Fasick, V., Spengler, R.N., Samankan, S., Nader, N.D., Ignatowski, T.A., 2015. The hippocampus and TNF: Common links between chronic pain and depression. *Neurosci. Biobehav. Rev*, **53**: 139–159.
- Federer, W. (1963). *Experimental Design Theory and Application*. Oxford: Oxford and Lbh Publish Hincó.
- Feldman, E.L., Nave, K.A., Jensen, T.S., Bennett, L.H., 2017. New Horizons in Diabetic Neuropathy: Mechanism, Bioenergetics, and Pain. *Neuron*, **93**: 1296-1313.
- Ferreira, A., Paganoni, S., 2002. The formation of synapses in the central nervous system. *Mol. Neurobiol*, **26**: 69–79.
- Finnerup, N.B., Attal, N., Haroutounian, S., McNicol, E., Baron, R., Dworkin, R.H., Gilron, I., Haanpaa, M., Hansson, P., dkk., 2015. Pharmacotherapy for neuropathic pain in adults: a systematic review and meta-analysis. *Lancet Neurol*, **2015**: 162-173.
- Flatters, S.J.L., Bennett, G.J., 2004. Ethosuximide reverses paclitaxel- and vincristine-induced painful peripheral neuropathy. *Pain*, **109(2004)**:150-161.

- Fong, S.W., Lin, H.-C., Wu, M.-F., Chen, C.-C., Huang, Y.-S., 2016. CPEB3 Deficiency Elevates TRPV1 Expression in Dorsal Root Ganglia Neurons to Potentiate Thermosensation. *PLOS ONE*, **11**: 1-19.
- Fowler, M.J., 2008. Microvascular and macrovascular complications of diabetes. *Clin. Diabetes*, **26**: 77–82.
- Freeman, O.J., Unwin, R.D., Dowsey, A.W., Begley, P., Ali, S., Hollywood, K.A., Rustogi, N., Petersen, R.S., Dunn, W.B., Cooper, G.J.S., Gardiner, N.J., 2016. Metabolic dysfunction is restricted to the sciatic nerve in experimental diabetic neuropathy. *Diabetes*, **65**(1): 228-238
- Furman, B.L., 2015. Streptozotocin-Induced Diabetic Models in Mice and Rats: Streptozotocin-Induced Diabetic Models, *In*: Enna, S.J., Williams, M., Frechette, R., Kenakin, T., McGonigle, P., Ruggeri, B. (Eds.), *Current Protocols in Pharmacology*. John Wiley & Sons, Inc., Hoboken, NJ, USA, p. 5.47.1–5.47.20.
- Gao, F., Zheng, Z., 2014. Animal models of diabetic neuropathic pain. *Exp. Clin. Endocrinol. Diabetes*, **122**: 100–106.
- Garner, C.C., Zhai, R.G., GUndelfinger, E.D., Ziv, N.E., 2002. Molecular mechanism of CNS synaptogenesis. *Trends Neurosci*, **25**: 243–250.
- Geraldes, P., King, G.L., 2010. Activation of Protein Kinase C Isoforms and Its Impact on Diabetic Complications. *Circ. Res*, **106**: 1319–1331.
- Goldenberg, R., Punthakee, Z., 2013. Definition, Classification and Diagnosis of Diabetes, Prediabetes and Metabolic Syndrome. *Can. J. Diabetes*, **37**: S8–S11.
- Goswami, C., Rademacher, N., Smalla, K.-H., Kalscheuer, V., Ropers, H.-H., Gundelfinger, E.D., Hucho, T., 2010. TRPV1 acts as a synaptic protein and regulates vesicle recycling. *J. Cell Sci*, **123**: 2045–2057.
- Gu, X., Wu, X., Liu, Y., Cui, S., Ma Z., 2009. Tyrosine Phosphorylation of the N-Methyl-D-Aspartate Receptor 2B Subunit in Spinal Cord Contributes to Remifentanyl-induced Postoperative Hyperalgesia : the Preventive Effect of Ketamine, *Molecular Pain*, **76**(5): 1-9.
- Gundogdu, B.M., 2006. Diabetic peripheral neuropathy: an update on pathogenesis and management. *Curr. Neurol. Neurosci. Rep*, **6**: 1–4.
- Guo, W., Zou, S., Guan, Y., 2002. Tyrosine Phosphorylation of the NR2B subunit of the NMDA Receptor in Spinal Cord during the Development and

- Maintenance of Inflammatory Hyperalgesia, *The Journal of Neuroscience*, **22**: 6208-6217.
- Guyton, A.C., Hall, J.E., 2006. *Textbook of Medical Physiology*, 11st Ed., Pennsylvania : Elsevier Inc., p. 598-609.
- Hajjalizadeh, Z., Nasri, S., Kaeidi, A., Sheibani, V., Rasouljan, B., Esmaeili-Mahani, S., 2014. Inhibitory effect of *Thymus caramanicus* Jalas on hyperglycemia-induced apoptosis in in vitro and in vivo models of diabetic neuropathic pain. *J. Ethnopharmacol*, **153**: 596–603.
- Hanafiah, A.K., 2005. *Rancangan percobaan teori dan aplikasi* Edisi I. Cetakan I. Rajagrafindo. Jakarta.
- Hanson, S.M., Newstead, S., Swartz, K.J., Sansom, M.P.S., 2015. Capsaicin interaction with TRPV1 channels in alipid bilayer: molecular dynamics simulation. *Biophysical Journal*, **108(6)**: 1425-2434.
- Hartemann, A., Attal, N., Bouhassira, D., Dumont, I., Gin, H., Jeanne, S., Said, G., Richard, J.-L., 2011. Painful diabetic neuropathy: Diagnosis and management. *Diabetes Metab*, **37**: 377–388.
- Ha, S.K., Moon, E., Ju, M.S., Kim, D.H., Ryu, J.H., Oh, M.S., Kim, S.Y., 2012. 6-Shogaol, a ginger product, modulates neuroinflammation: A new approach to neuroprotection. *Neuropharmacology*, **63**: 211–223.
- Hayashi, K., Kojima, R., Ito, M., 2006. Strain differences in the diabetogenic activity of streptozotocin in mice. *Biol. Pharm. Bull*, **29**: 1110–1119.
- Heitmann, K., Nordeng, H., Holst, L., 2013. Safety of ginger use in pregnancy: results from a large population-based cohort study. *Eur J Clin Pharmacol*, **69**:269-277.
- Herowati, R., Widodo, G.P., 2017. Molecular Docking Analysis: Interaction Studies of Natural Compounds to Anti-inflammatory Targets, Chapter 5. In: Kandemirli, F. (Ed.), *Quantitative Structure-Activity Relationship*. InTech. p. 63-78
- Ho, K.W., Ward, N.J., Calkins, D.J., 2012. TRPV1: a stress response protein in the central nervous system. *Am. J. Neurodegener. Dis*. **1**: 1.
- Hong, S., Wiley, J.W., 2005. Early Painful Diabetic Neuropathy Is Associated with Differential Changes in the Expression and Function of Vanilloid Receptor 1. *J. Biol. Chem*, **280**: 618–627.

- Ho, S.-C., Chang, K.-S., Lin, C.-C., 2013. Anti-neuroinflammatory capacity of fresh ginger is attributed mainly to 10-gingerol. *Food Chem*, **141**: 3183–3191.
- Hosseini, A., Mirazi, N., 2014. Acute administration of ginger (*Zingiber officinale* rhizomes) extract on timed intravenous pentylenetetrazol infusion seizure model in mice. *Epilepsy Res*, **108**: 411–419.
- Hosseini, A., Mirazi, N., Gomar, A., 2016. Protective Effect Of Ginger Against The Pentylenetetrazoleinduced Seizure Threshold Model In Streptozocin Treated Diabetic Mice. *Physiol Pharmacol*, **20**(2016): 108-116.
- Hsieh, W-S., Kung, C-C., Huang, S-L., Lin, S-C., Sun, W-H., 2017. TDAG8, TRPV1 and ASIC3 involved in establishing hyperalgesic priming in experimental rheumatoid arthritis. *Scientific Reports*, **7**:8870.
- Hu, J., Wang, Z., Guo, Y.Y., Zhang, X.N., Xu, Z.H., Liu, S.B., Guo, H.J., Yang, Q., Zhang, F.X., Sun, X.L., and Zhao M.G., 2009. A Role of Periaqueductal Grey NR2B-containing NMDA Receptor Mediating Persistent Inflammatory Pain, *Molecular Pain*, **71**(5) : 1-10.
- Hudspith, M.J., Siddall, P.J., and Munglani, R., 2006. Physiology of Pain, *In* Hemmings, H.C., and Hopkins, P.M. (Eds), *Foundations of Anesthesia : Basic Science and Clinical Practise*, 2nd Edition, London : Mosby Elsevier Ltd, p. 267-285.
- Hughes, E.G., Elmariah, S.B., Balice-Gordon, R.J., 2010. Astrocyte secreted proteins selectively increase hippocampal GABAergic axon length, branching, and synaptogenesis. *Mol. Cell. Neurosci*, **43**: 136–145.
- Islam, M.S., 2013. Animal Models of Diabetic Neuropathy: Progress Since 1960s. *J. Diabetes Res*, **2013**: 1–9.
- Jaggi, A.S., Jain, V., Singh, N., 2011. Animal models of neuropathic pain: Animal models of neuropathic pain. *Fundam. Clin. Pharmacol*, **25**: 1–28.
- Jain, D., Bansal, M.K., Dalvi, R., Urganlawar, A., Somani, R., 2014. Protective effect of diosmin against diabetic neuropathy in experimental rats. *J. Integr. Med*, **12**: 35–41.
- Jara-Oseguera, A., Simon, S.A., Rosenbaum, T., 2008. TRPV1: on the road to pain relief. *Curr Mol Pharmacol*, **1**(3): 255-269.
- Jeffrey, J.A., Yu, S.-Q., Sikand, P., Parihar, A., Evans, M.S., Premkumar, L.S., 2009. Selective Targeting of TRPV1 Expressing Sensory Nerve Terminals

- in the Spinal Cord for Long Lasting Analgesia. *PLoS ONE*, **4**(9): e7021 (1-9).
- Jensen, T.S., Backonja, M.-M., Jiménez, S.H., Tesfaye, S., Valensi, P., Ziegler, D., 2006. New perspectives on the management of diabetic peripheral neuropathic pain. *Diab. Vasc. Dis. Res*, **3**: 108–119.
- Julius, D., 2013. TRP Channels and Pain. *Annu. Rev. Cell Dev. Biol*, **29**: 355–384.
- Julius, D., Basbaum, A.I., 2001. Molecular mechanisms of nociception. *Nature*, **413**: 203–210.
- Kaeidi, A., Esmaeili-Mahani, S., Sheibani, V., Abbasnejad, M., Rasoulilian, B., Hajjalizadeh, Z., Afrazi, S., 2011. Olive (*Olea europaea* L.) leaf extract attenuates early diabetic neuropathic pain through prevention of high glucose-induced apoptosis: In vitro and in vivo studies. *J. Ethnopharmacol*, **136**: 188–196.
- Kandhare, A.D., Raygude, K.S., Shiva Kumar, V., Rajmane, A.R., Visnagri, A., Ghule, A.E., Ghosh, P., Badole, S.L., Bodhankar, S.L., 2012. Ameliorative effects quercetin against impaired motor nerve function, inflammatory mediators and apoptosis in neonatal streptozotocin-induced diabetic neuropathy in rats. *Biomed. Aging Pathol*, **2**: 173–186.
- Kaur, S., Pandhi, P., Dutta, P., 2011. Painful diabetic neuropathy: an update. *Annals of Neuroscience*, **18**(4): 168-175.
- Kawano, T., 2014. A Current Overview of Diabetic Neuropathy – Mechanisms, Symptoms, Diagnosis, and Treatment. Chapter 5. *In: Armada-Da-Silva, P. (Ed.), Peripheral Neuropathy*. InTech. p. 89-105.
- Kementrian Kesehatan Republik Indonesia, 2013. Situasi dan Analisis Diabetes. Infodatin. Jakarta. p. 1-8.
- Kim, S.S., Won, J.C., Kwon, H.S., Kim, C.H., Lee, J.H., Park, T.S., Ko, K.S., Cha, B.Y., 2014. Prevalence and clinical implications of painful diabetic peripheral neuropathy in type 2 diabetes: Results from a nationwide hospital-based study of diabetic neuropathy in Korea. *Diabetes Res. Clin. Pract*, **103**: 522–529.
- Lakhan, S.E., Ford, C.T., Tepper, D., 2015. Zingiberaceae extracts for pain: a systematic review and meta-analysis. *Nutrition Journal*, **14**:50.
- Le Bars, D., Gozariu, M., Cadden, S.E., 2001. Animals Models of Nociception. *Pharmacological Review*, **53**(4):598-621.

- Lee, J., Saloman, J.L., Weiland, G., Auh, Q-S., Chung, M-K., Ro, J.Y., 2012. Functional Interactions between NMDA Receptors and TRPV1 in Trigeminal Sensory Neurons Mediate Mechanical Hyperalgesia in The Rat Masseter Muscle. *Pain*, **153**(7): 1514-1524.
- Lee, T.-Y., Lee, K.-C., Chen, S.-Y., Chang, H.-H., 2009. 6-Gingerol inhibits ROS and iNOS through the suppression of PKC- α and NF- κ B pathways in lipopolysaccharide-stimulated mouse macrophages. *Biochem. Biophys. Res. Commun.*, **382**: 134–139.
- Lennertz, R.C., Medler, K.A., Bain, J.L., Wright, D.E., Stucky, C.L., 2011. Impaired sensory nerve function and axon morphology in mice with diabetic neuropathy. *J. Neurophysiol*, **106**: 905–914.
- Lenzen, S., 2008. The mechanisms of alloxan- and streptozotocin-induced diabetes. *Diabetologia*, **51**: 216–226.
- Li, F., Nitteranon, V., Tang, X., Liang, J., Zhang, G., Parkin, K.L., Hu, Q., 2012. In vitro antioxidant and anti-inflammatory activities of 1-dehydro-[6]-gingerdione, 6-shogaol, 6-dehydroshogaol and hexahydrocurcumin. *Food Chem*, **135**: 332–337.
- Lim, S., Moon, M., Oh, H., Kim, H.G., Kim, S.Y., Oh, M.S., 2014. Ginger improves cognitive function via NGF-induced ERK/CREB activation in the hippocampus of the mouse. *J. Nutr. Biochem*, **25**: 1058–1065.
- Lineberry, C.G., 1981. *Laboratory Animals in Pain Research*. USA: Academic Press Inc. p. 243-248.
- Li, L., Hasan, R., Zhang, X., 2014. The Basal Thermal Sensitivity of The TRPV1 Ion Channel is Determined by PKC β II. *The Journal of Neuroscience*, **34**(24): 8246-8258.
- Li, Y., Tran, V.H., Duke, C.C., Roufogalis, B.D., 2012. Preventive and Protective Properties of *Zingiber officinale* (Ginger) in Diabetes Mellitus, Diabetic Complications, and Associated Lipid and Other Metabolic Disorders: A Brief Review. *Evid. Based Complement. Alternat. Med*, **2012**: 1–10.
- Lu, D.-L., Li, X.-Z., Dai, F., Kang, Y.-F., Li, Y., Ma, M.-M., Ren, X.-R., Du, G.-W., Jin, X.-L., Zhou, B., 2014. Influence of side chain structure changes on antioxidant potency of the [6]-gingerol related compounds. *Food Chem*, **165**: 191–197.
- Luevano-Contreras, C., Garay-Sevilla, M.E., Chapman-Novakofski, K., 2013. Role of Dietary Advanced Glycation End Products in Diabetes Mellitus. *J. Evid.-Based Complement. Altern. Med*, **18**: 50–66.

- Luongo, L., Costa, B., D'Agostino, B., Guida, F., Comelli, F., Gatta, L., Matteis, M., Sullo, N., De Petrocellis, L., de Novellis, V., Maione, S., Di Marzo, V., 2012. Palvanil, a non-pungent capsaicin analogue, inhibits inflammatory and neuropathic pain with little effects on bronchopulmonary function and body temperature. *Pharmacol. Res*, **66**: 243–250.
- Macintyre, P.E., Scott, D.A., Schug, S.A., Visser, E.J., and Walker, S.M., 2010. *Acute Pain Management : Scientific Evidence*, 3rd Ed, Melbourne : ANZCA & FPM, p. 1-98.
- Maghbooli, M., Golipour, F., Moghimi, E.A., Yousefi, M., 2014. Comparison between The Efficacy of Ginger and Sumatripan in The Ablative Treatment of The Common Migraine. *Phytotherapy Research*, **28**: 412-415.
- Malenczyk, K., Girach, F., Szodorai, e., Storm, P., Segerstolpe, A., Tortoriello, G., Schell, R., Mulder, J., Romanov, R.A., dkk., 2017. A TRPV1-to-secretagogue regulatory axis controls pancreatic beta-cell survival by modulating protein turnover. *The EMBO Journal*, 1-19
- Malik, R.A., Tesfaye, S., Newrick, P.G., Walker, D., Rajbhandari, S.M., Siddique, I., Sharma, A.K., Boulton, A.J.M., King, R.H.M., Thomas, P.K., Ward, J.D., 2005. Sural nerve pathology in diabetic patients with minimal but progressive neuropathy. *Diabetologia*, **48**, 578–585.
- Marrone, M.C., Morabito, A., Giustizieri, M., Chiurchiù, V., Leuti, A., Mattioli, M., Marinelli, S., Riganti, L., Lombardi, M., Murana, E., Totaro, A., Piomelli, D., Ragozzino, D., Oddi, S., Maccarrone, M., Verderio, C., Marinelli, S., 2017. TRPV1 channels are critical brain inflammation detectors and neuropathic pain biomarkers in mice. *Nat. Commun*, **8**: 15292 (1-18).
- Marsono, Y., 2009. *Penelitian dengan Hewan Coba*. Handout Pelatihan Pusat Studi Pangan dan Gizi, UGM. Yogyakarta.
- Medvedeva, Y.V., Kim, M.-S., Usachev, Y.M., 2008. Mechanisms of Prolonged Presynaptic Ca²⁺ Signaling and Glutamate Release Induced by TRPV1 Activation in Rat Sensory Neurons. *J. Neurosci*, **28**: 5295–5311.
- Micov, A., Tomić, M., Pecikoza, U., Ugrešić, N., Stepanović-Petrović, R., 2015. Levetiracetam synergises with common analgesics in producing antinociception in a mouse model of painful diabetic neuropathy. *Pharmacol. Res*, **97**: 131–142.
- Minett, M.S., Eijkelkamp, N., Wood, J.N., 2014. Significant determinants of mouse pain behaviour. *PloS One*, **9**: e104458.

- Mohtashami, H., 2014. Neuroprotective Effect of Cerebrolysin on Diabetic Neuropathy: A Study on Male Rats. *J. Diabetes Metab.* **5**(4): 1-7.
- Moon, M., Kim, H.G., Choi, J.G., Oh, H., Lee, P.K., Ha, S.K., Kim, S.Y., Park, Y., Huh, Y., Oh, M.S., 2014. 6-Shogaol, an active constituent of ginger, attenuates neuroinflammation and cognitive deficits in animal models of dementia. *Biochem. Biophys. Res. Commun.* **449**: 8–13.
- Morales-Lazaro, S.L., Simon, S.A., Rosenbaum, T., 2013. The role of endogenous molecules in modulating pain through transient receptor potential vanilloid 1 (TRPV1). *J Physiol*, **591**(13): 3109-3121.
- Morera, E., De Petrocellis, L., Morera, L., Schiano Moriello, A., Nalli, M., Di Marzo, V., Ortar, G., 2012. Synthesis and biological evaluation of [6]-gingerol analogues as transient receptor potential channel TRPV1 and TRPA1 modulators. *Bioorg. Med. Chem. Lett.* **22**: 1674–1677.
- Mukkavilli, R., Yang, C., Singh, T., Ghareeb, A., Luthra, L., Aneja, R., 2017. Absorption, metabolic stability and pharmacokinetics of ginger phytochemicals, *Molecules*, **22**:553
- Nakazawa, T., Ohsawa, K., 2002. Metabolism of [6]-gingerol in rats. *Life Sci*, **70**:2165–2175.
- Nash, M.S., McIntyre, P., Groarke, A., Lilley, E., Culshaw, A., Hallett, A., Panesar, M., Fox, A., Bevan, S., 2012. 7-tert-Butyl-6-(4-Chloro-Phenyl)-2-Thioxo-2,3-Dihydro-1H-Pyrido[2,3-d]Pyrimidin-4-One, a Classic Polymodal Inhibitor of Transient Receptor Potential Vanilloid Type 1 with a Reduced Liability for Hyperthermia, Is Analgesic and Ameliorates Visceral Hypersensitivity. *J. Pharmacol. Exp. Ther.* **342**: 389–398.
- Nilius, B., Owsianik, G., Voets, T., Peters, J.A., 2007. Transient Receptor Potential Cation Channels in Disease. *Physiol. Rev.* **87**: 165–217.
- Ohbuchi, K., Mori, Y., Ogawa, K., Warabi, E., Yamamoto, M., Hirokawa, T., 2016. Detailed analysis of binding mode of vanilloids to transient receptor potential vanilloid type I (TRPV1) by a mutational and computational study. *PLoS ONE*, **11**(9): e0162543.
- Ohsawa, M., Otake, S., Murakami, T., Yamamoto, S., Makino, T., Ono, H., 2014. Gabapentin Prevents Oxaliplatin-Induced Mechanical Hyperalgesia in Mice. *J. Pharmacol. Sci.* **125**: 292–299.

- Ok, S., Jeong, W-S., 2012. Optimization of extraction conditions for the 6-shogaol-rich extract from ginger (*Zingiber officinale* Roscoe). *Prev Nutr Food Sci*, **17**:66-171.
- Oliveira, M.I.A., Souza, E.M. de, Pedrosa, F. de O., Réa, R.R., Alves, A. da S.C., Picheth, G., Rego, F.G. de M., 2013. RAGE receptor and its soluble isoforms in diabetes mellitus complications. *J. Bras. Patol. E Med. Lab*, **49**: 97–108.
- O’Neal, C.K., 2008. Pain Management, *In* Chisholm-Burns, M.A., Wells, B.G., Schwinghammer, T.L., Malone, P.M., Kolesar, J.M., Rotschafer, J.C., Dipiro, J.T. (Eds), *Pharmacotherapy : Principles & Practice*, New York : Mc Graw Hill Companies Inc, p. 487-500.
- Pabbidi, R.M., Cao, D.-S., Parihar, A., Pauza, M.E., Premkumar, L.S., 2007. Direct Role of Streptozotocin in Inducing Thermal Hyperalgesia by Enhanced Expression of Transient Receptor Potential Vanilloid 1 in Sensory Neurons. *Mol. Pharmacol*, **73**: 995–1004.
- Pabbidi, R.M., Yu, S.-Q., Peng, S., Khardori, R., Pauza, M.E., Premkumar, L.S., 2008. Influence of TRPV1 on diabetes-induced alterations in thermal pain sensitivity. *Mol. Pain*, **4**: 9.
- Palazzo, E., Luongo, L., de Novellis, V., Berrino, L., Rossi, F., Maione, S., 2010. Moving towards supraspinal TRPV1 receptors for chronic pain relief. *Mol Pain*, **6**: 66.
- Parkar, N., Addepali, V., 2014. Effect of Nobiletin on Diabetic Neuropathy in Experimental Rats. *Austin J Pharmacol Ther*, **2**(5): id1028.
- Park, C.-K., Lu, N., Xu, Z.-Z., Liu, T., Serhan, C.N., Ji, R.-R., 2011. Resolving TRPV1- and TNF- -Mediated Spinal Cord Synaptic Plasticity and Inflammatory Pain with Neuroprotectin D1. *J. Neurosci*, **31**: 15072–15085.
- Park, G., Kim, H.G., Ju, M.S., Ha, S.K., Park, Y., Kim, S.Y., Oh, M.S., 2013. 6-Shogaol, an active compound of ginger, protects dopaminergic neurons in Parkinson’s disease models via anti-neuroinflammation. *Acta Pharmacol. Sin*, **34**: 1131–1139.
- Peppin, J.F., Pappagallo, M., 2014. Capsaicinoids in the treatment of neuropathic pain: a review. *Ther. Adv. Neurol. Disord*, **7**: 22–32.
- Petrenko, A.B., Yamakura, T., Baba, H., Shimoji, K., 2003. The Role of N-Methyl-d-Aspartate (NMDA) Receptors in Pain: A Review. *Anesth. Analg*, **97**: 1108–1116.

- Pfeiffer, E., Hoehle, S.I., Walch, S.G., Riess, A., Solyom, A.M., Metzler, M., 2007. Curcuminoids form reactive glucuronides in vitro. *J Agric Food Chem*, **55**:538–544.
- Pop, E., Oniciu, D.C., Pape, M.E., Cramer, C.T., Dasseux, J.-L.H., 2004. Lipophilicity parameters and biological activity in a series of compounds with potential cardiovascular applications. *Croat. Chem. Acta*, **77**: 301–306.
- Premkumar, L.S., Sikand, P., 2008. TRPV1: a target for next generation analgesics. *Curr. Neuropharmacol*, **6**: 151–163.
- Psychogios, N., Hau, D.D., Peng, J., Guo, A.C., Mandal, R., Bouatra, S., Sinelnikov, I., Krishnamurty, R., Eisner, R., dkk., 2011. The human serum metabolome. *PLoS ONE*, **6**(2): e15957.
- Raafat, K., Samy, W., 2014. Amelioration of Diabetes and Painful Diabetic Neuropathy by *Punica granatum* L. Extract and Its Spray Dried Biopolymeric Dispersions. *Evid. Based Complement. Alternat. Med*, **2014**: 1–12.
- Radoi, V., Lixandru, D., Mohora, M., Virgolici, B., 2012. Advanced glycation end products in diabetes mellitus: mechanism of action and focused treatment. *Publ. House Romanian Acad*, **1**: 9–19.
- Ramírez-Barrantes, R., Cordova, C., Poblete, H., Muñoz, P., Marchant, I., Wianny, F., Olivero, P., 2016. Perspectives of TRPV1 Function on the Neurogenesis and Neural Plasticity. *Neural Plast*, **2016**: 1–12.
- Raposo, D., Morgado, C., Pereira-Terra, P., Tavares, I., 2015. Nociceptive spinal cord neurons of laminae I–III exhibit oxidative stress damage during diabetic neuropathy which is prevented by early antioxidant treatment with epigallocatechin-gallate (EGCG). *Brain Res. Bull*, **110**: 68–75.
- Reda, H.M., Zaitone, S.A., Moustafa, Y.M., 2016. Effect of levetiracetam versus gabapentin on peripheral neuropathy and sciatic degeneration in streptozotocin-diabetic mice: Influence on spinal microglia and astrocytes. *Eur. J. Pharmacol*, **771**: 162–172.
- Ren, Z., Sahir, N., Murakami, S., Luellen, B.A., Earnheart, J.C., Lal, R., Kim, J.Y., Song, H., Luscher, B., 2015. Defects in dendrite and spine maturation and synaptogenesis associated with an anxious-depressive-like phenotype of GABAA receptor-deficient mice. *Neuropharmacology*, **88**: 171–179.
- Riera, C.E., Menozzi-Smarrito, C., Affolter, M., Michlig, S., Munari, C., Robert, F., Vogel, H., Simon, S.A., le Coutre, J., Compounds from Sichuan and

- Melegueta peppers activate, covalently and non-covalently, TRPA1 and TRPV1 channels. *British Journal of Pharmacology*, **157**: 1398-1409.
- Riera, C.E., Huising, M.O., Follett, P., Leblanc, M., Halloran, J., Andel, V.R., Fiho, C.D.M., Merkwirth, C., Dillin, A., 2014. TRPV1 pain receptors regulate longevity and metabolism by neuropeptide signaling. *Cell*, **157**: 1023-1036.
- Riley, J., Boulis, N.M., 2006. Molecular Mechanism of Pain : A Basis for Chronic Pain and Therapeutic Approaches Based on The Cell and the Gene. *Clinical Neurosurgery*, **53**(1) : 77-97.
- Robellato, P., Shahidul, I., 2014. [6]-Shogaol Induces Ca²⁺ Signals by Activating the TRPV1 Channels in the Rat Insulinoma INS-1E Cells. *Nat. Immunol*, **15**: 33–37.
- Rose, M.A., Kam, P.C.A., 2002. Gabapentin : Pharmacology and Its Use in Pain Management, *Anaesthesia*, **57**: 451-462
- Said, G., 2007. Diabetic neuropathy—a review. *Nat. Clin. Pract. Neurol*, **3**: 331–340.
- Salem, M.Y., El-Azab, N.E-E., 2014. The possible protective role of aloe vera extracts in pancreatic beta cell of experimentally induced diabetic rats: a histological and immunohistological study. *The Egyptian Journal of Histology*, **37**: 571-578.
- Sandireddy, R., Yerra, V.G., Areti, A., Komirishetty, P., Kumar, A., 2014. Neuroinflammation and Oxidative Stress in Diabetic Neuropathy: Futuristic Strategies Based on These Targets. *Int. J. Endocrinol*, **2014**: 1–10.
- Sandkuhler, J., 2009. Models and Mechanisms of Hyperalgesia and Allodynia. *Physiol. Rev*, **89**: 707–758.
- Sandor, Z., Szallasi, A., 2005. *Vanilloid receptor-mediated hyperalgesia and desensitization in Turning up the heat on pain: TRPV1 receptors in pain and inflammation*. Birkhauser Verlag Basel, Switzerland, p. 95-115.
- Santos-Nogueira, E., Redondo Castro, E., Mancuso, R., Navarro, X., 2012. Randall-Selitto Test: A New Approach for the Detection of Neuropathic Pain after Spinal Cord Injury. *J. Neurotrauma*, **29**: 898–904.
- Sanz-Salvador, L., Andres-Borderia, A., Ferrer-Montiel, A., Planells-Cases, R., 2012. Agonist- and Ca²⁺-dependent Desensitization of TRPV1 Channel Targets the Receptor to Lysosomes for Degradation. *J. Biol. Chem*, **287**: 19462–19471.

- Semwal, R.B., Semwal, D.K., Combrinck, S., Viljoen, A.M., 2015. Gingerols and shogaols: Important nutraceutical principles from ginger. *Phytochemistry*, **117**, 554–568.
- Shakeel, M., 2015. Recent advances in understanding the role of oxidative stress in diabetic neuropathy. *Diabetes Metab. Syndr. Clin. Res. Rev*, **9**: 373–378.
- Shaw, J.E., Sicree, R.A., Zimmet, P.Z., 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res. Clin. Pract.*, **87**: 4–14.
- Simpson, D.M., Robinson-Papp, J., Van, J., Stoker, M., Jacobs, H., Snijder, R.J., Schregardus, D.S., Long, K.S., Lambourg, B., Katz, N., 2017. Capsaicin 8% patch in painful diabetic peripheral neuropathy: a randomized, double-blind, placebo-controlled study. *The Journal of Pain*, **18**(1): 42-53.
- Singh, R., Kishore, L., Kaur, N., 2014. Diabetic peripheral neuropathy: Current perspective and future directions. *Pharmacol. Res*, **80**: 21–35.
- Singh, V.P., Bali, A., Singh, N., Jaggi, A.S., 2014. Advanced Glycation End Products and Diabetic Complications. *Korean J. Physiol. Pharmacol*, **18**: 1-14.
- Smutzer, G., Devassy, R.K., 2016. Integrating TRPV1 Receptor Function with Capsaicin Psychophysics. *Advances in Pharmacological Sciences*, **2016**: 1-16
- Snijdelaar, D.G., 2005. *Effects of Combining Opioids and Clinically Available NMDA Receptor Antagonist in the Treatment of Pain*, Thesis, Toronto : Departement of Anesthesia Toronto General Hospital , p. 9-17.
- Somani, R., Shaikh, A., 2010. Animal models and biomarkers of neuropathy in diabetic rodents. *Indian J. Pharmacol*, **42**: 129.
- Sommer, C., Cruccu, G., 2017. Topical treatment of peripheral neuropathic pain: applying the evidence. *Journal of Pain and Symptom Management*, **53**(30): 614-629.
- Stoyanov, S.B., Lentz, S.L., Valdes-Herrera, J.P., Krastev, N.S., Krastev, D.S., 2014. Molecular Integrators of Neuropathy and Pain in Diabetes Mellitus. *Prog. Biochem. Biophys*, **41**: 851–859.
- Stucky, C.L., Dubin, A.E., Jeske, N.A., Malin, S.A., McKemy, D.D., Story, G.M., 2009. Roles of transient receptor potential channels in pain. *Brain Res. Rev*, **60**: 2–23.

- Suekawa, M., Ishige, A., Yuasa, K., Sudo, K., Aburada, M., Hosoya, E., 1984. Pharmacological studies on ginger. i. pharmacological actions of pungent constituents, (6)-gingerol and (6)-shogaol. *J.Pharm.Dyn*, **7**:836-848.
- Sugimoto, K., Baba, M., Suzuki, S., Yagihashi, S., 2013. The Impact of Low-Dose Insulin on Peripheral Nerve Insulin Receptor Signaling in Streptozotocin-Induced Diabetic Rats. *PLoS ONE*, **8**: e74247.
- Suhardjono, D., 1995. *Percobaan Hewan Laboratorium*. Yogyakarta: Gadjah Mada University Press, p. 207.
- Sun, W., Miao, B., Wang, X.-C., Duan, J.-H., Wang, W.-T., Kuang, F., Xie, R.-G., Xing, J.-L., Xu, H., Song, X.-J., Luo, C., Hu, S.-J., 2012. Reduced conduction failure of the main axon of polymodal nociceptive C-fibres contributes to painful diabetic neuropathy in rats. *Brain*, **135**: 359–375.
- Surh, Y.J., Lee, S.S., 1992. Enzymatic reduction of shogaol: a novel biotransformation pathway for the alpha, beta-unsaturated ketone system. *Biochem Int*, **27**:179–187.
- Surh, Y.J., Lee, S.S., 1994. Enzymatic reduction of xenobiotic alpha, beta-unsaturated ketones: formation of allyl alcohol metabolites from shogaol and dehydroparadol. *Res Commun Chem Pathol Pharmacol*, **84**:53–61
- Tanaka, K., Nakanishi, Y., Sekino, S., Ikegami, M., Ikeda, H., Kamei, J., 2014. Fentanyl produces an anti-hyperalgesic effect through the suppression of sodium channels in mice with painful diabetic neuropathy. *Eur. J. Pharmacol*, **733**: 68–74.
- Tian, R., Yang, W., Xue, Q., Gao, L., Huo, J., Ren, D., Chen, X., 2016. Rutin ameliorates diabetic neuropathy by lowering plasma glucose and decreasing oxidative stress via Nrf2 signaling pathway in rats. *Eur. J. Pharmacol*, **771**: 84–92.
- Tokuhara, D., Shimada, T., Asami, A., Takahashi, A., Kobayashi, H., Saimaru, H., Aburada, M., 2013. Pharmacokinetics of 6-shogaol, a pungent ingredient of *Zingiberis rhizoma*, and the anti-inflammatory activity of its metabolite, 6-paradol. *J Trad Med*, **30**: 199-205.
- Tomlinson, D.R., Gardiner, N.J., 2008. Glucose neurotoxicity. *Nat. Rev. Neurosci*, **9**: 36–45.
- Touska, F., Marsakova, L., Teisinger, J., Vlachova, V., 2011. A “cute” desensitization of TRPV1. *Curr. Pharm. Biotechnol*, **12**: 122–129.

- Trevisani, M., Szallasi, A., 2010. Targeting TRPV1: challenges and issues in pain management. *Open Drug Discov J*, **2**: 37–49.
- Trott, O., Olson, A.J., 2009. AutoDock Vina: Improving the speed and accuracy of docking with a new scoring function, efficient optimization, and multithreading. *J. Comput. Chem*, **31**(2): 455-461.
- Tsuda, M., 2016. Microglia in the spinal cord and neuropathic pain. *J. Diabetes Investig*, **7**(1): 17-26.
- Uchida, K., Tominaga, M., 2011. The role of thermosensitive TRP (transient receptor potential) channels in insulin secretion. *Endocrine Journal*, **58**(12): 1021-1028.
- van der Stelt, M., Trevisani, M., Vellani, V., De Petrolis, L., Moriello, A.S., Campi, B., McNaughton, P., Geppetti, P., Di Marzo, V., 2005. Anandamide acts as an intracellular messenger amplifying Ca²⁺ influx via TRPV1 channels. *The EMBO Journal*, **24**: 3026-3037.
- Viljoen, E., Visser, J., Koen, N., Musekiwa, A., 2014. A systematic review and meta-analysis of the effect and safety of ginger in the treatment of pregnancy- associated nausea and vomiting. *Nutr J*, **13**:20.
- Voscopoulos, C., Lema, M., 2010. When does acute pain become chronic? *Br. J. Anaesth*, **105**: i69–i85.
- Vyklický, L., Novakova-Tousova, K., Benedikt, J., Samad, A., Touska, F., Vlachová, V., 2008. Calcium-dependent desensitization of vanilloid receptor TRPV1: a mechanism possibly involved in analgesia induced by topical application of capsaicin. *Physiol. Res*, **57**: S59.
- Wagner, K., Yang, J., Inceoglu, B., Hammock, B.D., 2014. Soluble Epoxide Hydrolase Inhibition Is Antinociceptive in a Mouse Model of Diabetic Neuropathy. *J. Pain*, **15**: 907–914.
- Wattiez, A.-S., Barrière, D.A., 2012. Rodent Models of Painful Diabetic Neuropathy: What Can We Learn from Them? *J. Diabetes Metab*, **S5**: 008.
- Wei, C-K., Tsai, Y-H., Korinek, M., Hung, P-H., El-Shazly, M., Cheng, Y-B., Wu, Y-C., Hsieh, T-J., Chang, F-R., 2017. 6-paradol and 6-shogaol, the pungent compounds of ginger, promote glucose utilization in adipocytes and myotubes, and 6-paradol reduces blood glucose in high-fat diet-fed mice. *Int J Mol Sci*, **18**: 168.

- Whiting, D.R., Guariguata, L., Weil, C., Shaw, J., 2011. IDF Diabetes Atlas: Global estimates of the prevalence of diabetes for 2011 and 2030. *Diabetes Res. Clin. Pract.*, **94**: 311–321.
- Woolf, C. J., 2004. Pain: Moving from Symptom Control toward Mechanism-Specific Pharmacologic Management. *Annals of Internal Medicine*, **140**: 441-451.
- Xie, W., 2011. Assessment of Pain in Animals In Ma, C., and Zhang, J.M. (Eds). *Animal Models of Pain*, New York : Humana Press, p. 23-76.
- Xu, X., Yang, X., Zhang, P., Chen, X., Liu, H., Li, Z., 2012. Effects of Exogenous Galanin on Neuropathic Pain State and Change of Galanin and Its Receptors in DRG and SDH after Sciatic Nerve-Pinch Injury in Rat. *PLoS ONE*, **7**: e37621.
- Xu, Y., Bai, L., Chen, X., Li, Y., Qin, Y., Meng, X., Zhang, Q., 2018. 6-Shogaol ameliorates diabetic nephropathy through anti-inflammatory, hyperlipidemic, anti-oxidative activity in db/db mice. *Biomedicine & Pharmacotherapy*, **97**(2018):633-641.
- Xu, Z.-Z., Kim, Y.H., Bang, S., Zhang, Y., Berta, T., Wang, F., Oh, S.B., Ji, R.-R., 2015. Inhibition of mechanical allodynia in neuropathic pain by TLR5-mediated A-fiber blockade. *Nat. Med.*, **21**: 1326–1331.
- Yang, Y., Huang, J., Mis, M.A., Estacion, M., Macala, L., Shah, P., Schulman, B.R., Horton, D.B., Dib-Hajj, S.D., Waxman, S.G., 2016. Nav1.7-A1632G Mutation from a Family with Inherited Erythromelalgia: Enhanced Firing of Dorsal Root Ganglia Neurons Evoked by Thermal Stimuli. *The Journal of Neuroscience*, **36**(28): 7511-7522.
- Yasuda, M., Umemori, H., 2009. Synapse Formation in the Mammalian Central Nervous System, in: Umemori, H., Hortsch, M. (Eds.), *The Sticky Synapse*. Springer New York, New York, NY, pp. 85–106.
- Zenker, J., Ziegler, D., Chrast, R., 2013. Novel pathogenic pathways in diabetic neuropathy. *Trends Neurosci*, **36**: 439–449.
- Zhuo, M., 2013. Long-term potentiation in the anterior cingulate cortex and chronic pain. *Philos. Trans. R. Soc. B*, **369**: 20130146.
- Zhuo, M., 2009. Plasticity of NMDA receptor NR2B subunit in memory and chronic pain. *Mol. Brain*, **2**: 4.
- Zhuo, M., Wu, G., Wu, L.-J., 2011. Neuronal and microglial mechanisms of neuropathic pain. *Mol Brain*, **4**: 1.

Zick, S.M., Djuric, Z., Ruffin, M.T., Litzinger, A.J., Normolle, D.P., Feng, M.R., Brenner, D.E., 2008. Pharmacokinetics of 6-, 8-, 10-gingerols and 6-shogaol and conjugate metabolites in healthy human subjects. *Cancer Epidemiol Biomarkers Prev*, **17**(8): 1930–1936.