

DAFTAR PUSTAKA

- Anindya, A.S. dan Haryadi. (2014). Oksidasi Hancuran Singkong Menggunakan H₂O₂ dan Asam Laktat dengan Katalisator Ferrous Sulfate Heptahydrate untuk Meningkatkan Baking Expansion. *Jurnal Aplikasi Teknologi Pangan*. **3**:4:128-134
- Al-Dmoor, H.M. (2013). *cake Flour: Functionality And Quality (Review)*. *European Scientific Journal*. **9**:3:1857-7431.
- Al-Dmoor, H.M. dan Jafar, M.E.Q. (2016). Cake Flour Chlorination and Alternative Treatments (Review). *Current Research in Nutrition and Food Science*. **4**:2: 127-134
- Anonim. (2000). *Approved methods of the AACC (10th ed.)*. St Paul. MN: American Association of Cereal Chemist
- Anonim. (1995). *Official Methods of Analysis, 16th Edition*. Association of Official Agriculture Chemistry.. Gaithersburg, Maryland: AOAC International.
- Anonim. (2014). Prospek Bio-Industri Talas. <http://pangan.litbang.pertanian.go.id/berita-446-prospek-bioindustri-talas-.html>. [27 November 2016]
- Anonim. (2013). Marker Brief : Ubi Kayu, Ubi Jalar dan Talas, Atase Perdagangan Tokyo. Kementrian Perdagangan Indonesia, Jakarta.
- Anonim. (1996). Daftar Komposisi Bahan Makanan. Bathara : Jakarta Direktorat Kesehatan dan Gizi Republik Indonesia.
- Aboubakar, Njintang, Y.N., Scher, J., dan Mbofung, C.M.F. (2008). Physicochemical, thermal properties and microstructure of six varieties of taro (*Colocasia esculenta* L. Schott) flours and starches. *Journal of Food Engineering*. **86**: 294-305.
- Agama-Acevedo, E., Garcia-Suarez, F.J., Gutierrez-Meraz, F., Sanchez-Rivera1, M. M., San Martin, E., dan Bello-Pérez, L. A. (2011). Isolation and partial characterization of Mexican taro (*Colocasia esculenta* L.) starch. *Starch/Stärke Journal*. **63**:139-146.
- Adebowale, K.O., Afolabi, T.A., dan Lawal, O.S. (2002). Isolation, chemical modification and physicochemical characterisation of Bambarra groundnut (*Voandzeia subterranean*) starch and flour. *Food Chemistry Journal*. **78**: 305–311
- Alay, S.C.A. dan Maria, A.A.M. (2015). Physicochemical properties, modifications and applications of starches from different botanical sources. *Food Science and Technology, Campinas*. **35**:2: 215-236

- Aprianita, A., Odor, V., Anna, B., dan Stefan, K. (2014). Physicochemical Properties Of Flours And Starches Derived From Traditional Indonesian Tubers And Roots. *Journal of Food Science and Technology*. **51**:12:3669–3679
- Arici, M., Rusen, M.Y., Gorkem, O., Burcu, Y., dan Omer, S.T. (2016). Physicochemical and nutritional properties of taro (*Colocasia esculenta* L. Schott) flour as affected by drying temperature and air velocity. *Food Science and Technology Journal*. **74**:434-440
- Astuti SD, Andarwulan N, Hariyadi P, Agustia FC. (2014). Formulasi dan Karakterisasi Cake Berbasis Tepung Komposit Organik Kacang Merah, Kedelai, dan Jagung. *Jurnal Aplikasi Teknologi Pangan*, **3**: 2: 54-59.
- Badan Standardisasi Nasional. (2009). SNI 3751:2009. *Tepung Terigu sebagai Bahan Makanan*. Jakarta: Badan Standardisasi Nasional
- Bathin, S. (2010). Cakes. University of Kentucky College of Agriculture.
- Be-Miller, J.N. dan Kerry, C.H. (2015). Physical Modification of Food Starch Functionalities. *Annual Review of Food Science and Technology*. **6**: 19-69
- Beta, T. dan Corke, H. (2001). Noodle quality as related to sorghum starch properties. *Cereal Chemistry Journal*. **78**:417-420
- Bertolini, A.C., Mestres, C., Lourdin, D., del Valle, G., dan Colonna, P. (2001). Relationship between thermo mechanical properties and *baking expansion* of sour cassava starch (Polvilho Azedo). *Journal of the Science of Food and Agriculture*. **81**: 429–435.
- Budiyati, C.S. dan Dessy A. (2014). Taro Tube Flour Modification via Hydrogen Peroxide Oxidation. *International Journal of Science and Engineering*. 137-142
- Bradbury, J.H. dan Nixon, R. (1998). The Acidity of Raphides from the Edible Aroids, *Journal of Science and Food Agriculture*. **76**:608-618.
- Chittrakor, S., Dru, E., dan Finlay, M. (2014). Ozonation as an alternative to chlorination for soft wheat flours. *Journal of Cereal Science*. **60**: 217-221.
- Choi, H.W. (2012). Improvement Of Sponge Cake Baking Test Procedure And Characteristics Of Soft Wheat Flour Desirable For Making Sponge Cake. Dissertation. Washington State University, School of Food Science
- Cauvain, S.P. dan Cyster, J.A. (1996). *Sponge cake technology*. CCFRA Review 2, CCFRA, Chipping Campden.
- Cauvain, S.P. dan Young, L.S. (2006). *Baked Products: Science, Technology and Practice*. Wiley-Blackwell, Oxford.

- Cuervo, I.M., Roger, M., Serge, M., Vincent, L., dan Laurent L. (2016). Secondary metabolite diversity in taro, *Colocasia esculenta* (L.) Schott, corms. *Journal of Food Composition and Analysis*. **52**: 24–32
- Deora, N.S., Aastha, D., dan Mishra, H.N. Alternative Approaches Towards Gluten Free Dough Development: Recent Trends. *Food Engineering Reviews*. DOI 10.1007/s12393-014-9079-6.
- Demiante, I.M., Dupuy, N., Huvenne, J.P., Cereda, M.P., dan Wosiacki, G. (2000). Relationship between baking behavior of modified cassava starches and starch chemical structure determined by FTIR spectroscopy. *Carbohydrate Polymers*. **42**:149-158.
- Dewi, A.M.P. (2014). Oksidasi tapioka dengan hidrogen peroksida dan katalis iradiasi UV C serta aplikasinya untuk *edible film*. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta
- Dias, A.R.G, Elessandra da, R.Z., Moacir, C.E., Elizabethe, H., Debora, O da. S., dan Cesar, F.C. (2010). Pasting, expansion and textural properties of fermented cassava starch oxidised with sodium hypochlorite. *Carbohydrate Polymers Journal*. **84**: 268–275
- Dias, A.R.G, Elessandra da, R.Z., Moacir, C.E., Elizabethe, H., Fernanda, A. De. M, Carolina, G.Z., Cesar, F.C. (2011). Oxidation of fermented cassava starch using hydrogen peroxide. *Carbohydrate Polymers Journal*. **86**:185–191
- El-Sheikh, M, Mohammed, A.R., dan Amira, El-S. (2010). Photo-oxidation of rice starch. Part I: Using hydrogen peroxide. *Carbohydrate Polymers*. **80**: 266–269
- Falade, K.O. dan Chidinma, A.O. (2015). Physical, functional, and *pasting* properties of flours from corms of two Cocoyam (*Colocasia esculenta* and *Xanthosoma sagittifolium*) cultivars. *Food Science and Technology Journal*. **52**:6:3440–3448
- Ferdiani, T. (2013). Karakter Fisikokimia dan Kadar Pati Resisten Tapioka Hasil Perlakuan *Heat Moisture Treatment* (HMT) Menggunakan Oven. Skripsi. Fakultas Teknologi Pertanian. Institut Pertanian Bogor. Bogor
- Fonseca, L.M., Julia, R.G., Shanise, L.M.E.H, Vania, Z.P., Alvaro, R.G.D., Andressa, C.J., dan Elessandra, da. R.Z. (2015). Oxidation of potato starch with different sodium hypochlorite concentrations and its effect on biodegradable films. *Food Science and Technology Journal*. **60**: 714-720
- Gallagher, E., Gormley, T.R., dan Arendt, E.K.. (2004). Recent advances in the formulation of gluten-free cereal-based products. *Journal of Food Science and Technology*. **15** : 143-152.
- Halal, S.L.M, Colussi, R., Pinto, V.Z., Bartz, R., Radunz, M., Villarreal, N.L., dan Zavareze ER. (2015). Structure, morphology, and functionality of acetylated and oxidized barley starches. *Food Chemistry Journal*. **168**:247–256.

- Hazarika, B.J. dan Naandan, S. (2016). Effect of dual modification with hydroxypropylation and cross-linking on physicochemical properties of taro starch. *Carbohydrate Polymers Journal*. **140** : 269–27
- Hui, Y.H . (2006). *Bakery Products Science and Technology*. Blackwell Publishing, State Avenue, Ames, Iowa, USA
- Huang, T.T., Da-Nian, Z., Zheng, Y.J, Xue, M.X., dan Han, Q.C. (2016). Effect Of Repeated Heat-Moisture Treatments On Digestibility, Physicochemical And Structural Properties Of Sweet Potato Starch. *Food Hydrocolloids*. **54**: 202-210
- Jamin, F.F. dan Flores, R.A. (1998). Effect of additional separation and grinding on the chemical and physical properties of selected corn drymilled streams. *Cereal Chemistry Journal*. **75**: 166–170
- Kaffah, F.F.S. (2012). Karakteristik Tepung Talas (*Colocasia Esculenta* (L) Schott) dan Pemanfaatannya dalam Pembuatan *Cake*. Skripsi. Fakultas Teknologi Pertanian, Institut Pertanian Bogor, Bogor.
- Kaushal, P., Viviek, K., dan Sharma, H.K. (2012). Comparative study of physicochemical, functional, antinutritional and *pasting* properties of taro (*Colocasia esculenta*), rice (*Oryza sativa*) flour, pigeonpea (*Cajanus cajan*) flour and their blends. *Food Science and Technology Journal*. **48**:59-68
- Klein, B., Bruna, K., Vânia, Z.P., Nathan, L.V., Elessandra, da R.Z., Rosana, C., Jarine, A.E., Luiz, C.G., Alvaro, R.G.D. (2013). Effect Of Single And Dual Heat–Moisture Treatments On Properties Of Rice, Cassava, And Pinhao Starches. *Carbohydrate Polymers Journal*. **98**: 1578–1584
- Klupsaite, D., Grazina. J., Daiva. Z., Elena. B., Zita. M., dan Greta, L. (2017). *Food Science and Technology Journal*. **75**:180-186
- Koswara, S. (2009a). Teknologi Pengolahan Umbi-Umbian : Pengolahan Umbi Talas. Southeast Asian Food And Agricultural Science and Technology (SEAFAST) Center Research and Community Service Institution, Institut Pertanian Bogor, Bogor.
- Koswara, S. (2009b). Teknologi Pengolahan Roti. EbookPangan.com. [11 Februari 2017]
- Kuakpetoon, D., dan Wang, Y. J. (2001). Characterization of different starches oxidized by hypochlorite. *Starch/Stärke*. **53**: 211–218
- Kuakpetoon, D., dan Wang, Y.J. (2008). Locations of hypochlorite oxidation in corn starches varying in amylose content. *Carbohydrate Research Journal*. **343**: 90–100.
- Kuakpetoon, D., dan Wang, Y. J. (2006). Structural characteristics and physicochemical properties of oxidized corn starches varying in amylose content. *Carbohydrate Research Journal*. **341**: 1896–1915

- Kumoro, A.C., Rr Dewi, A.P., Catarina, S.B., Diah, S.R., dan Ratnawati. (2014). Kinetics of Calcium Oxalate Reduction in Taro (*Colocasia esculenta*) Corm Chips during Treatments Using Baking Soda Solution. *Procedia Chemistry*. **9**: 102 – 112.
- Lawal, O. S. (2004). Composition, physicochemical properties and retrogradation characteristics of native, oxidized, acetylated and acid-thinned new cocoyam (*Xanthosoma sagittifolium*) starch. *Food Chemistry*. **87**: 205–218.
- Lee, J.S., Kumar, R.N., Rozman, H.D., dan Azemi, B.M.N. (2005). *Pasting*, swelling, and solubility properties of UV initiated starch-graft-poly(AA). *Food Chemistry Journal*. **91**:203-211.
- Lezama, A.Y.G., Navas, H.C., Alonso, C.P., Carter, E.J.V., Ramirez, J.A. 2016. Thermal and rheological properties of sponge cake batters and texture and microstructural characteristics of sponge cake made with native corn starch in partial or total replacement of wheat flour. *Food Science and Technology Journal*. **70**: 46-54
- Liu, J., Wang, B., Lina, L., Zhang, J., Liu, W., Xie, J., dan Ding, Y. (2014). Functional, physicochemical properties and structure of cross-linked oxidized maize starch. *Food Hydrocolloids*. **36**: 45–52.
- Lorlowhakarn, K., dan Naivikul, O. (2005). Modification of rice flour by uv irradiation to improve rice noodle quality. *Proceeding The 3rd Conference of Starch Technology*.
- Luo, F., Huang, Q., Fu, X., Zhang, L., dan Yu S. (2009). Preparation and characterisation of crosslinked waxy potato starch. *Food Chemistry*. **115**: 2: 563–568.
- Lukasiewicz, M., Szczepan, B., Anna, P., Iwona, G., Agata, B., Dariusz, B., dan Bohdan, A. (2007). Microwave assisted oxidative degradation of starch - estimation of degree of oxidation of the modified biopolymer. 11th International Electronic Conference on Synthetic Organic Chemistry (ECSOC-11), 1-30
- Martínez, B.F., Amaya, L.S.L, Carbajal, A.J.A., Chang, Y.K., Zazueta, M.J.J. (2007). Physicochemical properties of cassava, potato and jicama starches oxidised with organic acids. *Journal of the Science of Food and Agriculture*. **87**:1207–1214
- Marinez, M.M. dan Manuel, G. (2017). Rheological and microstructural evolution of the most common gluten-free flours and starches during bread fermentation and baking. *Journal of Food Engineering*. **19**:78-86.
- Maeda, T., Maryanto, dan Morita N. (2004). Characteristics of Java taro starches and physical properties of acid- and heat-treated taro starches. <http://agris.fao.org/agris-search/search.do?recordID=JP2004007498>. [02 Juni 2017]

- Masina, N., Yahya, E.C., Pradeep, K., Lisa, C. du T, Mershen, G., Sunaina, I., dan Viness, P. (2017). A review of the chemical modification techniques of starch. *Carbohydrate Polymers*. **157**:1226–1236
- Mergedus, A., Janja, K., Anton, I., Andreja, S., Vilma, S., Tomaz, K., dan Vincent, L. (2015). Variation of mineral composition in different parts of taro (*Colocasia esculenta*) corms. *Food Chemistry*. **170**:37–46.
- Muttakin, S., Muharfiza, dan Sri, M. (2015). Reduksi kadar oksalat pada talas lokal Banten melalui perendaman dalam air garam. Prosiding seminar nasional masyarakat biodiversitas Indonesia. **1**:7:1707-1710
- Muflihati, I. (2014). Oksidasi Pati Singkong Dengan H₂O₂ Dan Irradiasi Sinar UV C Menggunakan *Tumbler* Untuk Meningkatkan *Frying Expansion*. Tesis. Fakultas Teknologi Pertanian, Universitas Gadjah Mada, Yogyakarta
- Nakamura, K., Taniguchi, Y., Taira, M., dan Ito, H. (2010). Prediction of specific Japanese sponge cake volume using *pasting* properties of flour. *Cereal Chemistry*. **87**:6: 505-510.
- Neves, E.F.M., Juliane, M.P., Elessandra, A.R.Z., Alvaro, R.G., dan Moacir, C.E. (2010). Expansion of rice flour treated with lactic acid and sodium bisulphite. *Food Science and Technology Journal*. **43**:326–330
- Nishio, Z., Oikawa, H., Heneda, T., Seki, M., Ito, M., Tabiki, T., Yamauchi, H., dan Miura H. (2009). Influence of amylose content on cookie and sponge cake quality and solvent retention capacities in wheat flour. *Cereal Chemistry Journal*. **86**:3: 313-318.
- Oladebeye, A.O., Oshodi, A.A., Amoob, I.A., dan Karim, A.A. (2013). Functional, thermal and molecular behaviours of ozone-oxidised cocoyam and yam starches. *Food Chemistry*. **141**:1416–1423.
- Olayinka ,O.O., Adebowale, K.O., dan Olu-Owolabi, I.B. (2013). Physicochemical properties, morphological and X-ray pattern of chemically modified white sorghum starch. (*Bicolor-Moench*). *Journal of Food Science and Technology*. **50**: 1:70–77
- Paul, R., Tang, C., Gross, K., Uruu, G., dan Kelsav, J.L. (1999). The nature of the acidity factor. Effect of oxalic acid on calcium bioavailability. In Kies C, editor. Nutritional Bioavailability of Calcium. Washington DC *Postharvest Biology Technology*. **16** :71-78
- Pranoto, Y., Rahmayuni, Haryadi, Rakshit, S.K. (2014). Physicochemical Properties Of Heat Moisture Treated Sweet Potato Starches Of Selected Indonesian Varieties. *International Food Research Journal*. **21**:5:2031-2038.
- Perez, S. dan Eric, B. (2010). The molecular structures of starch components and their contribution to the architecture of starch granules: A comprehensive review. *Starch Journal*. **62**: 389–420

- Purwani, E.Y., Widaningrum, T., dan Muslich. (2006). Effect of heat moisture treatment of sago starch on its noodle quality. *Indonesian Journal of Agricultural Science*. **7**:1: 8-14
- Rivera, M.M.S., Garcia, S.F.J.L., del Valle, M.V., Meraz, F.G., dan Bello-Perez, L.A. (2005). Partial Characterization of Banana Starches Oxidized by Different Levels of Sodium Hypochlorite. *Carbohydrate Polymer*. **62**: 50-56.
- Sahi, S.S. dan Alava, J.M. (2003). Functionality of emulsifiers in sponge cake production. *Journal of Science Food Agriculture*. **83**: 1419-1429.
- Sakiyan, O., Sumnu, G., Sahin, S., dan Bayram, G. (2004). Influence of fat content and emulsifier type on the rheological properties of cake batter. *Europeaan Food Research Technology*. **219**: 635-638.
- Sausania, A. (2014). Oksidasi dan *iradiasi* tepung ubi kayu dengan hidrogen peroksida dan sinar UV-C menggunakan *tumbler* untuk meningkatkan *baking expansion*. Tesis. Fakultas Teknologi Pertanian Universitas Gadjah Mada, Yogyakarta
- Sandhu, K. S., Kaur, M., Singh, N., dan Lim, S. (2008). A comparison of native and oxidized normal and waxy corn starches: Physicochemical, thermal, morphological and *pasting* properties. *Food Science and Technology Journal*. **41**: 1000–1010.
- Sangseethong, K., Termvejsayanon, N., dan Sriroth, K. (2010). Characterization of physicochemical properties of hypochlorite- and peroxide-oxidized cassava starches. *Carbohydrate Polymers Journal*. **82**: 446–453.
- Sajilata, M.G., Rekha, S.S., dan Pushpa, R..K. 2006. Resistant Starch-A Review. *Comprehensive Reviews in Food Science and Food Safety*. **5**: 1–17.
- Szczesniak, A.S. (2002). Texture is Sensory Property. *Food Quality and Preference Journal*. **13**: 215–225
- Sefa-Dedeh, S. dan Sackey, A.E.K. (2004). Chemical composition and the effect of processing of oxalate content of cocoyam *Xanthosoma sagittifolium* and *Colocasia esculenta* cormels. *Food Chemistry Journal*. **85**:4: 479 – 487.
- Setya, A. (2015). Iradiasi Sinar UV-C pada Hancuran Singkong dalam Larutan Asam Laktat Hidrogen Peroksida untuk Mendapatkan Tepung dengan *Baking expansion* yang Meningkat. *Jurnal Aplikasi Teknologi Pangan*. **4**:1: 17-21.
- Simsek, S. dan Sedef, N.E. (2015). In vitro starch digestibility, estimated glycemic index and antioxidant potential of taro (*Colocasia esculenta* L. Schott) corm. *Food Chemistry Journal*. **168**: 257–261
- Spier, F. E.R., Elessanda da, R.Z., Ricardo, M.S., Mocair, C.E., dan Dias A.R.G.. (2013). Effect of alkali and oxidative treatments on the physicochemical, *pasting*, thermal and morphological properties of corn starch, *Journal Science of Food Agriculture*. **93**: 331–2337

- Singh, J., Kaur, L., dan McCarthy, O. J. (2007). Factors influencing the physico-chemical, morphological, thermal and rheological properties of some chemically modified starches for food applications—A review. *Food Hydrocolloids Journal*. **21**:1–22.
- Sit, N., Misra, S., dan Deka, S. C. (2013). Physicochemical, functional, textural and colour characteristics of starches isolated from four taro cultivars of North-East India. *Starch Journal*. **65**: 1011–1021
- Srichuwong, S., Sunarti, T.C., Mishima, T., Isono, N., dan Hisamatsu, M. (2005). Starches from different botanical sources II: contribution of starch structure to swelling and pasting properties. *Carbohydrate Polymer Journal*. **62**:25–34
- Sudarmadji, S., Bambang, H., dan Suhardi. (1997). *Prosedur Analisa untuk Bahan Makanan dan Pertanian*. Edisi Keempat. Yogyakarta: Alberti
- Syamsir, E., Purwiyatno, H., Dedi, F., Nuri, A., dan Feri, K. (2012). Pengaruh Proses *Heat Moisture Treatment* (HMT) terhadap Karakteristik Fisikokimia Pati. *Jurnal Teknologi dan Industri Pangan*. **13**:1: 100-106
- Tavares, A.C.K., Zanatta, E., Zavareze, E.R., Helbig, E., Dias, A.R.G. (2010). The Effect of Acid and Oxidative Modification on The Expansion Properties of Rice Flours With Varying Levels of Amylose. *Food Science And Technology*. **43**:1213-1219.
- Tester, R.F. dan Morrison, W.R. (1990). Swelling gelatinization of cereal starches I. Effect of amylopectin, amylase and lipids. *Cereal Chemistry Journal*. **67**:551-557
- Tethool, E.F., Abadi, J., dan Budi, S. (2012a). Characterization of Physicochemical and Baking Expansion Properties of Oxidized Sago Starch Using Hydrogen Peroxide and Sodium Hypochlorite Catalyzed by UV Irradiation. *Food Science and Quality Management Journal*. **10**: 1-11.
- Tethool, E.F., Abadi, J., dan Budi, S. (2012b). Pengaruh konsentrasi hydrogen peroxida dan *iradiasi* ultraviolet terhadap sifat fisikokimia dan *baking expansion* pati sagu. *Prosiding Insinas*. 331-335
- Van Soest, J.J.G., Tournois, H., Wit, D., dan Vliegenthart., J.F.G. (1995). Short-range structure in (partially) crystalline potato starch determined with attenuated total reflectance Fourier-transform IR spectroscopy. *Carbohydrate Research Journal*. **279**: 201–214.
- Vanier, N. L., Zavareze, E. R., Pinto, V. Z., Klein, B., Botelho, F. T., Dias, A. R. G., dan Elias, M. C. (2012). Physicochemical, crystallinity, *pasting* and morphological properties of bean starch oxidised by different concentrations of sodium hypochlorite. *Food Chemistry Journal*. **131**: 1255–1262.
- Vanier, N.L., Shanise, L.M.E.H., Alvaro, G.D., Elessandrada, R.Z. (2017). Molecular structure, functionality and applications of oxidized starches: A review. *Food Chemistry Journal*. **221**:1546–1559.

- Vatanasuchart, N., Naivikul, O., dan Charoenrein, S. S. K. (2005). Molecular properties of cassava starch modified with different UV irradiations to enhance baking expansion. *Carbohydrate Polymers Journal*. **61**:80-87
- Wang, Y., dan Wang, L. (2003). Physicochemical properties of common and waxy corn starches oxidized by different levels of sodium hypochlorite. *Carbohydrate Polymers Journal*. **52**: 207–217
- Wang, S., Jinrong, W., Shaokang, W., dan Shuo, W. (2017). Annealing improves paste viscosity and stability of starch. *Food Hydrocolloids*. **62**: 203-211
- Yadav, A.R., Guha, M., Tharanathan, R.N., dan Ramteke, R.S. (2006). Changes in characteristics of sweet potato flour prepared by different drying techniques. *Food Science and Technology Journal*. **39**:20–26
- Zaidul, I.S.M, Norulaini, N.A.N., Omar, A.K.M, Yamauchi, H., dan Noda T. (2007). RVA analysis of mixtures of wheat flour and potato, sweet potato, yam, and cassava starches. *Carbohydrate Polymer Journal*. **69**:784–791
- Zhang, Y.R., Wang, X.L., Zhao, G.M., dan Wang, Y.Z. (2012). Preparation and properties of oxidized starch with high degree of oxidation. *Carbohydrate Polymers Journal*. **87**:2554–2562
- Zhuo, Y., Shaohua, M., Deyi, C., Xiping, Z., dan Huaibo, Y. (2014). Structure characterization and hypoglycemic effects of dual modified resistant starch from indica rice starch. *Journal of Carbohydrate Polymers*. **103**: 81–86
- Zhou, F., Qian, L., Hongwei, Z., Qian, C., dan Baohua K. (2016). Potato Starch Oxidation Induced by Sodium Hypochlorite and Its Effect on Functional Properties and Digestibility. *International Journal of Biological Macromolecules Journal*. **84** : 410–417.



**PENINGKATAN KUALITAS CAKE BERBAHAN BAKU TEPUNG TALAS (*Colocasia esculenta* L. Schott)
HASIL**

MODIFIKASI OKSIDASI H₂O₂ DAN IRADIASI SINAR UV

RIYANTI EKAFITRI, Prof. Dr. Yudi Pranoto, S.TP, M.P.; Dr. Ainia Hermiati, S.T, M.Si

Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>