

DAFTAR PUSTAKA

- Aardal-Eriksson E, Karlberg BE, Holm AC., (1998). Salivary cortisol – an alternative to serum cortisol determinations in dynamic function tests. *Clin Chem Lab Med.*; Vol. 36 (4): 215-222. Doi: 10.1515/CCLM.1998.037
- Ai, A. L., Peterson, C., Bolling, S. F., Koenig, H.(2002). Private prayer and optimism in middle-aged and older patients awaiting cardiac surgery. *The Gerontologist.* Vol 42(1):70–81
- Al' Absi, Mustafa, (2010). *Stress And Addiction: Biological and Phychological Mechanisms*. Academic Press is an imprint of Elsevier: USA
- American Cancer Society, (2017). *Cancer Facts & Figures*. Retrieved from <http://www.cancer.org/content/dam/cancer-org/research/cancer-facts-and-statistics/annual-cancer-facts-and-figures/2017/cancer-facts-and-figures-2017.pdf> Diakses pada tanggal 16 Oktober 2017.
- Andrew, S., & Dempsey, B. (2007). *Acupressure & Reflexology For Dummies*. Indianapolis, Indiana: Wiley Publishing, Inc.
- Ariyani, Y., (2007). *Materi Ajar Pijat Refleksi Indonesia sesuai Kurikulum Berbasis Kompetensi*. Jakarta
- Atkins, R. C., & Harris, P, (2008). Using reflexology to manage stress in the workplace: A preliminary study. *Complementary Therapies in Clinical Practice*, 14, 280–287. <https://doi.org/10.1016/j.ctcp.2008.05.005>
- Bailey, DE Jr., Wallace, M., and Mishel, M. H., (2007). Watching, waiting and uncertainty in prostate cancer. *Journal of Clinical Nursing*. 16 (4), 734–741. Doi: [10.1111/j.1365-2702.2005.01545.x](https://doi.org/10.1111/j.1365-2702.2005.01545.x)
- Barre, V.P., Padmaja, G., Saxena, R.K., Rana, S. (2015). Impact of Medical Intervention on Stress and Quality of Life in Patients with Cancer. *Indian Journal of Palliative care*. V21(2), 203-208. Doi:10.4103/0973-1075.156503
- Baum, A., Cohen, L and Hall, M. (1993). Control and intrusive memories as possible determinants of chronic stress. *Psychosomatic Medicine*. Vol. 55(3), 274–286,.
- Best, T. M., R. Hunter, A. Wilcox and F. Haq (2008). Effectiveness of sports massage for recovery of skeletal muscle from strenuous exercise. *Clinical Journal of Sport Medicine*. Vol 18(5) : 46 – 60. doi: 10.1097/JSM.0b013e31818837a1

- Bottomley, A. (2002). The Cancer Patient and Quality of Life. *The Oncologist*, 7, 120–125. Doi: 10.1634/theoncologist.7-2-120
- Bozovic, D., Racic, M., Ivkovic, N., (2013). Salivary Cortisol Levels as a Biological Marker of Stress Reaction. *Med arh*; 67(5), 374-377. DOI: 10.5455/medarh.2013.67.374-377
- Brunner & Suddarths's, (2010). *Handbook For: Textbook of Medical-Surgical Nursing, Twelfth Edition*. Philadelphia; Wolter Kluwer Health
- Carlson, L. E., Groff, S. L., Maciejewski, O., & Bultz, B. D. (2015). Screening for Distress in Lung and Breast Cancer Outpatients : A Randomized Controlled Trial, *Journal Of Clinical Oncology* 28 (33). <https://doi.org/10.1200/JCO.2009.27.3698>
- Chandwani, K. D., Ryan, J. L., Peppone, L. J., Janelins, M. M., Sprod, L. K., Devine, K., ... Mustian, K. M. (2012). Cancer-Related Stress and Complementary and Alternative Medicine : A Review. *Evidence-based Complementary and Alternative medicine*. 1-15. <https://doi.org/10.1155/2012/979213>
- Chanif dan Marriyam, (2015). Efektifitas Terapi Pijat Refleksi kaki untuk menurunkan stres psikologis pasien yang dirawat di Intensif. *The 2nd University Research Coloquium*, 415-420
- Chen H, Nackley A, Miller V, Diatchenko, L., & Maixner, W. (2013) Multisystem dysregulation in painful temporomandibular disorders. *The Journal of Pain*: 14(9) : 983–996. doi:10.1016/j.jpain.2013.03.011.
- Cheng, K.K.F., Lin, Y.L., Yeung, R.M.W. (2012). Impact Of Mood Disturbance, sleep disturbance, fatigue and pain among patients receiving cancer therapy. *European journal of cancer care*. 1-9. DOI: 10.1111/j.1365-2354.2012.01372.x
- Chintamani, C., Gogne, A., Khandelwal, R., tandaon, M., Jain, S., Kumar, Y., Narayan, N., Rahul, B., Srinivas, S., & Saxena, S. (2011). The Correlation of anxiety and depression levels with response to neoadjuvant chemotherapy in patients with breast cancer. *Journal of the Royal Society of Medicine Short Report* 2(3): 1-5. DOI 10.1258/shorts.2010.010072
- Clow A, Hucklebridge F, Thorn L., (2010). The cortisol awakening response in context. *Int Rev Neurobiol*; 93:153-75. [http://dx.doi.org/10.1016/S0074-7742\(10\)93007-9](http://dx.doi.org/10.1016/S0074-7742(10)93007-9)

- Clow, A., & Hamer, M. (2010). The iceberg of social disadvantage and chronic stress: Implications for public health. *Neuroscience and Biobehavioral Reviews*, Vol. 35 (1): 1. Doi: [10.1016/j.neubiorev.2010.03.002](https://doi.org/10.1016/j.neubiorev.2010.03.002)
- Cohen, S., Janicki-deverts, D., & Miller, G. E. (2007). Psychological Stress and Disease. *Journal of American Medical Association*, 298(14), 1685–1687. Doi: [10.1001/jama.298.14.1685](https://doi.org/10.1001/jama.298.14.1685)
- Copstead, L. E., & Banasik, J.L. (2005). *Textbook Of Pathophysiology* (3rd ed.). Philadelphia, PA: Elsevier Saunders
- Cordova, M. J., Andrykowski, M. A., (2003). Responses to cancer diagnosis and treatment: posttraumatic stress and posttraumatic growth. *Semin Clin Neuropsychiatry*; Vol.8 (4): 286-296.
- Corner, J., Yardley, J., Maher, E.J., ROffe, E., Young, T., Maslin-Prothero, S., Lewith, G. (2009). Patterns of complementary Therapy (CAM) use among alternative medicine use among adult cancer patients: A systematic review. *Integrative Cancer Therapies*, Vol 4(4):274-286
- Cortan, R. S., Stanly L, R., Kumar, V. (2007). *Buku Ajar Patologi Volume 1*. Jakarta:EGC
- Dahlan, M., S., (2016). *Besar Sampel Dalam Penelitian Kedokteran Dan Kesehatan, Edisi 4*. Epidemiologi Indonesia; Jakarta
- Damanik, E. D., (2006). *The Measurement of Reliability, Validity, Items Analysis and Normative Data of Depression Anxiety Stress Scale (DASS)*. Skripsi: Fakultas Psikologi Universitas Indonesia, Indonesia
- Denaro, N., Tomasello, L., & Russi, E. G., (2014). Cancer and stress: what's matter? from epidemiology: the psychologist and oncologist point of view. *Journal of cancer therapeutic & Research*. Vol. 3;1-11. doi: 10.7243/20497962-3-6
- Dickerson SS, Kemeny ME., (2004). Acute stressors and cortisol responses: A theoretical integration and synthesis of laboratory research. *Psychol Bull*;130: 355-91. <http://dx.doi.org/10.1037/0033-2909.130.3.355>
- Diego MA, Field T, Hernandez-Reif M. (2005). Vagal activity, gastric motility, and weight gain in massaged preterm neonates. *The Journal Of Pediatrics*.147:50–55. DOI: 10.1016/j.jpeds.2005.02.023
- Edwards, B. E. N., & Clarke, V. (2004). The Psychological Impact Of A Cancer Diagnosis On Families : The Influence Of Family Functioning And Patients ' Illness Characteristics On Depression. *Psycho-Oncology*. 13, 562–576. DOI:

10.1002/pon.773

- Effendy, C., Vissers, K., Osse, B. H. P., Tejawinata, S., Vernooij-Dasssen, M., Engels, Y. (2014). Comparison of Problems and Unmet Needs of Patients with Advanced Cancer in a European Country and an Asian Country, *Pain Practice*. 15(5), 433–440. DOI. 10.1111/papr.12196
- Ell, K., Xie, B., Wells, A., Nedjat-Halem, F., Lee, P. J., Vourlekis, B., (2007). Economic Stress Among Low-Income Women With Cancer, Effect on Quality of Life. *American Cancer Society*. 12(3), 616-625. Doi: 10.1002/cncr.23203
- Embong NH, Soh YC, Ming LC, Wong TW (2015). Revisiting reflexology: concept, evidence, current practice, and practitioner training. *Journal of Traditional and Complementary Medicine*. Vol. 5(4):197-206. Doi: <https://doi.org/10.1016/j.jtcme.2015.08.008>
- Embong, N. H., Soh, Y. C., Ming, L. C., Wong, T. W., (2017). Perspectives on reflexology: A qualitative approach. *Journal of traditional and complementary medicine*. Vol. 7(3): 327-331. DOI: 10.1016/j.jtcme.2016.08.008
- Esteban, N.V. and Yergey, A.L. (1990) Cortisol production rates measured by liquid chromatography/ mass spectrometry. *Steroids*. Vol. 55(4): 152-158. [https://doi.org/10.1016/0039-128X\(90\)90103-I](https://doi.org/10.1016/0039-128X(90)90103-I)
- Ewertz, M., & Jensen, A. B. (2011). Late effects of breast cancer treatment and potentials for rehabilitation. *Acta Oncologica*, 50(October 2010), 187–193. <https://doi.org/10.3109/0284186X.2010.533190>
- Falkensteiner, M., Mantovan, F., Irene, M., & Them, C. (2011). The Use of Massage Therapy for Reducing Pain , Anxiety , and Depression in Oncological Palliative Care Patients : A Narrative Review of the Literature. *International Scholarly research Network ISRN Nursing*. 1-8. <https://doi.org/10.5402/2011/929868>
- Fradelos E & Komini A., (2015). The Use of essential oils as a complementary treatment for anxiety. *American Journal of Nursing Science*. Vol 4(2-1):1-5 Doi: 10.11648/j.ajns.s.2015040201.11
- Fenn, M.K., Evans, S. B., DiGiovanna, M. P., Pusztai, L., Safnt, T., Hofstatter, EW., Killelea, B. K., Knobf, T., Lannin, D. R., Abu-Khalaf, M., Horowitz, N. R., And Chagpar, A. B. (2014). Impact of Financial Burden of cancer on Survivors' Quality of Life. *Journal of Oncology Practice*. Vol, 10 (5); 332-337, DOI: 10.1200/JOP.2013.001322

- Field Tiffany. M, (1998). Massage therapy effects. *American Psychologist*; 53(12): 1270–1281. Doi: <http://dx.doi.org/10.1037/0003-066X.53.12.1270>
- Fitzgerald, P. J. (2009). Is norepinephrine an etiological factor in some types of cancer?. *International Journal of Cancer*. 124(2). 257–263. doi: 10.1002/ijc.24063.
- Gao, W., Bennett, M. I., Stark, D., Murray, S., & Higginson, I. J. (2010). Psychological distress in cancer from survivorship to end of life care : Prevalence , associated factors and clinical implications. *European Journal of Cancer*. 46(11), 2036–2044. <https://doi.org/10.1016/j.ejca.2010.03.033>
- Gibson, E. L., Checkley, S., Papadopoulos, A., Poon, L., Daley, S., & Wardle, J.(1999). Increased salivary cortisol reliably induced by a protein-rich midday meal. *Psychosomatic medicine*. Vol. 61 (2): 214-224. PMID: [10204975](https://pubmed.ncbi.nlm.nih.gov/10204975/)
- Grahn, R. E., Kalman, B. A., (2004). Measuring Salivary Cortisol in the Behavioral Neuroscience Laboratory. *The Journal of Undergraduate Neuroscience Education (JUNE), Spring; 2(2), A41-A49.* <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3592595/pdf/june-2-41.pdf>
- Green, V. L., Alexandropoulou, A., Walker, M. B., Walker, A. A., Sharp, D. M., Walker, L. G., & Greenman, J., (2010). Alterations in the Th1/Th2 balance in breast cancer patients using reflexology and sclap massage. *Experimental and Therapeutic Medicine*. VOL. 1(1): 97-108. doi: [10.3892/etm_00000018](https://doi.org/10.3892/etm.00000018)
- Greenlee, H., DuPomt-Reyes, M. J., Balneaves, L. G., Carlson, L. E., Cohen, M. R., Deng, G., Johnson, J. A., Mumber, M., Seely, D., Zick, S. M., Boyce, L. M., dan Tripathy, D. (2017). Clinical Practice Guidelines on the Evidence-Based Use of Integrative Therapies During and After Breast Cancer Treatment. *A Cancer Journal For Clinicians*. Vol.00 : 1-38. doi: 10.3322/caac.21397.
- Groschl M., (2008). Current Status of Salivary Hormone Analysis. *Clin Chemistry*.54:1759-69. <http://dx.doi.org/10.1373/clinchem.2008.108910>
- Harrison, J. (2008). *Aromatherapy: Therapeutic use of essential oils for esthetic*. Australia: Cengage Learning.
- Hawari, D. (2008). *Manajemen stress, cemas dan depresi*, Jakarta: Fakultas Kedokteran Universitas Indonesia.
- Hellhammer DH, Wust S, Kudielka MB., (2009). Salivary cortisol as a biomarker in stress research. *Psychoneuroendocrinol*. 34, 163-71. <http://dx.doi.org/10.1016/j.psyneuen.2008.10.026>

- Hernandezreif, M. Ironson G., Field T., Hyrley J., Katz G., Diego M., Weiss M., Fletcher MA., [Schanberg S](#), [Kuhn C](#), [Burman I](#). (2004). Breast cancer patients have improved immune and neuroendocrine functions following massage therapy. *Journal of Psychosomatic Research*, Vol. 57 (1): 45–52. DOI: [10.1016/S0022-3999\(03\)00500-2](https://doi.org/10.1016/S0022-3999(03)00500-2)
- Herschbach, P., Keller, M., Knight, L., Brandl, T., Huber, B., Henrich, G., Marten-Mittag, B., (2004). Psychological problems of cancer patients: a cancer distress screening with a cancer-specific questionnaire. *British Journal of cancer*, 91, 504-511. Doi: 10.1038/sj.bjc.6601986 <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2409853/pdf/91-6601986a.pdf>
- Heydarnejad, M., Dehkordi, A. H., & Dehkordi, K. S. (2011). Factors affecting quality of life in cancer patients undergoing chemotherapy. *African Health Sciences*, 11(2), 266–270. <https://www.ncbi.nlm.nih.gov/pmc/articles/PMC3158510/pdf/AFHS1102-0266.pdf>
- Hilbers, J., Lewis, C., (2013). Complementary Health Therapies: Moving Towards an Integrated health Model. *Collegian*, 20, 51-60.
- Hodgson, N. A., & Lafferty, D. (2012). Reflexology versus Swedish Massage to Reduce Physiologic Stress and Pain and Improve Mood in Nursing Home Residents with Cancer : A Pilot Trial. *Evidence based Complementary and Alternative Medicine*, 2012, 1–5. <https://doi.org/10.1155/2012/456897>
- Hodgson, N. A., Ph, D., & Andersen, S. (2008). The Clinical Efficacy of Reflexology in Nursing Home Residents with Dementia. *The Journal Of Alternative and Complementary Medicine*, 14(3), 1–7. <https://doi.org/10.1089/acm.2007.0577>
- Hughes CM, Krirsnakriengkrai S, Kumar S, McDonough SM., (2011). The effect of reflexology on the autonomic nervous system in healthy adults: a feasibility study. *Altern Ther Health Med*. 17(3):32-37.
- IARC. (2014). World Cancer Report 2014. Retrieved From <http://www.eh-data.cn/yjbg/kxyj/201405/P020140527342097939887.pdf>
- Ivković, N., Božović, Đ., Račić, M., Popovic-Grubač, D., & Davidović, B. (2015). Biomarkers of Stress in Saliva. *Scientific Journal of the Faculty of Medicine in NIs*. 32(2), 91–99. <https://doi.org/10.1515/afmnai>
- Ja Ok, K., & In Sook, K., (2012). Effects of Aroma Self-Foot Reflexology Massage on Stress and Immune Responses and Fatigue in Middle-Aged Women in Rural Areas. *J Korean Acad Nurs*, 42(5), 709-718. <http://dx.doi.org/10.4040/jkan.2012.42.5.709>

- Jessop, D.S. and Turner-Cobb, J.M. (2008). Measurement and meaning of salivary cortisol: a focus on health and disease in children. *Stress*. 11(1),1–14. Doi: [10.1080/10253890701365527](https://doi.org/10.1080/10253890701365527)
- Judith, H. Walkim, S. Cherry, G. (2010). The efficacy of music therapy. *Journal of Perianesthesia Nursing*. Vol. 25(4):226-232. doi: 10.1016/j.jopan.2010.05.009.
- Kangas M, Henry JL, Bryant RA (2002). Posttraumatic stress disorder following cancer—a conceptual and empirical review. *Clinical Psychology Review*; 22:499–524. Doi: [https://doi.org/10.1016/S0272-7358\(01\)00118-0](https://doi.org/10.1016/S0272-7358(01)00118-0)
- Kaufman E, Lamster IB (2002). The diagnostic applications of saliva – a review. *Critical Reviews in Oral Biology & Medicine*.; Vol.13: 197-212.
- Kementerian Kesehatan RI. (2015). *Situasi penyakit kanker* (semester I). Indonesia: buletin jendela data dan informasi kesehatan.
- Kementerian Pendidikan dan Kebudayaan, Direktorat Pembinaan Kursus Dan Pelatihan, (2015). *Ilmu Pijat Pengobatan Refleksi relaksasi, Level II*.
- Kerrigan, J.R., Veldhuis, J.D., Leyo, S.A., Iranmanesh, A. and Rogol, A.D. (1993) Estimation of daily cortisol production and clearance rates in normal pubertal males by deconvolution analysis. *The Journal of Clinical Endocrinology & Metabolism*. 76(6): 1505-1510. <https://doi.org/10.1210/jcem.76.6.8501158>
- Kirschbaum C, Hellhammer DH. (2000). Encyclopedia of stress. Volume 3. Oxford: Academic press.
- Kirschbaum C, Hellhammer, DH (2007). Salivary cortisol. In: Fink, G. (Ed.), Encyclopedia of Stress. Oxford: Academic Press.; 405-409.
- Kitajima, M., Noto, Y., Kudo, U., Urushizaka, M., Tomisawa, T., & Itaki, C. (2012). Stress Assessment by Salivary Biomarkers in Patients with Lung Cancer Undergoing Chemotherapy. *Journal of Cancer Therapy*, 3, 127–131. <http://dx.doi.org/10.4236/jct.2012.32017>.
- Korszun A, Young EA, Singer K, [Carlson NE](#), [Brown MB](#), [Crofford L](#). (2002) Basal circadian cortisol secretion in women with temporomandibular disorders. *Journal of Dental Research*. 81(4): 279–283. DOI:[10.1177/154405910208100411](https://doi.org/10.1177/154405910208100411)
- Kudielka, B. M., Hellhammer, D.H., Wust, S. (2008). Why do we respond so differently) reviewing determinants of human salivary cortisol responses to challenge. *Psychoneuroendocrinology*; Vol. 34; 2-18. Doi: 10.1016/j.psyneuen.2008.10.004

- Kudielka, B.M., Buske-Kirschbaum, A., Hellhammer, D.H., Kirschbaum, C., 2004. HPA axis responses to laboratory psychosocial stress in healthy elderly adults, younger adults, and children: impact of age and gender. *Psychoneuroendocrinology*, Vol. 29 (1): 83—98. Doi: [https://doi.org/10.1016/S0306-4530\(02\)00146-4](https://doi.org/10.1016/S0306-4530(02)00146-4)
- Kunz, B & Kunz, K., (2003). *Finding in research about safety, efficacy, mechanism of action and Cost-effectiveness of reflexology* (Revised). Albuquerque: RRP Press.
- Kunz, B., (2003). *Reflexology health at your fingertips: hand-on treatment for vitality and well-being*. Amsterdam: Elsevier Science B.V
- Lindfors, P. and Lundberg, U. (2002). Is low cortisol release an indicator of positive health. *Stress and Health*, 18 (4), 153–160. Doi: <https://doi.org/10.1002/smi.942>
- Listing, M., Reibhauer, A., Krohn, M., Voigt, B., Tjahono, G., Becker, J., Klapp, B. F., & Rauchfub, M. (2009). Massage therapy reduces physical discomfort and improves mood disturbances in women with breast cancer. *Psycho-Oncology*. 18: 1290-1299. DOI: 10.1002/pon.1508
- Lu WA, Chen GY, Kuo CD, (2011). Foot reflexology can increase vagal modulation, decrease sympathetic modulation, and lower blood pressure in healthy subjects and patients with coronary artery disease. *Alternative Therapies in Health and Medicine*. Vol.17(4):8-14.
- Lutgendorf SK, Sood AK (2011). Biobehavioral factors and cancer progression: physiological pathways and mechanisms. *Psychosomatic Medicine*.;73(9):724–30. Doi: 10.1097/PSY.0b013e318235be76
- Lutgendorf, S. K., Sood, A. K. Antoni, M. H., (2010). Host factors and cancer progression: biobehavioral signaling pathways and interventions, *Journal of Clinical Oncology*. 28(26), 4094–4099. Doi: 10.1200/JCO.2009.26.9357
- Mackereth, P. A., Booth, K., Hillier. V. F., Caress, A-L., (2009). Reflexology and progressive muscle relaxation training for people with multiple sclerosis: A crossover Trial. *Complementary therapies in clinical practice*, 15, 14-21. Doi: 10.1016/j.ctcp.2008.07.002
- Mahmoudirad, G., Moslo, M. G., & Bahrami, H. (2014). Effect of foot reflexology on anxiety of patients undergoing coronary angiography. *Iran Journal Critical care Nursing*, 6(4), 235–242. <https://pdfs.semanticscholar.org/126b/1f128f0dfbc95bc336d5ec26dda83d4407e8.pdf>

- Mansky, P. J., and Wallerstedt, D. B., (2006). Complementary medicine in palliative care and cancer symptom management. *Cancer Journal*. 12(5), 425–431,.
- Mc Vicar, A. J., Greenwood, C. R., Fewell, F., D’Arcy, V., Chandrasekharan, S., Alldridge, L. C. (2007). Evaluation of anxiety, salivary cortisol and melatonin secretion following reflexology treatment: A Pilot study in healthy individuals. *Complementary Therapies in clinical practice*, Vol. 13(3): 137-145. Doi: [10.1016/j.ctcp.2006.11.001](https://doi.org/10.1016/j.ctcp.2006.11.001)
- McCullough, J. EM., Liddle, S. D., Close, C., Sinclair, M., Hughes, C. M. (2018). Reflexology: A randomised controlled trial investigating the effects on beta-endorphin, cortisol and pregnancy related stress. *Complementary Therapies in Clinical Practice*. Vol 31: 76-84 Doi: [10.1016/j.ctcp.2018.01.018](https://doi.org/10.1016/j.ctcp.2018.01.018)
- Michael G., (2008). Current status of salivary hormone analysis. *Clinical Chemistry*. 54(11): 1759-1769. Doi: [10.1373/clinchem.2008.108910](https://doi.org/10.1373/clinchem.2008.108910)
- Moreno-Smith, M., Lutgendorf, S. K., Sood, A. K., (2011). Impact of stress on cancer metastasis. *Future Oncol*. 2010 December ; 6(12): 1863–1881. doi:10.2217/fon.10.142.
- Moyer CA, Rounds J, Hannum JW. (2004). A meta-analysis of massage therapy research. *Psychological Bulletin*. Vol.130 (1) :3–18. DOI: [10.1037/0033-2909.130.1.3](https://doi.org/10.1037/0033-2909.130.1.3)
- National Cancer Institute, 2015. *Understanding cancer, What Is Cancer*. NIH. <https://www.cancer.gov/about-cancer/understanding/what-is-cancer#types-of-cancer>. Di Akses pada Tanggal 19 September 2017.
- Nicolson, N. A., (2008). *Measurement of Cortisol; in Handbook of Physiological Research Methods in Health Psychology*. Sage Publication
- Nicolson, N., Storms, C., Ponds, R., & Sulon, J. (1997). Salivary cortisol levels and stress reactivity in human aging. *Journal of Gerontology: Medical Sciences*, 52(2), M68–M75.
- Oetami, F., M.Thaha, I. L., & Wahiduddin, (2014). *Analisis Dampak Psikologis Pengobatan Kanekr payudara DI RS DR. Wahidin Sudirohusodo Kota Makassar*. Bagian Epidemiologi Fakultas Kesehatan Masyarakat Universitas Hasanuddin.
- Pandey, M., Sarita, G. P., Devi, N., Thomas, B. C., Hussain, B. M., & Krishnan, R., (2006). Distress, anxiety, and depression in cancer patients undergoing chemotherapy. *Worl Journal of surgical oncology*, 4: 68. doi:10.1186/1477-7819-4-68

- Pastore, A. L., Mir, A., Maruccia, S., Palleschi, G., Carbone, A., Lopez, C., Camps, N., Palou, J., (2017). Psychological distress in patients undergoing surgery for urological cancer: A single centre cross-sectional study. *Urologic Oncology: Seminars and original investigations*. 1-7. <http://dx.doi.org/10.1016/j.urolonc.2017.08.006>
- Peeters, F., Nicholson, N. A., Berkhof, J., (2003). Cortisol Responses to Daily events in major depressive disorder. *Psychosomatic Medicine*, 65, 836–841. DOI: 10.1097/01.PSY.0000088594.17747.2E
- Philips, kristin M., Antoni, M. H., Lechner, Su., Blomberg, B. B., Llabre, M. M., Avisar, E., ... Carver, C. S. (2008). Stress Management Intervention Reduces Serum Cortisol and Increases Relaxation During Treatment for Nonmetastatic Breast Cancer. *The American Psychosomatic Society*, 70, 1044–1049. <https://doi.org/10.1097/PSY.0b013e318186fb27>
- Pilgrim K, Ellenbogen MA and Paquin K (2014) The impact of attentional training on the salivary cortisol and alpha amylase response to psychosocial stress: Importance of attentional control. *Psychoneuroendocrinology*. Vol. 44: 88–99. doi: 10.1016/j.psyneuen.2014.01.024
- Poll E, Kreitschmann-Andermahr I, Langejuergen Y, Stanzel S, Gilsbach JM, Gressner A. (2007). Saliva collection method affects predictability of serum cortisol. *Clinica Chimica Acta*. Vol. 382 (1-2): 15-19. Doi: <https://doi.org/10.1016/j.cca.2007.03.009>
- Puthusseril, Vijaya. (2006). Special foot massage as a complementary therapy in palliative care. *Indian Journal of Palliative care*. Vol 12 (2): 71-76. Doi: 10.4103/0973-1075.30249
- Quattrin, R., Zanini, A., Buchini, S., Turello, D., & Annunziata, M. A. (2006). Use of reflexology foot massage to reduce anxiety in hospitalized cancer patients in chemotherapy treatment: methodology and outcomes. *Journal of Nursing Manajement*, Vol.14 (2), 96–105. Doi: [10.1111/j.1365-2934.2006.00557.x](https://doi.org/10.1111/j.1365-2934.2006.00557.x)
- Rao, A., & Cohen, H. J. (2004). Symptom Management in the Elderly Cancer Patient: Fatigue, Pain, and Depression. *Journal Of the National Cancer Institute Monograph*. Vol. 2004(32): 150-157 <https://doi.org/10.1093/jncimonographs/lgh031>
- Rattray, F. S., & Ludwig, L. M. (2000). Clinical massage therapy: Understanding, Assessing and treating over 70 conditions. Canada: Talus Inc. Toronto.
- Rocha, M. C., Martino, milva M., Grassi, Do. M., & Souza, A. L. (2013). Stress

- among nurses : an examination of kortisol saliva levels on work and day off
*. *Evidence based Complementary and Alternative Medicine*, 47(5), 1187–1194. <https://doi.org/10.1590/S0080-623420130000500025>
- Rush AJ, Linden M, Zobel A. (2002). Vagus nerve stimulation. A potential therapy for chronic/recurrent depression. *Fortschr Neurol Psychiatr*; Vol.70 : 297–302.
- Sakuragi, Sokichi, (2014). Effects of Foot-Massage on Mood and Autonomic Nervous System and the Interaction with Personality. *International Journal of School and Cognitive Psychology*. Vol. I (3); 1-7. DOI: 10.4172/2469-9837.1000112
- Salvo, S. G. (2003). *Massage therapy: Principles and practice*. Philadelphia, PA: W.B. Saunders.
- Sharpley, C. F., Christie, D. R. H., Bitsika, V., Andronicos, N., Sharpley, C. F., Christie, D. R. H., ... Agnew, L. L. (2017). The use of kortisol saliva as an index of chronic stress that correlates with depression in prostate cancer patients, *Psycho-Oncology* 1-3. <https://doi.org/10.1002/pon.4327>
- Sherwood, L. (2010). *Human Physiology: From Cells to System, Seventh Edition*. USA: Yolanda Cossio
- Simons, D, G., Travell, J. G. (1999). *Myofascial pain and dysfunction: The trigger point manual* (2nd ed.). Pennsylvania: Lippincott Williams and Wilkins
- Smith, N. E., Timby, B. K., (2010). *Introductory Medical-Surgical Nursing, Edition 10*. Philadelphia: Wolter Kluwer
- Smyth, N., Hucklebridge, F., Thorn, L., Evans, P., Clow, A., (2013). Salivary Cortisol As A Biomarker In Social Science Research. *Social Personality Psychology Compas*. 7(9): 605-625. Doi. 10.1111/spc3.12057
- Song HJ, Son H, Seo HJ, Lee H, Choi SM, Lee S. (2015). Effect of self-administered foot reflexology for symptom management in healthy persons: a systematic review and meta-analysis. *Complementary Therapies in Medicine*. 23(1):79-89. doi: 10.1016/j.ctim.2014.11.005
- Spannuth WA, Sood AK, Coleman RL, (2008). Angiogenesis as a strategic target for ovarian cancer therapy. *Nat. Clin. Pract. Oncol*;5(4):194–204. [PubMed: 18268546]
- Stephenson, N. L. ., Weinrich, S. P., & Tavakoli, A. S. (2000). The effect of foot Reflexology on anxiety and pain in patients with breast and lung cancer. *Oncology Nursing Forum*, 27(1), 67–72.

- Stephenson, N. L. N., Swanson, M., Dalton, J., Keefe, F. J., & Engelke, M. (2007). Partner-Delivered Reflexology: Effects on Cancer Pain and Anxiety. *Oncology Nursing Forum*, 34(1), 127–133. DOI. 10.1188/07.ONF.127-132.
- Strittmatter G., Tilkorn M., Mawick R. (2002). How to identify patients in need of psychological intervention. *Recent Results Cancer Res*; 160: 353-61.
- The American Institute Of Stress, (2017). *Stress Effects*. Retrieve from <https://www.stress.org/stress-effects/>. Di Akses pada 25 September 2017.
- The Association of Reflexologist (2011) . Stress: A reflexologist's guide. <http://www.aor.org.uk/members-area/Stress-Document-for-members.pdf> Di Akses pada 05 Mei 2018.
- Tovey, P., Chatwin, J., Ahmad, S., Tovey, P., Chatwin, J., & Ahmad, S. (2005). Integrative Cancer Therapies Toward an Understanding of Decision Making on Complementary and Alternative Medicine Use in Poorer Countries : The Case of Cancer Care in Pakistan. *Integrative Cancer Therapies*. 4, 236–241. <https://doi.org/10.1177/1534735405278641>
- Van Cauter, E., Leproult, R., & Kupfer, D. J. (1996). Effects of gender and age on the levels and circadian rhythmicity of plasma cortisol. *Journal of Clinical Endocrinology and Metabolism*, 81(7), 2468–2473.
- Wainapel S.F & Fast A., (2002). *Alternative Medicine and Rehabilitation: A Guide For Practitioners*. Amazon: DemosMedical, an Imprint of Springer Publishing. http://www.demosmedical.com/media/wysiwyg/pdf/Wainapel_08.pdf
- Wengström, Y., Higgmark, C., & Strander, H. (2000). Perceived symptoms and quality of life in women with breast cancer receiving radiation therapy. *European Journal of Oncology Nursing*, 4(2), 78–88. <https://doi.org/10.1054/ejon.1999.0052>
- White C & Macleod U, (2002). Cancer. ABC of psychological medicine. *BMJ*; 325: 377–80.
- WHO. (2014). *Noncommunicable disease (NCD) country profiles*. who.
- Williams, L. S., Hopper, P.D., (2007). *Understanding Medical Surgical Nursing, Third Edition*. United States Of America: Philadelphia, PA
- Wolfe, F. A., (1999). *Reflexology: Complete Idiot's Guide, Second Edition*. Alpha Books: A Pearson Education Macmillan Company. Broadway, New York.

- Wyatt, G., Sikorskii, A., & Rahbar, M. H. (2012). Health-Related Quality-of-Life Outcomes: A Reflexology Trial With Patients With Advanced-Stage Breast Cancer. *Oncology Nursing Forum*.39(6), 568-577
- Yehuda R, Halligan SL, Yang RK, Guo LS, Makotkine I, Singh B. *et al.* (2003). Relationship between 24-hour urinary-free cortisol excretion and salivary cortisol levels sampled from awakening to bedtime in healthy subjects. *Life Sci.*; 73: 349-358.
- Young_Mee, L., (2011). Effects of Self-Foot Reflexology on Stress, Fatigue, Skin Temperature and Immune Response in Female Undergraduate Students. *J Korean Acad Nurs*, Vol 41 (1), 110-118