

DAFTAR PUSTAKA

- Carmeliet, P., 2003. Angiogenesis in health and disease. *Nature Medicine*, 9: 653.
- Carmeliet, P. dan Jain, R.K., 2011. Molecular mechanisms and clinical applications of angiogenesis. *Nature*, 473: nature10144.
- Charde, M.S., A.S, Welankiwar., Jitendra, K., 2014. Method development by liquid chromatography with validation. *International Journal of Pharmaceutical Chemistry*, 4:57-61.
- Cimpean, A. M., D. Ribatti, dan M. Raica. 2008. The Chick Embryo Chorioallantoic Membrane as A Model to Study Tumor Metastasis. *Angiogenesis*. 11: 311-319.
- Chemler, S., 2009. Phenanthroindolizidines and Phenanthroquinolizidines: Promising Alkaloids for Anti-Cancer Therapy. *Current Bioactive Compounds*, 5: 2–19.
- Deryugina, E. I. dan J. P. Quigley. 2008. Chapter Two: Chick Embryo Chorioallantoic Membrane Model to Quantify Angiogenesis Induced Inflammatory and Tumor Cells or Purified Effector Molecules. *Methods in Enzymology*, 444: 21-41.
- Dohle, D.S., S.D. Pasa, S. Gustmann, M. Laub, J.H. Wissler, H.P. Jennissen, dan N. Dunker. 2009. Chick *ex ovo* culture and *ex ovo* CAM assay: how it really works. *Journal of Visualized Experiments*, 33: 1-6.
- Eswarakumar, V.P., Lax, I., dan Schlessinger, J., 2005. Cellular signaling by fibroblast growth factor receptors. *Cytokine dan Growth Factor Reviews Fibroblast Growth Factors* 16: 139–149.
- Eyini, M., K. Rajkumar, dan P. Balaji. 2006. Isolation, regeneration and PEG-Induced Fusion of Protoplasts of *Pleurotus pulmonarius* and *Pleurotus florida*. *Mycobiology*. 34: 73-78.
- Folkman, J. 2003. *Fighting Cancer by Attackin Its Blood Supply*. Scientific American. pp 116-119.
- Frisca, C., T. Sardjono. dan F. Sandra., 2009. Angiogenesis: patofisiologi dan aplikasi klinis. *Jurnal Kedokteran Maranatha*, 8: 174-187.
- Gamallo, J.P.M. dan Gallego, R.P., 2017. 'Evaluation of Antiangiogenic Property and Toxicity of Ficus Septica Burm F. Stem Extract' dalam: *Evaluation of Antiangiogenic Property and Toxicity of Ficus Septica Burm F. Stem Extract*. Dipresentasikan pada RF-ISERD International Conference, Singapore, hal. 1-17.
- Gandjar, I.G., dan Rohman, A., 2007. *Kimia Farmasi Analisis:Kromatografi Lapis Tipis (KLT)* . Pustaka Pelajar. Yogyakarta. 353-377.
- Gupta, V., Ajay, D.K.J., N.S, Gill., Kapil, G., 2012. Development and validation of HPLC method: a review. *Int. Res. J. pharm*, 2 :17-25
- Hamamichi, S., dan H. Nishigori. 2001. Establishment of a chick embryo shell-less culture system and its use to observe change in behavior caused by nicotine and substances from cigarette smoke. *Toxicology Letters*. 119 (2): 95–102.

- Hanahan, D. dan Weinberg, R.A., 2000. The hallmarks of cancer. *cell*, 100: 57–70.
- Hicks, K., B. Friedman, & M. R. Rosner. 1989. Basic and acidic fibroblast growth factors modulate the epidermal growth factor receptor by a protein kinase C-independent pathway. *Biochemical and Biophysical Research Communications*. 164 (2): 796-803.
- Hutapea, J. dan Syamsuhidayat, S., 2000. *Inventaris Tanaman Obat, Jilid 1*. Balitbang Depkes RI, Jakarta.
- Jenie, R. I., E. Meiyanto, dan R. Murwanti., 2006. Efek antiangiogenik ekstrak etanolik daun sambung nyawa (*Gynura procumbens* (Lour.) Merr.) pada membran korio alantois (CAM) embrio ayam. *Majalah Farmasi Indonesia*. 17 (1): 50-55.
- Kerbel, R. dan J. Folkman. 2002. Clinical translation of angiogenesis inhibitors. *Nature Reviews Cancer*, 2 : 727-739.
- Lansky, E.P. dan Paavilainen, H.M., 2011. *Figs: The Genus Ficus*, Traditional herbal medicines for modern times. CRC Press, Boca Raton.
- Lansky, E.P., Paavilainen, H.M., Pawlus, A.D., dan Newman, R.A., 2008. Ficus spp. (fig): Ethnobotany and potential as anticancer and anti-inflammatory agents. *Journal of Ethnopharmacology*, 119: 195–213.
- Matter, A. 2001. Tumor angiogenesis as a therapeutic target. *Drug Discovery Today*. 6: 1005-1020.
- Montesano, R., J. D. Vassalli, A. Baird, R. Guillemin, dan L. Orci. 1986. Basic fibroblast growth factor induces angiogenesis in vitro. *Cell Biology*. 83: 7297-7301.
- Moscattelli, D. dan N. Quarto. 1989. Transformation of NIH 3T3 cells with basic fibroblast growth factor or the hst/k-fgf oncogene causes downregulation of the fibroblast growth factor receptor: reversal of morphological transformation and restoration of receptor number by suramin. *The Journal of Cell Biology*. 109: 2519-2527.
- Mousa, S.A. dan Davis, P.J. (Editor), 2017. *Anti-Angiogenesis Strategies in Cancer Therapies*. Academic Press is an imprint of Elsevier, Amsterdam.
- Nugroho, A.E., Hermawan, A., Putri, D.D.P., Novika, A., dan Meiyanto, E., 2013. Combinational effects of hexane insoluble fraction of Ficus septica Burm. F. and doxorubicin chemotherapy on T47D breast cancer cells. *Asian Pacific Journal of Tropical Biomedicine*, 3: 297–302.
- Nugroho, A.E., Hermawan, A., Nastiti, K., Suven, null, Elisa, P., Hadibarata, T., dkk., 2012. Immunomodulatory effects of hexane insoluble fraction of Ficus septica Burm. F. in doxorubicin-treated rats. *Asian Pacific journal of cancer prevention: APJCP*, 13: 5785–5790.
- Nugroho, A.E., Ikawati, M., Hermawan, A., Putri, D.D.P., dan Meiyanto, E., 2011. Cytotoxic effect of ethanolic extract fractions of Indonesia plant Ficus septica Burm. F. on human breast cancer T47D cell lines. *International Journal of Phytomedicine*, 3: 216.
- Oh, J., Kim, G.D., Kim, S., dan Lee, S.K., 2017. Antofine, a natural phenanthroindolizidine alkaloid, suppresses angiogenesis via regulation of AKT/mTOR and AMPK pathway in endothelial cells and endothelial

- progenitor cells derived from mouse embryonic stem cells. *Food and Chemical Toxicology*, 107: 201–207.
- Oktavia, S., Wijayanti, N., dan Retnoaji, B., 2017. Anti-angiogenic effect of *Artocarpus heterophyllus* seed methanolic extract in ex ovo chicken chorioallantoic membrane. *Asian Pacific Journal of Tropical Biomedicine*, 7: 240–244.
- Potente, M., Gerhardt, H., dan Carmeliet, P., 2011. Basic and Therapeutic Aspects of Angiogenesis. *Cell*, 146: 873–887.
- Pratama, R.H., Ikhtiarasyah, Y.G., Anindyajati, Fitriasari, A., Ikawati, M., dan Meiyanto, E., 2011. Ekstrak Etanolik Daun Awar-Awar (*Ficus septica* Burm F.) secara Sinergis Meningkatkan Efektivitas Doxorubicin terhadap Sel Kanker Payudara T47D (Awar-Awar Leaves Ethanolic Extract Sinergistically Enhances Cytotoxic Effect of Doxorubicin on T47D Breast Cancer Cells). *Jurnal Ilmu Kefarmasian Indonesia*, , Cancer Chemopreventive Research Center 9: 67–71
- Pratama N.P., 2017. 'Efek Tilorin Terhadap Siklus Sel, Apoptosis Serta Ekspresi Caspase 3 dan 9 Pada Sel Kanker Payudara T47D', *Thesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Presta, M., Dell'Era, P., Mitola, S., Moroni, E., Ronca, R., dan Rusnati, M., 2005. Fibroblast growth factor/fibroblast growth factor receptor system in angiogenesis. *Cytokine dan Growth Factor Reviews*, , Fibroblast Growth Factors, 16: 159–178.
- Ragasa, C.Y., Macuha, M., De Los Reyes, M.M., Mandia, E.H., dan Van Alena, I.A., 2016. Chemical Constituents of *Ficus septica* Burm. F. *International Journal of Pharmaceutical and Clinical Research*, 8: 1464–1469.
- Rashid, S., 2017. *Cancer and Chemoprevention: An Overview*. Springer Singapore, Singapore.
- Ribatti, D. 2008. Chick embryo chorioallantoic membrane as a useful tool to study angiogenesis. *International Review of Cell and Molecular Biology*. 270: 181-224.
- Ribatti, D. 2010. The chick embryo chorioallantoic membrane as an in vivo assay to study antiangiogenesis. *Pharmaceutical*, 3: 482-513.
- Ribatti, D., G. De Falco, B. Nico, R. Ria, E. Crivellato, & A. Vacca. 2003. In vivo time-course of the angiogenic response induced by multiple myeloma plasma cells in the chick embryo chorioallantoic membrane. *Journal of Anatomy*. 203: 323-328.
- Ribatti, D., & M. Presta. 2002. The role of fibroblast growth factor-2 in the vascularization of the chick embryo chorioallantoic membrane. *Journal of Cellular and Molecular Medicine*. 6 (3): 439-446.
- Saadeh, P. B., B. J. Mehrara, D. S. Steinbrech, J. A. Spector, J. A. Greenwald, G. S. Chin, H. Ueno, G. K. Gittes, & M. T. Longaker. 2000. Mechanisms of fibroblast growth factor-2 modulation of vascular endothelial growth factor expression by osteoblastic cells. *Endocrinology*. 141 (6) : 2075-2083.
- Saifudin, Aziz., 2014. *Senyawa Alam Metabolit Sekunder Teori, Konsep, dan Teknik Pemurnian*. Deepublish. Yogyakarta.

- Salamah, N., M. Sugiyanto, S. Hartati, & F. Hayati. 2010. Efek Antiangiogenik Ekstrak Metanol Akar Pasak Bumi (*Eurycoma longifolia* Jack) pada Membran Korio Alantois (CAM) Embrio Ayam yang Terinduksi bFGF. *Majalah Obat Tradisional*. 15 (1) : 1-7.
- Saraswati, S., Kanaujia, P.K., Kumar, S., Kumar, R., dan Alhaider, A.A., 2013. Tylophorine, a phenanthroindolizidine alkaloid isolated from *Tylophora indica* exerts antiangiogenic and antitumor activity by targeting vascular endothelial growth factor receptor 2-mediated angiogenesis. *Molecular Cancer*, 12: 82.
- Schomann, T., Qunneis, F., Widera, D., Kaltschmidt, C., dan Kaltschmidt, B., 2013. Improved Method for Ex Ovo -Cultivation of Developing Chicken Embryos for Human Stem Cell Xenografts. *Stem Cells International*, 2013: 1–9.
- Sudarsono, Gunawan, D., Wahyono, S., Donatus, I.A., dan Purnomo, 2002. *Tumbuhan Obat II: Hasil Penelitian, Sifat-Sifat Dan Penggunaan*. Pusat Studi Obat Tradisional Universitas Gadjah Mada, Yogyakarta.
- Susilowati, 2015. 'Uji Sitotoksik Fraksi Tak Larut N-Heksana Dari Ekstrak Etanol Daun Awar-Awar (*Ficus septica* Burm. F.) Dan Senyawa Alkaloid Utamanya Terhadap Sel Kanker Payudara', *Thesis*, M.Sc, Fakultas Farmasi, Universitas Gadjah Mada, Yogyakarta.
- Teixeira, D.M., Patão, R.F., Coelho, A.V., dan da Costa, C.T., 2006. Comparison between sample disruption methods and solid–liquid extraction (SLE) to extract phenolic compounds from *Ficus carica* leaves. *Journal of Chromatography A*, 1103: 22–28.
- Tiwari, P., Kumar, B., Kaur, M., Kaur, G., dan Kaur, H., 2011. Phytochemical screening and Extraction: A Review, *International Journal of Pharmaceutical Sciences*, 1: 98-106.
- Ueda, J., Takagi, M., dan Shin-ya, K., 2009. Aminocaprophenone- and Pyrrolidine-type Alkaloids from The Leaves of *Ficus septica*. *Journal of Natural Products*, 72: 2181–2183.
- Weis, S.M. dan Cheresch, D.A., 2011. Tumor angiogenesis: molecular pathways and therapeutic targets. *Nature Medicine*, 17: nm.2537.
- WHO, 2017. WHO. URL: <http://www.who.int/mediacentre/factsheets/fs297/en/> (diakses tanggal 21/11/2017).
- Wu, P.-L., Rao, K.V., Su, C.-H., Kuoh, C.-S., dan Wu, T.-S., 2002. Phenanthroindolizidine Alkaloids and Their Cytotoxicity from The Leaves of *Ficus septica*. *Heterocycles*, 57: 2401–2408.
- Yang, C.-W., Lee, Y.-Z., Hsu, H.-Y., Wu, C.-M., Chang, H.-Y., Chao, Y.-S., dkk., 2013. c-Jun-Mediated Anticancer Mechanisms of Tylophorine. *Carcinogenesis*, 34: 1304–1314.
- Yang, E. Y., & H. L. Moses. 1990. Transforming growth factor beta1-induced changes in cell migration, proliferation and angiogenesis in the chicken chorioallantoic membrane. *The Journal of Cell Biology*. 111: 731-741
- Zijlstra, A., dan J. D. Lewis. 2012. Visualization and quantification of *de novo* angiogenesis in *ex ovo* chicken embryos. *The Textbook of Angiogenesis and Lymphangiogenesis: Methods and Applications*. 217-240