

REFERENSI

- ADA (2017) 'Standard of Medical Care in Diabetes - 2017', *Diabetes Care*, 40 (1)(January), pp. s4–s128.
- Adair, L. S. *et al.* (2014) 'The emergence of cardiometabolic disease risk in Chinese children and adults: Consequences of changes in diet, physical activity and obesity', *Obesity Reviews*, 15(S1), pp. 49–59. doi: 10.1111/obr.12123.
- Adejoh, S. O. (2014) 'Diabetes Knowledge , Health Belief , and Diabetes Management Among the Igala , Nigeria', *Sage Open*, 4(2), pp. 1–8. doi: 10.1177/2158244014539966.
- Almatsier, S. (2009) *Penuntun Diet*. Jakarta: Gramedia.
- Alsunni, A. A. and Badar, A. (2015) 'Fruit and vegetable consumption and its determinants among Saudi university students', *Journal of Taibah University Medical Sciences*. Elsevier Ltd, 10(2), pp. 201–207. doi: 10.1016/j.jtumed.2014.11.003.
- Amuta, A. O. *et al.* (2017) 'Number and severity of Type 2 Diabetes among Family Members are associated with nutrition and Physical activity Behaviors.', *Frontiers in Public Health*, 5(1), pp. 157–163.
- Amuta, A. O., Jacobs, W. and Barry, A. E. (2017) 'An examination of family, healthcare professionals, and peer advice on physical activity behaviors among adolescents at high risk for type 2 diabetes', *Health Communication*, 32(7), pp. 857–863.
- Artaud, F. *et al.* (2017) 'Trajectories of Unhealthy Behaviors in Midlife and Risk of Disability at Older Ages in the Whitehall II Cohort Study', *The Gerontological*, 71(11), pp. 1500–1506. doi: 10.1093/gerona/glw060.
- Asfour, L. W. *et al.* (2015) 'Uncovering risky behaviors of expatriate teenagers in the United Arab Emirates: A survey of tobacco use, nutrition and physical activity habits Health behavior, health promotion and society', *BMC Public Health*. BMC Public Health, 15(1), pp. 1–8. doi: 10.1186/s12889-015-2261-9.
- Assari, S., Caldwell, C. H. and Zimmerman, M. A. (2015) 'Low parental support in late adolescence predicts obesity in young adulthood; Gender differences in a 12-year cohort of African Americans.', *Journal of diabetes and metabolic disorders*. ???, 14(1), p. 47. doi: 10.1186/s40200-015-0176-8.
- Association, C. D. (2013) 'Adult participation in aerobic and muscle-strengthening physical activities - United States, 2011.', *MMWR. Morbidity and mortality weekly report*. Canadian Diabetes Association, 62(17), pp. 326–30. doi:

10.1016/j.jcjd.2013.01.018.

Astuti, D. (2005) 'Kajian Bisnis Franchise Makanan di Indonesia', *Jurnal Manajemen dan Kewirausahaan*, 7(1), pp. 83–97.

Bancks, M. P. *et al.* (2016) 'Marijuana use and risk of prediabetes and diabetes by middle adulthood: the Coronary Artery Risk Development in Young Adults (CARDIA) study', *Diabetologia*, 58(12), pp. 2736–2744. doi: 10.1007/s00125-015-3740-3.Marijuana.

Bandura, A. (1971) 'Social Learning Theory', *Stanford University*, pp. 1–46. doi: 10.1111/j.1460-2466.1978.tb01621.x.

Bandura, A. (1974) 'Behavior Theory and the Models of man', *American Psychologist*, pp. 859–869.

Baptiste-Roberts, K. *et al.* (2007) 'Family history of diabetes, awareness of risk factors, and health behaviors among African Americans', *American Journal of Public Health*, 97(5), pp. 907–912. doi: 10.2105/AJPH.2005.077032.

Bardach, S. H., Schoenberg, N. E. and Howell, B. M. (2016) 'What Motivates Older Adults to Improve Diet and Exercise Patterns?', *Journal of Community Health*, 41(1), pp. 22–29.

Basiotis, P. P. *et al.* (1987) 'Number of Days of Food Intake Records Required to Estimate Individual and Group Nutrient Intakes with Defined Confidence', *The Journal Of Nutrition*, 117(9), pp. 1638–1641.

Bendikova, E. (2014) 'Lifestyle, Physical and Sports Education and Health Benefits of Physical Activity', *European Researcher*, 69(2), pp. 414–428.

Beverly, E. A., Miller, C. K. and Wray, L. A. (2008) 'Spousal Support and Food-Related Behavior Change in Middle-Aged and Older Adults Living With Type 2 Diabetes', *Health Education & Behavior*, 35(5), pp. 707–720. doi: 10.1177/1090198107299787.

Bhalerao, S. D. *et al.* (2014) 'Risk Factors for Type 2 Diabetes Mellitus in Rural Population of North Karnataka: a Community-Based Cross-Sectional Study', *Int. J. Pharm. Med. & Bio. Sc.*, 3(1), pp. 1–14.

Blomster, J. I. *et al.* (2016) 'The harms of smoking and benefits of smoking cessation in women compared with men with type 2 diabetes: an observational analysis of the ADVANCE (Action in Diabetes and Vascular Disease: Preterax and Diamicon modified release Controlled Evaluation) trial', *BMJ Open*, 6(1), p. e009668. doi: 10.1136/bmjopen-2015-009668.

Bot, S. D. *et al.* (2016) 'Association between Social Network Characteristics and Lifestyle Behaviours in Adults at Risk of Diabetes and Cardiovascular Disease',

PLoS ONE, 11(10), pp. 1–14. doi: 10.1371/journal.pone.0165041.

Brown, S. A. *et al.* (2018) ‘The Starr County Border Health Initiative: Focus Groups on Diabetes Prevention in Mexican Americans’, *The Diabetes Educator*, 44(3), pp. 293–306.

Bruening, M. *et al.* (2014) ‘Associations between sugar-sweetened beverage consumption and fast-food restaurant frequency among adolescents and their friends’, *Journal of Nutrition Behavior*, 46(4), pp. 277–285.

Brundisini, F. *et al.* (2015) ‘Type 2 diabetes patients’ and providers’ differing perspectives on medication nonadherence: a qualitative meta-synthesis’, *BMC Health Services Research*. BMC Health Services Research. doi: 10.1186/s12913-015-1174-8.

Bukenya, R. *et al.* (2017) ‘Validity and reliability of general nutrition knowledge questionnaire for adults in Uganda’, *Nutrients*, 9(2), pp. 1–11. doi: 10.3390/nu9020172.

Cefalu, W. T. *et al.* (2016) ‘Update and next steps for real-world translation of interventions for type 2 diabetes prevention: Reflections from a diabetes care editors’ expert forum’, *Diabetes Care*, 39(7), pp. 1186–1201. doi: 10.2337/dc16-0873.

Chomistek, A. K. *et al.* (2016) ‘Frequency, Type, and Volume of Leisure-Time Physical Activity and Risk of Coronary Heart Disease in Young Women’, *Circulation*, 134(4), pp. 290–299. doi: 10.1161/CIRCULATIONAHA.116.021516.

Choudhury, S., Blakemore, S. and Charman, T. (2006) ‘Social cognitive development during adolescence’, *SCAN*, 1(1), pp. 165–174. doi: 10.1093/scan/nsl024.

Christine, P. J. *et al.* (2015) ‘Longitudinal Associations Between Neighborhood Physical and Social Environments and Incident Type 2 Diabetes Mellitus: The Multi-Ethnic Study of Atherosclerosis (MESA).’, *JAMA internal medicine*, 175(8), pp. 1311–20. doi: 10.1001/jamainternmed.2015.2691.

Cocca, A. *et al.* (2014) ‘Health-Related Physical Activity Levels in Spanish Youth and Young Adults’, *Perceptual and Motor Skills*, 118(1), pp. 247–260. doi: 10.2466/10.06.PMS.118k16w1.

Curtis, A. C. (2015) ‘Defining Adolescence’, *Journal of Adolescent and Family Health*, 7(2), pp. 1–39. Available at: <http://scholar.utc.edu/jafh%5Cnhttp://scholar.utc.edu/jafh/vol7/iss2/2>.

Darmon, N. and Drewnowski, A. (2015) ‘Contribution of food prices and diet cost to socioeconomic disparities in diet quality and health: A systematic review and

analysis', *Nutrition Reviews*, 73(10), pp. 643–660. doi: 10.1093/nutrit/nuv027.

Deliens, T. *et al.* (2015) 'Determinants of physical activity and sedentary behaviour in university students : a qualitative study using focus group discussions', *BMC Public Health*, 15(201), pp. 1–9. doi: 10.1186/s12889-015-1553-4.

Diabetes UK (2016) 'Prevalence of diabetes', *Facts and stats*, (October 2016), p. 2. doi: 10.1007/s11245-009-9073-4.

DiBenedetto, J. C. *et al.* (2016) 'Achievement of weight loss and other requirements of the Diabetes Prevention and Recognition Program: a National Diabetes Prevention Program network based on nationally certified diabetes self-management education programs.', *The Diabetes Educator*, 42(6), pp. 678–685.

Dinkes DIY (2015) *Profil Kesehatan Tahun 2015 Kota Yogyakarta (Data Tahun 2014)*, Dinas Kesehatan DIY.

Ekawidyani, K. R. *et al.* (2018) 'Parents' characteristics, food habits and physical activity of overweight schoolchildren in Bogor City, Indonesia', *Diversity and Change in Food Wellbeing*, 5(1), pp. 177–194. doi: 10.3920/978-90-8686-864-3.

Ekelund, U., Griffin, S. J. and Wareham, N. J. (2007) 'Physical activity and metabolic risk in individuals with a family history of type 2 diabetes', *Diabetes Care*, 30(2), pp. 337–342. doi: 10.2337/dc06-1883.

Fischetti, N. (2015) 'Correlates among Perceived Risk for Type And Dietary Intake in Adolescents', *Continuing Nurse Education*, 41(3), p. 2015.

Fort, M. P. *et al.* (2013) 'Barriers and facilitating factors for disease self-management : a qualitative analysis of perceptions of patients receiving care for type 2 diabetes and / or hypertension in San José , Costa', *BMC family practice*, 14(1), p. 1. doi: 10.1186/1471-2296-14-131.

Fowler, M. J. (2008) 'Microvascular and Macrovascular Complications of Diabetes', *Clinical Diabetes*, 26(2), pp. 77–82. doi: 10.2337/diaclin.29.3.116.

Gepner, Y. *et al.* (2015) 'Effects of initiating moderate alcohol intake on cardiometabolic risk in adults with type 2 diabetes: A 2-year randomized, controlled trial', *Annals of Internal Medicine*, 163(8), pp. 569–579. doi: 10.7326/M14-1650.

Glanz, K., Rimer, B. K. and Viswanath, K. (2008) *Health Behaviour and Health Education*. Ffourth Ed, *Health Education*. Ffourth Ed. San Francisco: Jossey-Bass. doi: 10.1016/S0033-3506(49)81524-1.

Handelsman, Y. *et al.* (2015) 'Clinical Practice Guidelines for Developing a Diabetes Mellitus Comprehensive Care Plan - 2015', *Endocrine Practice*, 21(1).

Harahap, H. *et al.* (2012) ‘PENGEMBANGAN SLOGAN KONSEP “GIZI SEIMBANG” DAN GAMBARNYA (DEVELOPMENT OF SLOGAN AND ITS PICTORIAL FOR THE “BALANCED NUTRITION” CONCEPT)’, *Panel Gizi Makan*, 35(2), pp. 110–118.

He, K. *et al.* (2013) ‘Mercury exposure in young adulthood and incidence of diabetes later in life: The CARDIA trace element study’, *Diabetes Care*, 36(6), pp. 1584–1589. doi: 10.2337/dc12-1842.

Hermans, R. C. J. *et al.* (2017) ‘Adolescents’ Responses to a School-Based Prevention Program Promoting Healthy Eating at School’, *Frontiers in Public Health*, 5(November). doi: 10.3389/fpubh.2017.00309.

Hillier-Brown, F. C. *et al.* (2017) ‘The impact of interventions to promote healthier ready-to-eat meals (to eat in, to take away or to be delivered) sold by specific food outlets open to the general public: a systematic review’, *Obesity Reviews*, 18(2), pp. 227–246. doi: 10.1111/obr.12479.

Hirsch, O. *et al.* (2014) ‘Restrained and External-Emotional Eating Patterns in Young Overweight Children – Results of the Ulm Birth Cohort Study’, *PLoS ONE*, 9(8). doi: 10.1371/journal.pone.0105303.

Holmen, H. *et al.* (2016) ‘Stages of change for physical activity and dietary habits in persons with type 2 diabetes included in a mobile health intervention: The Norwegian study in RENEWING HEALTH’, *BMJ Open Diabetes Research and Care*, 4(1). doi: 10.1136/bmjdr-2016-000193.

Hummel, S. *et al.* (2014) ‘Infant feeding patterns in families with a diabetes history - observations from The Environmental Determinants of Diabetes in the Young (TEDDY) birth cohort study.’, *Public health nutrition*, 17(12), pp. 2853–62. doi: 10.1017/S1368980013003054.

Imes, C. C. and Lewis, F. M. (2014) ‘Family history of cardiovascular disease, perceived cardiovascular disease risk, and health-related behavior: a review of the literature.’, *The Journal of cardiovascular nursing*, 29(2), pp. 108–29. doi: 10.1097/JCN.0b013e31827db5eb.

Ipaq (2005) ‘Guidelines for Data Processing and Analysis of the International Physical Activity Questionnaire (IPAQ) – Short and Long Forms’, *Ipaq*, (November), pp. 1–15.

Jayawardena, R. *et al.* (2017) ‘Nutrition Transition and Obesity Among Teenagers and Young Adults in South Asia’, *Current Diabetes Review*, 13(1), pp. 1–8. doi: 10.2174/15733998126661608081002.

Jones, C. G., Lee, T. C. and Lopez, I. A. (2014) ‘Perceived Susceptibility and Prevention Attitudes of African-American College Students ’ toward Type 2

Diabetes', *Florida Public Health Review*, 11(1), pp. 57–64.

Kemenkes RI (2014a) *Pedoman gizi seimbang*, Jakarta: Kementerian Kesehatan RI.

Kemenkes RI (2014b) 'Situasi dan Analisis Diabetes', *Pusat Data dan Informasi Kementerian Kesehatan RI*, p. 2. doi: 24427659.

Kishi, S. *et al.* (2015) 'Cumulative blood pressure in early adulthood and cardiac dysfunction in middle age: The CARDIA study', *Journal of the American College of Cardiology*, 65(25), pp. 2679–2687. doi: 10.1016/j.jacc.2015.04.042.

Kourouniotis, S. *et al.* (2016) 'The importance of taste on dietary choice, behaviour and intake in a group of young adults.', *Appetite*, 103(1), pp. 1–7.

Kurniawan and Fajri (2010) *Oleh : FAJRI KURNIAWAN*. Universitas Sebelas Maret.

Laine, M. K. *et al.* (2014) 'A former career as a male elite athlete--does it protect against type 2 diabetes in later life?', *Diabetologia*, 57(2), pp. 270–4. doi: 10.1007/s00125-013-3105-8.

Lane, L. and Koteskey, R. L. (2005) *Understanding Adolescence*. USA: Victor Books.

Laska, M. N. *et al.* (2015) 'How we eat what we eat: identifying meal routines and practices most strongly associated with healthy and unhealthy dietary factors among young adults.', *Public health nutrition*, 18(12), pp. 2135–45. doi: 10.1017/S1368980014002717.

Leatherdale, S. T. and Laxer, R. E. (2013) 'Reliability and validity of the weight status and dietary intake measures in the COMPASS questionnaire: are the self-reported measures of body mass index (BMI) and Canada's food guide servings robust?', *The international journal of behavioral nutrition and physical activity*. *International Journal of Behavioral Nutrition and Physical Activity*, 10(1), p. 1. doi: 10.1186/1479-5868-10-42.

Lee, L. T. *et al.* (2016) 'Challenges to Healthy Eating Practices: A Qualitative Study of Non-Hispanic Black Men Living With Diabetes', *Diabetes Educator*, 42(3), pp. 325–335. doi: 10.1177/0145721716640904.

Lee, P. H. (2014) 'Association between Adolescents' Physical Activity and Sedentary Behaviors with Change in BMI and Risk of Type 2 Diabetes', 9(10). doi: 10.1371/journal.pone.0110732.

Leech, R. M., Mcnaughton, S. A. and Timperio, A. (2014) 'The clustering of diet, physical activity and sedentary behavior in children and adolescents: a review', *International Journal of Behavior Nutrition and Physical Activity*, 11(4), pp. 1–9.

Lemeshow, S. *et al.* (1990) *Adequacy of Sample Size in health Studies*. England: John Wiley and Sons Ltd.

Liang, W. and Chikritzhs, T. (2014) 'Alcohol consumption during adolescence and risk of diabetes in young adulthood', *Biomed Res Int*, 1(1), p. 795741. doi: 10.1155/2014/795741.

Liese, A. D. *et al.* (2013) 'Physical activity, sedentary behaviors, physical fitness, and their relation to health outcomes in youth with type 1 and type 2 diabetes: A review of the epidemiologic literature', *Journal of Sport and Health Science*. Elsevier Ltd, 2(1), pp. 21–38. doi: 10.1016/j.jshs.2012.10.005.

Majgi, S. M. *et al.* (2012) 'Risk Factors of Diabetes Mellitus in Rural Puducherry', *Online Journal of Health and Allied Sciences*, 11(1), pp. 1–7.

Martins, J. *et al.* (2015) 'Adolescents' perspectives on the barriers and facilitators of physical activity: a systematic review of qualitative studies', *Health Education Research*, 30(5), pp. 742–755. doi: 10.1093/her/cyv042.

Mary, C. and Trillana, G. (2014) 'Tracking of Physical Activity from Early Childhood through Youth into Adulthood', *American College of Sports Medicine*, 30(1), pp. 1–9. doi: 10.1249/MSS.0000000000000181.

Maulida, R. *et al.* (2016) 'Food-choice motives of adolescents in Jakarta, Indonesia: The roles of gender and family income', *Public Health Nutrition*, 19(15), pp. 2760–2768. doi: 10.1017/S136898001600094X.

McCourt, H. J. *et al.* (2014) 'Dietary patterns and cardiovascular risk factors in adolescents and young adults: the Northern Ireland Young Hearts Project.', *The British journal of nutrition*, 112(10), pp. 1685–98. doi: 10.1017/S0007114514002682.

Mizutani, M. *et al.* (2014) 'Urban Diabetic Women ' s Perception of Healthy Eating Lifestyles from West Java Persepsi Wanita Perkotaan Penderita Diabetes tentang Gaya Hidup Memakan Makanan Sehat dari Jawa Barat', *Universitas Padjajaran*, 2(2), pp. 98–107.

Moghaddam, M. H. B. *et al.* (2018) 'The Iranian Version of IPAQ in Iran: Content and Construct Validity, Factor Structure, Internal Consistency and Stability', *Worlds Applied Science Journal*, 18(8), pp. 1073–1080.

Mohan, V., Shanthirani, C. S. and Deepa, R. (2003) 'Glucose intolerance (diabetes and IGT) in a selected south Indian population with special reference to family history, obesity and lifestyle factors - The Chennai Urban Population Study (CUPS 14)', *Journal of Association of Physicians of India*, 51(AUG), pp. 771–777.

Mokdad, A. H. *et al.* (2003) 'Prevalence of obesity, diabetes, and obesity-related

health risk factors, 2001', *Journal of the American Medical Association*, 289(1), pp. 76–79. doi: 10.1001/jama.289.1.76.

Movassagh, E. Z. *et al.* (2017) 'Tracking Dietary Patterns over 20 Years from Childhood through Adolescence into Young Adulthood : The Saskatchewan Pediatric Bone Mineral Accrual Study', *Nutrients*, 9(9). doi: 10.20944/preprints201706.0092.v1.

Newman, B. M. and Newman, P. R. (2017) *Development Through Life: A Psychosocial Approach*. Thirteen E. Boston: Cengage Learning.

NIH (2005) *Theory at a Glance: a guide for health promotion practice*. USA: US Department of Health and Human Service, National Institute of Health.

NIH (2013) *Your Guide to Diabetes: Type 1 and Type 2*. National Information of Health.

Nilsson, P. M. *et al.* (2014) 'Smoking and Long-Term Risk of Type 2 Diabetes: The EPIC-InterAct Study in European Populations', *Diabetes Care December*, 37(12), pp. 3164–3171. doi: 10.2337/dc14-1020.

Nurrahman, F. S. and Armiyati, Y. (2017) 'Optimalisasi Status Kesehatan Remaja Melalui Pelatihan Kader Remaja Peduli Kesehatan', *Prosiding Seminar Nasional Universitas Muhamadyah Semarang*, pp. 20–24.

Nurwanti, E., Hadi, H. and Julia, M. (2013) 'Paparasi Iklan Junk Food dan Pola Konsumsi Junk Food Sebagai Faktor Risiko Terjadinya Obesitas pada Anak Sekolah Dasar Kota dan Desa di Daerah Istimewa Yogyakarta', *Jurnal Gizi dan Dietetik Indonesia*, 1(2), pp. 59–70.

O. Rygg, L., Lohre, A. and Hellzen, O. (2017) 'Lifestyle Changes in Diet and Physical Activities after Group Education for Type 2 Diabetes—The Active Ingredient in the Education. A Qualitative Study', *Open Journal of Nursing*, 7(10), pp. 1181–1195. doi: 10.4236/ojn.2017.710086.

Orji, R., Vassileva, J. and Mandryk, R. (2012) 'Towards an Effective Health Interventions Design : An Extension of the Health Belief Model', *Journal of Public Health Informatic*, 4(3).

Ortega, F. B. *et al.* (2013) 'Objectively Measured Physical Activity and Sedentary Time during Childhood , Adolescence and Young Adulthood : A Cohort Study', *PLoS ONE*, 8(4). doi: 10.1371/journal.pone.0060871.

Pälve, K. S. *et al.* (2014) 'Association of physical activity in childhood and early adulthood with carotid artery elasticity 21 years later: the cardiovascular risk in Young Finns Study.', *Journal of the American Heart Association*, 3(2), pp. 1–11. doi: 10.1161/JAHA.113.000594.

- Parmenter, K. and Wardle, J. (1999) 'Development of a general nutrition knowledge questionnaire for adults', *European Journal of Clinical Nutrition*, 53(1), pp. 298–308.
- Pelletier, J. E., Graham, D. J. and Laska, M. N. (2014) 'Social norms and dietary behaviors among young adults', *American Journal of Health Behavior*, 38(1), pp. 144–152.
- Penafiel, D. *et al.* (2014) 'A Conceptual Framework for Healthy Eating Behavior in Ecuadorian Adolescents : A Qualitative Study', 9(1). doi: 10.1371/journal.pone.0087183.
- Perkeni (2015) *Pengelolaan dan pencegahan diabetes melitus tipe 2 di indonesia 2015, Pengurus Besar Perkumpulan Endokrinologi Indonesia (PB Perkeni)*.
- Piccinino, L. *et al.* (2015) 'Recent trends in diabetes knowledge, perceptions, and behaviors: implications for national diabetes education42(5)', *Health Education & Behavior*, 42(5), pp. 687–606.
- Pomerantz, A. M. (2016) *Clinical Psychology: Science, Practice and Culture*. Fourth Edi. Los Angeles: SAGE.
- Poobalan, A. S. *et al.* (2014) 'Diet behaviour among young people in transition to adulthood (18-25 year olds): a mixed method study.', *Health psychology and behavioral medicine*. Taylor & Francis, 2(1), pp. 909–928. doi: 10.1080/21642850.2014.931232.
- Prakasam, L. (2017) *Assessment of HbA1C of Adult Hispanics with Type 2 Diabetes in a Family-Centered Nutritional Class*. Brandman, California.
- Pujilestari, C. U. *et al.* (2014) "'It is not Possible for Me to Have Diabetes" - Community Perceptions on Diabetes and Its Risk Factors in Rural Purworejo District , Central Java , Indonesia', *Global journal of health science*, 6(5), pp. 204–218. doi: 10.5539/gjhs.v6n5p204.
- Rahmati-najarkolaei, F., Tavafian, S. S. and Fesharaki, M. G. (2015) 'Factors Predicting Nutrition and Physical Activity Behaviors Due to Cardiovascular Disease in Tehran University Students : Application of Health Belief Model', *Iran Red Crescent Med*, 17(3). doi: 10.5812/ircmj.18879.
- Rintala, T., Paavilainen, E. and Åstedt-kurki, P. (2013) 'Everyday Living with Diabetes Described by Family Members of Adult People with Type 1 Diabetes', *International Journal of Family Medicine*, 2013(1).
- Riskesdas (2013) *RISET KESEHATAN DASAR*. Jakarta: Kemenkes RI.
- Rottensteiner, M. *et al.* (2016) 'Leisure-Time Physical Activity and Intra-Abdominal Fat in Young Adulthood : A Monozygotic Co-Twin Control Study',

Obesity, 24(5), pp. 1185–1191. doi: 10.1002/oby.21465.

Samuel-Hodge, C. D. *et al.* (2017) ‘Family PARTners in Lifestyle Support (PALS): Family-based weight loss for African American adults with type 2 diabetes’, *Obesity*, 25(1), pp. 45–55. doi: 10.1002/oby.21700.

Sanders, R. A. (2013) ‘Adolescent psychosocial, social, and cognitive development.’, *Pediatrics in review / American Academy of Pediatrics*, 34(8), pp. 354–359. doi: 10.1542/pir.34-8-354.

Santoso, S. O. *et al.* (2018) ‘FAKTOR-FAKTOR YANG MEMPENGARUHI PEMILIHAN MAKANAN PADA REMAJA DI SURABAYA’, *Jurnal Hospitality dan Manajemen Jasa*, 6(1).

Santrock, J. (2002) *Life-Span Development: Perkembangan Masa Hidup*. Jakarta: Erlangga.

Schmidt, M. *et al.* (2013) ‘Obesity in young men, and individual and combined risks of type 2 diabetes, cardiovascular morbidity and death before 55 years of age: a Danish 33-year follow-up study.’, *BMJ open*, 3(4), p. e002698-. doi: 10.1136/bmjopen-2013-002698.

Scott, R. A. *et al.* (2013) ‘The link between family history and risk of type 2 diabetes is not explained by anthropometric, lifestyle or genetic risk factors: The EPIC-InterAct study’, *Diabetologia*, 56(1), pp. 60–69. doi: 10.1007/s00125-012-2715-x.

Seguin, R., Connor, L. and Nelson, M. (2014) ‘Understanding Barriers and Facilitators to Healthy Eating and Active Living in Rural Communities’, *Journal of nutrition and ...*, 2014, pp. 23–25. doi: 10.1155/2014/146502.

Shah, R. V *et al.* (2016) ‘Association of Fitness in Young Adulthood With Survival and Cardiovascular Risk: The Coronary Artery Risk Development in Young Adults (CARDIA) Study’, *JAMA Intern Med*, 176(1), pp. 87–95. doi: 10.1001/jamainternmed.2015.6309.

Simpson, V. (2015) ‘Models and Theories to Support Health Behavior Intervention and Program Planning’, *Health and Human Science*, 5(4). Available at: <https://extension.purdue.edu/extmedia/HHS/HHS-792-W.pdf>.

Spronk, I. *et al.* (2014) ‘Relationship between nutrition knowledge and dietary intake’, *British Journal of Nutrition*, 111(10), pp. 1713–1726. doi: 10.1017/S0007114514000087.

Steyn, N. P. *et al.* (2004) ‘Diet , nutrition and the prevention of type 2 diabetes’, *Public Health Nutrition*, 7(1), pp. 147–165. doi: 10.1079/PHN2003586.

Stok, F. M. *et al.* (2014) ‘The proof is in the eating : subjective peer norms are

associated with adolescents' eating behaviour', *Public Health Nutrition*, 18(6), pp. 1044–1051. doi: 10.1017/S1368980014001268.

Sudargo, T. *et al.* (2014) *Pola Makan dan Obesitas*. Edited by Hakimi and S. E. Irianti. Yogyakarta: Gadjah Mada University Press.

Suglia, S. F. *et al.* (2016) 'Original Contribution Depressive Symptoms During Adolescence and Young Adulthood and the Development of Type 2 Diabetes Mellitus', *American Journal Of Epidemiology*, 183(4), pp. 269–276. doi: 10.1093/aje/kwv149.

Surjadi, C. (2013) 'Globalisasi dan Pola Makan Mahasiswa : Studi Kasus di Jakarta', *CDK*, 40(6), pp. 416–421.

Tam, C. L. *et al.* (2014) 'Investigating diet and physical activity in malaysia: Education and family history of diabetes relate to lower levels of physical activity', *Frontiers in Psychology*, 5(DEC), pp. 1–9. doi: 10.3389/fpsyg.2014.01328.

Tamirat, A., Abebe, L. and Kirose, G. (2014) 'Prediction of physical activity among Type-2 diabetes patients attending Jimma University specialized Hospital , southwest Ethiopia : Application of health belief model', *Science Journal of Public Health*, 2(6), pp. 524–531. doi: 10.11648/j.sjph.20140206.15.

TAYLOR, E. E. (2017) *ADOLESCENTS FOOD CHOICES AND ITS IMPACT ON THEIR HEALTH STATUS (A CASE OF STUDENTS IN DADEASE AGRIC. SENIOR HIGH SCHOOLS IN EFFIDUASE DISTRICT)*. University of Education, Winneba.

Thibaut, E. *et al.* (2017) 'Time and money expenditure in sports participation: The role of income in consuming the most practiced sports activities in Flanders', *Sport Management Review*, 20(5), pp. 455–467.

Triratnawati, A. (2017) 'Makna susu bagi konsumen mahasiswa di kafe susu di Yogyakarta : antara gizi dan gengsi', 14(1), pp. 27–35.

USDA (2015) '2015 – 2020 Dietary Guidelines for Americans', *2015 – 2020 Dietary Guidelines for Americans (8th edition)*, p. 18. doi: 10.1097/NT.0b013e31826c50af.

Vaitkeviciute, R., Ball, L. E. and Harris, N. (2015) 'The relationship between food literacy and dietary intake in adolescents: A systematic review', *Public Health Nutrition*, 18(4), pp. 649–658. doi: 10.1017/S1368980014000962.

Veroude, K. *et al.* (2013) 'Changes in neural mechanisms of cognitive control during the transition from late adolescence to young adulthood', *Developmental Cognitive Neuroscience*. Elsevier Ltd, 5, pp. 63–70. doi: 10.1016/j.dcn.2012.12.002.

- Vos, M. B. *et al.* (2017) 'Added sugars and cardiovascular disease risk in children: A scientific statement from the American Heart Association', *Circulation*, 135(19), pp. e1017–e1034. doi: 10.1161/CIR.0000000000000439.
- Wang, Q. (2015) 'Smoking and body weight: Evidence from China health and nutrition survey', *BMC Public Health*. BMC Public Health, 15(1), pp. 1–8. doi: 10.1186/s12889-015-2549-9.
- Wen, L. K., Parchman, M. L. and Shepherd, M. D. (2004) 'Family support and diet barriers among older hispanic adults with type 2 diabetes', *Family Medicine*, 36(6), pp. 423–430. doi: 10.1177/014572170403000619.
- Wennberg, M. *et al.* (2017) 'Poor breakfast habits in adolescence predict the metabolic syndrome in adulthood', 18(1), pp. 122–129. doi: 10.1017/S1368980013003509.
- Wennberg, P. *et al.* (2013) 'Television viewing and low leisure-time physical activity in adolescence independently predict the metabolic syndrome in mid-adulthood', *Diabetes Care*, 36(7), pp. 2090–2097. doi: 10.2337/dc12-1948.
- West, S. and Friedline, T. (2015) 'Coming of Age on a Shoestring Budget : Financial Capability for Lower-Income Millennials Lower-Income Millennials Have Precarious Financial Foundations that Leave Little Room for Financial Errors . What is Financial Capability? Are Lower-Income Millennia', *University of Kansas*, 1(6).
- WHO (2000) 'The Asia-Pacific perspective: redefining obesity and its treatment', *Geneva, Switzerland: World Health Organization*, p. 56. doi: 0-9577082-1-1.
- WHO (2010) 'Diabetes The Problem', *Diabetes Fact Sheet*, (February), p. 2. Available at: http://www.who.int/nmh/publications/fact_sheet_diabetes_en.pdf.
- WHO (2016) 'Global Report on Diabetes', *Isbn*, 978, p. 88. doi: ISBN 978 92 4 156525 7.
- Wu, Y. *et al.* (2014) 'Risk Factors Contributing to Type 2 Diabetes and Recent Advances in the Treatment and Prevention', *International Journal of Medical Science*, 11(11), pp. 1185–1199. doi: 10.7150/ijms.10001.
- Yamamoto-Honda, R. *et al.* (2017) 'A positive family history of hypertension might be associated with an accelerated onset of type 2 diabetes: Results from the National Center Diabetes Database (NCDD-02)', *Endocrine Journal*, 64(1), pp. 1–6. doi: 10.1507/endocrj.EJ16-0521.
- Yang, K. *et al.* (2018) 'Perceived Versus Actual Risk of Type 2 Diabetes by Race and Ethnicity.', *The Diabetes educator*, p. 145721718770983. doi: 10.1177/0145721718770983.

Zelber-sagi, S. *et al.* (2017) 'Role of illness perception and self-efficacy in lifestyle modification among non-alcoholic fatty liver disease patients', *World Journal of Gastroenterology*, 23(10), pp. 1881–1890. doi: 10.3748/wjg.v23.i10.1881.

Zhang, J. *et al.* (2015) 'Association between family history risk categories and prevalence of diabetes in chinese population', *PLoS ONE*, 10(2), pp. 1–13. doi: 10.1371/journal.pone.0117044.

van Zon, S. K. R. *et al.* (2017) 'The interaction of socioeconomic position and type 2 diabetes mellitus family history: a cross-sectional analysis of the Lifelines Cohort and Biobank Study', *BMJ Open*, 7(4), p. e015275. doi: 10.1136/bmjopen-2016-015275.