

## DAFTAR PUSTAKA

- Anadon, A., Larranaga, M.R.M., Ares, I., Martinez, M.A. 2016. Prebiotics safety and Toxicity in .R.C. Gupta.(Ed). *Nutraceuticals Efficacy, Safety and Toxicity*. 757-775 .Elsevier, UK
- Aranoff ,S.L., Berkowitz, K., Schreiner, B.,Want, L. 2004, Glucose metabolism and regulation: beyond insulin and glucagon, *Diabetes spectrum*, 117(3): 183-189
- Ashwar, B. A., Gani, A., Shah A, Wani I, A Masoodi, F. A. 2015. Preparation, health benefits and applications of resistant starch—a review. *Starch/Stärke* 68: 287–301
- Behall, K., Daniel, J. S., Judith, G. H., Helena,G. M., Liljeberg-Elmstahl. 2006. Consumption of Both Resistant Starch and Glucan Improves Postprandial Plasma Glucose and Insulin in Women. *Diabetes Care*,29:976–981
- Besten, G., Eunen, K., Groen, A.K., Venema, K., Reijngoud, D., Bakke, B.M. 2013. The role of short-chain fatty acids in the interplay between diet, gut microbiota, and host energy metabolism. *Journal of Lipid Research*,54:2325-2340
- Bindels, L.B., Walter, J., Tait, A.R., 2015. Resistant Starches For The Management Of Metabolic Diseases. *Curr Opin Clin Nutr Metab Care*. 18(6) : 559 – 565.
- Bodinham, C.L, Smith L, Wright, J., Frost, G., Robertson, D.M. 2012, Dietary Fibre Improves First-phase Insulin Secretion in Overweight Individuals. *Plos one* , 7 (7): e40834..
- Bodinham, C.L, Smith, L., Thomas, E.L., Bell, J.D., Swann, J. R., Costabile, A., et al. 2014. Efficacy of increased resistant starch consumption in human type 2 diabetes. *Endocrine Connections*. 3:75–84
- Canfora, E.E., Jocken, J.W., Blaak, E.E., 2015. Short-Chain Fatty Acids in Control of Body Weight and Insulin Sensitivity. *Nature Reviews*. 8 : 1 – 15.
- Chen, C., Cohrs, C.M., Stertmann, J., Bozsak, R., Speier, S. 2017. Human beta cell mass and function in diabetes: Recent advances in knowledge and technologies to understand disease pathogenesis. *Moleculer metabolism* 6:943-957

- Chen, L., Lui, R., Qin, C., Meng, Y., Zhang, J., Wang, Y., *et al.* 2010. Sources And Intake Of Resistant Starch In The Chinese Diet. *Asia Pac J Clin Nutr.* 19 (2) : 274 – 282
- Chon and Gautie F.J. 2016. An update on the effect of Incretin based Therapies on  $\beta$  cell fuction and Mass. *Diabetes Metab J.*40:99-11
- Cumming, J.H., Edmond, L. M dan Magee E.A. 2004. Dietary Karbohidrat and Health: do wee still need the fiber concept. *Clin Nutr Suppl* 1(2) : 5-17
- Dahlan, S. 2014. *Besar Sampel dan Cara pengambilan Sampel dalam penelitian kedokteran dan kesehatan* , 3: 60-68.Salemba medika, Jakarta.
- Dainty, S.A. 2015, *The Effect of Resistant Starch Bagels on Glycemic Response in Adults at Risk for Type 2 Diabetes* (Thesis), The University of Guelph, Ontario, Canada
- Damat.,Marsono, Y., Haryadi., Cahyanto, M.N. 2008. Efek hipokolesterolemik dan hipoglikemik pati garut butirat pada tikus Sprague Dawley. *Majalah Farmasi Indonesia*, 19(3): 109 – 116
- Dwi dan Prasetyo. Umbi-Umbian. diunduh pada 6 november 2015.  
<http://www.scribd.com/doc/175127316/UMBI-UMBIANdocx>.
- Fitria, A.L. 2015. *Efek pemberian makanan selinga berbahan dasar tepung gembili terhadap perubahan kadar glukosa darah, asupan energi, dan zat gizi orang dewasa overweight dan obesitas.* (Skripsi), Universitas Gadjah mada, Yogyakarta
- Hallstrom, E., Sestili, F., Lafiandra, D., Bjork, I., Ostman, E. 2011. A novel wheat variety with elevated content of amylose increases resistant starch formation and may beneficially influence glycaemia in healthy subjects. *Food Nutr Res.* 55 : 10.3402
- Harijono., Estiasih, T., Sunarharum, W.B. 2011. Pengembangan produk pangan mengandung polisakarida gadung dan gembili untuk penderita diabetes,*Laporan hasil penelitian hibah kompetensi*, Universitas Brawijaya, Malang
- Hatmi, R.U dan Djafaar, T.F. 2014. Keberagaman Umbi – Umbian Sebagai Pangan Fungsional *dalam* Saleh, N., Harsono, A., Nugrahaeni, N., Rahmianna, A.A., Sholihin, Jusuf, M., Heriyanto, Tastra, I.K., Adie, M.M., Hermanto, Harnowo, D (Editor). *Prosiding Seminar hasil Penelitian Tanaman Aneka Kacang dan Umbi 2014*. Balai Penelitian Tanaman Kacang – Kacangan dan Umbi – Umbian, Malang.

- International Diabetes Federation. 2006. Concensus worldwide definition of metabolic syndrom (cited 2015 nov 6). available from: <https://www.idf.org/e-library/consensus-statements/60-idfconsensus-worldwide-definitionof-the-metabolic-syndrome.html>.
- Jianping, Ye. 2013. Mechanisme of insulin resistance in obesity. *Front Med.* 7(1): 1424.
- Karlsson, F.H., Tremaroli, V., Nookaew, I., Bergstrom, G., Behre, C.J., Fagerberg, B., *et al* . 2013. Gut metagenome in European women with normal, impaired and diabetic glucose control. *Nature* .498: 99–103
- Kasubuchi, M., Hasegawa ,S., Hiramatsu, T., Ichimura, A., Kimura, I. 2015, Dietary Gut Microbial Metabolites, Short-chain Fatty Acids, and Host Metabolic Regulation. *Nutrients*, 7: 2839-2849
- Kusumawardani, D. A, 2015, *Efek pemberian makanan selingan berbahan dasar tepung gembili terhadap kadar total trigliserida dan lingkar pinggang pada orang dewasa dengan status gizi berlebih* (Skripsi), Universitas Gadjah mada, Yogyakarta
- Laakso M. 1993. How good a marker is insulin level for insulin resistance. *Am J Epidemiol.*137:959-965
- Lattimer J.L and Haub Mark D. 2010. Effects of Dietary Fiber and Its Components on Metabolic Health. *Nutrients*,2: 1266-1289
- Mark, R., Skurnick, B., Sterling, J.Y., Pedra, N.M., Bigg, D. 2004. Fasting inulin level as measure of insulin resistance in America Blacks. *Journal of Applied research*, 4 (1): 90-92
- Marsono Y. 2002. Indeks glikemik umbi umbian. *Agritech* .22: 13-16
- Marsono Y. 2004. Serat pangan dalam perspektif ilmu gizi. Diunduh 6 november 2015. tersedia di: URL: <http://repository.ugm.ac.id/digitasi/index.php?mod>.
- Masniah dan Yusuf. 2013. Potensi Ubi Kayu Sebagai Pangan Fungsional *dalam* N,Saleh., A, Harsono., N, Nugrahaeni., A.A, Rahmianna ., Sholihin, M,Jusuf., Heriyanto, I.K, Tastra ., M.M, Adie., Hermanto, D, Harnowo. (Editor). *Prosiding Seminar hasil Penelitian Tanaman Aneka Kacang dan Umbi*. Balai Penelitian Tanaman Kacang – Kacangan dan Umbi – Umbian, Malang

- Matsuba, I., Saito, K., Takai, M., Hirao, K., Sone, H. 2012. Fasting Insulin Levels and Metabolic Risk Factors in Type 2 Diabetic Patients at the First Visit in Japan a 10-year, nationwide, observational study (JDDM 28), *Diabetes care*, 35: 1853-1857
- Maziarz, M.P. 2013. Role of Fructans and Resistant Starch. *Diabetes Care. Diabetes Spectrum*. 26(1) ; 35 – 39
- Noakes, M., Clifton, .PM., Nestel, P.J., Le Leu, R., McIntosh, G. 1996. Effect of high-amylose starch and oat bran on metabolic variables and bowel function in subjects with hypertriglyceridemia. *Am J Clin Nutr*.64:944–51
- Okwu, D.E. and Ndu C.U. 2006. Evaluation of the phytonutrients, mineral and vitamin contents of some varieties of yam (*Dioscorea sp.*). *International Journal of Molecular Medicine and Advance Science*, 2: 199–203
- Olivia Yofananda dan Teti Estiasih. Potensi Senyawa Bioaktif Umbi-umbian Lokal Sebagai Penurun Kadar Glukosa Darah. 2016. *Jurnal Pangan dan Agroindustri*, 4(1 )p.410-416
- Olokoba, A.B., Obateru, O. A., Olokoba L. B, 2012. Type 2 Diabetes Mellitus: A Review of Current Trends. *Oman Medical Journal*.27( 4): 269-273
- Ozougwu, J. C., Obimba, K. C., Belonwu, C. D., Unakalamba, C. B. 2013.The pathogenesis and pathophysiology of type 1 and type 2 diabetes mellitus. *Journal of Physiology and Pathophysiology*, 4(4), pp. 46-57
- Park O.J, Kang ,N.E, Chang MJ, Kim WK. 2004. Resistant starch supplementation influences blood lipid concentrations and glucose control in overweight subjects. *J Nutr Sci Vitaminol*.50:93–9
- Penn-Marshall M, Holtzman GI, Barbeau WE. 2010. African americans may have to consume more than 12 grams a day of resistant starch to lower their risk for type 2 diabetes. *J Med Food*.13:999–1004.
- Pereira, M.A, Jacobs,Jr., DR ., Pins, J.J., Ratz, S.K., Gross,M.D., Slavin, J.L, *et al.* 2002. Effect of whole grains on insulin sensitivity in overweight hyperinsulinemic adults. *Am J Clin Nutr*.75(5):848-5
- Perkumpulan Endokrinologi Indonesia. 2015. *Konsensus pengelolaan dan Pencegahan diabetes Melitus tipe 2 di Indonesia*. Perkeni, Jakarta
- Pinus Lingga. 1986. *Bertanam umbi-umbian*, Penebar Swadaya, Jakarta

- Puddu, A., Sanguineti, R., Montecucco, F., Viviani, G. L. 2014. Evidence for the gut microbiota short-chain fatty acids as key pathophysiological molecules improving diabetes. *Hindawi Publishing Corporation Mediators of Inflammation*. 1-9
- Purnamasari, D. 2014. Diagnosis dan Klasifikasi Diabetes Melitus dalam S,Setiati., A.W. Sudoyo., B, Setiyohadi, I, Alwi., M, Simadibrata.(Editor). *Buku Ajar Ilmu Penyakit Dalam*. 291 : 1880 – 1883.PAPDI, Jakarta.
- Qin, J., Li, Y., Cai, Z., Li, S., Zhu, J., Zhang, F., *et al.* 2012. A metagenome-wide association study of gut microbiota in type 2 diabetes. *Nature*. 490: 55–60
- Richards, L.B., Folkerts, G. 2016. The effects of short-chain fatty acids on the cardiovascular system. *Pharma Nutrition*. 2 : 1 -159
- Robertson, M.D., Currie, J.M., Morgan, L.M., Jewell, D.P., Frayn KN. 2003. Prior short-term consumption of resistant starch enhances postprandial insulin sensitivity in healthy subjects. *Diabetologia*.46:659–65
- Robertson, M.D., Biskerstone, A.S., Dennis., A.L, Vidal, H., Frangklun, K.N. 2005. Insulin sensitizing effect of dietary resisten starch and effect on skeletal muscle and adipose tissue metabolism. *Am J clin Nutr*. 82 (3): 559-567
- Robertson, M.D., Wright, J.W., Loizon, E., Debard, C., Vidal,H., Shojaee-Moradie, F., *et al.* 2012. Insulin-sensitizing effects on muscle and adipose tissue after dietary fiber intake in men and women with metabolic syndrome. *J Clin Endocrinol Metab*.97:3326–32
- Sajilata, M.G., Rekha, S. S., Pushpa, R. Kulkarni. 2006. Resistant starch a review. *Comprehensive revuews in food science and food safety*. 5(1):1-17
- Salonen, A., Lahti, L., Salojärvi, J., Holtrop, G., Korpela, K., Duncan, S.H., *et al.* 2014. Impact Of Diet And Individual Variation On Intestinal Microbiota Composition And Fermentation Product In Obese Men. *The ISME Journal*. 1 – 13
- Saputro, S dan Teti, I. 2015, Pengaruh poliskarida larut air dan serat pangan umbi-umbian terhadap kadar gula darah. *Jurnal Pangan dan Agroindustri*. 3 ( 2): 756-762
- Sayogo–Ayerdi, S. G., Tovar ,J., Blancas, F. J., Benitez, Bello perez, L.A. 2011, Resistant starch in common starchy foods as an alternative to increase dietary fibre intake, *Journal of Food and Nutrition Research*.50 (1): 1–12

- Scott, K.P., Gratz, S.W., Sheridan, P.O., Flint, H.J., Duncan, S.H. 2012. The influence of diet on the gut microbiota. *Pharmacol Research*, 2525 1–9
- Sesti, G. 2006. Pathophysiology of insulin resistance. *Best Practice & Research Clinical Endocrinology & Metabolism*. 20( 4): 665-679
- Setiawan, T. 2013, *Pengaruh pemberian tepung gembili terhadap glukosa darah tikus wistar yang diinduksi nikotamine dan streptozotisin* (Skripsi), Universitas Gadjahmada. Yogyakarta
- Soegondo, S. 2014. Farmakoterapi pada Pengendalian Glikemia Diabetes Melitus Tipe 2 *dalam S, Setiati., A.W. Sudoyo ., B, Setiyohadi., I, Alwi., M, Simadibrata. (Editor)..Buku Ajar Ilmu Penyakit Dalam, 302 : 2559 – 2569. PAPDI, Jakarta*
- Sudigdo, S dan Ismael, S., 2011, *Dasar-dasar metodologi penelitian klinis*, 4: 1-479. Sagung seto, Jakarta.
- Sunarti., Kusuma, Rio., Septiana, Rubi D., Sinorita Hemi. 2012. effect of crispy arrowroot flake on waist circumference, fasting glucose and free fatty acid in type 2 diabetes patients. *Pakistan journal of nutrition* 13(7) : 415-421
- Suyono, S . 2014.Diabetes mellitus di Indonesia *dalam S, Setiati., A.W, Sudoyo., B, Setiyohadi., I, Alwi., M, Simadibrata. (Editor). Buku Ajar Ilmu Penyakit Dalam. 300 : 2315 – 232. PAPDI, Jakarta.*
- Sylvia, L.G., Bernstein, E.E., Hubbard, J.L., Keating, L., Anderson, E.J., 2014. Practical Guide to Measuring Physical Activity. *Journal Of The Academy Of Nutrition And Dietetics*. 114 (2) : 199 – 208
- Tensiska. 2009. Serat Makanan. Jurusan teknologi industri pangan. Fakultas Teknologi Industri Pertanian, Universitas Padjajaran
- Thompson, F. E and Subar, A. F. 2017. Dietary Assessment Methodology in A. M. Coulston., C.J. Boushey., M, Ferruzzi, L, Delahanty (Ed), *Nutrition the Prevention and Treatment of Disease*, 4: 10-43. Elsevier
- Tjokroprawiro, A dan Murtiwi, S. 2014. Terapi Non farmakologi pada Diabetes Melitus *dalam S, Setiati., A.W, Sudoyo., B, Setiyohadi., I, Alwi., M, Simadibrata. (Editor). Buku Ajar Ilmu Penyakit Dalam. 302 : 2328 – 2335. PAPDI, Jakarta.*
- Wilcox, G. 2005. Insulin and Insulin Resistance. *Clin Biochem Rev*, Vol 26: 1-21



UNIVERSITAS  
GADJAH MADA

**PEMBERIAN MAKANAN PENGGANTI KUDAPAN BERBAHAN DASAR SERAT PATI RESISTEN ( DIOSCOREA ESCULENTA, MARANTA ARUNDINACEAE L, CUCURBITA MOSCHATA, MANIHOT UTILISSMA ) 4,25 GRAM TERHADAP PENURUNAN KADAR INSULIN PUASA PADA PASIEN DIABETES MELITUS TIPE 2 OBESITAS DI RSUP DR SARDJITO**  
RIDHA NIRADITA W, dr. Hemi Sinorita, Sp.PD,KEMD.; dr. M. Robikhul Ikhsan, M.Kes,Sp.PD,KEMD  
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Wilujeng, K.G. 2010, *Pembuatan inulin bubuk dari umbi gembili (dioscorea enculata) dengan metode foam mat drying* (Skripsi), Universitas Pembangunan Nasional Veteran, Surabaya