UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

# REFERENCES

Abirami, A., Nagarani, G., dan Siddhuraju, P., 2014, In vitro antioxidant, antidiabetic, cholinesterase and tyrosinase inhibitory potential of fresh juice from *Citrus hystrix* and *C. maxima* fruits. *Food Sciences and Human Wellness*, **3**: 16–25.

A. Djordjevic, J. M. Canadanovic-Brunet, M. Vojinovic- Miloradov, and G. Bogdanovic, 2004. Antioxidant properties and hypothetic radical mechanism of fullerenol $C_{60}(OH)_{24}$, *Oxidation Communications*, **27**(4): 806–812.

Agarwal A, Prabakaran SA., 2005. Mechanism, measurement and prevention of oxidative stress in male reproductive physiology, *Indian Journal of Experimental Biology*, **43**: 963-974.

Alany, R. G., Wen, J., & Gad, S. C. 2010. Microemulsions as Drug Delivery Systems. *Pharmaceutical Sciences Encyclopedia*: John Wiley & Sons, Inc.

A., Naik, Y.N. Kalia, R.H. Guy, 2000. Transdermal drug delivery: overcoming the skin's barrier function, *Pharm. Sci. Technolo*., **3**: 318–326.

Anderson JW, Gowri MS, Turner J., 1999. Antioxidant supplementation effects on low-density lipoprotein oxidation for individuals with type 2 diabetes mellitus. *J Am Coll Nutr*., **18**: 451–61.

Anlasik, T., Sies, H., Griffi ths H.R., 2005. Dietary habits are major determinants of the plasma antioxidant status in healthy elderly subjects, *Brit J Nutr*., **94**: 639–42.

Armbrecht H.J., 2001. The biology of aging, *J Lab Clin Med*., **138**: 5-220.

Azeem, A., Rizwan, M., Ahmad, F.J., Iqbal, Z., Khar, R.K., Aqil, M., 2009. Nanoemulsion Components Screening and Selection: a Technical Note. *AAPS PharmSciTech*, **10:** 69-76.

Berg, R. F., Moldover, M. R., & Huang, J. S. 1987. Quantitative characterization of the viscosity of a microemulsion. *Journal of Chemical Physics*, **87**(6): 3687-3691.

Badawi Alia A., Nabaweya Abd El-aziz, Maha M Amin, Nermin M. Sheta. 2014. Topical Benzophenone-3 Microemulsion-Based Gels: Preparation, Evaluation and Determination of Microbiological UV Blocking Activity. *International Journal of Pharmacy and Pharmaceutical Sciences*, **6**(8): 562-570.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Bakan, J.A. 1995. *Microemulsion*. In: Swarbrick, J., J.C. Boylan (eds.). 1995. Encyclopedia of pharmaceutical technology. Volume Marcel Dekker Inc, New York: 335-369.

Barry, B.W., 1983. *Dermatological formulations: percutaneous absorption*. New York: Marcel Dekker Inc.

Becker LC, Bergfeld WF, Belsito DV, Hill RA, Kl aassen CD, Marks JG, Shank RC, Slaga TJ, Snyder PW, and Andersen FA., 2010. Final report of the amended safety assessment of myristic acid and its salts and esters as used in cosmetics, *Int J Toxicol.*, **29**(3):162-186.

Biswas M., Pallab, KH., Ashoke KG., 2010. Antioxidant and free-radical-scavenging effects of fruits of *Dregea volubilis*. *J Nat Sci Biol Med*. Vol.**1**(1):29-34.

Block LH. 1989. *Emulsions and Microemulsions*. Dalam: Lieberman, HA, MM Rieger and GS Banker, eds. Pharmaceutical Dosage Forms:Diperse systems. Vol.2. Marcel Dekker Inc., New York: 335-368.

Ble-Castillo JL, Carmona-Díaz E, Méndez JD., 2005. Effect of α-tocopherol on the metabolic control and oxidative stress in female type 2 diabetics, *Biomed Pharmacother*. **59**: 5-290.

Blois, M.., 1958. Antioxidant determination by the use of stable free radical. *Nature Publishing Group*, **181**:1199–1200.

Boddė, H.E., Verhoeven, J., and van Driel, L. M., 1989. The skin compliance of transdermal drug delivery systems. *Crit. Rev. Ther. Drug Carrier Syst*., **6**(1): 87-115.

Bolton S., 1997. Pharmaceutical Statistics : Practical and Clinical Applications, 3 rd Ed, Marcel Dekker Inc., New York: 610-619.

Bolton, S. and Bon, C., 2003. *Pharmaceutical Statistics: Practical and Clinical Applications, Revised and Expanded*, 4 ed, CRC Press, New York.

Boora, F., Chirisa, E., and Mukanganyama, S., 2014. Evaluation of Nitrite Radical Scavenging Properties of Selected Zimbabwean Plant Extracts and Their Phytoconstituents. *Journal of Food Processing*: 1–7.

Budiman dan Saraswati, 2007. *Berkebun Stroberi Secara Komersial*. Niaga Swadaya.

Cerezo, A.B., Cuevas, E., Winterhalter, P., Garcia-Parrilla, M.C., and Troncoso, A.M., 2010. Isolation, identification, and antioxidant activity of anthocyanin compounds in Camarosa strawberry. *Food Chemistry*. **123**: 574–582.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Chandrasekar R., Sivagami B., Swapna D., 2016. Herbal Cosmetics An Overview. *International Journal of Pharma Research & Review*. **5**(12): 1-20.

Chen, H. B., Khemtong, C., Yang, X. L., Chang, X. L., & Gao, J. M. 2011. Nanonization strategies for poorly water-soluble drugs. *Drug Discovery Today*, **16**(7-8): 354-360.

Choe E., and Min D.B. 2009. Mechanisms of Antioxidants in the Oxidation of Foods. Comprehensive *Reviews in Food Science and Food Safety*, **8**: 345-358.

Choi Soo-Youn, Hee-Chul Ko, Soo-Youn Ko, Joon-Ho Hwang, Ji-Gweon Park, Shin-Hae Kang, Sang-Hun Han, Su-Hyun Yun, Se-Jae Kim. 2007. Correlation between Flavonoid Content and the NO Production Inhibitory Activity of Peel Extracts from Various Citrus Fruits. *Biol. Pharm. Bull*, **30**(4): 772—778.

Contreras-Guzman ES, Strong FC., 1982. Determination of tocopherols (Vitamin E) by reduction of cupric ion, *JAOAC*, **65**: 1215–1222.

Cua, A. B., Wilhelm, K.P., and Maibach, H.I., 1990. Elastic properties of human skin: relation to age, sex, and anatomical region. *Arch. Dermatol. Res.*, **282**(5): 283-288.

Cui, Y., Lingzhi Li, Jun Gu, Ting Zhang, and Li Zhang. 2011. Investigation of Microemulsion System for Transdermal Delivery of Ligustrazine Phosphate. *African Journal of Pharmachy and Pharmacology*, **5**(14): 1674-1681.

Degner Brian M., Cheryl Chung, Vicki Schlegel, Robert Hutkins, and David Julian McClements. 2014. Factors Influencing the Freeze-Thaw Stability of Emulsion-Based Foods. *Comprehensive Reviews in Food Science and Food Safety*. **13**: 98-113.

Demina, N.S., and Lysenko S.V., 1996. Collagenolytic enzymes synthesized by microorganisms, *Mikrobiologiia*. **65**(3): 293-304.

Dubey, N., Rajesh Kumar, and Parimila Tripathi, 2004. Global promotion of herbal medicines: India's Opportunity. *Current Science*, **86**: 37–41.

Ecclesston GM., 2014. Emulsions and microemulsions, *Encyclopaedia of pharmaceutical Technology*, **3**: 65-1548.

El Maghraby, G.M., 2008**.** Transdermal delivery of hydrocortisone from eucalyptus oil microemulsion: Effects of cosurfactants, *Int. J. Pharm.*, **355:** 285–292.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

El-Maghraby GM, 2010. Self-microemulsifying and microemulsion systems for transdermaldelivery of indomethacin: effect of phase transition, *Colloids Surf B Biointerfaces*, **75**(2): 595-600.

Escribano E, Obach M, Arevalo MI, Calpena AC, Domenech J. Queralt J., 2005. Rapid human skin permeation and topical anaesthetic activity of a new amethocaine microemulsion, *Skin Pharmacol Physiol.*, **18**(6): 294-300.

Farage MA, Miller KW, Elsner P, Maibach HI., 2007. Structural characteristics of the aging skin: a review. *Cutan Ocul Toxicol*. **26**: 57-343.

Fisher, G.J., 2002. Mechanism of Photoaging and Chronological Aging. *Arch. Derm.*, **138**: 1462–70.

Food Chemical Codex, 2008. 6. Ed. United States Pharmacopeia, MD.

Franz, T.J., and Lehmann, P. A., 1995. Percutaneous Absorption. In J. Swarbrick dan J.C. Boyland, Encyclopedia of Pharmaceutical Technology (Vol.11, p. 413-448). New York: Marcell Dekker Inc.

Friedman, O., 2005. Changes associated with the aging face. Facial Plast. Surg. *Clin. North Am*., **13**: 371–380.

Garti, N., Marina Shevachman, and Arnon Shani, 2004. Solubilization of Lycopene in Jojoba Oil Microemulsion. *JAOCS*. **81**(9): 873-877.

Giampieri, F., Tulipani, S., Alvarez-Suarez, J.M., Quiles, J.L., Mezzetti, B., and Battino, M., 2012. The strawberry: Composition, nutritional quality, and impact on human health. *Nutrition*. **28**: 9–19.

Giampieri, F., Alvarez-Suarez, J., Mazzoni, L., Forbes-Hernandez, T., Gasparrini, M., Gonzàlez-Paramàs, A., 2014. Polyphenol-Rich Strawberry Extract Protects Human Dermal Fibroblasts against Hydrogen Peroxide Oxidative Damage and Improves Mitochondrial Functionality. *Molecules*. **19**: 7798–7816.

Hashem Fahima M., Dalia S. Shaker, Mohamed Khalid Ghorab, Mohamed Nasr, Aliaa Ismail, 2011. Formulation, Characterization, and Clinical Evaluation of Microemulsion Containing Clotrimazole for Topical Delivery. *AAPS PharmSciTech*, **12**(3): 879-886.

Heyne, K., 1987. *Tumbuhan Berguna Indonesia*. Badan Litbang Kehutanan Jakarta.

Holmberg, A., Hansson, P., Piculell, L., & Linse, P. (1999). Effects of an Amphiphilic Graft Copolymer on an Oil−Continuous Microemulsion.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Viscosity, Droplet Size, and Phase Behavior. *The Journal of Physical Chemistry B.*, **103**(49): 10807-10815.

Horiba. 2013. What is Z-Average, from http://www.horiba.com/scientific/products/particlecharacterization/education/sz100/particle-size-by-dynamic-light-scatteringresources/what-is-z-average/

Huang, D., Boxin, O., dan Prior, R.L., 2005. The Chemistry behind Antioxidant Capacity Assays. *Journal of Agricultural and Food Chemistry*, **53**: 1841–1856.

Hwang, E., Park, S.-Y., Yin, C.S., Kim, H.-T., Kim, Y.M., and Yi, T.H., 2016. Antiaging effects of the mixture of Panax ginseng and Crataegus pinnatifida in human dermal fibroblasts and healthy human skin. *Journal of Ginseng Research*: 1-31.

Iwai, I., Han, H., Hollander, L. den, Svensson, S., Őverstedt, L. -G., Anwar, J., et al., 2012. The Human Skin Barrier Is Organized as Stacked Bilayers of Fully Extended Ceramides with Cholesterol Molecules Associated with the Ceramide Sphingoid Moiety. *J Invest Dermatol*. **132(9):** 2215-2225.

Judith Wittenauer, Sonja Mäckle, Daniela Sußmann, Ute Schweiggert-Weisz, Reinhold Carle, 2015. Inhibitory effects of polyphenols from grape pomace extract on collagenase and elastase activity, *Fitoterapia*. **30**.

Karim, A.A., Azlan, A., Ismail, A., Hashim, P., Gani, S. salwa abd, Zainudin, B.H., dkk., 2014. Phenolic composition, antioxidant, anti-wrinkles and tyrosinase inhibitory activities of *Cocoa pod* extract. *BMC Complementary and Alternative Medicine*, **14**: 381.

Kee, M.E., Khoo, H.E., Sia, C.M., dan Yim, H.S., 2015. Fractionation of potent antioxidative components from langsat (*Lansium domesticum*) peel. *Pertanika Journal of Tropical Agricultural Science*, **38**: 103–112.

Kim,Y.H., Chung, C.B., Kim, J.G., Ko, K.I., Park, S.H., Kim, J.-H., Eom, S.Y., Kim, Y.S., Hwang,Y.-I., Kim, K.H., 2008. Anti-wrinkle activity of ziyuglycoside I isolated from Sanguisorba officinalis root extract and its application as a cosmeceutical ingredient. *Biosci. Biotechnol. Biochem*, **72**: 303-311.

Klein, T., and R. Bischoff, 2011. Physiology and pathophysiology of matrix metalloproteases, *Amino Acids*. **41**(2): 271–290.

Klungsupya, P., Suthepakul, N., Muangman, T., Rerk-Am, U., dan Thongdon-A, J., 2015. Determination of Free Radical Scavenging, Antioxidative DNA

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Damage Activities and Phytochemical Components of Active Fractions from Lansium domesticum Corr. Fruit. *Nutrients*, **7**: 6852–6873.

Kreilgaard, Mads, 2002. Influence of microemulsions on cutaneous drug delivery. *Advanced Drug Delivery Reviews*. **54**(1): 77-98.

Kulisic, T., Radonic, A., Katalinic, V., dan Milos, M., 2004. Use of different methods for testing antioxidative activity of oregano essential oil. *Food Chemistry*, **85**: 633–640.

Kumar Sumit, Swarankar Vivek, Sharma Sujata, Baldi Ashish, 2012. Herbal Cosmetics: Used for Skin and Hair. Inventi Rapid: *Cosmeceuticals*, **4**: 1-7.

Lachman, L., Lieberman, H. A., dan Kanig, J. L., 1989, Teori dan Praktek Farmasi Industri II, Edisi III, diterjemahkan oleh Suratmi, S., 1092-1093, UI-Press, Jakarta.

Laga AC., and Murphy GF., 2009. The translational basis of human cutaneous photoaging, *Am J Pathol*., **174**(2): 357-360.

Lambers, H., Piessens, S., Bloem, A., Pronk, H., and Finkel, P., 2006, Natural Skin Surface pH Is On Average Below, which is Beneficial for Its Resident Flora, *Itn J. Cosmet Sci*., **28**: 359-370.

Landau M., 2007. Exogenous factors in skin aging, *Curr Probl Dermatol*. **35**:1-13.

Lee, H.-J., Lee, J.-Y., Song, K.-C., Kim, J.-H., Park, J.-H., Chun, K.-H., 2012. Protective Effect of Processed Panax ginseng, Sun Ginseng on UVB-irradiated Human Skin Keratinocyte and Human Dermal Fibroblast. *Journal of Ginseng Research*, **36**: 68–77.

Lephart, D., 2016. Skin aging and oxidative stress: Equol's anti-aging effects viabiochemical and molecular mechanisms, *Ageing Research Reviews*. **31**: 36-54.

Liebert, 1982. Final Report on the Safety Assessment of Myristyl Myristate and Isopropyl Myristate. *Journal Of the American College Of Toxicology*. **1**(4): 55-80.

Lopes Gisely C., Longhini, Paulo Victor P. dos Santos, Adriano A. S. Ara ´ ujo, Marcos Luciano Bruschi, and Jo˜ao Carlos P. deMello. 2012. Preliminary Assessment of the Chemical Stability of Dried Extracts fromGuazuma ulmifolia Lam. (Sterculiaceae). *International Journal of Analytical Chemistry*: 1-8.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Lopes Luciana B. 2014. Overcoming the Cutaneous Barrier with Microemulsions. *Pharmaceutics*, **6**: 52-77.

Lubis Ervina Syahfitri, Lely Sari Lubis, Julia Reveny. 2012. Natural Skin Moisturizer From Pomelo Juice [*Citrus maxima* (Burm.) Osbeck]. *Journal of Pharmaceutics and Pharmacology*. **1**(2): 104 -111.

Luo, Y., Tang, H., Wang, X., Zhang, Y., dan Liu, Z., 2011. Antioxidant properties and involved antioxidant compounds of strawberry fruit at different maturity stages. *Journal of Food, Agriculture & Environment* **9**: 166–170.

Madison, K.C., 2003. Barrier function of the skin: "La raison d'etre" of the epidermis. *J. Investig. Dermatol*, **121**: 231–241.

Maharini, I. 2013. Formulasi dan Uji Transpor Secara In vitro Mikroemulsi Transdermal Ketoprofen Menggunakan Virgin Coconut Oil Sebagai Fase Minyak.

Malvern. 2011. Dynamic Light Scattering Common Terms Defined, from http://www.biophysics.bioc.cam.ac.uk/wpcontent/uploads/2011/02/DLS_Terms_defined_Malvern.pdf.

Manosroi, A., Kumguan, K., Chankhampan, C., Manosroi, W., and Manosroi, J., 2012. Nanoscale Gelatinase A (MMP-2) Inhibition on Human Skin Fibroblasts of Longkong (<I>Lansium domesticum Correa</I>) Leaf Extracts for Anti-Aging. *Journal of Nanoscience and Nanotechnology*, **12**: 7187–7197.

Marfori, E.C., Kajiyama, S.I., Fukusaki, E.-I., and Kobayashi, A., 2015. Lansioside D, a new triterpenoid glycoside antibiotic from the fruit peel of *Lansium domesticum* Correa. *Journal of Pharmacognosy and Phytochemistry*. **3**: 140–143.

Mariana Andrea Peralta, Marıa Daniela Santi, Alicia Mariel Agnese, Jose´ Luis Cabrera, Marı´a Gabriela Ortega, 2014. Flavanoids from Dalea elegans: Chemical reassignment and determination of kinetics parameters related to their anti-tyrosinase activity. *Phytochemistry Letters*. **10**: 260–267.

Materska, M., 2008. Quercetin and Its Derivatives: Chemical Structure and Bioactivity-A review. *Polish Journal of Food and Nutrition Sciences*, **58**(4): 407-413.

Mayanti, T., 2009. *Kandungan Kimia Dan Bioaktivitas Tanaman Duku*. UNPAD Press.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

McClements, D. J., & Dungan, S. R. 1995. Light scattering study of solubilization of emulsion droplets by non-ionic surfactant solutions. Colloids and Surfaces A: *Physicochemical and Engineering Aspects*, **104**(2–3): 127-135.

Medical Economiscs Company, Inc. 2000. *PDR for Herbal Medicines*: 735-736.

Menon, G.K., 2002. New insights into skin structure: Scratching the surface, *Adv. Drug Deliv. Rev.*, **54**: 3–17.

Moghimipour Eskandar, Anayatollah Salimi, Soroosh Eftekhari, 2013. Design and Characterization of Microemulsion Systems for Naproxen. *Advanced Pharmaceutical Bulletin*, **3**(1): 63-71.

Montagna W, Kirchner S, Carlisle K., 1989, Histology of sun damaged skin., *J Am Acad Dermatol*. **21**(5 Pt 1): 18-907

Moulik, S. P., & Paul, B. K. 1998. Structure, dynamics and transport properties of microemulsions. *Advances in Colloid and Interface Science*, **78**(2): 99-195.

.

Moure, A., Cruz, J.M., Franco, D., Dominguez, J.M., Sineiro, J., dan Dominguez, H., 2001. Natural Antioxidants from residual sources. *Food Chemistry*, **72**: 145–171.

Mueller-Goymann, C.C., Kriwet, K., Eder, I., Papantoniou, I., 2004. Microemulsions and related systems for the dermal application of drugs, *B.T. Gattefosse*, **88**: 43–54.

Muzzaffar and Singh, U.K., 2017. Design development and evaluation of Topical Microemulsion**,** *Int. Res. J. Pharm*, **8**(9): 95-111.

Muzaffar, U. K. Singh, Lalit Chauhan. 2013. Review On Microemulsion As Futuristic Drug Delivery. *Int J Pharm Pharm Sci*, **5**(3): 39-53.

Ndlovu, G., Fouche, G., Tselanyane, M., Cordier, W., Steenkamp, V., 2013. In vitro determination of the anti-aging potential of four southern African medicinal plants, BMC Complement, *Altern. Med*., **13**: 304.

Neubert, R.H.H., 2011. Potentials of New Nanocarriers for Dermal and Transdermal Drug Delivery, *Eur J Pharm Biopharm*., **77:**1-2.

Nima Roohpour, Jaroslaw M. Wasikiewicz, Alireza Moshaverinia, Deepen Paul, Ihtesham U. Rehman and Pankaj Vadgama, 2009. Isopropyl Myristate-

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Modified Polyether-Urethane Coatings as Protective Barriers for Implantable Medical Devices. *Materials*. **2**: 719-733.

Nishizawa, M., Nishide, H., Kosela, S., dan Hayashi, Y., 1983. Structure of lansiosides: biologically active new triterpene glycosides from *Lansium domesticum*. *The Journal of Organic Chemistry*. **48**: 4462–4466.

Nugroho, A.K., Martodiharjo, S. dan Yuwono, T., 1999. Pengaruh Propilen Glikol Sebagai Enhancer Terhadap Permeabilitas Teofillin Melalui Membran Lipid Buatan, *Majalah Farmaseutik*. **3:**14.

Othman, A., Ismail, A., Abdul Ghani, N., dan Adenan, I., 2007. Antioxidant capacity and phenolic content of *Cocoa beans*. *Food Chemistry*, **100**: 1523–1530.

Okyar, A., Ozsoy, Y., Gungor, S., 2012. Novel Formulation Approaches for Dermal and Transdermal Delivery of Non-Steroid Anti-Inflamatory Drugs, in Lemmey, A., *Rheumathoid Arthritis Treatment*, Intech: 25-48.

Otto, A.; du Plessis, J.; Wiechers, J.W., 2009. Formulation effects of topical emulsions on transdermal and dermal delivery, *Int. J. Cosmet. Sci.*, **31**: 1–19.

Park, S.H., Kim, D.S., Kim, W.G., Ryoo, I.J., Lee, D.H., Huh, C.H., Youn, S.W., Yoo, I.D.,Park, K.C., 2004. Terrein: a new melanogenesis inhibitor and its mechanism.Cell, *Mol. Life Sci.* **61**: 2878–2885.

Patel, R.M., Patel, R.B., Parikh, J.R., and Solanki, A.B., 2009. Investigation of efficiency of Isopropyl Myristate-Based Oil in Water Microemulsions for Topical Delivery of Fluconazole, *IJBPS*, **3(1)** : 60-68.

Peppin, J.F.; Pappagallo, M. Capsaicinoids in the treatment of neuropathic pain: A review, 2014. *Ther. Adv. Neurol. Disord.*, **7**: 22–32.

Pham-Huy LA, He H, Pham-Huy C., 2008. Free radicals, antioxidants in disease and health, *International Journal of Biomedical Science*. **4**: 89-96.

Pillaiyar, T., Manickam, M., Namasivayam, V., 2017. Skin whitening agents: medicinal chemistry perspective of tyrosinase inhibitors, *J. Enzyme Inhib Med Chem*., **32**(1):403-425.

P.M. Elias, J.S. Wakefield, 2010. Skin Barrier Function, in: Nutrition Healthy Skin, *Springer Berlin Heidelberg*: 35–48.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Prausnitz, M. R., and Langer, R., 2008, Transdermal drug delivery. *Nat. Biotechnol*., **26**(11): 1261-1268.

Prince, L. M. 1977. *Microemulsions: theory and practice*: Academic Press.

Qonita, F., 2017. Pemanfaatan Ekstrak Buah Strawberry (*Fragaria X Ananassa* (Duchesne Ex Weston)) Sebagai Bahan Kosmetik: Uji Aktivitas *Antiaging* dan Antibakteri Secara *In Vitro*. *Tesis*. Fakultas Farmasi.Universitas Gadjah Mada, Yogyakarta.

Quan, T., E. Little, H. Quan, J.J. Voorhees, G.J. Fisher, 2013, Elevated matrix metalloproteinases and collagen fragmentation in photodamaged human skin: impact of altered extracellular matrix microenvironment on dermal fibroblast function, *J. Invest. Dermatol*, **133**: 1362-1366.

Rahman, K., 2007. Studies On Free Radicals, Antioxidants, and Co-Factors, *Clinical Interventions In Aging*. **2**(2): 219-236.

Rashmin, P.M., Bharatbhai P.R., Parikh, Solanki, 2009. Investigation of Efficiency of Isopropyl Myristate Based Oil in Water Microemulsions for Topical Delivery of Fluconazole, *IJBPS*., **3**(1): 60-68.

Roohpour Nima, Jaroslaw M. Wasikiewicz, Alireza Moshaverinia, Deepen Paul, Ihtesham U. Rehman, Pankaj Vadgama, 2009. Isopropyl Myristate-Modified Polyether-Urethane Coatings as Protective Barriers for Implantable Medical Devices. *Materials*, **2**: 719-733.

Ross, F.P., and Christiano, A.M., 2006. Nothing but skin and bone. *J. Clin.Invest*., **116**(5): 1140-1149.

Rossano, H., Clausse, M., 1987. Microemulsion System, Marcel Dekker: New York.

Rowe, R.C., 2009. *Handbook of Pharmaceutical Excipients.* Pharmaceutical Press.

Rozman, B., Gasperlin, M., Tinois-Tessineaud, E., Pirot, F., and Falson, F., 2009, Simultaneous absorption of vitamin C and E from topical microemulsions using reconstructed human epidermis as a skin model, *European Journal of Pharmaceutics and Biopharmaceutics*, **72**: 69-75.

Saewan, N., Sutherland, J.D., Chantrapromma, K., 2006. Antimalarial tetranortriterpenoids from the seeds of *Lansium domesticum* Corr, *Phytochemistry*. **67**: 2288–2293.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Sagar B. Kedare and R. P. Singh, 2011. Genesis and development of DPPH method of antioxidant assay, *J Food Sci Technol*, **48**(4): 412–422.

Salager, J.L., Anton, R., Forgiarini, A., and Marquez, L., 2009. Formulation of Microemulsion dalam *Microemulsion*: Background, *New Concept, Aplication*, Perspective, 1st ed., Vol. 3. John Wiley Online Library, DOI 10.1002/JPS.23233.

Sandby-MØller, J., Poulsen,T., and Wulf, H.C., 2003. Epidermal thickness at different body sites: relationship to age, gender, pigmentation, blood content, skin type and smoking habits. *Acta Derm. Venereol.* **83**(6)**:** 410-413.

Sharma G, Mishra AK, Mishra P, Misra A. 2009.Intranasal Cabergoline: Pharmacokinetic and Pharmacodynamic Studies. *AAPS PharmSciTech*, **10**(4):1321-1330.

Shevachman, M., A. Shani, N. Garti. 2004. Formation and Investigation of Microemulsions Based on Jojoba Oil and Nonionic Surfactants. *JAOCS*. **81**(12): 1143-1152.

Shiino, M., Watanabe, Y., Umezawa, W., 2001. Synthesis of N substituted N-nitroso hydroxylamines as inhibitors of mushroom Tyrosinase, *Bioorganic Medicinal Chemistry*, **9**: 1233.

Shivon Sipahli, Viresh Mohanlall, John Jason Mellem. 2017. Stability and degradation kinetics of crude anthocyanin extracts from *H. sabdariffa. Food Sci. Technol, Campinas*, **37**(2): 209-215.

Singh, I. and Morris, A.P., 2011. Performance of transdermal therapeutic systems: Effects of biological factors. *Int J Pharm Investig.*, **1**(1): 4-9.

Singleton, V.L. and Rossi, J.A., 1985. Colorimetry of Total Phenolic with Phosphomolybdic-Phosphotungstic Acid Reagent, *American Journal of Enology and Viticulture*, **16**: 147.

Sisak Muhammad Asri Abd, Rusli Daik, Suria Ramli. 2017. Study On the Effect of Oil Phase and Co-Surfactant On Microemulsion Systems. *Malaysian Journal of Analytical Sciences*, **2**(6): 1409–1416.

Sparavigna A., Antonello T., Elena I., Massimiliano T., Maria C.O., Giorgio B. 2017. Anti-Age Activity and Tolerance Evaluation of Collagen Micro-Injection Treatment Associated to Topical Application of a Cosmetic Formulation (Investigator-Initiated Multicentre Trial), *J. Clin Exp Dermatol Res*, **8**(3).

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Stamatas, G.N., Zvulonov, A., Horowitz, P., dan Grove, G.L., 2012, Skin Barrier Protection. *Dermatol Res Pract*: 1-3.

Syamsu, 2017. Pemanfaatan Ekstrak Etanolik dan Etil Asetat Daging Buah dan Kulit Buah Langsat (*Lansium Domesticum* (Corr)) Sebagai Bahan Aktif Kosmetik: Uji Aktivitas *Antiaging* dan Anti Jerawat Secara *In Vitro*. *Tesis.* Fakultas Farmasi. Universitas Gadjah Mada.Yogyakarta.

Syed, H.K., and Peh, K.K. 2014. Identification of Phases of Various Oil, Surfactant/Co-Surfactants and Water System by Ternary Phase Diagram. *Acta Poloniae Pharmaceutica and Drug Research*, **71**(2): 301-309.

Tsatmali M, Ancans J, Thody AJ., 2002. Melanocyte function and its control by melanocortin peptides., *J Histochem Cytochem*., **50**(2): 33-125.

Talegaonkar Sushama, Adnan Azeem, Farhan J. Ahmad, Roop K. Khar, Shadab A. Pathan and Zeenat I. Khan, 2008. Microemulsions: A Novel Approach to Enhanced Drug Delivery. *Recent Patents on Drug Delivery & Formulation*. **2**: 238-257.

Talegaonkar, S., Tariq, M., and Alabood, R.M., 2011. Design and Development Of O/W Nanoemulsion for Transdermal Delivery Of Ondasentron. *Bulletin of Pharmaceutical Research*, **1**(3):18-30.

Tanaka, T., Ishibashi, M., Fujimoto, H., Okuyama, E., Koyano, T., Kowithayakorn, T., 2002. New Onoceranoid Triterpene Constituents from *Lansium domesticum*. *Journal of Natural Products*, **65**: 1709–1711.

Thring, T.S., Hili, P., and Naughton, D.P., 2009. Anti-collagenase, anti-elastase and anti-oxidant activities of extracts from 21 plants. *BMC Complementary and Alternative Medicine*. **9**: 1-10.

Tilaar, M., Wih, W.L., Ranti, A.S., Wasitaatmadja, S.M., Junardy, F.D., 2008. Review of Lansium domesticum Corrêa and its use in cosmetics. *Bol. Latinoam. Caribe Plant. Med. Aromaticas*, **7**: 183–189.

Tobin, Desmond J., 2016. Introduction To Skin Aging. *Journal of Tissue Viability.*

Ustundag Okur N, Apaydin S, Karabay Yavasoglu NU, Yavasoglu A, Karasulu HY., 2011. Evaluation of skin permeation and anti-inflammatory and analgesic effects of new naproxen microemulsion formulations, *Int J Pharm.*, **416**(1): 44-136.

UNIVERSITAS GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Valko M, Leibfritz D, Moncol J, Cronin MTD, Mazur M, Telser J., 2007. Free radicals and antioxidants in normal physiological functions and human disease, *The International Journal of Biochemistry & Cell Biology*. **39**: 44–84.

Vijaylakshmi, P., Radha, R., 2015. An overview: *Citrus maxima*. *The Journal of Phytopharmacology*. **4**(5): 263-267.

Vieira Vanessa , Azucena Marques, Lillian Barros, João c. m. barreira and Isabel c. f. r. ferreira. 2012. Insights in the antioxidant synergistic effects of combined edible mushrooms: phenolic and polysaccharidic extracts of *Boletus edulis* and *Marasmius oreades*. *Journal of Food and Nutrition Research*, **51**(2) : 109–116.

Wiedow, O., Schroder, J.M., Gregory, H., Young, J.A., Christophers, E., 1990. Elafin: an elastase-specific inhibitor of human skin. Purification, characterization, and complete amino acid sequence. *J. Biol. Chem*., **265**: 14971-14795.

Wong, S.K., Y.Y. Lim, E.W.C. Chan, 2010. Evaluation of Antioxidant, Anti Tyrosinase, and Antibacterial Activities of Selected *Hibiscus* Species. *Ethnobotanical Leaflets*. **14**: 781-96.

Xiao Perry, Imhof Robert E., 2012. Two dimensional finite element modelling for dynamic water diffusion through stratum corneum. *International Journal of Pharmaceutics*. **435**: 88-92.

Xu Guihua, Donghong Liu, Jianchu Chen, Xingqian Ye, Yaqin Ma, John Shi, 2008. Juice components and antioxidant capacity of citrus varieties cultivated in China. *Food Chemistry*. **106**: 545-55.

Zhang, Y., Seeram, N.P., Lee, R., Feng, L., and Heber, D., 2008. Isolation and Identification of Strawberry Phenolics with Antioxidant and Human Cancer Cell Antiproliferative Properties. *Journal of Agricultural and Food Chemistry*. **56**: 670–675.

Zhu, Q., Nakagawa, T., Kishikawa, A., Ohnuki, K., and Shimizu, K., 2015. In Vitro bioactivities and phytochemical profile of various parts of the strawberry (*Fragaria x ananassa* var. Amaou). *Journal of Functional Foods*. **13**: 38–49.

Zidan AS, Kamal N, Alayoubi A, Seggel M, Ibrahim S, Rahman Z, Cruz CN, Ashraf M., 2017. Effect of Isopropyl Myristate on Transdermal

UNIVERSITAS
GADJAH MADA
**TOPICAL MICROEMULSION ANTIAGING FORMULATION OF STRAWBERRY FRUIT (Fragaria x ananassa Duchesne), LANGSAT FRUIT (Lansium domesticum Correa.), POMELO PEEL (Citrus maxima (Burm.) Merr.) EXTRACTS MIXTURE**
MIRNA WIDASRI, Dr. RR. Endang Luktaningsih, M.Si., Apt.; Rina Kuswahyuning, M.Si., Ph.D., Apt.
**Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/**

Permeation of Testosterone From Carbopol Gel, *J Pharm Sci*, **106**(7): 1805-1813.

Zulbayu, L.M.A., 2017, Uji Aktivitas Antiaging dan Antibakteri Ekstrak Etanol dan Etil Asetat Kulit Buah Jeruk Bali (*Citrus Maxima* L.) Secara *In Vitro*. *Tesis*. Fakultas Farmasi. Universitas Gadjah Mada.Yogyakarta.