

DAFTAR PUSTAKA

- Anaconda. (2017). Numba Retrieved May 10, 2018, 2018, from <https://numba.pydata.org/>
- Awrangjeb, M., & Fraser, C. S. (2014). Automatic segmentation of raw LiDAR data for extraction of building roofs. *Remote Sensing*, 6(5), 3716-3751.
- Awrangjeb, M., Zhang, C., & Fraser, C. S. (2013). Automatic extraction of building roofs using LIDAR data and multispectral imagery. *ISPRS Journal of photogrammetry and remote sensing*, 83, 1-18.
- Badan Pengembangan dan Pembinaan Bahasa, K. P. d. K. R. I. (Ed.) (2016) KBBI Daring (Fifth (5) ed., Vols. -). Indonesia: Kementerian Pendidikan dan Kebudayaan Republik Indonesia.
- Baltsavias, E. P. (1999). Airborne laser scanning: existing systems and firms and other resources. *ISPRS Journal of photogrammetry and remote sensing*, 54(2-3), 164-198.
- Bannari, A., Asalhi, H., & Teillet, P. (2002). Transformed difference vegetation index (TDVI) for vegetation cover mapping. Paper presented at the Geoscience and Remote Sensing Symposium, 2002. IGARSS'02. 2002 IEEE International.
- Benediktsson, J. A., Pesaresi, M., & Amason, K. (2003). Classification and feature extraction for remote sensing images from urban areas based on morphological transformations. *IEEE Transactions on Geoscience and Remote Sensing*, 41(9), 1940-1949.
- Bergado, J. (2016). A Deep Feature Learning Approach to Urban Scene Classification. Unpublished MSc. Thesis, University of Twente, Enschede, The Netherlands.
- Peraturan Kepala BIG Nomor 10 tahun 2017 Tentang Analisis Biaya Keluaran Kegiatan Penyelenggaraan Informasi Geospasial, 10 C.F.R. (2017).
- Blaschke, T. (2010). Object based image analysis for remote sensing. *ISPRS Journal of photogrammetry and remote sensing*, 65(1), 2-16.
- Blaschke, T., Hay, G. J., Kelly, M., Lang, S., Hofmann, P., Addink, E., . . . van Coillie, F. (2014). Geographic object-based image analysis-towards a new paradigm. *ISPRS Journal of photogrammetry and remote sensing*, 87, 180-191.
- Carleer, A., Debeir, O., & Wolff, E. (2005). Assessment of very high spatial resolution satellite image segmentations. *Photogrammetric Engineering & Remote Sensing*, 71(11), 1285-1294.
- Chen, L., Teo, T. A., Rau, J. Y., Liu, J. K., & Hsu, W. C. (2005). Building reconstruction from LIDAR data and aerial imagery. Paper presented at the Geoscience and Remote Sensing Symposium, 2005. IGARSS'05. Proceedings. 2005 IEEE International.
- Chen, Y., Su, W., Li, J., & Sun, Z. (2009). Hierarchical object oriented classification using very high resolution imagery and LIDAR data over urban areas. *Advances in Space Research*, 43(7), 1101-1110.

- Chutia, D., Bhattacharyya, D., Kalita, R., & Sudhakar, S. (2014). OBCsvmFS: Object-Based Classification supported by support vector machine Feature Selection approach for hyperspectral data. *Journal of Geomatics*, 8(1), 13.
- Clewley, D., Bunting, P., Shepherd, J., Gillingham, S., Flood, N., Dymond, J., . . . Moghaddam, M. (2014). A python-based open source system for geographic object-based image analysis (GEOBIA) utilizing raster attribute tables. *Remote Sensing*, 6(7), 6111-6135.
- Coleman, G. B., & Andrews, H. C. (1979). Image segmentation by clustering. *Proceedings of the IEEE*, 67(5), 773-785.
- Cramer, M., Stallmann, D., & Haala, N. (2000). Direct georeferencing using GPS/inertial exterior orientations for photogrammetric applications. *International Archives of Photogrammetry and Remote Sensing*, 33(B3/1; PART 3), 198-205.
- Djunaedi, A. (2012). *Proses perencanaan wilayah dan kota*: Gadjah Mada Univesity Press.
- El-Sheimy, N., Valeo, C., & Habib, A. (2005). *Digital Terrain Modeling: Acquisition, Manipulation and Applications* (Artech House Remote Sensing Library): Norwood, MA: Artech House.
- Foody, G. M. (2002). Status of land cover classification accuracy assessment. *Remote Sensing of Environment*, 80(1), 185-201.
- Gajski, D., Fiedler, T., & Krtalić, A. (2003). Classification and filtering of airborne topographic lidar data. *The international archives of the photogrammetry, remote sensing and spatial information sciences* (Print), 34(6/W11), 100.
- Gdal.org. (2018). GDAL - Geospatial Data Abstraction Library Retrieved May 10, 2018, 2018, from <http://www.gdal.org/>
- Gilani, S., Awrangjeb, M., & Lu, G. (2015). Fusion of LiDAR data and multispectral imagery for effective building detection based on graph and connected component analysis. *The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 40(3), 65.
- Gombos, A. D. (2010). *Detection of Roof Boundaries Using LiDAR Data and Aerial Photography*.
- Goutte, C., & Gaussier, E. (2005). A probabilistic interpretation of precision, recall and F-score, with implication for evaluation. Paper presented at the European Conference on Information Retrieval.
- Grussenmeyer, P., & Al Khalil, O. (2002). Solutions for exterior orientation in photogrammetry: a review. *The photogrammetric record*, 17(100), 615-634.
- Habib, A. (2009). *Integration of LIDAR and Photogrammetric Data: Triangulation and Orthorectification. Topographic Laser Ranging and Scanning. Principles and Processing*. Eds.: Shan & Toth, 371-402.
- Höfle, B., & Pfeifer, N. (2007). Correction of laser scanning intensity data: Data and model-driven approaches. *ISPRS Journal of photogrammetry and remote sensing*, 62(6), 415-433.
- Huang, X., & Jensen, J. R. (1997). A machine-learning approach to automated knowledge-base building for remote sensing image analysis with GIS

- data. *Photogrammetric engineering and remote sensing*, 63(10), 1185-1193.
- ISPRS. (2018). 2D Semantic Labeling Contest. Retrieved from International Society for Photogrammetry and Remote Sensing website: <http://www2.isprs.org/commissions/comm3/wg4/semantic-labeling.html>
- Jacobsen, K. (2001). Exterior orientation parameters. Institute for Photogrammetry and GeoInformation, University of Hannover, Germany.
- Jensen, J. R. (2005). *Introductory digital image processing 3rd edition* Upper saddle river: Prentice hall.
- Jiang, H., Feng, M., Zhu, Y., Lu, N., Huang, J., & Xiao, T. (2014). An automated method for extracting rivers and lakes from Landsat imagery. *Remote Sensing*, 6(6), 5067-5089.
- Jong, S. M. D., & Meer, F. D. V. d. (2005). *Remote Sensing and image analysis* (Five ed. Vol. Five). United States of America: Springer.
- Joshi, P., Escrivá, D. M., & Godoy, V. (2016). *OpenCV By Example: Packt Publishing Ltd.*
- Kabolizade, M., Ebadi, H., & Ahmadi, S. (2010). An improved snake model for automatic extraction of buildings from urban aerial images and LiDAR data. *Computers, Environment and Urban Systems*, 34(5), 435-441.
- Kang, X., Li, S., & Benediktsson, J. A. (2014). Feature extraction of hyperspectral images with image fusion and recursive filtering. *IEEE Transactions on Geoscience and Remote Sensing*, 52(6), 3742-3752.
- Kienast, B. S., & Boettinger, J. (2010). Applying the optimum index factor to multiple data types in soil survey *Digital Soil Mapping* (pp. 385-398): Springer.
- Lahamy, H. (2008). Outlining buildings using airborne laser scanner data.
- Langue, W. (2007). *Object-Oriented Model based 3D Building Extraction using Airborne Laser Scanning Points and Aerial Imagery*. MSc. Dissertation, Institute of Geo-Information Science and Earth Observation, ITC, Netherlands.
- Lee, D. H., Lee, K. M., & Lee, S. U. (2008). Fusion of lidar and imagery for reliable building extraction. *Photogrammetric Engineering & Remote Sensing*, 74(2), 215-225.
- Li, B., Zhang, H., & Xu, F. (2014). Water extraction in high resolution remote sensing image based on hierarchical spectrum and shape features. Paper presented at the IOP Conference Series: Earth and Environmental Science.
- Li, Y., Wu, H., An, R., Xu, H., He, Q., & Xu, J. (2013). An improved building boundary extraction algorithm based on fusion of optical imagery and LiDAR data. *Optik-International Journal for Light and Electron Optics*, 124(22), 5357-5362.
- Linder, W. (2013). *Digital photogrammetry: theory and applications*: Springer Science & Business Media.
- Ma, H., Qin, Q., & Shen, X. (2008). Shadow segmentation and compensation in high resolution satellite images. Paper presented at the Geoscience and Remote Sensing Symposium, 2008. IGARSS 2008. IEEE International.

- Mather, P. M. (2004). *Computer Processing of Remotely Sensing* (Third ed. Vol. Third). England: John Wiley and Son.
- Mayer, H. (2008). Object extraction in photogrammetric computer vision. *ISPRS Journal of photogrammetry and remote sensing*, 63(2), 213-222.
- Mayr, W., & Heipke, C. (1988). A contribution to digital orthophoto generation. *International Archives of Photogrammetry and Remote Sensing*, 27(B11), 430-439.
- McFeeters, S. K. (1996). The use of the Normalized Difference Water Index (NDWI) in the delineation of open water features. *International journal of remote sensing*, 17(7), 1425-1432.
- Neubert, M., Herold, H., & Meinel, G. (2008). Assessing image segmentation quality—concepts, methods and application Object-based image analysis (pp. 769-784): Springer.
- Nielsen, M. Ø. (2004). True orthophoto generation. Technical University of Denmark, DTU, DK-2800 Kgs. Lyngby, Denmark.
- numpy.org. (2018). NumPy Retrieved May 10, 2018, 2018, from <http://www.numpy.org/>
- O'Donohue, D., Mills, S., Kingham, S., Bartie, P., & Park, D. (2008). Combined thermal-LIDAR imagery for urban mapping. Paper presented at the Image and Vision Computing New Zealand, 2008. IVCNZ 2008. 23rd International Conference.
- Ouma, Y., Tateishi, R., & Sri-Sumantyo, J. (2010). Urban features recognition and extraction from very-high resolution multi-spectral satellite imagery: a micro–macro texture determination and integration framework. *IET image processing*, 4(4), 235-254.
- Pfeifer, N., & Mandlbürger, G. (2009). LiDAR data filtering and DTM generation (pp. 307-334): CRC Press, Taylor and Francis Group, Boca Raton, Florida.
- Pham, M., Alse, S., Knoblock, C. A., & Szekely, P. (2016). Semantic labeling: a domain-independent approach. Paper presented at the International Semantic Web Conference.
- Radoux, J., & Defourny, P. (2008). Quality assessment of segmentation results devoted to object-based classification Object-based image analysis (pp. 257-271): Springer.
- Undang - Undang Republik Indonesia Nomor 4 Tahun 2011 Tentang Informasi Geospasial, 71 C.F.R. § - (2011).
- Rioshome.org. (2018). Raster I/O Simplification Retrieved May 20, 2018, 2018, from <http://rioshome.org/en/latest/>
- Rottensteiner, F., & Briese, C. (2003). Automatic generation of building models from LIDAR data and the integration of aerial images: na.
- Rsgislib.org. (2018). The Remote Sensing and GIS Software Library (RSGISLib) Retrieved May 15, 2018, 2018, from <https://www.rsgislib.org/>
- Salah, M., Trinder, J., Shaker, A., Hamed, M., & Elsagheer, A. (2009). Aerial images and lidar data fusion for automatic feature extraction using the self-organizing map (som) classifier. Paper presented at the proceedings of the 38th ISPRS Congress-XXXVIII, Part 3/W8.

- Schenk, T. (1994). Concepts and algorithms in digital photogrammetry. *ISPRS Journal of photogrammetry and remote sensing*, 49(6), 2-8.
- Schenk, T., & Csathó, B. (2002). Fusion of LIDAR data and aerial imagery for a more complete surface description. *International Archives of Photogrammetry Remote Sensing and Spatial Information Sciences*, 34(3/A), 310-317.
- scikit-learn.org. (2018). NumPy Retrieved May 10, 2018, 2018, from <http://scikit-learn.org>
- Seerha, G. K., & Kaur, R. (2013). Review on recent image segmentation techniques. *International Journal on Computer Science and Engineering*, 5(2), 109.
- Sohn, G., & Dowman, I. (2007). Data fusion of high-resolution satellite imagery and LiDAR data for automatic building extraction. *ISPRS Journal of photogrammetry and remote sensing*, 62(1), 43-63.
- Tomljenovic, I., Tiede, D., & Blaschke, T. (2016). A building extraction approach for Airborne Laser Scanner data utilizing the Object Based Image Analysis paradigm. *International Journal of Applied Earth Observation and Geoinformation*, 52, 137-148.
- Tuiview.org. (2018). TuiView Overview Retrieved May 15, 2018, 2018, from <https://bitbucket.org/chchrsc/tuiview>
- UNICEF. (2012). *The State of the World's Children 2012: Children in an Urban World*: United Nations Publications.
- Uzar, M., & Yastikli, N. (2013). Automatic building extraction using LiDAR and aerial photographs. *Boletim de Ciências Geodésicas*, 19(2), 153-171.
- Vijjapu, P. (2013). *Classification and Building Detection Using Fuzzy Sub-object Class Densities and Shadow Influence*: University of Twente Faculty of Geo-Information and Earth Observation (ITC).
- Volpi, M., & Tuia, D. (2017). Dense semantic labeling of subdecimeter resolution images with convolutional neural networks. *IEEE Transactions on Geoscience and Remote Sensing*, 55(2), 881-893.
- Vosselman, G. (2002). Fusion of laser scanning data, maps, and aerial photographs for building reconstruction. Paper presented at the Geoscience and Remote Sensing Symposium, 2002. IGARSS'02. 2002 IEEE International.
- Weeks, J. R. (2010). Defining urban areas Remote sensing of Urban and Suburban areas (pp. 33-45): Springer.
- Wehr, A., & Lohr, U. (1999). Airborne laser scanning—an introduction and overview. *ISPRS Journal of photogrammetry and remote sensing*, 54(2), 68-82.
- Widyaningrum, E., & Gorte, B. (2017). Challenges and Opportunities: One Stop Processing of Automatic Large-Scale Base Map Production Using Airborne LIDAR Data Within GIS Environment. Case Study: Makassar City, Indonesia. *The International Archives of Photogrammetry, Remote Sensing and Spatial Information Sciences*, 42, 365.
- Yu, L., & Liu, H. (2003). Feature selection for high-dimensional data: A fast correlation-based filter solution. Paper presented at the Proceedings of the 20th international conference on machine learning (ICML-03).

- Zhou, G., Song, C., Simmers, J., & Cheng, P. (2004). Urban 3D GIS from LiDAR and digital aerial images. *Computers & Geosciences*, 30(4), 345-353.
- Zhou, G., & Zhou, X. (2014). Seamless fusion of LiDAR and aerial imagery for building extraction. *IEEE Transactions on Geoscience and Remote Sensing*, 52(11), 7393-7407.
- Zylshal, S. S., Yulianto, F., Nugroho, J., & Sofan, P. (2016). A Support Vector Machine Object Based Image Analysis Approach on Urban Green Space Extraction Using Pleiades-1A Imagery, *Model. Earth Syst. Environ*, 2(54), 1-12.