

DAFTAR PUSTAKA

- Abba, M., Patil, N. & Allgayer, H. (2014) MicroRNAs in the Regulation of MMPs and Metastasis. *Cancers*, 6(2): 625-645.
- Abba, M. C., Zhong, Y., Lee, J., Kil, H., Lu, Y., Takata, Y., Simper, M. S., Gaddis, S., Shen, J. & Aldaz, C. M. (2016) DMBA Induced Mouse Mammary Tumors Display High Incidence of Activating Pik3ca^{H1047} and Loss of Function Pten Mutations. *Oncotarget*, 7(39): 64289-64299.
- Abdel-Hafiz, H. A. (2017) Epigenetic Mechanisms of Tamoxifen Resistance in Luminal Breast Cancer. *Diseases*, 5(3): 16-35.
- Abdulkareem, I. H. (2013) A Review on Aetio-Pathogenesis of Breast Cancer. *J Genet Syndr Gene Ther*, 4(5): 1-4.
- Aiad, H. A., Samaka, R. M., Asaad, N. Y., Kandil, M. A., Shehata, M. A. & Miligy, I. M. (2014) Relationship of CK8/18 Expression Pattern to Breast Cancer Immunohistochemical Subtyping in Egyptian Patients. *ecancer*, 8404-416.
- Akihisa, T., Kikuchi, T., Nagai, H., Ishii, K., Tabata, K. & Suzuki, T. (2011) 4-Hydroxyderricin from *Angelica keiskei* Roots Induces Caspase-dependent Apoptotic Cell Death in HL60 Human Leukemia Cells. *J Oleo Sci*, 60(2): 71-77.
- Alvarado, A., Lopes, A. C., Faustino-Rocha, A. I., Cabrita, A. M. S., Ferreira, R., Oliveira, P. A. & Colaco, B. (2017) Prognostic Factors in MNU and DMBA-Induced Mammary Tumors in Female Rats. *Pathol Res Pract*, 213(5): 441-446.
- Baccarelli, A. & Bollati, V. (2011) Epigenetics and Environmental Chemicals. *Curr Opin Pediatr*, 21(2): 243-251.
- Badr, F. M. (2016) Potential Role of miR-21 in Breast cancer Diagnosis and Therapy. *SciMedCentral*, 3(5): 1068-1075.
- Bakir, T., Sonmezoglu, I., Imer, F. & Apak, R. (2014) Antioxidant/Prooxidant Effects of Alpha-Tocopherol, Quercetin and Isorhamnetin on Linoleic Acid Peroxidation Induced by Cu(II) and H₂O₂. *Int J Food Sci Nutr*, 65(2): 226-234.
- Banerjee, S., Bueso-Ramos, C. & Aggarwal, B. B. (2002) Suppression of 7,12-Dimethylbenz(a)anthracene-induced Mammary Carcinogenesis in Rats by Resveratrol: Role of Nuclear Factor-kB, Cyclooxygenase 2, and Matrix Metalloprotease 9. *Cancer Res*, 62(17): 4945-4954.
- Barros, A. C. S. D., Muranaka, E. N. K., Mori, L. J., Pelizon, C. H. T., Iriya, K., Giocondo, G. & Pinotti, J. A. (2004) Induction of Experimental Mammary Carcinogenesis in Rats with 7,12- Dimethylbenz(a)anthracene. *Rev. Hosp. Clin. Fac. Med.*, 59(5): 257-261.
- Beker, B. Y., Bakir, T., Sonmezoglu, I., Imer, F. & Apak, R. (2011) Antioxidant Protective Effect of Flavonoids on Linoleic Acid Peroxidation Induced by Copper(II)/Ascorbic Acid System. *Chem Phys Lipids*, 164(8): 732-739.

- Belsare, D. P., Pal, S. C., Kazi, A. A., Kankate, R. S. & Vanjari, S. S. (2010) Evaluation of Antioxidant Activity of Chalcones and Flavonoids. *Int J Chemtech Res*, 2(2): 1080-1089.
- Berger, C., Qian, Y. & Chen, X. (2013) The p53-Estrogen Receptor Loop in Cancer. *Curr Mol Med*, 13(8): 1229-40.
- Bianco, S. & Gevry, N. (2012) Endocrine Resistance in Breast Cancer: from Cellular Signaling Pathways to Epigenetic Mechanisms. *Transcription*, 3(4): 165-170.
- Blanco, A. C., Pérez, G. L., Pequeño, B., Leal, J. F. M., Renner, O. & Carnero, A. (2007) Mice Expressing myrAKT1 in the Mammary Gland Develop Carcinogen-Induced ER-positive Mammary Tumors That Mimic Human Breast Cancer. *Carcinogenesis*, 28(3): 584-594.
- Boehm, J. S., Zhao, J. J., Yao, J., Kim, S. Y., Firestein, R., Dunn, I. F., Sjostrom, S. K., Garraway, L. A., Weremowicz, S., Richardson, A. L., Greulich, H., Stewart, C. J., Mulvey, L. A., Shen, R. R., Ambrogio, L., Hirozane-Kishikawa, T., Hill, D. E., Vidal, M., Meyerson, M., Grenier, J. K., Hinkle, G., Root, D. E., Roberts, T. M., Lander, E. S., Polyak, K. & Hahn, W. C. (2007) Integrative Genomic Approaches Identify IKBKE as a Breast Cancer Oncogene. *Cell*, 129(6): 1065-1079.
- Bouayed, J. & Bohn, T. (2010) Exogenous antioxidants--Double-edged swords in cellular redox state: Health beneficial effects at physiologic doses versus deleterious effects at high doses. *Oxid Med Cell Longev*, 3(4): 228-237.
- Brekman, A., Singh, K. E., Polotskaia, A., Kundu, N. & Bargonetti, J. (2011) A p53-Independent Role of Mdm2 in Estrogen-Mediated Activation of Breast Cancer Cell Proliferation. *Breast Cancer Res*, 13(1): R3.
- Brufsky, A. M. (2017) Long-term Management of Patients with Hormone Receptor-Positive Metastatic Breast Cancer: Concepts for Sequential and Combination Endocrine-based Therapies. *Cancer Treat Rev*, 59:22-32.
- Buscaglia, L. E. B. & Li, Y. (2011) apoptosis and the Target Genes of miR-21. *Chin J Cancer*, 30(6): 371-380.
- Busch, C., Burkard, M., Leischner, C., Lauer, U. M., Frank, J. & Venturelli, S. (2015) Epigenetic Activities of Flavonoids in the Prevention and Treatment of Cancer. *Clin Epigenetics*, 7(1): 64-81.
- Caffrey, E., Ingoldsby, H., Wall, D., Webber, M., Dinneen, K., Murillo, L. S., Inderhaug, C., Newell, J., Gupta, S. & Callagy, G. (2013) Prognostic Significance of Deregulated Dicer Expression in Breast Cancer. *PLoS One*, 8(12): e83724.
- Caldon, C. E. (2014) Estrogen Signaling and the DNA Damage Response in Hormone Dependent Breast Cancers. *Front Oncol*, 4:106-114.
- Caulfield, A. J. & Lathem, W. W. (2014) Disruption of Fas-Fas Ligand Signaling, Apoptosis, and Innate Immunity by Bacterial Pathogens. *Plos Pathogens*, 10(8): e1004252.
- Chang, M. (2012) Tamoxifen Resistance in Breast Cancer. *Biomol Ther*, 20(3): 256-267.

- Chen, X., Qiu, J., Yang, D., Lu, J., Yan, C., Zha, X. & Yin, Y. (2013) MDM2 Promotes Invasion and Metastasis in Invasive Ductal Breast Carcinoma by Inducing Matrix Metalloproteinase-9. *PLoS One*, 8(11): e78794.
- Chen, X., Wang, J., Cheng, L. & Lu, M. (2014) MiR-18a Downregulates DICER1 and Promotes Proliferation and Metastasis of Nasopharyngeal Carcinoma. *Int J Clin Exp Med*, 7(4): 847-855.
- Cheng, G. (2015) Circulating miRNAs: Roles in Cancer Diagnosis, Prognosis and Therapy. *Adv Drug Deliv Rev*, 8175-93.
- Cho, M., Park, S., Park, S., Lee, Y. R., Han, G. & Kim, J. (2012) Geranyl Derivative of Phloroacetophenone Induces Cancer Cell-Specific Apoptosis through Bax-Mediated Mitochondrial Pathway in MCF-7 Human Breast Cancer Cells. *Biol Pharm Bull*, 35(1): 98-104.
- Chuang, J. C. & Jones, P. A. (2007) Epigenetics and MicroRNAs. *Pediatr Res*, 61(5): 24R-29R.
- Clemente, M., Perez-Alenza, M. D., Illera, J. C. & Pena, L. (2010) Histological, Immunohistological, and Ultrastructural Description of Vasculogenic Mimicry in Canine Mammary Cancer. *Vet Pathol*, 47(2): 265-274.
- Cochrane, D. R., Cittelly, D. M., Howe, E. N., Spoelstra, N. S., McKinsey, E. L., LaPara, K., Elias, A., Yee, D. & Richer, J. K. (2010) MicroRNAs Link Estrogen Receptor Alpha Status and Dicer Levels in Breast Cancer. *Horm Cancer*, 1(6): 306-319.
- Connelly, L., Robinson-Benion, C., Chont, M., Saint-Jean, L., Li, H., Polosukhin, V. V., Blackwell, T. S. & Yull, F. E. (2007) A Transgenic Model Reveals Important Roles for the NF- κ B Alternative Pathway (p100/p52) in Mammary Development and Links to Tumorigenesis. *J Biol Chem*, 282(13): 10028-10035.
- Corcoran, M. P., McKay, D. L. & Blumberg, J. B. (2013) Flavonoid Basics: Chemistry, Sources, Mechanisms of Action, and Safety. *J Nutr Gerontol Geriatr*, 31(3): 176-189.
- Costa, P. M. & Lima, M. C. P. (2013) MicroRNAs as Molecular Targets for Cancer Therapy: on the Modulation of MicroRNA Expression. *Pharmaceuticals*, 6(10): 1195-1220.
- Currier, N., Solomon, S. E., Demicco, E. G., Chang, D. L. F., Farago, M., Ying, H., Dominguez, I., Sonenshein, G. E., Cardiff, R. D., Xiao, Z. J., Sherr, D. H. & Seldin, D. C. (2005) Oncogenic Signaling Pathways Activated in DMBA-Induced Mouse Mammary Tumors. *Toxicol Pathol*, 33(6): 726-737.
- Dabydeen, S. A., Kang, K., Diaz-Cruz, E. S., Alamri, A., Axelrod, M. L., Bouker, K. B., Al-Kharboosh, R., Clarke, R., Hennighausen, L. & Furth, P. A. (2015) Comparison of Tamoxifen and Letrozole Response in Mammary Preneoplasia of ER and Aromatase Overexpressing Mice Defines an Immune-associated Gene Signature Linked to Tamoxifen Resistance. *Carcinogenesis*, 36(1): 122-132.
- Davis, J. D. & Lin, S. (2011) DNA Damage and Breast Cancer. *World J Clin Oncol* 2(9): 329-338.

- de Andres, P. J., Illera, J. C., Caceres, S., Diez, L., Perez-Alenza, M. D. & Pena, L. (2013) Increased Levels of Interleukins 8 and 10 as Findings of Canine Inflammatory Mammary Cancer. *Vet Immunol Immunopathol*, 152(3-4): 245-251.
- Dean, S. J. R., Perks, C. M., Holly, J. M. P., Bhoo-Pathy, N., Looi, L.-M., Mohammed, N. A. T., Mun, K.-S., Teo, S.-H., Koobotse, M. O., Yip, C.-H. & Rhodes, A. (2014) Loss of PTEN Expression is Associated With IGFBP2 Expression, Younger Age, and Late Stage in Triple-Negative Breast Cancer. *Am J Clin Pathol*, 141(3): 323-333.
- Demico, E. G., Kavanagh, K. T., Romieu-Mourez, R., Wang, X., Shin, S. R., Landesman-Bollag, E., Seldin, D. C. & Sonenshein, G. E. (2005) RelB/p52 NF- κ B Complexes Rescue an Early Delay in Mammary Gland Development in Transgenic Mice with Targeted Superrepressor I κ B- α Expression and Promote Carcinogenesis of the Mammary Gland. *Mol Cell Biol*, 25(22): 10136-10147.
- Di, G. H., Liu, Y., Lu, Y., Liu, J., Wu, C. & Duan, H. F. (2014) IL-6 Secreted from Senescent Mesenchymal Stem Cells Promotes Proliferation and Migration of Breast Cancer Cells. *PLoS One*, 9(11): e113572.
- Dillon, L. M. & Miller, T. W. (2014) Therapeutic targeting of cancers with loss of PTEN function. *Curr Drug Targets*, 15(1): 65-79.
- Dixon, J. M. (2014) Endocrine Resistance in Breast Cancer. *New J Sci*, 20141-27.
- Dogan, H. O., Aydın, H., Demirpençe, O., Güven, F. M. K., Tekin, Y. K. & Şahin, A. (2017) Matrix Metalloproteinases and Oxidative Stress in Patients with AECOPD. *J Clin Anal Med*, 8(1): 64-67.
- Dong, W., Li, B., Wang, Z., Zhang, Z. & Wang, J. (2015) Clinical Significance of MicroRNA-24 Expression in Esophageal Squamous Cell Carcinoma. *Neoplasma*, 62(2): 250-258.
- El-Assaad, F., Hempel, C., Combes, V., Mitchell, A. J., Ball, H. J., Kurtzhals, J. A., Hunt, N. H., Mathys, J. M. & Grau, G. E. (2011) Differential MicroRNA Expression in Experimental Cerebral and Noncerebral Malaria. *Infect Immun*, 79(6): 2379-2384.
- Elmore, S. (2007) Apoptosis: A Review of Programmed Cell Death. *Toxicol Pathol.*, 35(4): 495-516.
- Eroles, P., Bosch, A., Perez-Fidalgo, J. A. & Lluch, A. (2012) Molecular Biology in Breast Cancer: Intrinsic Subtypes and Signaling Pathways. *Cancer Treat Rev*, 38(6): 698-707.
- Ferreira, M. L. F., Rius, S. P. & Casati, P. (2012) Flavonoids: Biosynthesis, Biological Functions, and Biotechnological Applications. *Front Plant Sci*, 3(222): 1-15.
- Fix, L. N., Shah, M., Efferth, T., Farwell, M. A. & Zhang, B. (2010) MicroRNA Expression Profile of MCF-7 Human Breast Cancer Cells and the Effect of Green Tea Polyphenon-60. *Cancer Genomics Proteomics*, 7(5): 261-278.
- Fu, S. W., Chen, L. & Man, Y. (2011) MiRNA Biomarkers in Breast Cancer Detection and Management. *J Cancer*, 2116-122.
- Fu, X., Parks, W. C. & Heinecke, J. W. (2008) Activation and Silencing of Matrix Metalloproteinases. *Semin Cell Dev Biol*, 19(1): 2-13.

- Fu, Y., Hsieh, T. C., Guo, J., Kunicki, J., Lee, M. Y., Darzynkiewicz, Z. & Wu, J. M. (2004) Licochalcone-A, a Novel Flavonoid Isolated from Licorice Root (*Glycyrrhiza glabra*), Causes G2 and late-G1 Arrests in Androgen-Independent PC-3 Prostate Cancer Cells. *Biochem Biophys Res Commun*, 322(1): 263-270.
- Germeyer, A., Savaris, R. F., Jauckus, J. & Lessey, B. (2014) Endometrial Beta3 Integrin Profile Reflects Endometrial Receptivity Defects in Women with Unexplained Recurrent Pregnancy Loss. *Reprod Biol Endocrinol*, 1253-57.
- Ghoncheh, M., Pournamdar, Z. & Salehiniya, H. (2016) Incidence and mortality and epidemiology of breast cancer in the world. *Asian Pac J Cancer Prev*, 17(sup3): 43-46.
- Ghosh, S. (2011) Micro RNA Biogenesis, Mechanism of Action and Application-A Review. *Int J Res Biotechnol Biochem*, 1(1): 11-36.
- Gil, E. M. C. (2014) Targeting the PI3K/AKT/mTOR Pathway in Estrogen Receptor-Positive Breast Cancer. *Cancer Treat Rev*, 40(7): 862-871.
- Goldschmidt, M., Peña, L., Rasotto, R. & Zappulli, V. (2011) Classification and Grading of Canine Mammary Tumors. *Vet Pathol*, 48(1): 117-131.
- Gomes, M. N., Muratov, E. N., Pereira, M., Peixoto, J. C., Rosseto, L. P., Cravo, P. V. L., Andrade, C. H. & Neves, B. J. (2017) Chalcone Derivatives: Promising Starting Points for Drug Design. *Molecules*, 22(8): 1210-1234.
- Guo, L., Zhao, Y., Yang, S., Cai, M., Wu, Q. & Chen, F. (2013) Genome-wide Screen for Aberrantly Expressed miRNAs Reveals miRNA Profile Signature in Breast Cancer. *Mol Biol Rep*, 40(3): 2175-2186.
- Guzy, J., Kubálková, J. V., Rozmerb, Z., Fodor, K., Mareková, M., Poškrobová, M. & Perjési, P. (2010) Activation of Oxidative Stress Response by Hydroxyl Substituted Chalcones and Cyclic Chalcone Analogues in Mitochondria. *FEBS Lett*, 584(3): 567-570.
- Hanahan, D. & Weinberg, R. A. (2000) The Hallmarks of Cancer. *Cell*, 10057-70.
- Hanahan, D. & Weinberg, R. A. (2011) Hallmarks of Cancer: the Next Generation. *Cell*, 144(5): 646-674.
- Harrington, K. J. (2016) The Biology of Cancer. *Medicine*, 44(1): 1-5.
- Harris, J. R., Lippman, M. A., Morrow, M. & Osborne, C. K. (2010) *Diseases of the Breast*, Philadelphia:Lippincott Williams & Wilkins.
- Haupt, S., Vijayakumaran, R., Miranda, P. J., Burgess, A., Lim, E. & Haupt, Y. (2017) The Role of MDM2 and MDM4 in Breast Cancer Development and Prevention. *J Mol Cell Biol*, 9(1): 53-61.
- Hayashi, A., Gillen, A. C. & Lott, J. R. (2000) Effect of Daily Oral Administration of Quercetin Chalcone and Modified Citrus Pectin on Implanted Colon-25 Tumor Growth in Balb-c mice. *Altern Med Rev*, 5(6): 546-552.
- Hayes, E. L. & Lewis-Wambi, J. S. (2015) Mechanisms of Endocrine Resistance in Breast Cancer: an Overview of the Proposed Roles of Noncoding RNA. *Breast Cancer Res*, 1740-52.
- Hirajima, S., Komatsu, S., Ichikawa, D., Takeshita, H., Konishi, H., Shiozaki, A., Morimura, R., Tsujiura, M., Nagata, H., Kawaguchi, T., Arita, T., Kubota,

- T., Fujiwara, H., Okamoto, K. & Otsuji, E. (2013) Clinical Impact of Circulating MiR-18a in Plasma of Patients with Oesophageal Squamous Cell Carcinoma. *Br J Cancer*, 108(9): 1822-1829.
- Hofstatter, E. W., Chung, G. G. & Harris, L. N. (2011) *Molecular Biology of Breast Cancer in Cancer Principles & Practice of Oncology*, Philadelphia:Lippincott Williams & Wilkins.
- Hsu, Y. L., Kuo, P. L., Tzeng, W. S. & Lin, C. C. (2006) Chalcone Inhibits the Proliferation of Human Breast Cancer Cell by Blocking Cell Cycle Progression and Inducing Apoptosis. *Food Chem Toxicol*, 44(5): 704-713.
- Hui, C., Yujie, F., Lijia, Y., Long, Y., Hongxia, X., Yong, Z., Jundong, Z., Qianyong, Z. & Mantian, M. (2012) MicroRNA-34a and MicroRNA-21 Play Roles in the Chemopreventive Effects of 3,6-Dihydroxyflavone on 1-methyl-1-nitrosourea-induced Breast Carcinogenesis. *Breast Cancer Res*, 14(3): R80.
- Jacob, A. A. & Hussain, S. A. (2012) Effects of Long-Term Use of Flavonoids on the Absorption and Tissue Distribution of Orally Administered Doses of Trace Elements in Rats. *Pharmacol Pharm*, 3(4): 474-480.
- Jenkins, D. J. A., Kendall, C. W. C., Connelly, P. W., Jackson, C. C., Parker, T., Faulkner, D. & Vidgen, E. (2002) Effects of High- and Low-Isoflavone (Phytoestrogen) Soy Foods on Inflammatory Biomarkers and Proinflammatory Cytokines in Middle-Aged Men and Women. *Metabolism*, 51(7): 919-924.
- Jensen, M. M., Jorgensen, J. T., Binderup, T. & Kjaer, A. (2008) Tumor Volume in Subcutaneous Mouse Xenografts Measured by MicroCT is More Accurate and Reproducible than Determined by 18F-FDG-microPET or External Caliper. *BMC Med Imaging*, 816.
- Jeziarska-Drutel, A., Rosenzweig, S. A. & Neumann, C. A. (2013) Role of Oxidative Stress and the Microenvironment in Breast Cancer Development and Progression. *Adv Cancer Res*, 119:107-125.
- Jha, A., Mukherjee, C., Rolle, A. J., De Clercq, E., Balzarini, J. & Stables, J. P. (2007) Cytostatic Activity of Novel 4'-Aminochalcone-based Imides. *Bioorg Med Chem Lett*, 17(16): 4545-4550.
- Jin, C., Liang, Y. J., He, H. & Fu, L. (2013) Synthesis and Antitumor Activity of Novel Chalcone Derivatives. *Biomed Pharmacother*, 67(3): 215-217.
- Jin, S., Tan, S. & Li, H. (2015) MicroRNA-18a as a Promising Biomarker for Cancer Detection: a Meta-analysis. *Int J Clin Exp Med*, 8(8): 12286-12296.
- Kala, R., Peek, G. W., Hardy, T. M. & Tollefsbol, T. O. (2013) MicroRNAs: an Emerging Science in Cancer Epigenetics. *J Clin Bioinforma*, 3(1): 6-13.
- Kamal, A., Mallareddy, A., Suresh, P., Shaik, T. B., Lakshma Nayak, V., Kishor, C., Shetti, R. V., Sankara Rao, N., Tamboli, J. R., Ramakrishna, S. & Addlagatta, A. (2012) Synthesis of Chalcone-Amidobenzothiazole Conjugates as Antimitotic and Apoptotic Inducing Agents. *Bioorg Med Chem*, 20(11): 3480-3492.
- Kaminska, M., Ciszewski, T., Lopacka-Szatan, K., Miotla, P. & Staroslawska, E. (2015) Breast Cancer Risk Factors. *Prz Menopauzalny*, 14(3): 196-202.

- Karthikeyan, C., Moorthy, N. S. H. N., Ramasamy, S., Vanam, U., Manivannan, E., Karunakaran, D. & Trivedi, P. (2015) Advances in Chalcones with Anticancer Activities. *Recent Pat Anticancer Drug Discov*, 10(1): 97-115.
- Khan, N., Afaq, F., Khusro, F. H., Mustafa Adhami, V., Suh, Y. & Mukhtar, H. (2012) Dual Inhibition of Phosphatidylinositol 3-kinase/Akt and Mammalian Target of Rapamycin Signaling in Human Non-small Cell Lung Cancer Cells by a Dietary Flavonoid Fisetin. *Int J Cancer*, 130(7): 1695-1705.
- Khoshnaw, S. M., Rakha, E. A., Fatah, T. M. A., Nolan, C. C., Hodi, Z., Macmillan, D. R., Ellis, I. O. & Green, A. R. (2012) Loss of Dicer Expression is Associated with Breast Cancer Progression and Recurrence. *Breast Cancer Res Treat*, 135(2): 403-413.
- Kilkenny, C., Browne, W. J., Cuthill, I. C., Emerson, M. & Altman, D. G. (2010) Improving Bioscience Research Reporting: The ARRIVE Guidelines for Reporting Animal Research. *PLoS Biol*, 8(6): e1000412.
- Kim, K., Burghardt, R., Barhoumi, R., Lee, S. O., Liu, X. & Safe, S. (2011) MDM2 Regulates Estrogen Receptor Alpha and Estrogen Responsiveness in Breast Cancer Cells. *J Mol Endocrinol*, 46(2): 67-79.
- Kocyigit, A. & Selek, S. (2016) Exogenous Antioxidants are Double-edged Swords. *Bezmialem Sci*, 4(2): 70-75.
- Kodahl, A. R., Lyng, M. B., Binder, H., Cold, S., Gravgaard, K., Knoop, A. S. & Ditzel, H. J. (2014) Novel Circulating MicroRNA Signature as a Potential Non-invasive Multi-marker Test in ER-positive Early-stage Breast Cancer: a Case Control Study. *Mol Oncol*, 8(5): 874-883.
- Kolundzija, B., Markovic, V., Stanojkovic, T., Joksovic, L., Matic, I., Todorovic, N., Nikolic, M. & Joksovic, M. D. (2014) Novel Anthraquinone Based Chalcone Analogues Containing an Imine Fragment: Synthesis, Cytotoxicity and Anti-angiogenic Activity. *Bioorg Med Chem Lett*, 24(1): 65-71.
- Komatsu, S., Ichikawa, D., Takeshita, H., Morimura, R., Hirajima, S., Tsujiura, M., Kawaguchi, T., Miyamae, M., Nagata, H., Konishi, H., Shiozaki, A. & Otsuji, E. (2014) Circulating miR-18a: a Sensitive Cancer Screening Biomarker in Human Cancer. *In Vivo*, 28293-298.
- Kong, Y., Wang, K., Edler, M. C., Hamel, E., Mooberry, S. L., Paige, M. A. & Brown, M. L. (2010) A Boronic Acid Chalcone Analog of Combretastatin A-4 as a Potent Anti-Proliferation Agent. *Bioorg Med Chem*, 18(2): 971-977.
- Krutilina, R., Sun, W., Sethuraman, A., Brown, M., Seagroves, T. N., Pfeffer, L. M., Ignatova, T. & Fan, M. (2014) MicroRNA-18a Inhibits Hypoxia-inducible Factor 1 α Activity and Lung Metastasis in Basal Breast Cancers. *Breast Cancer Res*, 16R78.
- Ku, B. M., Ryu, H. W., Lee, Y. K., Ryu, J., Jeong, J. Y., Choi, J., Cho, H. J., Park, K. H. & Kang, S. S. (2010) 4'-Acetoamido-4-hydroxychalcone, a Chalcone Derivative, Inhibits Glioma Growth and Invasion Through Regulation of the Tropomyosin 1 Gene. *Biochem Biophys Res Commun*, 402(3): 525-530.

- Lahtasni, S. A., Al Korbi, F. H. & Aljaber, N. A. (2014) Synthesis, Characterization and Evaluation of Antioxidant Activities of Some Novel Chalcones Analogues. *Chem Cent J*, 832-41.
- Lai, Y., Shen, Y., Liu, X., Zhang, Y., Zeng, Y. & Liu, Y. (2011) Interleukin-8 Induces the Endothelial Cell Migration through the Activation of Phosphoinositide 3-Kinase-Rac1/RhoA Pathway. *Int. J. Biol. Sci*, 7(6): 782-791.
- Le, S., Martin, Z. C. & Samuelson, D. J. (2017) Physical Confirmation and Comparative Genomics of the Rat Mammary Carcinoma Susceptibility 3 Quantitative Trait Locus. *G3*, 71767-1773.
- Lee, J. J., Loh, K. & Yap, Y. S. (2015) PI3K/Akt/mTOR Inhibitors in Breast Cancer. *Cancer Biol Med*, 12(4): 342-354.
- Leivonen, S. K., Makela, R., Ostling, P., Kohonen, P., Haapa-Paananen, S., Kleivi, K., Enerly, E., Aakula, A., Hellstrom, K., Sahlberg, N., Kristensen, V. N., Borresen-Dale, A. L., Saviranta, P., Perala, M. & Kallioniemi, O. (2009) Protein Lysate Microarray Analysis to Identify MicroRNAs Regulating Estrogen Receptor Signaling in Breast Cancer Cell Lines. *Oncogene*, 28(44): 3926-3936.
- Li, L., Guo, Z., Wang, J., Mao, Y. & Gao, Q. (2012) Serum miR-18a: a Potential Marker for Hepatitis B Virus-Related Hepatocellular Carcinoma Screening. *Dig Dis Sci*, 57(11): 2910-2916.
- Liang, Y., Chen, S., Yang, Y., Lan, C., Zhang, G., Ji, Z. & Lin, H. (2016) Effect of Puerarin on TIMP3, MMP-9 Expression and Methylation in Chondrocytes of Rat Osteoarthritis. *Int J Clin Exp Med*, 9(9): 17952-17957.
- Lin, C. & Zhang, J. (2017) Inflammasomes in Inflammation-Induced Cancer. *Front Immunol*, 8271-292.
- Liska, J., Brtko, J., Dubovicky, M., Macejova, D., Kissova, V., Polak, S. & Ujhazy, E. (2016) Relationship Between Histology, Development, and Tumorigenesis of Mammary Gland in Female Rat. *Exp. Anim.*, 65(1): 1-9.
- Liu, L., Cai, X., Liu, E., Tian, X. & Tian, C. (2017) MicroRNA-18a Promotes Proliferation and Metastasis in Hepatocellular Carcinoma via Targeting KLF4. *Oncotarget*, 8(40): 68263-68269.
- Loch-Neckel, G., Bicca, M. A., Leal, P. C., Mascarello, A., Siqueira, J. M. & Calixto, J. B. (2015) *In Vitro* and *In Vivo* Anti-Glioma Activity of a Chalcone-Quinoxaline Hybrid. *Eur J Med Chem*, 9093-100.
- Luo, Z., Dai, Y., Zhang, L., Jiang, C., Li, Z., Yang, J., McCarthy, J. B., She, X., Zhang, W., Ma, J., Xiong, W., Wu, M., Lu, J., Li, X., Li, X., Xiang, J. & Li, G. (2013) MiR-18a Promotes Malignant Progression by Impairing MicroRNA Biogenesis in Nasopharyngeal Carcinoma. *Carcinogenesis*, 34(2): 415-425.
- Lupien, M., Meyer, C. A., Bailey, S. T., Eeckhoute, J., Cook, J., Westerling, T., Zhang, X., Carroll, J. S., Rhodes, D. R., Liu, X. S. & Brown, M. (2010) Growth Factor Stimulation Induces a Distinct ER(alpha) Cistrome Underlying Breast Cancer Endocrine Resistance. *Genes Dev*, 24(19): 2219-2227.

- Ma, Y., Ren, Y., Dai, Z. J., Wu, C. J., Ji, Y. H. & Xu, J. (2017) IL-6, IL-8 and TNF-alpha Levels Correlate with Disease Stage in Breast Cancer Patients. *Adv Clin Exp Med*, 26(3): 421-426.
- Mai, C. W., Yaeghoobi, M., Abd-Rahman, N., Kang, Y. B. & Pichika, M. R. (2014) Chalcones with Electron-Withdrawing and Electron-Donating Substituents: Anticancer Activity Against TRAIL Resistant Cancer Cells, Structure-Activity Relationship Analysis and Regulation of Apoptotic Proteins. *Eur J Med Chem*, 77378-387.
- Malarkey, D. E., Hoenerhoff, M. & Maronpot, R. R. (2013) Carcinogenesis: Mechanisms and Manifestations. In: Rousseaux's, H. a. (ed.) *Handbook of Toxicologic Pathology*. Third Edition ed. USA: Elsevier Inc.
- Marino, P. A., Pereira, D. B., Santi, G., de Souza, R. O., Faoro, D., de Oliveira, L. F., Machado, M. M. & Paula, F. R. (2015) In Vitro and in Silico Toxicity Evaluation of Bioactive 4'-Aminochalcone Derivatives. *Drug Chem Toxicol*, 39(2): 147-152.
- Martin, H. L., Smith, L. & Tomlinson, D. C. (2014) Multidrug-Resistant Breast Cancer: Current Perspectives. *Breast Cancer (Dove Med Press)*, 61-13.
- Mathivadhani, P., Shanthi, P. & Sachdanandam, P. (2007) Hypoxia and its Downstream Targets in DMBA Induced Mammary Carcinoma: Protective Role of Semecarpus anacardium nut Extract. *Chem Biol Interact*, 167(1): 31-40.
- Matthews, J. N. S., Altman, D. G., Campbell, M. J. & Royston, P. (1990) Analysis of Serial Measurements in Medical Research. *Br Med J*, 300230-235.
- Meiyanto, E., Tasminatun, S., Susilowati, S., Murwanti, R. & Sugiyanto (2007) Suppression of DMBA-Induced Carcinogenesis of Breast Cancer in Post Initiation Stage by Ethanolic Extract of *Gynura procumbens* (Lour), Merr leaves. *Indonesian J Pharm*, 18(4): 169-175.
- Melo, S. A. & Esteller, M. (2011) Dysregulation of MicroRNAs in Cancer: Playing with Fire. *FEBS Lett*, 585(13): 2087-2099.
- Milenkovic, D., Jude, B. & Morand, C. (2013) MiRNA as Molecular Target of Polyphenols Underlying Their Biological Effects. *Free Radic Biol Med.*, 6440-51.
- Modzelewska, A., Pettit, C., Achanta, G., Davidson, N. E., Huang, P. & Khan, S. R. (2006) Anticancer Activities of Novel Chalcone and Bis-chalcone Derivatives. *Bioorg Med Chem*, 14(10): 3491-3495.
- Mohammadian, F., Soltanahmadi, Y. P., Mofarrah, M., Habashi, M. D. & Zarghami, N. (2016) Down Regulation of miR-18a, miR-21 and miR-221 Genes in Gastric Cancer Cell Line by Chrysin-loaded PLGA-PEG Nanoparticles. *Artif Cells Nanomed Biotechnol*, 44(8): 1972-1978.
- Mohibi, S., Mirza, S., Band, H. & Band, V. (2011) Mouse Models of Estrogen Receptor-Positive Breast Cancer. *J Carcinog*, 1035.
- Moon, D. O., Choi, Y. H., Moon, S. K., Kim, W. J. & Kim, G. Y. (2010) Butein Suppresses the Expression of Nuclear Factor-kappa B-Mediated Matrix Metalloproteinase-9 and Vascular Endothelial Growth Factor in Prostate Cancer Cells. *Toxicol In Vitro*, 24(7): 1927-1934.

- Morimura, R., Komatsu, S., Ichikawa, D., Takeshita, H., Tsujiura, M., Nagata, H., Konishi, H., Shiozaki, A., Ikoma, H., Okamoto, K., Ochiai, T., Taniguchi, H. & Otsuji, E. (2011) Novel Diagnostic Value of Circulating miR-18a in Plasma of Patients with Pancreatic Cancer. *Br J Cancer* 1051733–1740.
- Niering, P., Michels, G., Watjen, W., Ohler, S., Steffan, B., Chovolou, Y., Kampkotter, A., Proksch, P. & Kahl, R. (2005) Protective and Detrimental Effects of Kaempferol in Rat H4IIE Cells: Implication of Oxidative Stress and Apoptosis. *Toxicol Appl Pharmacol*, 209(2): 114-122.
- Nikitina, E. G., Urazova, L. N. & Stegny, V. N. (2012) MicroRNAs and Human Cancer. *Exp Oncol*, 34(1): 2-8.
- Nilsson, U. W., Garvin, S. & Dabrosin, C. (2007) MMP-2 and MMP-9 Activity is Regulated by Estradiol and Tamoxifen in Cultured Human Breast Cancer Cells. *Breast Cancer Res Treat*, 102(3): 253-261.
- O'day, E. & Lal, A. (2010) MicroRNAs and Their Target Gene Networks in Breast Cancer. *Breast Cancer Res*, 12(2): 201-210.
- Ohkatsu, Y., Baba, R. & Watanabe, K. (2011) Radical Scavenging Mechanism of Distearyl Hydroxylamine Antioxidant. *J. Jpn. Petrol. Inst.*, 54(1): 15-21.
- Orlikova, B., Tasdemir, D., Golais, F., Dicato, M. & Diederich, M. (2011) Dietary chalcones with chemopreventive and chemotherapeutic potential. *Genes Nutr*, 6(2): 125-47.
- Osborne, C. K. & Schiff, R. (2011) Mechanisms of Endocrine Resistance in Breast Cancer. *Annu Rev Med*, 62233-247.
- Padhye, S., Ahmad, A., Oswal, N. & Sarkar, F. H. (2009) Emerging role of Garcinol, the Antioxidant Chalcone from *Garcinia indica* Choisy and its Synthetic Analogs. *J Hematol Oncol*, 2(38): 1-13.
- Paplomata, E. & O'Regan, R. (2014) The PI3K/AKT/mTOR Pathway in Breast Cancer: Targets, Trials and Biomarkers. *Ther Adv Med Oncol*, 6(4): 154-166.
- Park, S. K., Hwang, Y. S., Park, K. K., Park, H. J., Seo, J. Y. & Chung, W. Y. (2009) Kalopanaxsaponin A Inhibits PMA-Induced Invasion by Reducing Matrix Metalloproteinase-9 via PI3K/Akt- and PKCdelta-mediated Signaling in MCF-7 Human Breast Cancer Cells. *Carcinogenesis*, 30(7): 1225-1233.
- Patel, J. R. & Dholakiya, B. Z. (2011) Synthesis of 1-(4-((E)-3-arylacryloyl)phenyl)-3,4-dibromo-1H-pyrrole-2,5-diones and Screening for anti-Candida and Antituberculosis Activity. *Med Chem Res*, 21(8): 1977-1983.
- Peluso, I., Raguzzini, A. & Serafini, M. (2013) Effect of Flavonoids on Circulating Levels of TNF-alpha and IL-6 in Humans: a Systematic Review and Meta-analysis. *Mol Nutr Food Res*, 57(5): 784-801.
- Perjesi, P., Ember, I., Bozak, R. E., Nadasi, E., Rozmer, Z., Varjas, T. & Hicks, R. J. (2006) Effect of the Chalcone Analog E,E-bis(2-Hydroxybenzylidene)acetone on the 7,12-Dimethylbenz(a)anthracene-induced Ha-ras Gene Activity In Vivo. *In Vivo*, 20(1): 141-146.
- Phuong, N. T., Kim, S. K., Lim, S. C., Kim, H. S., Kim, T. H., Lee, K. Y., Ahn, S. G., Yoon, J. H. & Kang, K. W. (2011) Role of PTEN Promoter

- Methylation in Tamoxifen-resistant Breast Cancer Cells. *Breast Cancer Res Treat*, 130(1): 73-83.
- Pilatova, M., Varinska, L., Perjesi, P., Sarissky, M., Mirossay, L., Solar, P., Ostro, A. & Mojzis, J. (2010) *In Vitro* Antiproliferative and Antiangiogenic Effects of Synthetic Chalcone Analogues. *Toxicol In Vitro*, 24(5): 1347-1355.
- Prabhakar, V., Balasubramanian, R., Sathe, P., Krishna, C. M. & Juvekar, A. (2014) *In Vitro* Anticancer Activity of Monosubstituted Chalcone Derivatives. *IJTTR*, 3(1): 1-9.
- Price, C. & Chen, J. (2014) MicroRNAs in Cancer Biology and Therapy: Current Status and Perspectives. *Genes Dis*, 1(1): 53-63.
- Qi, Z., Liu, M., Liu, Y., Zhang, M. & Yang, G. (2014) Tetramethoxychalcone, a Chalcone Derivative, Suppresses Proliferation, Blocks Cell Cycle Progression, and Induces Apoptosis of Human Ovarian Cancer Cells. *PLoS One*, 9(9): e106206.
- Quan, X., Laes, J. F., Stieber, D., Riviere, M., Russo, J., Wedekind, D., Coppieters, W., Farnir, F., Georges, M., Szpirer, J. & Szpirer, C. (2006) Genetic Identification of Distinct Loci Controlling Mammary Tumor Multiplicity, Latency, and Aggressiveness in the Rat. *Mamm Genome*, 17(4): 310-321.
- Rahal, A., Kumar, A., Singh, V., Yadav, B., Tiwari, R., Chakraborty, S. & Dhama, K. (2014) Oxidative Stress, Prooxidants, and Antioxidants: the Interplay. *Biomed Res Int*, 20141-19.
- Rahman, M. A. (2011) Chalcone: A Valuable Insight into the Recent Advances and Potential Pharmacological Activities. *Chem Sci*, 291-16.
- Rajput, S., Kumar, B. N., Sarkar, S., Das, S., Azab, B., Santhekadur, P. K., Das, S. K., Emdad, L., Sarkar, D., Fisher, P. B. & Mandal, M. (2013) Targeted Apoptotic Effects of Thymoquinone and Tamoxifen on XIAP Mediated Akt Regulation in Breast Cancer. *PLoS One*, 8(4): e61342.
- Rondon-Lagos, M., Villegas, V. E., Rangel, N., Sanchez, M. C. & Zaphiropoulos, P. G. (2016) Tamoxifen Resistance: Emerging Molecular Targets. *Int J Mol Sci*, 17(8): e1357.
- Rothschild, S. I. (2014) MicroRNA Therapies in Cancer. *Mol Cell Ther*, 2(7): 1-8.
- Saglam, O., Unal, Z. S., Subasi, C., Ulukaya, E. & Karaoz, E. (2015) IL-6 Originated from Breast Cancer Tissue-Derived Mesenchymal Stromal Cells may Contribute to Carcinogenesis. *Tumour Biol*, 36(7): 5667-5677.
- Sanchez, F. M. A., Plasencia, P. C., Retana, J. F., Ocampo, E. A., Marchat, L. A., Cuevas, S. R., Pina, V. B., Anaya, Z. E. A., Perezi, A. F., Chavez, J. D. & Camarillo, C. L. (2013) MicroRNA-18b is Upregulated in Breast Cancer and Modulates Genes Involved in Cell Migration. *Oncol Rep*, 30(5): 2399-2410.
- Sarmoko, Ratri, I. D., Febriansah, R., Romadhon, A. F., Nugroho, A. P. A., Meiyanto, E., Susidarti, R. A. & Sudarmanto, S. A. (2008) Cytotoxic Effect of Ethanolic Extract of Temu Kunci (*Kaempferia pandurata*) and Sirihan (*Piper aduncum* L.) on Breast Cancer Line. *Proceeding Molecular Targeted Therapy Symposium*, 94-102.

- Sas, L., Lardon, F., Vermeulen, P. B., Hauspy, J., Dam, P. V., Pauwels, P., Dirix, L. Y. & Laere, S. J. V. (2012) The Interaction Between ER and NFκB in Resistance to Endocrine Therapy *Breast Cancer Res*, 14(4): 212-226.
- Sasayama, T., Tanaka, K., Mizukawa, K., Kawamura, A., Kondoh, T., Hosoda, K. & Kohmura, E. (2007) Trans-4-Iodo,4'-boranyl-chalcone Induces Antitumor Activity Against Malignant Glioma Cell Lines *In vitro* and *In vivo*. *J Neurooncol*, 85(2): 123-132.
- Saxena, H. O., Faridi, U., Kumar, J. K., Luqman, S., Darokar, M. P., Shanker, K., Chanotiya, C. S., Gupta, M. M. & Negi, A. S. (2007) Synthesis of Chalcone Derivatives on Steroidal Framework and Their Anticancer Activities. *Steroids*, 72(13): 892-900.
- Sayed, D. & Abdellatif, M. (2010) AKT-ing via microRNA. *Cell Cycle*, 9(16): 3213-3217.
- Sayed, D., He, M., Hong, C., Gao, S., Rane, S., Yang, Z. & Abdellatif, M. (2010) MicroRNA-21 is a Downstream Effector of AKT That Mediates its Antiapoptotic Effects via Suppression of Fas ligand. *J Biol Chem*, 285(26): 20281-20290.
- Sheikhpour, R. (2017) The Role of Interleukin-8 and Its Mechanism in Patients with Breast Cancer: Its Relation with Oxidative Stress and Estrogen Receptor. *Int J Cancer Manag*, 10(9): e8791.
- Shi, M. & Guo, N. (2009) MicroRNA Expression and Its Implications for the Diagnosis and Therapeutic Strategies of Breast Cancer. *Cancer Treat Rev*, 35(4): 328-334.
- Shidfar, A., Costa, F. F., Scholtens, D., Bischof, J. M., Sullivan, M. E., Ivancic, D. Z., Vanin, E. F., Soares, M. B., JunWang & Khan, S. A. (2016) Expression of miR-18a and miR-210 in Normal Breast Tissue as Candidate Biomarkers of Breast Cancer Risk. *Cancer Prev Res*, 10(1): 89-97.
- Shostak, K., Patrascu, F., Goktuna, S. I., Close, P., Borgs, L., Nguyen, L., Olivier, F., Rammal, A., Brinkhaus, H., Bentires-Alj, M., Marine, J. C. & Chariot, A. (2014) MDM2 Restrains Estrogen-Mediated AKT Activation by Promoting TBK1-Dependent HPIP Degradation. *Cell Death Differ*, 21(5): 811-824.
- Siddiqui, I. A., Sanna, V., Ahmad, N., Sechi, M. & Mukhtar, H. (2015) Resveratrol Nanoformulation for Cancer Prevention and Therapy. *Ann N Y Acad Sci*, 1348(1): 20-31.
- Sohel, M. H. (2016) Extracellular/Circulating MicroRNAs: Release Mechanisms, Functions and Challenges. *Life Sci*, 10(2): 175-186.
- Solomon, V. R. & Lee, H. (2012) Anti-Breast Cancer Activity of Heteroaryl Chalcone Derivatives. *Biomed Pharmacother*, 66(3): 213-220.
- Song, B., Wang, C., Liu, J., Wang, X., Lv, L., Wei, L., Xie, L., Zheng, Y. & Song, X. (2010) MicroRNA-21 Regulates Breast Cancer Invasion Partly by Targeting Tissue Inhibitor of Metalloproteinase 3 Expression. *J Exp Clin Cancer Res*, 2929-36.
- Sotgia, F., Fiorillo, M. & Lisanti, M. P. (2017) Mitochondrial Markers Predict Recurrence, Metastasis and Tamoxifen-resistance in Breast Cancer

- Patients: Early Detection of Treatment Failure with Companion Diagnostics. *Oncotarget*, 8(40): 68730-68745.
- Srivastava, S. K., Arora, S., Averett, C., Singh, S. & Singh, A. P. (2015) Modulation of MicroRNAs by Phytochemicals in Cancer: Underlying Mechanisms and Translational Significance. *Biomed Res Int*, 20151-9.
- Steiner, J. L., Davis, J. M., McClellan, J. L., Enos, R. T. & Murphy, E. A. (2013) Effects of Voluntary Exercise on Tumorigenesis in the C3(1)/SV40Tag Transgenic Mouse Model of Breast Cancer. *Int J Oncol*, 42(4): 1466-1472.
- Stemke-Hale, K., Gonzalez-Angulo, A. M., Lluch, A., Neve, R. M., Kuo, W. L., Davies, M., Carey, M., Hu, Z., Guan, Y., Sahin, A., Symmans, W. F., Pusztai, L., Nolden, L. K., Horlings, H., Berns, K., Hung, M. C., van de Vijver, M. J., Valero, V., Gray, J. W., Bernards, R., Mills, G. B. & Hennessy, B. T. (2008) An Integrative Genomic and Proteomic Analysis of PIK3CA, PTEN, and AKT Mutations in Breast Cancer. *Cancer Res*, 68(15): 6084-6091.
- Suwito, H., Jumina, Mustofa, Matuzahroh, N. & Puspaningsih, N. N. T. (2015) Anticancer and Antimicrobial Activity of Methoxy Amino Chalcone Derivatives. *Der Pharma Chemica*, 7(3): 89-94.
- Suwito, H., Jumina, Mustofa, Pudjiastuti, P., Fanani, M. Z., Kimata-Ariga, Y., Katahira, R., Kawakami, T., Fujiwara, T., Hase, T., Sirat, H. M. & Puspaningsih, N. N. (2014) Design and Synthesis of Chalcone Derivatives as Inhibitors of the Ferredoxin - ferredoxin-NADP+ Reductase Interaction of Plasmodium falciparum: Pursuing New Antimalarial Agents. *Molecules*, 19(12): 21473-21488.
- Tanic, N., Milovanovic, Z., Tanic, N., Dzodic, R., Juranic, Z., Susnjar, S., Plesinac-Karapandzic, V., Tatic, S., Dramicanin, T., Davidovic, R. & Dimitrijevic, B. (2012) The Impact of PTEN Tumor Suppressor Gene on Acquiring Resistance to Tamoxifen Treatment in Breast Cancer Patients. *Cancer Biol Ther*, 13(12): 1165-1174.
- Tavasoly, A., Golshahi, H., Rezaie, A. & Farhadi, M. (2013) Classification and Grading of Canine Malignant Mammary Tumors. *Vet Res Forum*, 4(1): 25 - 30.
- Testing, M. F. W., Baumans, V., Combes, R. D., Halder, M., Hendriksen, C. F. M., Howard, B. R., Lovell, D. P., Moore, G. J., Overend, P. & Wilson, M. S. (1998) Reducing the Use of Laboratory Animals in Biomedical Research: Problems and Possible Solutions. *ATLA*, 26:283-301.
- Torre, L. A., Bray, F., Siegel, R. L., Ferlay, J., Lortet-Tieulent, J. & Jemal, A. (2015) Global Cancer Statistics, 2012. *CA Cancer J Clin*, 65(2): 87-108.
- Toullec, A., Gerald, D., Despouy, G., Bourachot, B., Cardon, M., Lefort, S., Richardson, M., Rigai, G., Parrini, M. C., Lucchesi, C., Bellanger, D., Stern, M. H., Dubois, T., Sastre-Garau, X., Delattre, O., Vincent-Salomon, A. & Mechta-Grigoriou, F. (2010) Oxidative Stress Promotes Myofibroblast Differentiation and Tumour Spreading. *EMBO Mol Med*, 2(6): 211-230.
- Tristao, T. C., Campos-Buzzi, F., Correa, R., Cruz, R. C., Cechinel Filho, V. & Bella Cruz, A. (2012) Antimicrobial and Cytotoxicity Potential of

- Acetamido, Amino and Nitrochalcones. *Arzneimittelforschung*, 62(12): 590-594.
- Trnka, J., Blaikie, F. H., Logan, A., Smith, R. A. & Murphy, M. P. (2009) Antioxidant Properties of MitoTEMPO and Its Hydroxylamine. *Free Radic Res*, 43(1): 4-12.
- Tsujiura, M., Komatsu, S., Ichikawa, D., Shiozaki, A., Konishi, H., Takeshita, H., Moriumura, R., Nagata, H., Kawaguchi, T., Hirajima, S., Arita, T., Fujiwara, H., Okamoto, K. & Otsuji, E. (2015) Circulating miR-18a in Plasma Contributes to Cancer Detection and Monitoring in Patients with Gastric Cancer. *Gastric Cancer*, 18(2): 271-279.
- Uliivi, P., Foschi, G., Mengozzi, M., Scarpi, E., Silvestrini, R., Amadori, D. & Zoli, W. (2013) Peripheral Blood miR-328 Expression as a Potential Biomarker for the Early Diagnosis of NSCLC. *Int J Mol Sci*, 14(5): 10332-10342.
- Varinska, L., Wijhe, M. V., Belleri, M., Mitola, S., Perjesi, P., Presta, M., Koolwijk, P., Ivanova, L. & Mojzis, J. (2012) Anti-angiogenic Activity of the Flavonoid Precursor 4-Hydroxychalcone. *Eur J Pharmacol*, 691(1-3): 125-133.
- Vaskova, J., Reisch, R., Vasko, L., Poskrobova, M., Kron, I., Guzy, J. & Perjesi, P. (2013) Effect of Selected Dimethylaminochalcones on Some Mitochondrial Activities. *In Vitro Cell Dev Biol Anim*, 49(5): 354-359.
- Viera, A. J. & Garrett, J. M. (2005) Understanding Interobserver Agreement: The Kappa Statistic. *Fam Med*, 37(5): 360-363.
- Vigneron, N., Meryet-Figuire, M., Issartel, A. G. J., Lambert, B., Briand, M., Louis, M., Vernon, M., Lebailly, P., Lecluse, Y., Joly, F., Krieger, S., Lheureux, S., Clarisse, B., Leconte, A., Gauduchon, P., Poulain, L. & Denoyelle, C. (2016) Towards a New Standardized Method for Circulating miRNAs Profiling in Clinical Studies: Interest of the Exogenous Normalization to Improve miRNA Signature Accuracy. *Mol Oncol*, 10981-992.
- Vincent, T. L. & Gatenby, R. A. (2008) An Evolutionary Model for Initiation, Promotion, and Progression in Carcinogenesis. *Int J Oncol*, 32(4): 729-737.
- Wang, L., Chen, G., Lu, X., Wang, S., Han, S., Li, Y., Ping, G., Jiang, X., Li, H., Yang, J. & Wu, C. (2015a) Novel Chalcone Derivatives as Hypoxia-Inducible Factor (HIF)-1 Inhibitor: Synthesis, Anti-invasive and Anti-angiogenic Properties. *Eur J Med Chem*, 8988-97.
- Wang, P., Yang, D., Zhang, H., Wei, X., Ma, T., Cheng, Z., Hong, Q., Hu, J., Zhuo, H., Song, Y., Jia, C., Jing, F., Jin, Q., Bai, C., Mao, H. & Zhao, J. (2015b) Early Detection of Lung Cancer in Serum by a Panel of MicroRNA Biomarkers. *Clin Lung Cancer*, 16(4): 313-319
- Wang, Z., Wang, N., Han, S., Wang, D., Mo, S., Yu, L., Huang, H., Tsui, K., Shen, J. & Chen, J. (2013) Dietary Compound Isoliquiritigenin Inhibits Breast Cancer Neoangiogenesis via VEGF/VEGFR-2 Signaling Pathway. *PLoS One*, 8(7): e68566.

- Wang, Z., Wang, N., Liu, P., Chen, Q., Situ, H., Xie, T., Zhang, J., Peng, C., Lin, Y. & Chen, J. (2014) MicroRNA-25 Regulates Chemoresistance-Associated Autophagy in Breast Cancer Cells, A Process Modulated by the Natural Autophagy Inducer Isoliquiritigenin. *Oncotarget*, 5(16): 7013-7026.
- Wang, Z. X., Lu, B. B., Wang, H., Cheng, Z. X. & Yin, Y. M. (2011) MicroRNA-21 Modulates Chemosensitivity of Breast Cancer Cells to Doxorubicin by Targeting PTEN. *Arch Med Res*, 42(4): 281-290.
- Watjen, W., Michels, G., Steffan, B., Niering, P., Chovolou, Y., Kampkotter, A., Tran-Thi, Q., Proksch, P. & Kahl, R. (2005) Low Concentrations of Flavonoids Are Protective in Rat H4IIE Cells Whereas High Concentrations Cause DNA Damage and Apoptosis. *J Nutr*, 135(3): 525-531.
- Wehrhan, F., Amann, K., Molenberg, A., Lutz, R., Neukam, F. W. & Schlegel, K. A. (2012) PEG Matrix Enables Cell-mediated Local BMP-2 Gene Delivery and Increased Bone Formation in a Porcine Critical Size Defect Model of Craniofacial Bone Regeneration. *Clin Oral Impl Res*, 23(7): 805-813.
- Wei, H., Zhang, X., Wu, G., Yang, X., Pan, S., Wang, Y. & Ruan, J. (2013) Chalcone Derivatives from the Fern *Cyclosorus parasiticus* and Their Anti-proliferative Activity. *Food Chem Toxicol*, 60:147-152.
- Welsh, J. (2013) Animal Models for Studying Prevention and Treatment of Breast Cancer. USA: Elsevier Inc. .
- Won, S. J., Liu, C. T., Tsao, L. T., Weng, J. R., Ko, H. H., Wang, J. P. & Lin, C. N. (2005) Synthetic Chalcones as Potential Anti-inflammatory and Cancer Chemopreventive Agents. *Eur J Med Chem*, 40(1): 103-112.
- Wu, Y. & Zhou, B. P. (2010) TNF-alpha/NF-kappaB/Snail Pathway in Cancer Cell Migration and Invasion. *Br J Cancer*, 102(4): 639-644.
- Xu, T., Liao, Z., O'Reilly, M. S., Levy, L. B., Welsh, J. W., Wang, L. E., Lin, S. H., Komaki, R., Liu, Z., Wei, Q. & Gomez, D. R. (2014) Serum Inflammatory MiRNAs Predict Radiation Esophagitis in Patients Receiving Definitive Radiochemotherapy for Non-small Cell Lung Cancer. *Radiother Oncol*, 113(3): 379-384.
- Yadav, V. R., Prasad, S., Sung, B. & Aggarwal, B. B. (2011) The Role of Chalcones in Suppression of NF-kappaB-Mediated Inflammation and Cancer. *Int Immunopharmacol*, 11(3): 295-309.
- Yan, L., Huang, X., Shao, Q., Huang, M., Deng, L., Wu, Q., ZENG, Y. & SHAO, J. (2008) MicroRNA miR-21 Overexpression in Human Breast Cancer is Associated with Advanced Clinical Stage, Lymph Node Metastasis and Patient Poor Prognosis. *RNA*, 14(11): 2348-2360.
- Yan, M., Huang, H. Y., Wang, T., Wan, Y., Cui, S. D., Liu, Z. Z. & Fan, Q. X. (2012) Dysregulated Expression of Dicer and Drosha in Breast Cancer. *Pathol Oncol Res*, 18(2): 343-348.
- Yang, J. Y., Zong, C. S., Xia, W., Wei, Y., Ali-Seyed, M., Li, Z., Broglio, K., Berry, D. A. & Hung, M. C. (2006) MDM2 Promotes Cell Motility and

- Invasiveness by Regulating E-Cadherin Degradation. *Mol Cell Biol*, 26(19): 7269-7282.
- Yau, T. O., Wu, C. W., Dong, Y., Tang, C. M., Ng, S. S., Chan, F. K., Sung, J. J. & Yu, J. (2014) MicroRNA-221 and MicroRNA-18a Identification in Stool as Potential Biomarkers for the Non-invasive Diagnosis of Colorectal Carcinoma. *Br J Cancer*, 111(9): 1765-1771.
- Ye, C. L., Liu, J. W., Wei, D. Z., Lu, Y. H. & Qian, F. (2005) *In Vivo* Antitumor Activity by 2',4'-dihydroxy-6'-methoxy-3',5'-dimethylchalcone in a Solid Human Carcinoma Xenograft Model. *Cancer Chemother Pharmacol*, 55(5): 447-452.
- Ye, H., Fu, A., Wu, W., Li, Y., Wang, G., Tang, M., Li, S., He, S., Zhong, S., Lai, H., Yang, J., Xiang, M., Peng, A. & Chen, L. (2012) Cytotoxic and Apoptotic Effects of Constituents from *Millettia pachycarpa* Benth. *Fitoterapia*, 83(8): 1402-1408.
- Yeh, S. L., Wang, H. M., Chen, P. Y. & Wu, T. C. (2009) Interactions of Beta-Carotene and Flavonoids on the Secretion of Pro-inflammatory Mediators in an In Vitro System. *Chem Biol Interact*, 179(2-3): 386-393.
- Yoshimoto, N., Toyama, T., Takahashi, S., Sugiura, H., Endo, Y., Iwasa, M., Fujii, Y. & Yamashita, H. (2011) Distinct Expressions of microRNAs that Directly Target Estrogen Receptor Alpha in Human Breast Cancer. *Breast Cancer Res Treat*, 130(1): 331-339.
- Yu, F., Kamada, H., Niizuma, K., Endo, H. & Chan, P. H. (2008) Induction of MMP-9 Expression and Endothelial Injury by Oxidative Stress after Spinal Cord Injury. *J Neurotrauma*, 25(3): 184-195.
- Zhang, G. J., Zhou, T., Liu, Z. L., Tian, H. P. & Xia, S. S. (2013) Plasma MiR-200c and MiR-18a as Potential Biomarkers for the Detection of Colorectal Carcinoma. *Mol Clin Oncol*, 1(2): 379-384.
- Zhang, Q., Wang, J., Deng, F., Yan, Z., Xia, Y., Wang, Z., Ye, J., Deng, Y., Zhang, Z., Qiao, M., Li, R., Denduluri, S. K., Wei, Q., Zhao, L., Lu, S., Wang, X., Tang, S., Liu, H., Luu, H. H., Haydon, R. C., He, T. C. & Jiang, L. (2015) TqPCR: A Touchdown qPCR Assay with Significantly Improved Detection Sensitivity and Amplification Efficiency of SYBR Green qPCR. *PLoS One*, 10(7): e0132666.
- Zhang, W., Lei, C., Fan, J. & Wang, J. (2016) MiR-18a Promotes Cell Proliferation of Esophageal Squamous Cell Carcinoma Cells by Increasing Cytin D1 via Regulating PTEN-PI3K-AKT-mTOR Signaling Axis. *Biochem Biophys Res Commun*, 477(1): 144-149.
- Zhou, X. L., Fan, W., Yang, G. & Yu, M. X. (2014) The Clinical Significance of PR, ER, NF-kappa B, and TNF-alpha in Breast Cancer. *Dis Markers*, 2014494581.