

DAFTAR PUSTAKA

- Akbari, R. A., 2013, Analisis Pengaruh Suhu Terhadap Kekuatan Surface Metal Seal (SMS) Packoff pada Unitized Wellhead Menggunakan Metode Elemen Hingga, Skripsi, Universitas Gadjah Mada.
- ASTM D 638, 2000, *Standard Test Method for tensile Properties of Plastics*, ASTM International.
- Bae, I.H., Lim, K.S., Park, J.K., Park, D.S., Lee, S.Y., Jang, E.U., Ji, M.S., Sim, Hong, Y.J., Ahn, Y., Park, J.C., Cho, J.G., Kang, J.C., Kim, I.S., Nah, J.W., dan Jeong, M.H., 2014, Mechanical Behavior and In Vivo Properties of Newly Designed Bare Metal Stent for Enhanced Flexibility, *Journal of Industrial and Engineering Chemistry*, 21, pp. 1295-1300.
- Beule, M.D., 2008, Finite Element Stent Design, Thesis, Ghent University, Belgium.
- Biotronik, 2017, PRO Kinetic Energy, <http://www.biotronik.com/enus/products/vi/coronary/pro-kinetic-energy> (diakses online 15 Juni 2017).
- Bobel A. C., Petisco S., Sarasua J. R., Wang W., and Mchugh P. E., 2015, Computational Bench Testing to Evaluate the Short-Term Mechanical Performance of a Polymeric Stent, *Cardiovascular Engineering and Technology*, vol. 6, No.4, pp 519-532.
- Erbel, R., Haude, M., Hopp, W.H., Franzen, D., Rupprecht, H.J., Heublein, B., Fischer, K., Jaegere, P.D, Serruys, P., Rutsch, W., Prost, P., 1998, Coronary Artery Stenting Compared with Balloon Angioplasty for Restenosis After Initial Balloon Angioplasty, *The New England Journal of Medicine*, Vol. 339, No. 23, pp. 1672-1678.
- Fogarotto, F., 2011, Finite Element Analysis of Coronary Artery Stenting, Thesis, Hermawan, H., Dubé, D, dan Mantovani, D., 2010, Developments in metallic biodegradable stents, *Acta Biomaterialia*, vol. 6, pp. 1693-1697.
- Hadiyat, M. A., 2012, Response-surface dan Taguchi: Sebuah Alternatif atau Kompetisi dalam Optimasi Secara Praktis, *Prosiding Seminar Nasional Industrialisasi Madura*, pp. 3345-3354.
- Hoang, V., 2004, Stent Design and Engineer Coating Over Flow Removal Tool, http://www.me.ucr.edu/sendesign/0405/team3/Stent_Design.doc, diakses secara online pada 27 Mei 2017.
- Kementerian Kesehatan RI, 2013, Situasi Kesehatan Jantung, <http://www.depkes.go.id/download.php?file=download/pusdatin/infodatin/infodatin-jantung.pdf> (diakses online 1 Maret 2018).

- Li, N., Zhang, H., Ouyang, H., 2009, Shape Optimization of Coronary Artery Stent Based on a Parametric Model, Finite Elements in Analysis and Design, Vol. 45, pp. 469-475.
- Montgomery, D.C. dan Runger, G.C., 2003, Applied Statistics and Probability for Engineers, 3rd ed., John Wiley & Sons, New York.
- Myers, R. H., Montgomery, D. C., & Anderson-Cook, C. M., 2009, Response surface methodology: process and product optimization using designed experiments, John Wiley & Sons, New York.
- Nursetyati, P. S., 2017, Optimasi Parameter Desain BMS Berbahan Baku Cobalt Chromium L605 untuk Memperoleh Fleksibilitas Terbaik Menggunakan Metode Response Surface, Skripsi, Universitas Gadjah Mada.
- Pant, S., Bressloff, N.W., Limbert, G., 2012, Geometry Parameterization and Multidisciplinary Constrained Optimization of Coronary Stents, Biomech Model Mechanobiol, Vol. 11, pp. 61-81.
- Petrini, L., Migliavacca, Auricchio, F., dan Dubini, G., 2004, Numerical Investigation of the Intravascular Coronary Stent Flexibility, Journal of Biomechanics, vol. 37, pp. 495-501.
- Sangiorgi, G., Melzi, G., Agostoni, P., Cola, C., Clementi, F., Romitelli, P., Virmani, R., Colombo, A., 2007, Engineering Aspects of Stents Design and Their Translation into Clinical Practice, Ann Ist Super Sanita, Vol. 43, No. 1.
- Sastranegara, A., 2009, Mengenal Uji Tarik dan Sifat-sifat Mekanik Logam, <http://www.infometrik.com/wpcontent/uploads/2009/09/Mengenalujitarik.pdf>, [Diakses pada 17 Januari 2018].
- Schiavone, A., Qiu, T., dan Zhao, L., 2017, Crimping and deployment of metallic and polymeric stents-finite element modelling, Vessel Plus Journal, vol. 1, pp. 12-21.
- Septiani, E. G., 2017, Optimasi Parameter Desain *Stent* Berbahan baku *Poly-L-Lactic-Acid* (PLLA) untuk Memperoleh Fleksibilitas Terbaik Menggunakan Metode *Response Surface*, Skripsi, Universitas Gadjah Mada.
- Sivaros, Milkey, K. R., Samsudin, A. R., Dubey, A. K., dan Kidd., P., 2014, Comparison Between Taguchi Method and Response Surface Methodology (RSM) in Modelling CO2 Laser Machining, Jordan Journal of Mechanical and Industrial Engineering, vol. 8, iss. 1, pp. 35-42.
- Tontowi, A.E., Ikra, P., dan Siswomihardjo, W., 2013, Mapping of Cardiovascular Stent Demand of Several Hospitals in Indonesia and Its Forecasting, Proceeding of ICICI 2013, Bandung, Indonesia Università degli Studi di Pavia, Italia.
- Utami, A. S. M. K., 2017, Optimasi Parameter Desain *Stent* Dengan *Linkage* Terpilih Berbahan Baku Poly-L-Lactic Acid (PLLA) untuk Memperoleh

Fleksibilitas Terbaik Menggunakan Metode Response Surface, Skripsi,
Universitas Gadjah Mada.

WHO, 2015, World health statistics 2015, [https://doi.org/ISBN 978 92](https://doi.org/ISBN%20978%2092), diakses secara online 8 Agustus 2017.

Wu, W., Yang, D.Z., Qi, M., Wang, W.Q., 2007, An FEA Method to Study Flexibility of Expanded Coronary Stents, Journal of Materials Processing Technology, 184, pp. 447-150.

Young, P.G., Beresford-West, T.B.H., Coward, S.R.L., Notarberardino, B., Walker, B., Abdul-Aziz, A., 2008, An Efficient Approach to Converting ThreeDimensional Image Data into Highly Accurate Computational Models, Philosophical Transactions of The Royal Society, Vol. 366, pp. 3155-1373.

Zainuri, A., Sujita, Popo, A.L., 2010, Tegangan Maksimum dan Faktor Keamanan pada Poros Engkol Daihatsu Zebra Espass Berdasarkan Metode Numerik, Momentum, Vol. 6, No. 2, pp. 42-47.