

## DAFTAR PUSTAKA

- Altschul, S.F., T.L. Madden, A.A. Schäffer, J. Zhang, Z. Zhang, W. Miller, dan D.J. Lipman. 1997. Gapped BLAST and PSI-BLAST: a new generation of protein database search programs, *Nucleic Acids Res.* 25:3389-3402.
- Araneda, M., E. P. Pérez, dan E. Gasca-Leyva. 2008. White shrimp *Penaeus vannamei* culture in freshwater at three densities: Condition state based on length and weight. *Aquaculture* 283: 13–18.
- Bartkova, S., B. Kokotovic, H.F. Skall, N. Lorenzen dan I. Dalsgaard. 2016. Detection and quantification of *Aeromonas salmonicida* in fish tissue by real-time PCR. *Journal of Fish Diseases* 2016
- Behera, S., R. Rana, P.K. Gupta, D. Kumar, Sonal, V. Rekha, T.R. Arun, dan D. Jena. 2018. Development of real-time PCR assay for the detection of *Mycoplasma bovis*. *Trop Anim Health Prod* 50: 875.
- Bastien, P., G.W. Procop, dan U. Reischl. 2008. Quantitative Real-Time PCR Is Not More Sensitive than “Conventional” PCR. *J. Clin. Microbiol* June 2008, hal. 1897–1900.
- Biju N, G. Sathiyaraj, M. Raj, V. Shanmugam, B. Baskaran, U. Govindan, G. Kumaresan, K.K. Kasthuriraju, dan T.S. Chellamma. 2016. High prevalence of *Enterocytozoon hepatopenaei* in shrimps *Penaeus monodon* and *Litopenaeus vannamei* sampled from slow growth ponds in India. *Dis Aquat Organ* 120(3):225-30.
- Bondad-Reantaso, M.G., L. Tran dan T.T.H. Dan. 2013. What happens when hepatopancreas becomes infected by a pathogen. *FAO Aquaculture Newsletter* 51; 37-55
- Canning, E.U., A. Curry, dan R.M. Overstreet. 2002. Ultrastructure of *Tuzetia weidneri* sp. n. (Microsporidia: Tuzetiidae) in Skeletal Muscle of *Litopenaeus setiferus* and *Farfantepenaeus aztecus* (Crustacea: Decapoda) and New Data on *Perezia nelsoni* (Microsporidia: Pereziiidae) in *L. Setiferus*. *Acta Protozool.*41: 63-77.
- Cao H.P, L. Wen, S. He, L. Lu, X. Yang, dan B Chen. *Vibrio cholerae*: A Causal Agent for White Feces Syndrome in Freshwater Cultured Whiteleg Shrimp (*Penaeus vannamei*)”. *The Israeli Journal of Aquaculture-Bamidgeh, IJA* 67:1212. 7 hal.
- Carraro, R., G Dalla Rovere, S Ferraresso, L Carraro, R Franch, A Toffan, F Pascoli, T Patarnello, dan L Bargelloni. 2017. Development of a real-time PCR assay for rapid detection and quantification of *Photobacterium damsela* subsp. *piscicida* in fish tissues. *J Fish Dis.* 2017;1–8.

- Chayaburakul, K., G. Nash, P. Pratanpipat, S. Sriurairatana, dan B. Withyachumnarnkul. 2004. Multiple pathogens found in growth-retarded black tiger shrimp *Penaeus monodon* cultivated in Thailand". *Dis Aquat Org*; Vol. 60: 89–96.
- Cho, Y.R., B.R. Kim, dan I.K. Jang, 2010. Super-intensive Culture of Whiteleg Shrimp, *Litopenaeus vannamei* (Boone, 1931), in HDPE-lined Ponds with no Water Exchange. *Korean Journal of Fisheries and Aquatic Sciences*. 43. 331-339.
- Clusa L, A. Ardura, S. Fernández, A.A. Roca, dan E. García-Vázquez. 2017. An extremely sensitive Nested PCR-RFLP mitochondrial marker for detection and identification of salmonids in eDNA from water samples. *PeerJ* 5:e3045.
- Corpet, F. 1988. Multiple sequence alignment with hierarchical clustering. *Nucl. Acids Res.*, 16 (22), 10881-10890
- Flegel, T. W., D.F Fegan, S. Kongsom, S. Vuthikornudomkit, S. Sriurairatana, S. Boonyaratpalin, C. Chantanachookhin, J.E. Vickers dan O.D. MacDonald. 1992. Occurrence, diagnosis and treatment of shrimp diseases in Thailand. *Diseases of Cultured Penaeid Shrimp in Asian and the United States*. The Oceanic Institute, Honolulu, Hawaii, 57-112.
- Ha, N.T., Ha, D.T., Thuy, N.T., dan Lien, V.T.K., 2010. Occurrence of a microsporidian *Enterocytozoon hepatopenaei* associated with white feces syndrome (WFS) in cultured black tiger shrimp (*Penaeus monodon*) in Vietnam. *Aquatic Animal Health*, <https://aquahealth.wordpress.com>. diakses tanggal 19 Juli 2018.
- Hafez, H.M., R. Hauck, D. Luschow, dan L. McDougald. 2005. Comparison of the Specificity and Sensitivity of PCR, Nested PCR, and Real-Time PCR for the Diagnosis of Histomoniasis, *Avian Diseases* 49:366–370
- Hall, T.A. 1999. BioEdit: a user-friendly biological sequence alignment editor and analysis program for Windows 95/98/NT. *Nucl. Acids. Symp. Ser.* 41:95-98.
- Han, J.E., K.F.J. Tang, C.R. Pantoja, D.V. Lightner, R.M. Redman, dan M. Le Groumellec. 2016. Detection of a new microsporidium *Perezia* sp. in shrimps *Penaeus monodon* and *P. indicus* by histopathology, in situ hybridization and PCR. *Dis Aquat Org*, 120: 165–171.
- Izumi, S dan K. Suzuki. 2016. A Novel PCR Detection Method for Major Fish Pathogenic Bacteria of *Vibrio anguillarum*. *Turkish Journal of Fisheries and Aquatic Sciences* 16: 577-584.
- Itsathitphaisarn, O., P. Jaroenlak, P. Sanguanrut, P.V. Salachan, D. WireduBoakye, B.A.P. Williams, G.D. Stantiford, T.W. Flegel, dan K.

- Sritunyalucksana. 2016. A new and improved PCR detection method for *Enterocytozoon hepatopenaei* (EHP) based on a gene encoding a spore wall protein. [http://www.enaca.org/modules/library/publication.php?publication\\_id=1177&title=improvedpcrdetectionofehp](http://www.enaca.org/modules/library/publication.php?publication_id=1177&title=improvedpcrdetectionofehp). diakses tanggal 28 Juli 2016
- Jaroenlak P, P. Sanguanrut, B.A.P. Williams, G.D. Stentiford, T.W. Flegel, K. Sritunyalucksana, dan O. Itsathitphaisarn. 2016. A Nested PCR Assay to Avoid False Positive Detection of the Microsporidian *Enterocytozoon hepatopenaei* (EHP) in Environmental Samples in Shrimp Farms. *PLoS ONE* 11(11): e0166320.
- Jithendran, K.P., P.E. Praveena, T.S. Kumar dan T. Bhuvanewari. 2016. Managing hepatopancreatic microsporidiosis: An emerging threat to shrimp farming. *Ciba Extension Series* No. 49.
- Karthikeyan, K., A. Sharma, T. Mekata, T. Itami, dan R. Sudhakaran. 2017. Rapid and sensitive real-time loop mediated isothermal amplification for the detection of *Enterocytozoon hepatopenaei* of shrimp, *Aquaculture* 481; 119-123
- Keeling, P.J. dan N.M. Fast. 2002. MICROSPORIDIA: Biology and Evolution of Highly Reduced Intracellular Parasites. *Annu. Rev. Microbiol.* 56: 93-116.
- Kibbe, W. A., 2007, OligoCalc: an online oligonucleotide properties calculator, *Nucleic Acids Research* Vol. 35, Web Server issue, W43–W46.
- Kumar S, G. Stecher. dan K. Tamura K. 2016. MEGA 7: Molecular Evolutionary Genetics Analysis version 7.0 for bigger datasets. *Molecular Biology and Evolution* 33:1870-1874.
- Lafontaine, D.L.J. dan Tollervey, D. 2001. Ribosomal RNA dalam *Encyclopedia Of Life Sciences*. Nature Publishing Group. 18348 hal.
- Lara, G., D. Krummenauer, dan P.C. Abreu. 2017. The use of different aerators on *Litopenaeus vannamei* biofloc culture system: effects on water quality, shrimp growth and biofloc composition. *Aquacult Int* (2017) 25: 147.
- Liang, W., L. Xu, Z.W. Sui, Y. Li, L. Li, Y. Wen, C. Li, S. Ren dan G. Liu. 2016. Quantification of plasmid DNA reference materials for Shiga toxin-producing *Escherichia coli* based on UV, HR-ICP-MS and digital PCR. *Chem Cent J.* 2016; 10(1): 55.
- Liu, Z., Q.L. Zhang, X.Y. Wan, F. Ma, dan J. Huang. 2016. Development of real-time PCR assay for detecting microsporidian *Enterocytozoon hepatopenaei* and the application in shrimp samples with different growth rates. *Mar. Fish. Res.* 37, pp. 119-126.

- Liu, Y.M, L. Qiu, A.Z. Sheng, X.Y. Wan, D.Y. Cheng, dan J. Huang. 2017. Quantitative detection method of Enterocytozoon hepatopenaei using TaqMan probe real-time PCR, *Journal of Invertebrate Pathology* 151; 191-196
- Lorenz, T.C., 2012. Polymerase Chain Reaction: Basic Protocol Plus Troubleshooting and Optimization Strategies. *J. Vis. Exp.* (63), e3998,
- Nurrozalani, R., 2017, Deteksi Dan Karakterisasi Gen SSU rRNA *Enterocytozoon Hepatopenaei* (ehp) Pada *Litopenaeus Vannamei*, Tesis, Universitas Gadjah Mada.
- Meyer, A., C. Todt, N.T. Mikkelsen, dan B. Lieb. 2010. Fast Evolving 18S rRNA Sequences from Solenogastres (Mollusca) Resist Standard PCR Amplification and Give New Insights into Mollusk Substitution Rate Heterogeneity. *BMC Evolutionary Biology* 10:70.
- Rajendran, K.V., S. Shivamb, P. E. Praveena, J. J. S. Rajan, T. S. Kumar, S. Avunje, V. Jagadeesan, S.V.A.N.V. P. Babu, A. Pande, A. N. Krishnan, S.V. Alavandi, dan K.K. Vijayan. 2016. Emergence of *Enterocytozoon hepatopenaei* (EHP) in farmed *Penaeus (Litopenaeus) vannamei* in India. *Aquaculture* 454:272–280.
- Shen, H., G. Jiang, X. Wan, X. Fan, Y. Qiao, W. Shi, H. Li, dan L. Wang. 2017. Multiple Pathogens Prevalent in Shrimp *Penaeus vannamei* Cultured from Greenhouse Ponds in Jiangsu Province of China. *J Aquac Res Development* 2017, 8:10
- Shinn, A dan D. Griffiths. 2018. The Lost Billions in Asia's Shrimp Aquaculture Industry. The Aquaculture Roundtable Series 2018. <http://tarsaquaculture.com/speakers-2016/andy-shinn/the-lost-billions-in-asias-shrimp-squaculture-industry>. Diakses tanggal 19 Juli 2018.
- Smith, C.J. dan A.M. Osborn. 2006. Advantages and limitations of quantitative PCR(Q-PCR)-based approaches in microbial ecology. *FEMS Microbiol Ecol* 67; 6–20.
- Sritunyalucksana, K., P. Sanguanrut, P. V. Salachan, S. Thitamadee, dan T. W. Flegel. 2014. Urgent appeal to control spread of the shrimp microsporidian parasite *Enterocytozoon hepatopenaei* (EHP). *Article in Network of aquaculture centres in Asia-Pacific*. (internet). [http://www.enaca.org/modules/news/article.php?article\\_id=2039](http://www.enaca.org/modules/news/article.php?article_id=2039). Diakses tanggal 17 Juni 2016
- Stentiford, G.D, S.W. Feist, D.M. Stone, K.S. Bateman, dan A.M. Dunn. 2013. Microsporidia: diverse, dynamic, and emergent pathogens in aquatic systems. *Trends in Parasitology*, 29(11): 567-578.

- Suebsing, R. , P. Prombun, J. Srisala, dan W. Kiatpathomchai. 2013. Loop-mediated isothermal amplification combined with colorimetric nanogold for detection of the microsporidian *Enterocytozoon hepatopenaei* in penaeid shrimp. *J Appl Microbiol*, 114: 1254-1263
- Tang K.F.J., C.R. Pantoja, R.M. Redman, J.E. Han, L.H. Tran, dan D.V. Lightner. 2015. Development of in situ hybridization and PCR assays for the detection of *Enterocytozoon hepatopenaei* (EHP), a microsporidian parasite infecting penaeid shrimp. *Journal of Invertebrate Pathology*, 130: 37-41.
- Tangprasittipap, A., J. Srisala, S. Chouwdee, M. Somboon, N. Chuchird, C. Limsuwan, T. Srisuvan, T. W. Flegel, dan K. Sritunyalucksana. 2013. The microsporidian *Enterocytozoon hepatopenaei* is not the cause of white feces syndrome in whiteleg shrimp *Penaeus (Litopenaeus) vannamei*. *BMC Veterinary Research* 2013, 9: 139.
- Taukhid dan Y.L. Nur'aini. 2009. Infectious Myonecrosis Virus (IMNV) in Pacific White Shrimp (*Litopenaeus vannamei*) in Indonesia. *The Israeli Journal of Aquaculture - Bamidgah*, 61(3): 255-262.
- Thitamadee, S., A Prachumwat, J. Srisala, P. Jaroenlak, P.V. Salachan, K. Sritunyalucksana, T.W. Flegel, dan O. Itsathitphaisarn. 2016. Review of current disease threats for cultivated penaeid shrimp in Asia. *Aquaculture* 452: 69-87.
- Tourtip, S., S. Wongtripop, G.D. Stentiford, K.S. Bateman, S. Sriurairatana, J. Chavadej, K. Sritunyalucksana, dan B. Withyachumnarnkul. 2009. *Enterocytozoon hepatopenaei* sp. nov. (Microsporida: Enterocytozoonidae), a parasite of the black tiger shrimp *Penaeus monodon* (Decapoda: Penaeidae): fine structure and phylogenetic relationships. *J. Invertebr. Pathol.* 102: 21-29.
- Tran, T.M, A. Aghili, S. Li, Shanping, A. Ongoiba, K. Kayentao, S. Douumbo, B. Traore, dan P.D. Crompton. 2014. A nested real-time PCR assay for the quantification of *Plasmodium falciparum* DNA extracted from dried blood spots. *Malaria journal*. 13:393.
- Wang, T.C., Y.S. Nai, C.Y. Wang, L.F. Solter, H.C. Hsu, C.H. Wang, dan C.F. Lo. 2013. A new microsporidium, *Triwangia caridinae* gen. nov., sp. nov. parasitizing fresh water shrimp, *Caridina formosae* (Decapoda: Atyidae) in Taiwan. *Journal of Invertebrate Pathology* 112: 281-293.
- Wang, Y., Tian, R.M., Gao, Z.M., Bougouffa, S., dan Qian, P. 2014. Optimal Eukaryotic 18S and Universal 16S/ 18S Ribosomal RNA Primers and Their Application in a Study of Symbiosis. *Plos One* 9:3.

- Wasko, A. P., C. Martins, C. Oliveira, dan F. Foresti. 2003. Non-destructive genetic sampling in fish. An improved method for DNA extraction from fish fins and scales. *Hereditas*, 138: 161-165.
- Weiss, L.M. 2001. Microsporidia: emerging pathogenic protists (Review article). *Acta Tropica* 78: 89–102.
- Weiss, L. M. dan C. R. Vossbrinck, 1998. Microsporidiosis: Molecular and Diagnostic Aspects. *Advances in Parasitology* 40: 351-395.
- Whelan, J A., N.B. Russell, dan M.A. Whelan. 2003. A method for the absolute quantification of cDNA using real-time PCR. *Journal of Immunological Methods* 278: 261– 269.
- Vávra, J. dan R. Larsson, J. I..2014. Structure of Microsporidia, hal 1 -70 dalam editor L. M. Weiss and J. J. Becnel (ed), *Microsporidia: Pathogens of Opportunity, First Edition*. John Wiley & Sons, Inc., Chichester, United Kingdom. 709 hal.
- Vossbrinck, C.R., B.A. Debrunner-Vossbrinck dan L.M. Weiss. 2014. Phylogeny of the Microsporidia, hal 203-220 dalam L. M. Weiss and J. J. Becnel(ed), *Microsporidia: Pathogens of Opportunity, First Edition*. John Wiley & Sons, Inc., Chichester, United Kingdom. 709 hal.