

DAFTAR PUSTAKA

- Abdullah, M. A. M., M.M. Farghaly and I. M. I. Youssef. 2018. Effect of feeding *Acacia nilotica* pods to sheep on nutrient digestibility, nitrogen balance, ruminal protozoa and rumen enzymes activity. J. Anim. Physiol. Anim. Nutr. 00: 1–8.
- Anderson, T. R., Ed Hawkins, P. D. Jones. 2016. CO₂, the greenhouse effect and global warming: from the pioneering work of Arrhenius and Callendar to today's earth system models. Endeavour 40 (3) : 178-187.
- Animut, G., A. L. Goetsch, G. E. Aiken, R. Puchala, G. Detweiler, C. R. Krehbiel, R. C. Merkel, T. Sahlu, L. J. Dawson, Z. B. Johnson and D. H. Kiesler. 2006. Performance by goats and sheep consuming a concentrate-based diet subsequent to grazing grass/forb pastures at three stocking rates. Small Ruminant Research 66: 92–101.
- AOAC. 2005. Official Method of Analysis of the Association of Official Analytical Chemists. 18th ed. Maryland: AOAC International. William Harwitz (ed). United States of America.
- Athanasiadou, S, I. Kyriazakis, F. Jackson and R. L. Coop. 2001 The effects of condensed tannins supplementation of foods with different protein content on parasitism, food intake and performance of sheep infected with *Trichostrongylus colubriformis*. British J. Nutr. 6: 697-706.
- Barry, T.N. 1985. The role of condensed tannins in the nutritional value of *Lotus pedunculatus* for sheep. 3. Rates of body and wool growth. Brit. J. Nutr. 54: 211-217.
- Beauchemin, K. A., M. Kreuzer, F. O'Mara and T. A. McAlister. 2008. Nutritional management for enteric methane abatement: a review. Aust. J. Exp. Agric. 48: 2127.
- Bedford, M.R. and G.G. Partridge. 2001. Enzymes in Farm Animal Nutrition. CABI Publishing. New York.
- Benchaar, C. and H. Greathed. 2011. Essential oils and opportunities to mitigate enteric methane emissions from ruminants. Anim. Feed. Sci. Tech. 166-167: 338-355.
- Bengaly, K., S Mhlongo and I. V. Nsahlai. 2007. The effect of wattle tannin on intake, digestibility, nitrogen retention and growth performance of goats in South Africa. Livestock Res. Rural Develop. 19(4):1-5
- Bhatta, R., Y. Uyeno, K. Tajima, A. Takenaka, Y. Yabumoto, I. Nonaka, O. Enishi and M. Kurihara. 2009. Difference in the nature of tannins on in vitro ruminal methane and volatile fatty acid production and on methanogenicarchaea and protozoal populations. J. Dairy Sci. 92:5512-5522.

- Branco, A. F., F. Giallongo, T. Frederick, H. Weeks, J. Oh and A. Hristov. 2015. Effect of technical cashew nut shell liquid on rumen methane emission and lactation performance of dairy cows. *J. Dairy Sci.* 98: 4030-4040.
- Burns JC. 2008. ASAS Centennial Paper: utilization of pasture and forages by ruminants: a historical perspective. *J. Anim. Sci.* 86: 3647-3663.
- Busquet, M., S. Calsamiglia, A. Ferret, M. D. Carro and C. Kamel. 2005. Effect of garlic oil and four of its compounds on rumen microbial fermentation. *J. Dairy Sci.* 88: 4393-4404.
- Busquet, M., S. Calsamiglia, A. Ferret and C. Kamel. 2006. Plant extracts affect *in vitro* rumen microbial fermentation. *J. Dairy Sci.* 89:761–771
- Calsamiglia, S., M. Busquet, P. W. Cardozo, L. Castillejos, A. Ferret, and I. Fandiño. 2007. The Use of Essential Oils in Ruminants as Modifiers of Rumen Microbial Fermentation. Penn State Dairy Cattle Nutrition Workshop
- Campbell, J.R. dan J.F. Lasley. 1985. *The Science of Animal that Serve Humanity*. 3rd Ed. Mc Graw - Hill Inc. New York.
- Castillejos, L., S. Calsamiglia, A. Ferret and L. Rosa. 2007. Effects of dose and adaptation time of a specific blend of essential oil compound on rumen fermentation. *Anim Feed Sci Technol*, 132: 186-201.
- Cattani, M., L. Maccarana, H. H. Hansen and L. Bailoni. 2013. Relationships among gas production, end products of rumen fermentation and microbial n produced *in vitro* at two incubation times. *Agriculturae Conspectus Scientificus* 78 (3): 217-220.
- Chaney, A.L. and E.P. Marbach. 1962. Modified reagents for determination of urea and ammonia. *Clinical Chemistry*. 8: 130 - 132.
- Cheeke, P. R. 2000. Actual and potential applications of *Yucca schidigera* and *Quillaja saponaria* saponins in human and animal nutrition. *J. Anim. Sci.* 77: 1-10
- Choudury, P. K., A. Z. M. Salem, R. Jena, S. Kumar, R. Singh, and A. K. Puniya. 2015. *Rumen Microbiology: An Overview*. Springer Link India. pp 3-16
- Coutinho, D.A.; Branco, A.F.; Santos, G.T.; Osmari, M.P.; Teodoro, A.L. and Diaz, T.G. 2014. Intake, digestibility of nutrients, Milk production and composition in dairy cows fed on diets containing cashew nut shell liquid. *Acta Sci. Anim Sci*, 36: 311-316.

- Danielsson, R, A. Werner-Omazic, M. Ramin, A. Schnürer, M. Griinari, and J. Dicksved. 2014. Effects on enteric methane production and bacterial and archaeal communities by the addition of cashew nut shell extract or glycerol-an in vitro evaluation. *J Dairy Sci.* 97:5729–5741.
- Dehorty, B. A. and J. A. Grubb. 1977. Characterization of the predominant bacteria occurring in the rumen of goats (*Capra hircus*). *Applied And Environmental Microbiology* 3 (5):1030-1036
- Demeyer, D. and C. Van Nevel. 1986. Influence of substrate and microbial interaction on efficiency of rumen microbial growth. *Reprod. Nutr. Develop.* 26 (1B):161-179.
- Devendra, C. dan M. Burns. 1994. *Produksi Kambing di Daerah Tropis*. Penerbit ITB. Bandung.
- Diaz, A., M. Avendro, and A. Escobar. 1993. Evaluation of *Sapindus saponaria* as a defaunating agent and its effects on different ruminal digestion parameters. *Livestock research for Rural Development.* 5 (2): 1 - 6.
- Djarajah, M, N., Mahedalswara, D. 1995. *Jambu Mete dan Pembudidayaannya*, Penerbit Kanisius Jakarta.
- Edoga, M. O., L. Fadipe and R. N. Edoga. 2006. Extraction of polyphenols from cashew nut shell. *Leonardo Electronic J. Practices and Tech* 9: 107-112.
- El-Waziry, A. M., M.E.A. Nasser and S.M.A. Sallam. 2005. Processing Methods of Soybean Meal: 1-Effect of roasting and tannic acid treated-soybean meal on gas production and rumen fermentation *in vitro*. *J. Appl. Sci. Res.*1(3): 313-320.
- Filipek, J. and R. Dvorak. 2009. Determination of the volatile fatty acid content in the rumen liquid: comparison of gas chromatography and capillary isotachopheresis. *Acta Vet. Brno.* 78: 627 - 633.
- Fратиanni, F., M. Tucci, M. De Palma, R. Pepe, and F. Nazzaro. 2007. Polyphenolic composition in different parts of some cultivars of globe artichoke (*Cynara cardunculus* L. var. *scolymus* (L.) Fiori). *Food Chem.* 104: 1282–1286
- Frutos, P., G. Hervás, F. J. Giráldez and A. R. Mantecón. 2004. Review. Tannins and ruminant nutrition. *Spanish Journal of Agricultural Research* 2 (2):191-202
- Gatenby, R.M. 1986. *Sheep and Goat Production in the Tropics and Sub-Tropics*. Longman Singapore Publisher Ltd., Singapore.
- Goel, G. and H. P. S., Makkar. 2012. Methane mitigation from ruminants using tannins and saponins. *J. Trop. Anim. Prod.* 44: 729-739.

- Gomez, K.A. and A.A. Gomez.1984. Statistical Procedures for Agricultural Research. Second edition. A Willey Interscience Publication. New York.
- Hagerman, A. E. and L. G. Butler. 1978. Protein precipitation method for the quantitative determination of tannins. J. Agric. Food Chem. 26 (4): 809-812.
- Halliwel, G., N. N. B. A Wahab dan A. H. Patle. 1985. Chemical compotion of endo 1,4- β -glucanase to cellulolytic in *Trichoderma koningii*, J. App. Biochem. 7: 43-45.
- Hardjosubroto, W. 1994. Aplikasi Pemuliabiakan Ternak di Lapangan. PT Gramedia Widiasarana Indonesia, Jakarta.
- Hart, K. J., D.R. Ya´nez-Ruiz, S.M. Duval, N.R. McEwan, and C.J. Newbold. 2008. Plant extracts to manipulate rumen fermentation. Anim. Feed Sci. Tech. 147: 8–35
- Hartadi, H., S. Reksohadiprodjo, dan A.D. Tillman. 1997. Tabel Komposisi Pakan untuk Indonesia. Gadjah Mada University Press, Yogyakarta.
- Haryanto, B., I. Inounu dan I.K. Utama. 1997. Ketersediaan dan kebutuhan teknologi produksi kambing dan domba. *Prosiding*. Seminar Nasional Peternakan dan Veteriner. Bogor, 7-8 Januari 1997. Pusat Penelitian dan Pengembangan Pertanian. Departemen Pertanian. Bogor .
- Himejima, M, and I. Kubo. 1991. Antibacterial agents from the Cashew *Anacardium occidentale* (*Anacardiaceae*) Nut Shell Oil. J. Agric. Food Chem. 39: 418-421
- Hong, J. 1986. Optimal substrate feeding policy for a fed batch fermentation with substrate and product inhibition kinetics. Biotechnology and Bioengineering 28: 1421-1431.
- Hook, S. E., A. G. Wright and B. W. McBride. 2010. Methanogens: Methane Producers of the Rumen and Mitigation Strategies. Hindawi Publishing Corporation.
- Hu, W., J. Liu, J. Ye, Y. Wu, and Y. Guo. Effect of tea saponin on rumen fermentation in vitro. Feed Sci. Tech. 120(3-4): 333-339.
- IPCC. 2007. Climate change 2007: the physical science basis: summary for policymakers. Intergovernmental panel on climate change. Paris.
- Iswoyo dan Widiyaningrum. 2008. Pengaruh jarak waktu pemberian pakan konsentrat dan hijauan terhadap produktivitas kambing Peranakan Etawah lepas sapih. Jurnal Ilmiah Ilmu-Ilmu Peternakan 11: 70-74.

- Jayanegara, A., N. Togtokhbayar, H. P. S. Makkar and K. Becker. 2009. Tannins determined by various methods as predictors of methane production reduction potential of plants by an *in vitro* rumen fermentation system. *Anim. Feed Sci. Technol.* 150: 230–237.
- Jayanegara, A., A. Sofyan, H.P.S. Makkar dan K. Becker. 2011. Kinetika Produksi Gas, Kecernaan Bahan Organik dan Produksi Gas Metana in Vitro pada Hay dan Jerami yang Disuplementasi Hijauan Mengandung Tanin. *Media Peternakan* 32 (2): 120-129.
- Jayanegara, A., E. Wina, C.R. Soliva, S. Marquardta, M. Kreuzera, and F. Leibera. 2011. Dependence of forage quality and methanogenic potential of tropical plants on their phenolic fractions as determined by principal component analysis. *Anim. Feed. Tech.* 163:231-243.
- Jouany, J. P. 1991. Defaunation of The Rumen. In: J. P. Jouany (Ed). *Rumen Microbial Metabolism and Ruminant Digestion*. Institute Nationale De La recherche Agronomique, INRA
- Kamra, D. N., A. K. Patra, P. N. Chatterjee, R. Kumar, N. Agarwal and L. C. Chaudhary. 2008. Effect of plant extracts on methanogenesis and microbial profile of the rumen of buffalo: a brief overview. *Aust. J. Exp. Agr.* 48 : 175–178
- Kartadisastra, H. R. 1997. *Penyediaan dan Pengelolaan Pakan Ternak Ruminansia (Sapi, Kerbau, Domba, dan Kambing)*. Kanisius. Yogyakarta.
- Kearl, L. C. 1982. *Nutrition Requirement of Ruminant in Developing Country*. International Feedstuffs Institute. Utah Agriculture Experiment Station, Utah State University, Logan. Utah.
- Keidane, D. and E. Birgele. 2003. The efficacy of feed on the intra ruminal and intra abomasal pH dynamics in goats. *Veterinarija IR Zootechnika.* 22 (44): 200-205.
- Kingston-Smith, A. H., A. H. Marshall, and J. M. Moorby. 2012. Breeding for genetic improvement of forage plants in relation to increasing animal production with reduced environmental footprint. *Anim.* 1: 1-10.
- Kobayashi, Y., S. Oh, H. Myint and S. Koike. 2016. Use of Asian selected agricultural byproducts to modulate rumen microbes and fermentation. *J. Anim. Sci. Biotech.* 7:70-80
- Krause, D. O., S. E. Denman, R. I. M. Morrison, A. L. Rae. G. T. Attwood and C. S. McSweeney. 2003. Opportunities to improve fiber degradation in the rumen: microbiology, ecology, and genomics. *FEMS Microbiology Reviews* 27 :663-693
- Kubo, I., H. Muroi, and M. Himejima. 1993. Structure antibacterial activity relationships of anacardic acids. *J. Agric. Food Chem.* 41(6): 1016-1019.

- Kuczynski, T., V. Blanes-Vidal, B. Li, R. S. Gates, I. Naas, D. J. Moura, D. Berckmans and T. M. Banhazi. 2011. Impact of global climate change on the health, welfare and productivity of intensively housed livestock. *Int. J. Agric & Biol. Eng.* 4 (2) : 1-22.
- Lashof, D. A., and D. R. Ahuja. 1990. Relative contributions of greenhouse gas emissions to global warming. *Nature* 344 (6266) : 529-531.
- Leng, R.A. and J.V. Nolan. 1984. Nitrogen metabolism in the rumen. *J. Dairy Sci.* 67: 1072- 1089.
- Machmuller, A., C.R. Soliva, and M. Kreuzer. 2003. Effect of coconut oil and defaunation treatment on methanogenesis in sheep. *Repor. Nutr. Dev.* 43 (1): 41 - 55.
- Makkar, H. P. S. 2000. Quantification of Tannins in Tree Foliage. FAO/IAEA Working Document, Vienna.
- Makkar, H.P.S., 2003. Effects and fate of tannins in ruminant animals, adaptation to tannins, and strategies to overcome detrimental effects of feeding tannin-rich feeds. *Small Rum. Res.* 49:241–256.
- Martin, C., M. Doreau and D. P. Morgavi. 2008. Methane mitigation in ruminants: from rumen microbes to the animal. *Proceedings International Conference Livestock and Global Climate Change 2008, Tunisia.*
- McDonald, P., R.A. Edward, and J.F.D. Greenhalgh. 2002. *Animal Nutrition*. 7th Ed. Longman, London. pp 176-177.
- McIntosh, F. M.,P. Williams, R. Losa, R. J. Wallace, D. A.Beever and C. J. Newbold. 2003. Effects of essential oils on ruminal microorganisms and their protein metabolism. *Appl. Environ. Microbiol.* 69:5011–5014.
- McMichael, A. J., J. W. Powles, C. D. Butler and R. Uauy. 2007. Food, livestock production, energy, climate change and health. *The Lancet* 370 (9594) : 1253-1263.
- Menke, K.H., and H. Steingass. 1988. Estimation of the energetic feed value obtained by chemical analysis and *in vitro* gas production using rumen fluid. *Anim. Res. Dev.* 28:7-55.
- Min, B.R., T. N. Barry, G. T. Attwood, and W. C. McNabb. 2003. The effect of condensed tannins on the nutrition and health of ruminants fed fresh temperature forages: A review. *Anim. Feed Sci. Technol.* 106: 3-19.
- Moss, A. R., J. Jouany and J. Newbold. 2000. Methane production by ruminants: its contribution to global warming. *Ann. Zootech* 49: 231-253

- Mueller-Harvey, I., 2006. Unravelling the conundrum of tannins in animal nutrition and health. *J. Sci. Food Agric.* 86: 2010–2037.
- Naumann, H. D., L. O. Tedeschi, W. E. Zeller and N. F. Huntley. 2017. Invited Review: The role of condensed tannins in ruminant animal production: advances, limitations and future directions. *R. Bras. Zootec.* 46(12): 929-949
- Nelson, D. L. dan M. M. Cox. 2004. *Lehninger Principles of Biochemistry Fourth Edition. Chapter Amino Acids, Peptides and Proteins.* W. H. Freeman & Company
- Niaber, H. 2008. Effect of roughage to concentrate ratio on ruminal fermentation and protein degradability in dairy cows. Tesis. M. Sc (Agric). Department of Animal and Wildlife Sciences Faculty of Natural and Agricultural Sciences. University of Pretoria.
- Nuraini, I. G. S. Budisatria, dan A. Agus. 2014. Pengaruh tingkat penggunaan pakan penguat terhadap performa induk kambing Bligon di peternak rakyat. *Buletin Peternakan* 38(1): 34-41.
- Olagoke, K. O., R. Y. Aderinboye, C. F. I. Onwuka and V. O. A. Ojo. 2015. Intake and digestibility of nutrients by wad goats fed diets containing varying levels of cashew nut shell liquid inclusion. *Bulletin of Animal Health and Production in Africa* 63 (4). 461-465.
- Osmari, M.P., A. F. Branco, R. H. T. B. Goes, T. G. Diaz, and L. F. Matos. 2017. Increasing dietary doses of cashew nut shell liquid on rumen and intestinal digestibility of nutrient in steers fed a high-grain diet. *Arch. Zootec.* 66 (255): 373-379.
- Ozdal, T., E. Capanoglu and F. Altay. 2013. A review on protein-phenolic interactions and associated changes. *Food Research Intl* 51: 954-970.
- Ozutsumi, Y., K. Tajima, A. Takenaka and H. Itabashi. 2005. The effect protozoa on the composition of rumen bacteria in cattle using 16S rRNA gene clone libraries. *Biosci. Biotechnol. Biochem.* 69: 499-506.
- Patra AK, D. N. Kamra, and N. Agarwal. 2006. Effect of plant extracts on *in vitro* methanogenesis, enzyme activities and fermentation of feed in rumen liquor of buffalo. *Anim. Feed. Sci. Tech.* 128:276–291
- Paul, S. S., D. N. Kamra, and V. R. Sastry. 2010. Fermentative characteristics and fibrolytic activities of anaerobic gut fungi isolated from wild and domestic ruminants. *Arch Anim Nutr.* 64(4):279-92
- Plummer, D. T. 1987. *An Introduction to Practical Biochemistry.* Tata Mc Graw Hill Publishing Company Ltd., Bombay-New Delhi.

- Puastuti, W., I-W mathius dan D. Yulistiani. 2006. Bungkil kedelai terproteksi cairan batang pisang sebagai pakan imbuhan ternak domba: *in sacco* dan *in vivo*. JITV 11(2): 106-115.
- Purbowati, E., C. I. Sutrisno, E. Baliarti, S. P. S. Budhi, dan W. Lestariana. 2007. Pengaruh pakan komplit dengan kadar protein dan energi yang berbeda pada penggemukan domba lokal jantan secara feedlot terhadap konversi pakan. Prosiding Seminar Nasional Teknologi Peternakan dan Veteriner. Pusat Penelitian dan Pengembangan Peternakan, Badan Penelitian dan Pengembangan Pertanian, Departemen Pertanian, Bogor.
- Qiao, J., Z. Tan and M. Wang. 2014. Review Potential and existing mechanisms of enteric methane production in ruminants. J. Sci. Agric. 71 (5): 345-355
- Reay, D., P. Smith, and A. van Amstel. 2010. Methane and Climate Change. Earthscan. London and Washington, DC.
- Risfaheri, T. T. Irawadi, M. A. Nur, I. Sailah, Z. A. Mas'ud dan M. S. Rusli. 2004. Pemisahan kardanol dari minyak kulit biji mete dengan metode destilasi vakum. J. Pascapanen 1(1):1-11.
- Rosita. 2015. Pemanfaatan daun jambu biji (*Psidium guajava L.*) sebagai sumber tanin untuk menurunkan produksi metan. Tesis. Sekolah Pascasarjana. Universitas Gadjah Mada. Yogyakarta. Indonesia.
- Russell, J. B. 2002. Rumen Microbiology and Its Role in Ruminant Nutrition, p. 88. J.B. Russell Publ. Co., Ithaca, NY
- Russell J. B. and H. C. Mantovani. 2002. The bacteriocins of ruminal bacteria and their potential as an alternative to antibiotics. J. Mol. Microbiol. Biotech. 4: 347-355.
- Russell, J. B., J. D. O'Connor, D. G. Fox, P. J. Van Soest and C. J. Sniffen. A net carbohydrate and protein system for evaluating cattle diets: I. Ruminal fermentation. J. Anim. Sci. 70:3553-3561.
- Santos, M. L. D. and Magalhaes, D. C. D. 1999. Utilisation of cashew nut shell liquid from *Anacardium occidentale* as starting material for organic synthesis: a novel route to Lasiodiplodin from cardols, J. The Braz. Chem. Soc. 10(1): 13-20.
- Santos Andrade, T. J. A. dos, B. Q. Araújo, A. M. das Graças Lopes Citó, J. da Silva, J. Saffi, M. F. Richter, and A. de Barros Falcão Ferraz. 2011. Antioxidant properties and chemical composition of technical Cashew Nut Shell Liquid (tCNSL). Food Chem. 126: 1044–1048.
- Santos-Buelga, C., and V. de Freitas. 2009. "Influence of Fenolics on Wine Organoleptic Properties," In Wine Industry and Biochemistry, Springer New York. pp 529-570.

- Santra, A. dan S. A. Karim. 2003. Rumen manipulation to improve animal productivity. Abstrak. Asian Australasian Journal of Animal Sciences 16(5).
- Sauvant D, and S. Giger-Reverdin. 2007. Empirical modelling meta-analysis of digestive interactions and CH₄ production in ruminants. In: Ortigues-Marty I, Miraux N, Brand-Williams W, editors. Energy and Protein Metabolism and Nutrition. Wageningen, The Netherlands: Wageningen Academic. pp. 561–563.
- Scalbert, A., 1991. Antimicrobial properties of tannins. Phytochem. 30, 3875–3883. 19
- Sejian, V. R. Lal, R. Lakritz and T. Ejezi. 2011. Measurement and prediction of enteric methane emission. International Journal of Biometeorology. 55:1–16.
- Shinkai, T., O. Enishi, M. Mitsumori, K. Higuchi, Y. Kobayashi, A. Takenaka. K. Nagashima, M. Mochizuki and Y. Kobayashi. 2012. Mitigation of methane production from cattle by feeding cashew nut shell liquid. J. Dairy Sci. 95:5308-5316.
- Silanikove, N., A. Perevolotsky and F. D. Provenza. 2001. Use of tannin-binding chemicals to assay for tannins and their negative postingestive effects in ruminants. Anim. Feed Sci. Tech. 91:69–81.
- Simpem, I. N. 2008. Isolasi Cashew Nut Shell Liquid dari kulit biji jambu mete (*Anacardium occidentale L*) dan kajian beberapa sifat fisiko-kimianya. Jurnal Kimia 2(2) : 71-76
- Stewart C.S., H. J. Flint and M. P. Bryant. 1997. The rumen bacteria, p10–72 In Hobson PN, Stewart CS, editors. (ed), The rumen microbial ecosystem, 2nd ed Blackie Academic and Professional, New York, NY
- Suparwi. 2000. Pengaruh minyak kelapa dan daun kembang sepatu (*Hibiscus rosasinensis*) terhadap pencernaan ransum dan jumlah protozoa. Animal Production 2 (2) : 53-59
- Tahuk, P.K. 2008. Kinerja Kambing Bligon jantan pada penggemukandengan level protein kasar berbeda. Tesis. Pasca Sarjana Fakultas Peternakan. Universitas Gadjah Mada. Yogyakarta.
- Tabbaco, E., G. Borreani, G. M. Crovetto, G. Glassi, D. Colombo, and L. Cavallarini. 2006. Effect of chestnut tannin on fermentation quality, proteolysis, and protein rumen degradability of alfalfa silage. J. Dairy Sci. 89 : 4736-4746.
- Tarigan, A., dan S. P. Ginting. 2011. Pengaruh taraf pemberian *Indigofera* sp. terhadap konsumsi dan pencernaan pakan serta pertambahan bobot hidup kambing yang diberi rumput *Brachiaria ruziziensis*. JITV 16(1): 25-32

- Tavendale, M. H., L. P. Meagher, D. Pacheco, N. Walker, G. T. Attwood and S. Sivakumaran. 2005. Methane production from *in vitro* rumen incubation with *Lotus pedunculatus* and *Medicago sativa*, and effects of extractable condensed tannin fractions on methanogenesis. *Anim. Feed Sci. Technol.* 123-124: 403-419.
- Tilley, J. M. A. and R. A. Terry. 1963. A two-stage technique for the *in vitro* digestion of forage crops. *J. Brit. Grassland Soc.* 18:104-11
- Toharmat, T., E. Nursasih, R. Nazilah, N. Hotimah, T. Q. Noerzihad, N. A. Sigit, Y. Retnani. 2006. Sifat fisik pakan kaya serat dan pengaruhnya terhadap konsumsi dan pencernaan nutrisi ransum pada kambing. *Media Peternakan* 29: 146-154.
- Towaha, J., dan N. R. Ahmadi. 2011. Pemanfaatan cashew nut shell liquid sebagai fenol alami pada industri. *Buletin Ristri* 2(2): 187-198.
- Trevisan, M. T. S., B. Pfundstein, B. Haubner, R. Würtele, G. Spiegelhalter, B. Bartsch, and R. W. Owen. 2006. Characterization of alkyl phenols in cashew (*Anacardium occidentale*) products and assay of their antioxidant capacity. *Chem. Food Toxicol.* 44:188-197.
- Turner, K.E., S. Wildeus, and J. R. Collins. 2005. Intake, performance, and blood parameters in young goats offered high forage diets of lespedeza or alfalfa hay. *Small Rumin. Res.* 59, 15-23.
- Van, D. T., T. M. Nguyen, and I. Ledin. 2006. Effect of method of processing foliage of *Acacia mangium* and inclusion of bamboo charcoal in the diet on performance of growing goats. *Anim. Feed Sci. Tech.* 130: 242–256.
- Van Nevel, C. J., D. I. Demeyer, and H. K. Henderickx. 1971. Effect of fatty acid derivatives on rumen methane and propionate *in vitro*. *Appl. Microbiol.* 21:365–366.
- Wanapat, M., A. Cherdthong, K. Pheatcha, S. Kang. 2015. Dietary sources and their effect on animal production and environmental sustainability. *J. Anim. Nutr.* 1:96-103.
- Waghorn, G. C., M.H. Tavendale and D.R. Woodfield. 2002. Methanogenesis from forages fed to sheep. *Proceedings of the New Zealand Grassland Association* 64: 167–171.
- Waghorn, G. C. and T. N. Barry. 1987. Pasture as a nutrient source. In: Nicol AM, editor. *Livestock Feeding on Pasture*, NZ Soc Anim Prod Occ Publ No. 10. 1987. p. 21–37.
- Wang, Y. and T.A. McAllister. 2002. Rumen microbes, enzymes and feed digestion: A Review. *Asian-Aust. J. Anim. Sci.* 15 (11): 1659 - 1676.

- Watanabe, Y., R. Suzuki, S. Koike, K. Nagashima, M. Mochizuki, R. J. Forster, Y. Kobayashi. 2010. *In vitro* evaluation of cashew nut shell liquid as a methane-inhibiting and propionate-enhancing agent for ruminants. *J. Dairy Sci.* 93:5258-5267.
- Wolfe, R. S. 1991. My kind of biology. *Annu. Rev. Microbiol.* 45:1–35.
- Wright, A. G., A. V. Klieve. 2011. Does The Complexity of The Rumen Microbial ecology preclude methane mitigation?. *J. Anim. Sci. Tech.*(166-167) : 248-253.
- Yusiati, L. M., Z. Bachruddin, C. Hanim dan L. Indriana. 2010. The effect of Ketepeng Cina leaf (*Cassia alata* L), as a source of anthraquinone, methanogenesis inhibitor agent on rumen microbial protein synthesis for beef cattle in Sedyo Rukun Farmer Group. *Proceeding. The 5th International Seminar on Tropical Animal Production Community Empowerment and Tropical Animal Industry October 19-22, 2010, Yogyakarta, Indonesia*
- Yusiati, L. M., B. P. Widyobroto, Z. bachruddin, C. Hanim dan R. Fitriastuti. 2018. Pengaruh penambahan minyak kulit biji mete terhadap ekskresi derivat purin dan balans nitrogen pada kambing Bligon. *unpublished*.
- Zhong, R., Fang, Y., Sun, H., Wang M., Zhou D. 2016. Rumen methane output and fermentation characteristics of gramineous forage and leguminous forage at differing harvest dates determined using an *in vitro* gas production technique. *J. Integr. Agr.* 15(2): 414–423