

References

- ABB. (2005). *ABB Power Technologies AB Components: Silicone rubber*. Ludvika, SWEDEN.
- ACR. (2013). CT Accreditation Phantom Instructions. *American College of Radiology*, 1–14. Retrieved from <http://www.acr.org/~media/ACR/Documents/Accreditation/CT/PhantomTestingInstruction.pdf>
- Agrawala, P. (1990). Pharmaceutical Dosage Forms: Tablets. *J. Pharm. Sci.*, 79(2), 188–188.
- Akhlaghi, P., Hakimabad, H.M., & Motavalli, L.R. (2015). Determination of tissue equivalent materials of a physical 8-year-old phantom for use in computed tomography. *Radiation Physics and Chemistry*, 112, 169–176.
- Al Omari, M. M. H., Rashid, I. S., Qinna, N. A., Jaber, A. M., & Badwan, A. A. (2016). *Calcium Carbonate. Profiles of Drug Substances, Excipients and Related Methodology* (Vol. 41).
- Allert, K., Vangala, S., & DiBianca, F. (2007). NIH Public Access. *J Xray Sci Technol*, 15(81), 9–18.
- Allisy-Roberts, P., Williams, J. R., & Farr, R. F. (2007). *Farr's physics for medical imaging* (2nd ed.). Philadelphia: Elsevier.
- Amis, E. S., Butler, P. F., Applegate, K. E., Birnbaum, S. B., Brateman, L. F., Hevezi, J. M., Commission, T. J. (2007). American College of Radiology White Paper on Radiation Dose in Medicine. *J Am Coll Radiol*, 4(5), 272–284.
- AZoM. (2013). Silicone Rubber, 1–10. Retrieved from <http://www.azom.com/properties.aspx?ArticleID=920>
- AZoM. (2015). *Silicone Rubber*. Franklin, U.S.A. Retrieved from <http://www.azom.com/properties.aspx?ArticleID=920>
- Blessing, L., T., M., & Chakrabarti, A. (2009). *DRM, a Design Research Methodology*. London: Springer-Verlag.
- Bly, R., Jarvinen, H., Korpela, M.H., Tenkanen-Rautakoski, P., Makinen, A. (2011). Estimated collective effective dose to the population from X-ray and nuclear medicine examinations in Finland. *Radiat Prot Dosimetry*, 147(1–2), 233–236.
- Brenner, D. J., & Hall, E. J. (2007). Computed tomography--an increasing source of radiation exposure. *N Engl J Med*, 357(22), 2277–2284.
- Burmeister, J., Kota, C., Maughan, R. L., Spokas, J. J., Coderre, J. A., Ma, R., & Wielopolski, L. (2000). A conducting plastic simulating brain tissue. *Med Phys*, 27(11), 2560–2564.
- Bushong, S. C. (2012). *Radiologic science for technologists* (10th ed.). St. Louis: Elsevier Inc.
- Buzug, T. (2008). *Computed tomography: From photon statistics to modern cone-*

beam CT. Berlin, Heidelberg: Springer-Verlag.

- Calcium Carbonate: MedlinePlus Drug Information. (n.d.). Retrieved February 22, 2018, from <https://medlineplus.gov/druginfo/meds/a601032.html>
- CALCIUM CARBONATE | CAMEO Chemicals | NOAA. (n.d.). Retrieved February 21, 2018, from <https://cameochemicals.noaa.gov/chemical/25005>
- Claude, K. P., Sna, M. P., Phil, T. M., & Jh, C. S. (2013). peer reviewed ORIGINAL ARTICLE Fabrication of a tissue characterization phantom from indigenous materials for computed tomography electron density calibration . *The South African Radiographer*, 51(1), 9–17.
- Cody, D. D., Pfeiffer, D., McNitt-Gray, M. F., Ruckdeschel, T. G., & Keith J. Strauss. (2012). Computed Tomography. *American College of Radiology*, 23–29.
- Crotti, A., Benner, C., Kerman, B., Gosselin, D., Lagier-Tourenne, C., Zuccato, C., ... Glass, C. K. (2014). Quantitative CT Analysis, Airflow Obstruction And Lung Cancer In The Pittsburgh Lung Screening Study. *Nat Neurosci*, 17(4), 513–521.
- Dance, D.R., Christofides, S., Maidment, A.I.M., (2014). Diagnostic Radiology Physics: A handbook for teachers and students. IAEA, 710. Retrieved from http://www-pub.iaea.org/books/IAEABooks/8841/Diagnostic-Radiology-Physics-A-Handbook-for-Teachers-and-Students?utm_content=buffer89b0e&utm_medium=social&utm_source=twitter.com&utm_campaign=buffer
- D'Souza, W. D., Madsen, E. L., Unal, O., Vigen, K. K., Frank, G. R., & Thomadsen, B. R. (2001). Tissue mimicking materials for a multi-imaging modality prostate phantom. *Med Phys*, 28(4), 688–700.
- Dill, T. (2008). Contraindications to magnetic resonance imaging. *Heart*, 94(7), 943–948.
- Dougeni, E., Faulkner, K., & Panayiotakis, G. (2012). A review of patient dose and optimisation methods in adult and paediatric CT scanning. *Eur J Radiol*, 81(4), e665–e683.
- Even-Sapir, E. (2005). Imaging of malignant bone involvement by morphologic, scintigraphic, and hybrid modalities. *J Nucl Med: Official Publication, Society of Nuclear Medicine*, 46(8), 1356–1367.
- Food Additives and Preservatives starting with C. (n.d.). Retrieved February 22, 2018, from <http://www.foodadditiveslist.com/page/27/>
- Fosbinder, R., & Orth, D. (2012). *Essentials of Radiologic Science*. Wollters Kluwer Health/Lippincott Williams & Wilkins.
- Gallas, R. R., Hünemohr, N., Runz, A., Niebuhr, N. I., Jäkel, O., & Greulich, S. (2015). An anthropomorphic multimodality (CT/MRI) head phantom prototype for end-to-end tests in ion radiotherapy. *Z Med Phys*, 25(4), 391–399.
- Gear, J. I., Long, C., Rushforth, D., Chittenden, S. J., Cummings, C., & Flux, G. D.

- (2014). Development of patient-specific molecular imaging phantoms using a 3D printer. *Med Phys*, 41(8), 3–7.
- Goodsitt, M. M., Johnson, R. H., & Chesnut, C. H. (1991). A new set of calibration standards for estimating the fat and mineral content of vertebrae via dual energy QCT. *J Bone Miner*, 13(3), 217–233.
- Groenewald, A., & Groenewald, W. A. (2016). Development of a universal medical X-ray imaging phantom prototype. *J Appl Clin Med Phys*, 17(6), 356–365.
- Gulliksrud, K., Stokke, C., & Trægde Martinsen, A. C. (2014). How to measure CT image quality: Variations in CT-numbers, uniformity and low contrast resolution for a CT quality assurance phantom. *Phys Med*, 30(4), 521–526.
- Hamaoka, T., Madewell, J. E., Podoloff, D. A., Hortobagyi, G. N., & Ueno, N. T. (2004). Bone imaging in metastatic breast cancer. *J Clin Oncol: Official Journal of the American Society of Clinical Oncology*, 22(14), 2942–2953.
- Hendee, W. R., & Ritenour, E. R. (2002). *Medical imaging physics*. New York: Wiley-Liss.
- Hendee, W. R., Ritenour, E. R., & Hoffmann, K. R. (2003). *Medical Imaging Physics* (4th ed.). New York: Wiley-Liss.
- Hermann, K.-P., Geworski, L., Muth, M., & Harder, D. (1985). Polyethylene-based water-equivalent phantom material for X-ray dosimetry at tube voltages from 10 to 100 kV. *Phys Med Biol*, 30(11), 1195–1200.
- Hermann, K. P., Geworski, L., Hatzky, T., Lietz, R., & Harder, D. (1986). Muscle- and fat-equivalent polyethylene-based phantom materials for X-ray dosimetry at tube voltages below 100 kV. *Phys Med Biol*, 31(9), 1041–1046.
- Homolka, P., Gahleitner, A., & Nowotny, R. (2002). Temperature dependence of HU values for various water equivalent phantom materials. *Phys Med Biol*, 47(16), 2917–23.
- Hsieh, J. (2009). *Computed tomography: principles, design, artifacts, and recent advances* (2nd ed.). Hoboken, N.J.: Bellingham, Washington: Wiley Interscience ; SPIE Press.
- ICRU. (1989). *International Commission on Radiation Units and Measurements Report 44: Tissue Substitutes in Radiation Dosimetry and Measurement*. (ICRU Publications, Bethesda, Maryland).
- ICRU. (1998). *International Commission on Radiation Units and Measurements Report 61: Tissue Substitutes, Phantoms and Computational Modelling in Medical Ultrasound*. (ICRU Publications, Bethesda, Maryland). Retrieved from <http://www.icru.org/home/reports/tissues-substitutes-phantoms-and-computation-modelling-in-medical-ultrasound-report-61>
- Jones, A. K., Hintenlang, D. E., & Bolch, W. E. (2003). Tissue-equivalent materials for construction of tomographic dosimetry phantoms in pediatric radiology. *J Med Phys*, 30(8), 2072–2081.
- Judy, P. F., Balter, S., Bassano, D., McCullough, E. C., Payne, J. T., & Rothenberg, L. (1977). *Phantoms for Performance Evaluation and Quality Assurance of CT*

Scanners. American Association of Physicists in Medicine.

- Kalender, W. A., & Suess, C. (1987). A new calibration phantom for quantitative computed tomography. *Med Phys*, 14(5), 863–866.
- Kalender, W. A., Suess, C., & Faust, U. (1988). Polyethylene-based Water- and Bone-equivalent Materials for Calibration Phantoms in Quantitative Computed Tomography - Ein Kalibrierphantom für die quantitative Computertomographie aus wasser- und knochenäquivalentem Material. *Biomed Tech (Berl)*, 33(4), 73–76.
- Lamons Gasket Company. (2012). *Gasket Handbook, A Technical Guide To Gasketing & Bolted Joints*.
- Mansour, Z., Mokhtar, A., Sarhan, A., Ahmed, M. T., & El-Diasty, T. (2016). Quality control of CT image using American College of Radiology (ACR) phantom. *Egyptian Journal of Radiology and Nuclear Medicine*, 47(4), 1665–1671.
- McCullough, C. H., Bruesewitz, M. R., McNitt-Gray, M. F., Bush, K., Ruckdeschel, T., Payne, J. T., ... Zeman, R. K. (2004). The phantom portion of the American College of Radiology (ACR) computed tomography (CT) accreditation program: practical tips, artifact examples, and pitfalls to avoid. *Med Phys*, 31(9), 2423–2442.
- MDDI. (1999). *Silicone Rubber for Medical Device Applications | MDDI Medical Device and Diagnostic Industry News Products and Suppliers*. Retrieved January 1, 2017, from <http://www.mddionline.com/article/silicone-rubber-medical-device-applications>
- Mettler, F. A., Huda, W., Yoshizumi, T. T., & Mahesh, M. (2008). Effective doses in radiology and diagnostic nuclear medicine: a catalog. *Radiology*, 248(1), 254–263.
- Moretto, H.-H., Schulze, M., & Wagner, G. (2000). Silicones. In *Ullmann's Encyclopedia of Industrial Chemistry*. Weinheim, Germany: Wiley-VCH Verlag GmbH & Co. KGaA.
- Poletti, M. E., Gonçalves, O. D., & Mazzaro, I. (2004). Measurements of X-ray scatter signatures for some tissue-equivalent materials. *Nucl Instrum Methods Phys Res B: Beam Interactions with Materials and Atoms*, 213, 595–598.
- Ramos, S.M.O., Thomas, S., Berdeguez, M.B.T., Sá, L.V., & Souza, S.A.L. (2017). Anthropomorphic Phantoms - Potential for More Studies and Training in Radiology. *IJRRT*, 2(4), 1-5.
- Rao, P. M., Rhea, J. T., Novelline, R. A., McCabe, C. J., Lawrason, J. N., Berger, D. L., & Sacknoff, R. (1997). Helical CT technique for the diagnosis of appendicitis: prospective evaluation of a focused appendix CT examination. *Radiology*, 202(1), 139–144.
- Reis, C., Pascoal, A., Sakellaris, T., & Koutaloni, M. (2013). Quality assurance and quality control in mammography: A review of available guidance worldwide.

Insights Imaging, 4(5), 539–553.

- Ripollés, T., Errando, J., Agramunt, M., & Martínez, M.-J. (2004). Ureteral colic: US versus CT. *Abdominal Imaging*, 29(2), 263–266.
- Romans, L. E. (2011). *Computed tomography for technologists: a comprehensive text*. Philadelphia: Wolters Kluwer Health/Lippincott Williams & Wilkins.
- Royal, H. D. (2008). Effects of low level radiation-what's new? *Semin Nucl Med*, 38(5), 392–402.
- Shellock, F. G., & Crues, J. V. (2004). MR Procedures: Biologic Effects, Safety, and Patient Care. *Radiology*, 232(3), 635–652.
- Shin-Etsu Silicones. (2010). RTV Silicone Rubber for Moldmaking. Retrieved from http://www.silicone.jp/e/catalog/pdf/mold_rtv_e.pdf
- Silicone Rubber Technical Information | Mosites Rubber Company. (2015). Retrieved January 3, 2017, from <http://www.mositesrubber.com/technical/technical-info/silicone-rubber/#1>
- Singh, H., & Jonathan, J. A. N. (Eds.). (2012). *Radiology Fundamentals, Introduction to Imaging & Technology* (4th ed.). New York Dordrecht Heidelberg London: Springer.
- Smith-Bindman, R., Lipson, J., Marcus, R., Kim, K.-P., Mahesh, M., Gould, R., ... Miglioretti, D. L. (2009). Radiation Dose Associated With Common Computed Tomography Examinations and the Associated Lifetime Attributable Risk of Cancer. *Arch Intern Med*, 169(22), 2078.
- Spies, H., Flood, K. T., Loock, T., & Hedlund, M. (2005, September). Method, computer program product and apparatus for enhancing a computerized tomography image. Retrieved from <http://www.google.com/patents/WO2005091219A1>
- Stuhlfaut, J. W., Soto, J. A., Lucey, B. C., Ulrich, A., Rathlev, N. K., Burke, P. A., & Hirsch, E. F. (2004). Blunt abdominal trauma: performance of CT without oral contrast material. *Radiology*, 233(3), 689–694.
- Suetens, P. (2009). *Fundamentals of Medical Imaging* (2nd ed.). New York: Cambridge University.
- Tomal, A., Geraldelli, W., Tomal, A., & Poletti, M. E. (2015). Characterization of Tissue-Equivalent Materials Through Measurements of the Linear Attenuation Coefficient and Scattering ... Characterization of Tissue-Equivalent Materials Through Measurements of the Linear Attenuation Coefficient and Scattering Pro f. *IEEE Trans Nucl Sci*, 60(April 2013), 566–571.
- U.S. Department of Health and Human Services. (1995). Occupational Safety and Health Guideline for Calcium Carbonate.
- Winslow, J. F., Hyer, D. E., Fisher, R. F., Tien, C. J., & Hintenlang, D. E. (2009). Construction of anthropomorphic phantoms for use in dosimetry studies. *J Appl Clin Med Phys*, 10(3), 195-204.

Yohannes, I., Kolditz, D., Langner, O., & Kalender, W. A. (2012). A formulation of tissue- and water-equivalent materials using the stoichiometric analysis method for CT-number calibration in radiotherapy treatment planning. *Phys Med Biol*, 57(5), 1173–1190.