

DAFTAR PUSTAKA

- Ahmad, I., Khalily, M. T., Hallahan, B., & Shah, I. 2017. Factors associated with psychotic relapse in patients with schizophrenia in a Pakistani cohort. *International Journal of Mental Health Nursing*, 26 (4): 384–390. doi: 10.1111/inm.12260
- Alvarez-Jimenez, M., Priede, A., Hetrick, S. E., Bendall, S., Killackey, E., Parker, A. G., *et al.* 2012. Risk factors for relapse following treatment for first episode psychosis: A systematic review and meta-analysis of longitudinal studies. *Schizophrenia Research*, 139: 116–128. doi: 10.1016/j.schres.2012.05.007
- Amaresha, A. C., & Venkatasubramanian, G. 2012. Expressed Emotion in Schizophrenia: An Overview. *Indian Journal of Psychological Medicine*, 34 (1): 12. doi: 10.4103/0253-7176.96149
- American Psychiatric Association. 2013. *Diagnostic and Statistical Manual of Mental Disorders*. Fifth Edit. American Psychiatric Association. doi: 10.1176/appi.books.9780890425596
- Awad, A. G., & Voruganti, L. N. 2008. The burden of schizophrenia on caregivers. *Pharmacoeconomics*, 26 (2): 149–162.
- Banerjee, A. G., & Retamero, C. 2014. Expressed emotion – a determinant of relapse in schizophrenia : a case report and literature review. *Journal of Psychiatry and Brain Functions*, 1 (1): 8–10. doi: 10.7243/2055-3447-1-4
- Bhugra, D., & McKenzie, K. 2003. Expressed emotion across cultures. *Advances in Psychiatric Treatment*, 9 (5): 342–348.
- Brown, G. W. 1959. Experiences of Discharged Chronic Schizophrenic Patients in Various Types of Living Group. *The Milbank Memorial Fund Quarterly*, 37 (2): 105. doi: 10.2307/3348588
- Brown, G. W., Birley, J. L. T., & Wing, J. K. 1972. Influence of Family Life on the Course of Schizophrenic Disorders: A Replication. *The British Journal of Psychiatry*, 121: 241–258. doi: 10.1192/bjp.121.3.241
- Brown, G. W., Monck, E. M., Carstairs, G. M., & Wing, J. K. 1962. Influence of family life on the course of schizophrenic illness. *British Journal of Preventive & Social Medicine*, 16 (2): 55–68.
- Butzlaff, R. L., & Hooley, J. M. 1998. Expressed emotion and psychiatric relapse: a meta-analysis. *Archives of General Psychiatry*, 55 (6): 547–552. doi: 10.1001/archpsyc.55.6.547

- Caqueo-Urizar, A., Miranda-Castillo, C., Giráldez, S. L., Maturana, S. L. L., Pérez, M. R., & Tapia, F. M. 2014. An updated review on burden on caregivers of schizophrenia patients. *Psicothema*, 26 (2): 235–243. doi: 10.7334/psicothema2013.86
- Carrà, G., Cazzullo, C. L., & Clerici, M. 2012. The association between expressed emotion, illness severity and subjective burden of care in relatives of patients with schizophrenia. Findings from an Italian population. *BMC Psychiatry*, 12 (1): 140.
- Cechnicki, A., Bielańska, A., Hanuszkiewicz, I., & Daren, A. 2013. The predictive validity of Expressed Emotions (EE) in schizophrenia. A 20-year prospective study. *Journal of Psychiatric Research*, 47 (2): 208–214. doi: 10.1016/j.jpsychires.2012.10.004
- Cole, J. D., & Kazarian, S. S. 1988. The Level of Expressed Emotion Scale: a new measure of expressed emotion. *Journal of Clinical Psychology*, 44 (3): 392–397. doi: 10.1002/1097-4679(198805)44:3<392::AID-JCLP2270440313>3.0.CO;2-3
- Dahlan, M. S. 2017. *Statistik untuk Kedokteran dan Kesehatan: Deskriptif, Bivariat, dan Multivariat Dilengkapi Aplikasi Menggunakan SPSS*. 6th ed. Jakarta: Epidemiologi Indonesia.
- Departemen Kesehatan RI. 1993. *Pedoman Penggolongan dan Diagnosis Gangguan Jiwa di Indonesia III*. Jakarta: Direktorat Jenderal Pelayanan Medik Departemen Kesehatan RI.
- Emsley, R., Chiliza, B., Asmal, L., & Harvey, B. H. 2013. The nature of relapse in schizophrenia. *BMC Psychiatry*, 13 (1): 50. doi: 10.1186/1471-244X-13-50
- Flyckt, L., Fatouros-Bergman, H., & Koernig, T. 2015. Determinants of subjective and objective burden of informal caregiving of patients with psychotic disorders. *International Journal of Social Psychiatry*, 61 (7): 684–692.
- Geertz, H. 1961. *The Javanese Family: a study of kinship and socialization*. The Free Press of Glencoe, Inc.
- Grossman, L. S., Harrow, M., Rosen, C., & Faull, R. 2006. Sex Differences in Outcome and Recovery for Schizophrenia and Other Psychotic and Nonpsychotic Disorders. *Psychiatric Services*, 57 (6): 844–850. doi: 10.1176/ps.2006.57.6.844
- Harrison, C. A., Dadds, M. R., & Smith, G. 1998. Family caregivers' criticism of patients with schizophrenia. *Psychiatric Services*, 49 (7): 918–924.
- Hay, S. I., Abajobir, A. A., Abate, K. H., Abbafati, C., Abbas, K. M., Abd-Allah, F., et al. 2017. Global, regional, and national disability-adjusted life-years

(DALYs) for 333 diseases and injuries and healthy life expectancy (HALE) for 195 countries and territories, 1990–2016: a systematic analysis for the Global Burden of Disease Study 2016. *The Lancet*, 390 (10100): 1260–1344. doi: 10.1016/S0140-6736(17)32130-X

Hidru, T. H., Osman, M. H., Lolokote, S., & Li, X. 2016. Extent and pattern of burden of care and its associated factors among Eritrean families of persons living with schizophrenia: a cross-sectional study. *BMJ Open*, 6 (9): e012127.

Holubova, M., Prasko, J., Hruby, R., Kamaradova, D., Ociskova, M., Latalova, K., *et al.* 2015. Coping strategies and quality of life in schizophrenia: cross-sectional study. *Neuropsychiatric Disease and Treatment*, 3041. doi: 10.2147/NDT.S96559

Hooley, J. M. 1985. Expressed emotion: A review of the critical literature. *Clinical Psychology Review*, 5 (2): 119–139. doi: 10.1016/0272-7358(85)90018-2

Hooley, J. M. 2007. Expressed Emotion and Relapse of Psychopathology. *Annual Review of Clinical Psychology*, 3 (1): 329–352. doi: 10.1146/annurev.clinpsy.2.022305.095236

Hooley, J. M., & Parker, H. A. 2006. Measuring expressed emotion: An evaluation of the shortcuts. *Journal of Family Psychology*, 20 (3): 386–396. doi: 10.1037/0893-3200.20.3.386

Hooley, J. M., & Teasdale, J. D. 1989. Predictors of relapse in unipolar depressives: Expressed emotion, marital distress, and perceived criticism. *Journal of Abnormal Psychology*, 98 (3): 229–235. doi: 10.1037/0021-843X.98.3.229

Hunter, R., & Barry, S. 2012. Negative symptoms and psychosocial functioning in schizophrenia: Neglected but important targets for treatment. *European Psychiatry*, 27 (6): 432–436. doi: 10.1016/j.eurpsy.2011.02.015

Kavanagh, D. J., O'Halloran, P., Manicavasagar, V., Clark, D., Piatkowska, O., Tennant, C., *et al.* 1997. The family attitude scale: reliability and validity of a new scale for measuring the emotional climate of families. *Psychiatry Research*, 70 (3): 185–195. doi: 10.1016/S0165-1781(97)00033-4

Kazadi, N. J. B., Moosa, M. Y. H., & Jeenah, F. Y. 2008. Factors associated with relapse in schizophrenia. *South African Journal of Psychiatry*, 14 (2): 52–62.

Kementerian Kesehatan RI. 2013. *Pokok-Pokok Hasil Riskesdas 2013*. Jakarta: Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI. doi: 10.1007/s13398-014-0173-7.2

- Koutra, K., Triliva, S., Roumeliotaki, T., Basta, M., Lionis, C., & Vgontzas, A. N. 2016. Family Functioning in First-Episode and Chronic Psychosis: The Role of Patient's Symptom Severity and Psychosocial Functioning. *Community Mental Health Journal*, 52 (6): 710–723. doi: 10.1007/s10597-015-9916-y
- Koutra, K., Triliva, S., Roumeliotaki, T., Lionis, C., & Vgontzas, A. N. 2015. Identifying the socio-demographic and clinical determinants of family functioning in Greek patients with psychosis. *International Journal of Social Psychiatry*, 61 (3): 251–264.
- Leff, J. P. 1976. Schizophrenia and sensitivity to the family environment. *Schizophrenia Bulletin*, 2 (4): 566–574. doi: 10.1093/schbul/2.4.566
- Li, C.-Y., & Lewis, F. M. 2013. Expressed emotion and depression in caregivers of older adults with dementia: results from Taiwan. *Aging & Mental Health*, 17 (8): 924–929. doi: 10.1080/13607863.2013.814098
- Lindenmayer, J. P., & Khan, A. 2006. Chapter 11 - Psychopathology. In Lieberman, J. A., Stroup, T. S., & Perkin, D. O. (Eds.). *The American Psychiatric Publishing textbook of schizophrenia*. 1st Edition. Washington, DC: American Psychiatric Publishing.
- Marchira, C. R. 2012. Pengaruh Intervensi Psikoedukasi Interaktif Singkat Tentang Skizofrenia Terhadap Pengetahuan Caregiver, Keteraturan Kontrol, Ketaatan Pengobatan, dan Kekambuhan Pada Penderita Gangguan Psikotik Fase Awal di Yogyakarta. *Disertasi*. Universitas Gadjah Mada, Yogyakarta.
- Marchira, C. R., Sumarni, P., & Lusiana, P. W. 2008. Hubungan antara Ekspresi Emosi Keluarga Pasien dengan Kekambuhan Penderita Skizofrenia di RS Dr. Sardjito Yogyakarta. *Berita Kedokteran Masyarakat*, 24 (4): 172–175.
- Marchira, C. R., Supriyanto, I., Subandi, S., Good, M. J. D., & Good, B. J. 2017. Brief interactive psychoeducation for caregivers of patients with early phase psychosis in Yogyakarta, Indonesia. *Early Intervention in Psychiatry*, 1–8. doi: 10.1111/eip.12506
- Marchira, C. R., Supriyanto, I., Subandi, Soewadi, & Good, B. J. 2016. The association between duration of untreated psychosis in first psychotic episode patients and help seeking behaviors in Jogjakarta, Indonesia. *International Journal of Culture and Mental Health*, 9 (2): 120–126. doi: 10.1080/17542863.2015.1103276
- Marom, S. 2005. Expressed Emotion: Relevance to Rehospitalization in Schizophrenia Over 7 Years. *Schizophrenia Bulletin*, 31 (3): 751–758. doi: 10.1093/schbul/sbi016

- McGrath, J., Saha, S., Chant, D., & Welham, J. 2008. Schizophrenia: A Concise Overview of Incidence, Prevalence, and Mortality. *Epidemiologic Reviews*, 30 (1): 67–76. doi: 10.1093/epirev/mxn001
- Medina-Pradas, C., Navarro, J. B., Pousa, E., Montero, M. I., & Obiols, J. E. 2013. Expressed and Perceived Criticism, Family Warmth, and Symptoms in Schizophrenia. *The Spanish Journal of Psychology*, 16. doi: 10.1017/sjp.2013.25
- Millier, A., Sarlon, E., Azorin, J.-M., Boyer, L., Aballea, S., Auquier, P., *et al.* 2011. Relapse according to antipsychotic treatment in schizophrenic patients: a propensity-adjusted analysis. *BMC Psychiatry*, 11 (1). doi: 10.1186/1471-244X-11-24
- National Alliance for Caregiving. 2010. *Care for the Family Caregiver: A Place to Start*. EmblemHealth.
- Nirmala, B., Reddy, S., & Vranda, M. 2011. Expressed Emotion and Caregiver Burden in Patients with Schizophrenia. *Indian Journal of Psychological Medicine*, 33 (2): 119. doi: 10.4103/0253-7176.92052
- Nurtanti, I. S. 2005. Penentuan validitas dan reliabilitas Family Questionnaire (FQ) dalam menilai ekspresi emosi pada keluarga yang merawat penderita skizofrenia di RSCM. *Tesis*. Universitas Indonesia, Jakarta.
- Olivares, J. M., Sermon, J., Hemels, M., & Schreiner, A. 2013. Definitions and drivers of relapse in patients with schizophrenia: a systematic literature review. *Annals of General Psychiatry*, 12 (1): 32.
- Pardede, J. A., Sirait, D., Riandi, R., Emanuel, P., & Laia, R. 2016. Ekspresi Emosi Keluarga Dengan Frekuensi Kekambuhan Pasien Skizofrenia. *Idea Nursing Journal*, 7 (3): 53–61.
- Perhimpunan Dokter Spesialis Kedokteran Jiwa Indonesia. 2011. *Konsensus Penatalaksanaan Gangguan Skizofrenia*. Jakarta: Perhimpunan Dokter Spesialis Kedokteran Jiwa Indonesia.
- Phillips, M. R., Pearson, V., Li, F., Xu, M., & Yang, L. 2002. Stigma and expressed emotion: a study of people with schizophrenia and their family members in China. *The British Journal of Psychiatry*, 181 (6): 488–493.
- Porcelli, S., Bianchini, O., De Girolamo, G., Aguglia, E., Crea, L., & Serretti, A. 2016. Clinical factors related to schizophrenia relapse. *International Journal of Psychiatry in Clinical Practice*, 20 (2): 54–69. doi: 10.3109/13651501.2016.1149195

- Prihandini, I. Y. 2012. Pengaruh Ekspresi Emosi Keluarga Terhadap Frekuensi Kekambuhan Pasien Skizofrenia Di Rumah Sakit Jiwa Daerah Surakarta. *Skripsi*. Universitas Sebelas Maret, Surakarta.
- Roseliza-Murni, A., Oei, T. P. S., Fatimah, Y., & Asmawati, D. 2014. Schizophrenia relapse in Kuala Lumpur, Malaysia: Do relatives' expressed emotion and personality traits matter? *Comprehensive Psychiatry*, 55 (1): 188–198. doi: 10.1016/j.comppsy.2012.12.026
- Rössler, W., Joachim Salize, H., Van Os, J., & Riecher-Rössler, A. 2005. Size of burden of schizophrenia and psychotic disorders. *European Neuropsychopharmacology*, 15 (4): 399–409. doi: 10.1016/j.euroneuro.2005.04.009
- Rutter, M., & Brown, G. W. 1966. The reliability and validity of measures of family life and relationships in families containing a psychiatric patient. *Social Psychiatry and Psychiatric Epidemiology*, 1 (1): 38–53.
- Sadiq, S., Suhail, K., Gleeson, J., & Alvarez-Jimenez, M. 2017. Expressed emotion and the course of schizophrenia in Pakistan. *Social Psychiatry and Psychiatric Epidemiology*, 52 (5): 587–593. doi: 10.1007/s00127-017-1357-1
- San, L., Bernardo, M., Gómez, A., & Peña, M. 2013. Factors associated with relapse in patients with schizophrenia. *International Journal of Psychiatry in Clinical Practice*, 17 (1): 2–9. doi: 10.3109/13651501.2012.687452
- Sariah, A. E., Outwater, A. H., & Malima, K. I. Y. 2014. Risk and protective factors for relapse among individuals with schizophrenia: a qualitative study in Dar es Salaam, Tanzania. *BMC Psychiatry*, 14 (1): 240. doi: 10.1186/s12888-014-0240-9
- Sastroasmoro, S., & Ismael, S. (Eds.). 2016. *Dasar-dasar Metodologi Penelitian Klinis*. Edisi ke-5. Jakarta: Sagung Seto.
- Sellwood, W., Tarrier, N., Quinn, J., & Barrowclough, C. 2003. The family and compliance in schizophrenia: the influence of clinical variables, relatives' knowledge and expressed emotion. *Psychological Medicine*, 33 (01). doi: 10.1017/S0033291702006888
- Shields, C. G., Franks, P., Harp, J. J., Campbell, T. L., & McDaniel, S. H. 1994. Family Emotional Involvement and Criticism Scale (FEICS): II. Reliability and validity studies. *Family Systems Medicine*, 12 (4): 361–377. doi: 10.1037/h0089289
- Shields, C. G., Franks, P., Harp, J. J., McDaniel, S. H., & Campbell, T. L. 1992. Development Of The Family Emotional Involvement And Criticism Scale

- (FEICS): A Self-Report Scale To Measure Expressed Emotion. *Journal of Marital and Family Therapy*, 18 (4): 395–407. doi: 10.1111/j.1752-0606.1992.tb00953.x
- Subandi, M. A. 2008. Ngemong: Dimensi Keluarga Pasien Psikotik di Jawa. *JURNAL PSIKOLOGI*, 35 (1): 62–79.
- Subandi, M. A. 2011. Family Expressed Emotion in a Javanese Cultural Context. *Culture, Medicine, and Psychiatry*, 35 (3): 331–346. doi: 10.1007/s11013-011-9220-4
- Sukmarini, N. 2009. Optimalisasi Peran Caregiver Dalam Penatalaksanaan Skizofrenia. *Jiwa, Indonesian Psychiatric Quarterly*, XLII (1): 57–71.
- Sulistiowati, N. M. D., Yulastini, Putu, N. L., & Swedarma, K. E. 2015. Hubungan Persepsi Keluarga Tentang Skizofrenia Dan Ekspresi Emosi Keluarga Dengan Frekuensi Kekambuhan Skizofrenia Di IRD RSJ Provinsi Bali. In *Peningkatan Kualitas Kesehatan Jiwa Daerah Perbatasan Melalui Pelayanan Yang Komprehensif dan Integratif*. Presented at the Konferensi Nasional XII Keperawatan Kesehatan Jiwa Kalimantan Barat, Pontianak.
- Vaughn, C. E. 1984. Family Factors in Schizophrenic Relapse: Replication in California of British Research on Expressed Emotion. *Archives of General Psychiatry*, 41 (12): 1169. doi: 10.1001/archpsyc.1984.01790230055009
- Vaughn, C. E., & Leff, J. P. 1976a. The influence of family and social factors on the course of psychiatric illness. A comparison of schizophrenic and depressed neurotic patients. *The British Journal of Psychiatry*, 129 (2): 125–137. doi: 10.1192/bjp.129.2.125
- Vaughn, C., & Leff, J. 1976b. The measurement of expressed emotion in the families of psychiatric patients. *The British Journal of Social and Clinical Psychology*, 15 (2): 157–65. doi: 10.1111/j.2044-8260.1976.tb00021.x
- Wang, X., Chen, Q., & Yang, M. 2017. Effect of caregivers' expressed emotion on the care burden and rehospitalization rate of schizophrenia. *Patient Preference and Adherence*, Volume 11: 1505–1511. doi: 10.2147/PPA.S143873
- Wasserman, S., Weisman, A., & Suro, G. 2013. Nonreligious coping and religious coping as predictors of expressed emotion in relatives of patients with schizophrenia. *Mental Health, Religion & Culture*, 16 (1): 16–30. doi: 10.1080/13674676.2011.642347
- Weisman, A. G., Nuechterlein, K. H., Goldstein, M. J., & Snyder, K. 1998. Expressed emotion, attributions, and schizophrenia symptom dimensions.

Journal of Abnormal Psychology, 107 (2): 355–359. doi: 10.1037/0021-843X.107.2.355

World Health Organization. 2016. *Global Health Estimates 2015: Disease burden by Cause, Age, Sex, by Country and by Region, 2000-2015*. Geneva: World Health Organization.

Zhang, H., Mi, W., Li, L., Shi, Y., & Xiao, J. 2015. High relapse rate and poor medication adherence in the Chinese population with schizophrenia: results from an observational survey in the People's Republic of China. *Neuropsychiatric Disease and Treatment*, 1161. doi: 10.2147/NDT.S72367