

## DAFTAR PUSTAKA

- Ayala, R.S., Luque de Castro, M.D. 2001. *Continuous Subcritical Water Extraction as A Useful Tool for Isolation of Edible Essential Oils*, **Food Chemistry**, 75, 109-113.
- Bahri, S. 2008. *Pemanfaatan Limbah Industri Pengolahan Kayu untuk Pembuatan Briket Arang dalam Mengurangi Pencemaran Lingkungan di Nanggroe Aceh Darussalam*.
- Behrendt, F., Neubauer, Y., Oevermann, M., Wilmes, B., Zobe, N. 2008. *Direct Liquefaction of Biomass (Review)*. *Chemical Engineering and Technology*. 31, 667.
- Brand, S., Hadi, F., Kim, J dan Suh, D. J. 2014, *Effect of Heating Rate on Biomass Liquefaction: Differences Between Subcritical Water and Supercritical Ethanol*, **Energy**, 68, 420-427.
- Budiarso, E., Budi, A. S., dan Kusuma, I. W. 2017. *Natural Preservative from the Liquid Smoke of Ebony Wood as Anti-Subterranean Termites (*Coptotermes curvignathus Holmgren*)*. 11(3), 81-90.
- Budrat, P. dan Shotipruk, A. 2009, *Enhanced Recovery of Phenolic Compounds from Bitter Melon (*Momordica charantia*) by Subcritical Water Extraction, Separation and Purification Technology*, 66, 125-129.
- Chang, C dkk., 2016, *Conversion of Waste Bamboo Chopsticks to Bio-oil Via Catalytic Hydrothermal Liquefaction Using  $K_2CO_3$* , **Sustainable Environment Research**, 26, 262-267.

Cheng, S.D., Cruz, I., Wang, M. 2010. Highly Efficient Liquefaction of Woody Biomass in Hot-Compressed Alcohol-Water Co-Solvent. *Energy Fuels*. 24:4659-67.

Dimitriadis, A. dan Bezergianni, S. 2016. *Hydrothermal liquefaction of Various Biomass and Waste Feedstocks for Biocrude Production: A State of The Art Review*. **Renewable and Sustainable Energy Reviews**. 68, 113-125.

Earl, D. E, dan Meyer, A. 1974. *Charcoal*. Food and Agricultural Organization of United Nations, Rome.

Funke, A. dan Ziegler, F. 2010. *Hydrothermal Carbonization of Biomass: A Summary and Discussion of Chemical Mechanisms for Process Engineering*. **Biofuel, Bioproducts and Biorefinin** 4(2), 160-177.

Gao, Y., Haitao W., Junhong G., Pai P., Meizhi Z., Diao S. 2016. *Hydrothermal Degradation of Hemicelluloses from Triploid Poplar in Hot Compressed Water at 180-340°C*. **Polymer Degradation and Stability**. 126(179-187)

Hardi, F., Makela, M., Yoshikawa, K., 2017. *Non-catalitic Hydrothermal Liquefaction of Pine Sawdust Using Experimental Design: Material Balance and Product Analysis*. **Applied Energy**, 033, 1-7.

Hendra, D. 2011. *Pemanfaatan Enceng Gondok (*Eichornia Crassipes*) untuk Bahan Baku Briket sebagai Bahan Bakar Alternatif*. **Jurnal Penelitian Hasil Hutan**. Vol.29. No. 2 (189-210). Bogor.

Hendra, D dan Pari, G. 2000. *Penyempurnaan Teknologi Pengolahan Arang*. *Laporan Hasil Penelitian*. Lembaga Penelitian Hasil Hutan, Bogor.

Indrawan, B., P. Prawisudha, dan K. Yoshikawa, 2012, *Combustion*

*Characteristics of Chlorine-Free Solid Fuel Produced from Municipal Solid Waste by Hydrothermal Processing, **Energies**, 5, 4446-4461.*

Indrawan, B., 2012, *Chlorine Removal and Evaluation of Solid Fuel Produced from Manucipal Solid Waste by Hydrothermal Treatment for Co-Firing with Coal, **Doctoral Dissertation***, Tokyo Institute of Technology, Japan.

Irsyad A. R., P. Prawisudha, dan A. D. Pasek, 2015, Kaji Eksperimental Produksi Bahan Bakar Padat Ramah Lingkungan dari Tandan Kosong Kelapa Sawit Menggunakan Proses Hidrotermal, **Proceeding Seminar Nasional Tahunan Teknik Mesin XIII (SNTTM XIII)**, Depok.

Kalderis, D., Kotti, M.S., Mendez, A., Gasco, G., 2014, "Characterization of hydrochars produced by hydrothermal carbonization of rice husk", *Solid earth*, 5, pp. 477 – 483.

Karagoz, S., Bhaskar, T., Muto, A., Sakata, Y., Uddin, M. A. 2004. *Low Temperature Hydrothermal of Biomass: Effect of Reaction Parameters on Products and Boiling Point Distributions. **Energy and Fuels***. 18, 234-241.

Kumar, S. 2010. *Hydrothermal Treatment for Biofuels: Lignocellulosic Biomass to Bioethanol, Biocrude and Biochar*. PhD Dissertation: Auburn University.

Malik, U., 2013, Alternatif Pemanfaatan Limbah Industri Pengolahan Kayu sebagai Arang Briket, **Jurnal APTEK**, 5 (1), 63-68.

Masturin, A. 2002. *Energy Production from Biomass (Part 2): Conversion Technologies. **Bioresource Technology***. 83(47-54)

McKendry, P. 2002. *Energy Production from Biomass (Part 2): Conversion Technologies. **Bioresource Technology***. 83, 47-54.

Novianti, S., A. Nurdiawati, I. N. Zaini, P. Prawisudha, H. Sumida, dan K. Yoshikawa, 2015, *Low-potassium Fuel Production from Empty Fruit Bunches by Hydrothermal Treatment Processing and Water Leaching*, **Energy Procedia**, 75, 584 – 589.

Novianti, S., M.K. Biddinika, P. Prawisudha, dan K. Yoshikawa, 2014, *Upgrading of Palm Oil Empty Fruit Bunch Employing Hydrothermal Treatment in Lab-scale and Pilot Scale*, **Procedia Environmental Sciences**, 20, 46 – 54.

Nurdiawati<sup>a</sup>, A., S. Novianti, I. N. Zaini, H. Sumida, dan K. Yoshikawa, 2015, *Production of Low-Potassium Solid Fuel from Empty Fruit Bunches (EFB) by Employing Hydrothermal Treatment and Water Washing Process*, **Journal of the Japan Institute of Energy**, 94, 775-780.

Nurdiawati<sup>b</sup>, A., S. Noviantia, I.N. Zainia, B. Nakhshinieva<sup>a</sup>, H. Sumidab, F. Takahashia, dan K. Yoshikawa, 2015, *Evaluation of Hydrothermal Treatment of Empty Fruit Bunch for Solid Fuel and Liquid Organic Fertilizer Co-Production*, **Energy Procedia**, 79, 226 – 232.

Nurhasybi, Kartiko, H. D. P., Zanzibar, M., Sudrajat, D. J., Pramono, A. A., Budharman, Sudrajar, Suhariyanto. 2010. *Atlas Benih Tanaman Hutan Indonesia*. Balai Penelitian Teknologi Pembenihan Bogor. Balai Penelitian dan Pengembangan Kehutanan.

Oktaviananda, C., Rahmawati, R. F., Prasetya, A., Purnomo, C. W., Yuliansyah, A. T., & Cahyono, R. B. 2017. *Effect of temperature and biomass-water ratio to yield and product characteristics of hydrothermal treatment of biomass*. International Conference on Chemistry, Chemical Process and Engineering.

Pescok, R. L., Shields, L. D., Cairns, T., dan McWilliam, I.G., 1976. *Modern Method of Chemical Analysis*. John Wiley & Sons Inc., London.

Sastrohamidjojo, H., 2007. *Spektroskopi*. Yogyakarta: Liberty.

Siahaan, S., H, Melvha, dan H, Rosdaneli. 2013. *Penentuan Kondisi Optimum Suhu dan Waktu Karbonisasi pada Pembuatan Arang dari Sekam Padi*. Jurnal Teknik Kimia USU. Vol.2. Medan.

Simanungkalit, S.P., Mansur, D., Fitriady, M.A. 2016, *Hydrothermal Liquefaction Limbah Distilasi Bioetanol Generasi-2*, **Reaktor**,16(2), 49-56.

Sjostrom, E. 1995. *Kimia Kayu.: Dasar-dasar dan Penggunaan*. Gadjah Mada University Press. <http://doi.org/10.1007/s10726-013-9375-1.6>.

Tekin, K., Karagoz, S., Bektas, S. 2012. *Hydrothermal Liquefaction of Beech Wood Using a Natural Calcium Borate Mineral*. **The Journal of Supercritical Fluids**. 72, 134-139.

Toor, S.S., Rosendahl, L., Rudolf, A. 2011. *Hydrothermal Liquefaction of Biomass: A Review of Subcritical Water Technologies*. **Energy**. 36, 2328-2342.

Weingartner, H. Dan Franck, E.U. 2005, *Supercritical Water as a Solvent*. Wiley-VCH Verlag GmbH & Co. kGaA, Weinheim.

Widiatmoko, A.A. 2016. *Produksi Energi Dari Biomassa (Bag.1): Mengenal Biomassa*. <https://kipmi.or.id/>. Diakses 5 Oktober 2017.

Yu, F., R. Ruan, P. Chen, S. Deng, Y. Liu, X. Lin, 2007, *Liquefaction of Corn Cobs with Supercritical Water Treatment*, **American Society of Agricultural and Biological Engineers**, 50(1), 175-180.

Yuliansyah, A.T., T. Hirajima, S. Kumagai, dan K. Sasaki, 2010, *Production of Solid Biofuel from Agricultural Wastes of The Palm Oil Industry by Hydrothermal Treatment*, **Waste Biomass Valor**, 1, 395-405.