

DAFTAR PUSTAKA

- Andreeva, N., Ishizaki, T., Baroch, P. & Saito, N., 2012, Sensors and Actuators B : *Chemical High sensitive detection of volatile organic compounds using superhydrophobic quartz crystal microbalance*, *Sensors & Actuators: B. Chemical*, 164, 1, 15–21. <http://dx.doi.org/10.1016/j.snb.2012.01.051>,.
- Arsyad, M., 2001, *Kamus Kimia – Arti dan Penjelasan Ilmiah*, Jakarta, PT Gramedia Pustaka Utama.
- Astuti, Wida. (2015) *Identifikasi Tahu Berformalin dengan Electronic Nose Menggunakan Jaringan Syaraf Tiruan Backpropagation*. Yogyakarta. Universitas Gadjah Mada.
- Atmel. (2015) *SAM3X/SAM3A Series SMART ARM-based MCU DATASHEET*. U.S. Atmel Corporation.
- Bhattacharyya, N., Bandyopadhyay, R., Bhuyan, M., Tudu, B., Ghosh, D. and Jana, A., 2008, Electronic nose for black tea classification and correlation of measurements with “Tea taster” marks, *IEEE Transactions on Instrumentation and Measurement*, [Online] 57 (7), 1313–1321, tersedia di DOI:10.1109/TIM.2008.917189.
- Banerjee, R., Chattopadhyay, P., Tudu, B., Bhattacharyya, N. and Bandyopadhyay, R., 2014, Artificial flavor perception of black tea using fusion of electronic nose and tongue response: A Bayesian statistical approach, *Journal of Food Engineering*, [Online] 142 (2014), 87–93, tersedia di DOI:10.1016/j.jfoodeng.2014.06.004.
- Baskara, S., Lelono, D. dan Widodo, T.W. (2016) Pengembangan Hidung Elektronik untuk Klasifikasi Mutu Minyak Goreng dengan Metode Principal Component Analysis. *IJEIS (Indonesian Journal of Electronics and Instrumentation Systems)*. [Online] 6 (2), 221. Available from: doi:10.22146/ijeis.15347.
- Dey, A., 2018, *Materials Science & Engineering B Semiconductor metal oxide gas sensors : A review*, , 229, November 2017, 206–217.
- Ding, B., Kim, J., Miyazaki, Y. & Shiratori, S., 2004, Electrospun nanofibrous membranes coated quartz crystal microbalance as gas sensor for NH₃ detection, *Sensors and Actuators, B: Chemical*, 101, 3, 373–380.
- Gardner, J.W. and Bartlett, P.N., 1994, A brief history of electronic noses, *Sensors and Actuators B: Chemical*, [Online] 18 (1-3), 210–211, tersedia di DOI:10.1016/0925-4005(94)87085-3.

- Gutierrez-Osuna, R., 2002, *Pattern analysis for machine olfaction: a review*, [Online] 2 (3), 189–202, tersedia di DOI:10.1109/JSEN.2002.800688.
- Gwizdz, P., Brudnik, A. & Zakrzewska, K., 2012, Temperature modulated response of gas sensors array - humidity interference, , 47, 1045–1048.
- Hraybi, A., Mougharbel, I., Kassem, K. dan Ghaziri, H. (2017) Quartz crystal microbalance (QCM) for the detection of explosive vapor – measurements and simulations. In: *2017 First International Conference on Landmine: Detection, Clearance and Legislations (LDCL)*. [Online]. April 2017 IEEE. hal. 1–6. Available from: doi:10.1109/LDCL.2017.7976933.
- Huang, W.; Wang, X.; Jia, Y.; Li, X.; Zhu, Z.; Li, Y.; Si, Y.; Ding, B.; Wang, X.; Yu, J.(2013) Highly sensitive formaldehyde sensors based on polyvinylamine modified polyacrylonitrile nanofibers. *RSC Adv.* 2013, 3, 22994–23000.
- Imam, Syaiful, (2017) Karakteristik Sistem Akuisisi Data Quartz Crystal Microbalance 10 MHz untuk Aplikasi Sensor Gas, Yogyakarta, UNIVERSITAS GADJAH MADA YOGYAKARTA .
- Jabarullah, N.H., Verrelli, E., Mauldin, C., Navarro, L.A., Golden, J.H., Madianos, L.M. & Kemp, N.T., 2015, Superhydrophobic SAM Modified Electrodes for Enhanced Current Limiting Properties in Intrinsic Conducting Polymer Surge Protection Devices.
- Jia, Y., Zhang, Y., Yu, H., Nie, W. & Dong, F., 2016, Fabrication of Novel Cellulose Nanofibers / Quartz Crystal Microbalance, *Journal of Nanoscience and Nanotechnology*, 16, 12, 12351–12355.
- Johannsmann, D., 2015. *The Quartz Crystal Microbalance in Soft Matter Research*. Soft and Biological Matter. Cham: Springer International Publishing.
- Fukunaga (1990) *Introduction to Statistical Pattern Recognition*. Second. Boston, Harcourt Brace Jovanovich.
- Lelono, D., S. Si., M.T., Fakultas Matematika dan Ilmu Pengetahuan Alam UGM. ,2017, *PENGEMBANGAN SISTEM PENANGANAN SAMPEL E-NOSE UNTUK SAMPEL TEH HITAM DENGAN PERLAKUAN SUHU*.
- Lelono, D., Triyana, K., Hartati, S. dan Istiyanto, J.E. ,2016, principal component analysis Classification of Indonesia Black Teas Based on Quality by Using Electronic Nose and Principal Component Analysis, *AIP Conference Proceedings*, [Online] 1755020003–1, Available from: doi:10.1063/1.4958468.
- Mecca, V. M., 1990. A new method of measuring the mass sensitive areas of quartz

- crystal resonators. *Journal of Physics E: Sci. Instrum*, pp. 58-69.
- Nakamoto, T., 2004, Odor Handling and Delivery Systems, Handbook of Machine Olfaction, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., pp. 55–78, tersedia di DOI:10.1002/3527601597.ch3.
- Paknahad, M., Ahmadi, A., Rousseau, J., Nejad, H.R. dan Hoorfar, M. (2017) On-Chip Electronic Nose For Wine Tasting: A Digital Microfluidic Approach. *IEEE Sensors Journal*. [Online] 17 (14), 4322–4329. Available from: doi:10.1109/JSEN.2017.2707525.
- Pearce, Susan S. Schiffman, H. Troy Nagle, dan Julian W. Gardner (ed.) (2003) *Handbook of Machine Olfaction*. [Online]. Weinheim, FRG, Wiley-VCH Verlag GmbH & Co. KGaA. Available from: doi:10.1002/3527601597.
- Rahmani. (2014) *Rancang Bangun Electronic Nose Untuk Klasifikasi Bensin Premium Murni dan Premium Campuran*. Yogyakarta. Universitas Gadjah Mada.
- Rashid, F.N.A., Maamor, H.N., Zakaria, N.Z.I., Yusuf, N., Adnan, K.A.K., Zakaria, A., Kamarudin, L.M., Shakaff, A.Y.M. & Engineering, C., 2013, Electronic Nose as the Rapid Technique for Aroma Assesment of Vegetable Oils, , 130–133.
- Rianjanu, A., Roto, R., Julian, T. & Hidayat, S.N., 2018, Polyacrylonitrile Nanofiber-Based Quartz Crystal, *SENSORS* , 1–11.
- Rosyad, Fachdi. (2015). *Klasifikasi Kemurnian Daging Sapi Berbasis Electronic Nose Dengan Metode Principal Component Analysis*. Yogyakarta. Universitas Gadjah Mada.
- Saeed, S.H., Abbas, Z. dan Gopal, B. (2009) Experimental use of electronic nose for analysis of volatile organic compound (VOC). In: *2009 International Multimedia, Signal Processing and Communication Technologies*. [Online]. Maret 2009 IEEE. hal. 113–115. Available from: doi:10.1109/MSPCT.2009.5164187.
- Sauerbrey, G. 1964. Messung von Plattenschwingungen kleiner Amplitude durch Lichtstrommodulation. *Z. Phys.*, 178: 457–471.
- Schiffman, S.S. and Pearce, T.C., 2004, Introduction to Olfaction: Perception, Anatomy, Physiology, and Molecular Biology, *Handbook of Machine Olfaction*, [Online], Wiley-VCH Verlag GmbH & Co. KGaA., pp. 1–31, tersedia di DOI:10.1002/3527601597.ch1.
- Siyang, S., Lorwongtragool, P., Noosidum, A., Wongchoosuk, C. & Kerdcharoen, T., 2013, Development and application of electronic nose for agricultural robot, *2013 10th International Conference on Electrical*

Engineering/Electronics, Computer, Telecommunications and Information Technology, 1–4. <http://www.scopus.com/inward/record.url?eid=2-s2.0-84883071961&partnerID=tZOtx3y1>,.

Supriatiningsih, N., Ersam, T., Rivai, M., Kurniawan, F., Kimia, J. dan Elektro, J.T. (2011) *Pengenalan Pola Respon Aroma Teh dengan Menggunakan Electronic Nose*. In: [Online]. 2011 hal. 978–979. Available from: https://www.google.co.id/url?sa=t&rct=j&q=&esrc=s&source=web&cd=1&cad=rja&uact=8&ved=0ahUKEwiOun1kNPWAhUGn5QKHRbtA7MQFgggMAA&url=http%3A%2F%2Fsnkpk.fkip.uns.ac.id%2Fwp-content%2Fuploads%2F2016%2F04%2FC-07_PENGENALAN-POLA-RESPON-AROMA-TEH-DENGAN-MENGGUNAK.

Triyana, K., Agustika, D.K. dan Hardoyono, F., 2012, *Penerapan Metode Ekstraksi Ciri Berbasis Transformasi Wavelet Diskrit untuk Meningkatkan Unjuk Kerja Electronic Nose*, (April), 90–93.

Vives, A.A., 2008. *Piezoelectric Transducers and Applications*. Second ed. *Statewide Agricultural Land Use Baseline 2015*, Berlin, Heidelberg: Springer Berlin Heidelberg.

Wicaksono, B.A., Rivai, M. & Gas, A.S., 2014, *Rancang Bangun Sistem Pencacah Frekuensi Untuk Sensor Gas Quartz Crystal Microbalance*, , 3, 1, 1–5.

Yurish, S.Y. and Gomes, M.T.S.R., 2003. Smart Sensor and MEMS. In: *NATO Advanced Study Institute on Smart Sensors and MEMS*. Portugal: Kluwer Academic Publishers, pp.1–489.

Zhang, D., Zhao, X., Han, J. & Zhao, Y., 2014, A comparative study on PCA and LDA based EMG pattern recognition for anthropomorphic robotic hand, *Proceedings - IEEE International Conference on Robotics and Automation*, 4850–4855.