

Daftar Pustaka

- Acuin J. 2007. Chronic Suppurative Otitis Media. *Clinical Evidence*. 02:507-27.
- Alababsi AM, Alsaimary IE, Najim JM. 2010. Prevalence and patterns of chronic suppurative otitis media and hearing impairment in Basrah city. *J Med Med Sci*. 1(4) pp. 129-33.
- Ali AH, & El Sherif A.A.M.H. 2004. Role of cytokines and nitric oxide in otitis media with effusion. *Al Azhar Assiut Med J*. 2 (3): 61-75.
- Alves AL, Ribeiro FAQ. 2004. The role of cytokines in acquired middle ear cholesteatoma: literature review. *Rev Bras Otorrinolaringol*, 70 (6): 813-8.
- Ars B. Chronic Otitis Media. 2008. Pathogenesis Oriented Therapeutic Management. *Kugler Publications*, Amsterdam, Netherland.
- Arshi S, Firouzabadi FD, Ghalehbaghi B, Firouzabadi AD, Jalali F, Shekarabi M, Sirous R, Firouzabadi MD. 2017. Otitis Media with Effusion in Children and the Impact of Risk Factors on Serum Cytokine Levels. *Iran J Otorhinolaryngol*, 29(2); 91: 75-81.
- Aruan SY, Aboet A, Zahara D, Aliandri, Saragih AS. 2015. Hubungan ekspresi Tumor Necrosis Factor Alpha (TNF- α) dengan destruksi tulang akibat kolesteatoma. *ORLI*, 45 (1): 36-42.
- Atef A, Ayad EE. 2004. Ciliary count in chronic suppurative otitis media: comparative quantitative study between mucosal and squamous type using scanning electron microscopy and image analysis. *J Laryngol Otol*, 118(5): 343-7.
- Bakhshae M, Rajati M, Fereidouni M, Khadivi E, Varasteh A. 2011. Allergic Rinitis and chronic suppurative otitis media. *Eur Arch Otorhinolaryngol*, 268:87-91.
- Bernstein JM. 1996. Role of allergy in eustachian tube blockage and otitis media with effusion: a review. *Otolaryngol Head Neck Surg*, 114:562 - 8.
- Bradley JR. 2008. TNF-mediated inflammatory disease. *J Pathol*, 214: 149-60.
- Bouwman LH, Roep BO, Roos A. 2006. Mannose-Bindin Lectin: Clinical Implications for Infection, transplantation, and Autoimmunity. *Hum Immunol*, 67: 247-56.

- Button KS, Ioannidis JPA, Mokrysz C, Nosek BA, Flint J, Robinson ESJ, Munafò MR. 2013. Power failure: why small sample size undermines the reliability of neuroscience. *Nat Rev*, 14: 365-76.
- Cedzynski M, Szemraj J, Swierzsko S, Romaniszyn LB, Banasik M, Zeman K, Kilpatrick C. 2004. Mannan-binding lectin insufficiency in children with recurrent infections of the respiratory system. *Clin Exp Immunol*, 136: 304-11.
- Cheong JY, Cho SW, Lim SK, Shin DH, Yoon SK, Lee JE, Hahm KB, Kim JH. 2005. Lack of Association between Hepatitis B Virus Infection and Polymorphism of Mannose-Binding Lectin Gene in Korean Population. *J Korean Med Sci*; 20: 65-9.
- Chong WP, To YF, Ip WK, Yuen MF, Poon TP, Wong WHS, Lai CL, Lau YL. 2005. Mannose-Binding Lectin in Chronic Hepatitis B Virus infection. *Hepatology*, 42: 1037-1045.
- Church LD, Cook GP, McDermott MF. 2007. Primer: Inflamassomes and Interleukin-1 β in Inflammatory disorders. *Nature Clin Pract*, 4, 1: 34-42.
- Daniel SJ. 2012. Topical treatment of Chronic suppurative otitis media. *Curr Infect Dis Rep*, 14: 121-7.
- Dayasena RP, Dayasiri MBKC, Jayasuriya C, Perera DSC. 2011. Aetiological agents in chronic suppurative otitis media in Sri Lanka. *Aus Med J*, 4, 2: 101-4.
- Demir UL, Akyildiz MY, Alpay M. 2012. The factors which affect disease-specific quality of life in patients with chronic otitis media. *Int Adv Otol*, 8: 371-78.
- Diana F, Haryuna TSH. 2017. Hubungan Rinitis Alergi dengan Kejadian Otitis Media Supuratif Kronik. *MKB*, 49(2):79-85.
- Dong Li J, Hermansson A, Ryan AF, Bakaletz LO, Brown SD, Cheeseman MT, *et al.* 2013. Panel 4; Recent Advances in Otitis Media in Molecular Biology, Biochemistry, Genetics, and Animal Models. *Otolaryngol Head Neck Surg*, 148(40): E52-E63.
- Eddie Ip Wk, Takahashi K, Ezekowitz RA, Stuart LM. 2009. Mannose-binding lectin and innate immunity. *Immunol Rev*, 230: 9-21.

- Elorriaga GG, Montes GC, Aguilar MM, Bonilla CG. 2010. Polymorphisms in tumor necrosis factor and lymphotoxin A in tuberculosis without and with response to treatment. *Inflammation*, 33 (4): 267–275.
- Garlanda C, Dinarello CA, Mantovani A. 2013. The Interleukin-1 Family: Back to the Nature. *Immunity*, 39: 1003-18.
- Garred P, Brygge K, Sorensen CH, Madsen HO, Thielt S, Svejgaard A. 1993. Mannan-binding protein—levels in plasma and upper-airways secretions and frequency of genotypes in children with recurrence of otitis media. *Clin Exp Immunol*, 94:99-104.
- Garred P, Pressler T, Madsen HO, Fredericksen B, Svejgaard A, Hoily N, Schwartz M, Koch C. 1999. Association of Mannose - Binding lectin gene heterogeneity with severity of lung disease and survival in cystic fibrosis. *J Clin Invest*, 104: 431-7.
- Garred P, Larsen F, Seyfarth J, Fujita R, Madsen HO. 2006. Review Mannose-binding lectin and its genetic variants. *Genes and Immunity*, 7: 85–94.
- Gorgulu O, Ozelci M, Ozdemir S, Yasar M, kemal Olgun M, Kursat Arikan O. 2012. The role of allergy in the pathogenesis of chronic suppurative otitis media. *Int Adv Oto*, 8(2): 276–81.
- Gould JM, Mats PS. 2010. Otitis Media. *Ped in Rev*, 31 (3): 102-16.
- Goycoolea MV, Paparella MM, Juhn SK, Carpenter AM. 1980. Oval and round window changes in otitis media. Potential pathways between middle ear and inner ear. *Laryngoscope*, 90:1387–91.
- Gupta K, Gupta RK, Hajela K. 2008. Disease association of mannose-binding lectin and potential of replacement therapy. *Indian J Med Res*, 127: 431-40.
- Han F, Yu H, Tian C. 2009. Role for Toll-like receptor 2 in the immune response to *Streptococcus pneumoniae* infection in mouse otitis media. *Infect immun*, 77:3100-3108.
- Heitzeneder S, Seidel M, Forster-Waldl E, Heitger. 2012. A. Mannan-binding lectin deficiency- Good news, bad news, doesn't matter? *Clin Immunol*, 143, 22-38.
- Hibberd ML, Sumiya M, Summerfield JA, Booy R, Levin M. 1999. Association of variants of the gene for mannose-binding lectin with susceptibility to meningococcal disease. Meningococcal Research Group. *Lancet*, 353: 1049.

- Hirano T, Kodama S, Moriyama M, Kawano T, Suzuki M. 2009. The role of Toll-like receptor 4 in eliciting acquired immune responses against nontypeable *Haemophilus influenzae* following intranasal immunization with outer membrane protein. *Int J Pediatr Otorhinolaryngol*, 73: 1657-65.
- Homøe P, Madsen HO, Sandvej K, Koch A, Garred P. 1999. Lack of Association Between Mannose-binding Lectin, Acute Otitis Media and Early Epstein–Barr Virus Infection Among Children in Greenland. *Scand J Infect Dis*, 31: 363–366.
- Hulley SB, Cumming SR, Browner WS, Grady DG, Newman TB. 2013. *Designing Clinical Research*. 4th edition. Lippincott Williams & Wilkins, Philadelphia, USA.
- Islam MS, Md. Islam R, Rahman MA, Bhuiyan, Rashid S, Datta PG. 2010. Pattern and degree of hearing loss in chronic suppurative otitis media. *Bangladesh J Otorhinolaryngol*, 16(2): 96-105.
- Iwasaki A, Medzhitov R. 2010. Regulation of adaptive immunity by the innate immune system. *Science*, 15; 327 (5963): 291-5.
- Juhn SK, Kyo Jung M, Hoffman MD, Drew BR, Preciado DA, Sausen NJ, *et al*. 2008. The role of Inflammatory mediators in the Pathogenesis of Otitis Media and Sequele. *Clin Exp Otorhinolaryngol*, 1 (3): 117-38.
- Jack DL, Turner MW. 2003. Anti-microbial activities of mannose binding lectin. *Biochem Soc Transact*, 31(4): 753-7.
- Joosten LAB, Netea MG, Dinarello CA. 2013. Interleukin-1 β in innate inflammation, autophagy and immunity. *Semin Immunol*, 25: 416-24.
- Kataria G, Singh B, Bhagat S, Saxena A, Singh M, Kaur J. 2014. Study of 100 Cases of Chronic Suppurative Otitis Media to find out the Need of Mastoid Exploration. *J Evolution Med Dent Sci*, (3), Issue 27: 7497-506.
- Kaur R, Casey J, Pichichero M. 2015. Cytokine, Chemokine and TLR Expression in Middle Ear Fluids of Children with Acute Otitis Media. *Laryngoscope*, 125(1): E39–E44.
- Kilpatrick DC. 2002. Mannan-binding lectin and its role in innate immunity. *Transfus med*, 12: 335-51.

- Kitaura H, Kimura K, Ishida M, Kohara H, Yoshimitsu M, Yamamoto TT. 2013. Immunological reaction in TNF- α -Mediated Osteoclast formation and bone resorption In vitro and In vivo. *Clin and Development Immunol*, Vol 2013, Article ID 181849, 8 pages.
- Komatsu M, Kobayashi D, Saito K, Furuya D, Yagihashi A, Araake H, Tsuji N, Sakamaki S, Niitsu Y, Watanabe N. 2001. Tumor Necrosis Factor α in Serum of Patients with Inflammatory Bowel Disease as Measured by a Highly Sensitive Immuno-PCR. *Clin Chem*, 47:7 1297–301.
- Koturoglu G, Onay H, Midili R, Pehlivan S, Eren E, Itirli G, Kurugol Z, Apaydin F, Ozkinay C, Ozkinay F. 2007. Evidence of an association between mannose binding lectin codon 54 polymorphism and adenoidectomy and/or tonsillectomy in children. *Int J Ped Otorhinolaryngol*, 71:1157-61.
- Kristensen MM, Eddie Ip WK, Gowda LD, Hamblin MR, Thiel S, Jensenius JC. 2006. Deficiency of Mannose-Binding Lectin Greatly Increases Susceptibility to Postburn Infection with *Pseudomonas aeruginosa*. *J Immunol*, 176(3): 1769-75.
- Kuczkowski J, Sakowicz-Burkiewicz M, Izycka-Świeszewska E, Mikaszewski B, Pawełczyk T. 2011. Expression of tumor necrosis factor- α , interleukin-1 α , interleukin-6 and interleukin-10 in chronic otitis media with bone osteolysis. *ORL J Otorhinolaryngol Relat Spec*, 73(2):93-9.
- Lam J, Takeshita S, Barker JE, Kanagawa O, Ross FP, Teitelbaum SL. 2000. TNF- α induces osteoclastogenesis by direct stimulation of macrophages exposed to permissive levels of RANK ligand. *J Clin Invest*, 160: 1481-8.
- Larsen F, Madsen HO, Sim RB, Koch C, Garred P. 2004. Disease-associated Mutations in Human Mannose-binding Lectin Compromise Oligomerization and Activity of the Final Protein. *J Bio Chem*, 279, 20, (4): 21302–311.
- Lazo-Saenz JG, Galvan-Aguilera AA, Martinez-Ordaz VA, Velasco-Rodriguez VM, Nieves Renteria A, Rincon Castaneda C. 2005. Eustachian tube dysfunction in allergic rhinitis. *Otolaryngol Head Neck Surg*, 132(4):626–29.
- Lee HY, Chung JH, Lee SK, Byun JY, Kim YI, Yeo SG. 2013. Toll-like receptors, cytokines & nitric oxide synthase in patients with otitis media with effusion. *Indian J Med Res*, 138: 523-30.
- Lee HY, Kim YI, Lee JW, Byun JY, Park MS, Yeo SG. 2013. Decreased Expression of TLR-9 and Cytokines in the Presence of Bacteria in Patients with Otitis Media with Effusion. *Clin Exp Otorhinolaryngol*, 6; 4: 195-200.

- Leichtle A, Lai Y, Wollenberg B, Wasserman SI, Ryan AF. 2011. Innate Signaling in Otitis media: Pathogenesis and recovery. *Curr Allergy Asthma Rep*, 11: 78-84.
- Liese JG, Silfverdal SA, Giaquinto C, Carmona A, Larcombe, JH, Garcia-sicilia J, Fuat A, Garces-Sanchez M, Basanta MLA, Hiraldo EM, Cantarutti L, Kroeniger W, Vollmar J, Holl K, Pirçon JY, Rosenlund MR. 2014. Incidence and clinical presentation of acute otitis media in children aged < 6 years in European medical practices. *Epidemiol Infect*, 142: 1778-88.
- Lin J, Xu Y, Zhao Y. 2014. Adaptive Immunity in the Middle Ear Mucosa with Chronic Otitis Media. *Inter J Otorhinolaryngol*, 1(1): 1-5.
- Lv B, Huang J, Yuan H, Yan W, Hu G, Wang J. 2014. Tumor Necrosis Factor- α as a Diagnostic Marker for Neonatal Sepsis: A Meta-Analysis. *Science World J*, 2014: 1-15.
- Maharjan M, Kafle P, Bista M, Shrestha S, KC Toran. 2009. Observation of hearing loss in patients with chronic suppurative otitis media tubotympanic type. *Kathmandu Univ Med J*, Vol. 7, No. 4, Issue 28, 397-401.
- Makela MN, Teppo AM, Meri S. 2000. Complement C3 cleavage and Cytokines Interleukin-1 β and tumor Necrosis factor- α in Otitis Media with Effusion. *Laryngoscope*, 110; 1745-9.
- Marchisio P, Cantarutti L, Sturkenboom M, Girotto S, Picelli G, Dona D, Scamarcia A, Villa M, Giaquinto C. 2012. Burden of acute otitis media in primary care pediatrics in Italy: a secondary data analysis from the Peditnet database. *BMC Pediatr*, 12: 185-93.
- Matsushita M, Ezekowitz RAB, Fujita T. 1995. The Gly-54 - Asp allelic form of human mannose-binding protein (MBP) fails to bind MBP-associated serine protease. *Biochem J*, 311: 1021-23.
- Matthijsen RA, Winther MPJ, Kuipers Dian, van der Made I, Weber C, Herias MV, Gijbels MJJ, Buurman Wim A. 2009. Macrophage-Specific Expression of Mannose-Binding Lectin Controls Atherosclerosis in Low-Density Lipoprotein Receptor-Deficient Mice. *Circulation*, 119:2188-95.
- Mehta RP, Rosowski JJ, Voss SE, O'Neil E, Merchant SN. 2006. Determinants of Hearing Loss in Perforations of the Tympanic Membrane. *Otol Neurotol*, 27(2): 136-43.

- Mirsaeidi M. 2012. Review Personalized medicine approach in mycobacterial disease. *Int J Mycobacteriol*, 1: 59–64.
- Monasta L, Ronfani L, Marchetti F, Montico M, Brumatti LV, Bavcar A, Grasso D, Barbiero C, Tamburlini G. 2012. Burden of Disease Caused by Otitis Media: Systematic Review and Global Estimates. *PLoS ONE*, 7(4): e36226.
- Al-Mozaini MA, and Mansour MK. 2016. “Personalized medicine: Is it time for infectious diseases?” *Saudi Med J*, 37 (12): 1309-11.
- Mozafari Nia K, Sepehri G, Khatmi H, Shakibaie MR. 2011. Isolation and Antimicrobial Susceptibility of Bacteria from Chronic Suppurative Otitis Media Patients in Kerman, Iran. *Iran Red Crescent Med J*, 13(12):891-4.
- Muftah S, Mackenzie I, Faragher B, Brabin B. 2015. Prevalence of Chronic Suppurative Otitis Media (CSOM) and Associated Hearing Impairment Among School-aged Children in Yemen. *Oman Med J*, Vol. 30, No. 5: 358–65.
- Murphy TF, Chonmaitree T, Barenkamp S, Kyd J, Koivisto JN, Patel JA. 2013. Panel5: Microbiology and Immunology Panel. *Otolaryngol Head Neck Surg*, 148(40); E64-E89.
- Murphy K. 2012. *Janeway’s Immunobiology*. 8th Edition. Garland Science, Taylor & Francis Group.USA.
- Nason R, Jung JY, Chole RA. 2009. Lipopolysaccharide-induced osteoclastogenesis from mononuclear precursors: a mechanism for osteolysis in chronic otitis. *J Assoc Res Otolaryngol*, 10: 151–160.
- Nauta AJ, Raaschou-Jensen N, Roos A. 2003. Daha MR, Madsen HO, Borrias-Essers MC, Ryder LP, Koch C, Garred P. Mannose-binding lectin engagement with late apoptotic and necrotic cells. *Eur J Immunol*, 33:2853.
- Nemati S, Shakib RJ, Shakiba M, Araghi N, Azimi SZ. 2015. Allergic Rinitis in Adults with Chronic Suppurative Otitis Media. *Iran J Otorhinolaryngol*, 27 (4); 81: 261-66.
- Nilsson G, Lekander M, Åkerstedt T, Axelsson J, Ingre M. 2016. Diurnal Variation of Circulating Interleukin-6 in Humans: A Meta-Analysis. *PLoS ONE* 11(11): e0165799. doi:10.1371/journal.pone.0165799.

- Nuytinck L, Meester ED, Thielen MV, Govaerts P. 2006. Role of Mannose-Binding Lectin (MBL2) genotyping in predicting the risk of recurrent otitis media (rOM). *Adv Exp Med Biol*, 586:281-90.
- Ogra Pi. 2010. Mucosal immune system in neonatal period and early infancy. *Pediatr Health*, 4: 637-47.
- Oufella HA, Sage AP, Mallat Z, Tedgui A. 2014. Adaptive (T and B Cells) Immunity and Control by Dendritic Cells in Atherosclerosis. *Circ Res*, 114:1640-60.
- Osazuwa F, Osazuwa E, Osime C, Igharo EA, Imade PE, Lofor P. 2011. Etiologic agents of otitis media in Benin City, Nigeria. *North Am J Med Sci*, 3(2): 95-8.
- Park H, Hong SN, Kim HS, Han JJ, Chung J, Whan Seo M, Ha Oh S, O Chang S, Lee JH. 2015. Determinants of Conductive Hearing Loss in Tympanic Membrane Perforation. *Clin Exp Otorhinolaryngol*, 8 (2): 92-6.
- Pannu KK, Chadha S, Kumar D, Preeti. 2011. Evaluation of Hearing Loss in Tympanic Membrane Perforation. *Indian J Otolaryngol Head Neck Surg*, 63(3):208–13.
- Pasra YW. 2015. Prevalensi dan faktor risiko otitis media supuratif kronik di Jakarta. *Tesis*. Fakultas Kedokteran Universitas Indonesia.
- Pedroso MLA, Boldt ABW, Ferrari LP, Steffensen R, Strauss E, Jensenius JC, Ioshii SO. 2008. Reason IM. Mannan-binding lectin MBL2 gene polymorphism in chronic hepatitis C: association with the severity of liver fibrosis and response to interferon therapy. *Clin Exp Immunol*, 152: 258–264.
- PERHATI. 2015. *Panduan praktik klinik. Panduan praktik klinik prosedur tindakan. Clinical Pathways*, 1: 7-9.
- Petrescu F, Voican SC, Silosi I. 2010. Tumor necrosis factor- α serum levels in healthy smokers and nonsmokers. *Int J Chron Obstruct Pulmon Dis*, 5: 217–22.
- Prabhu P, Ganeshan A, Anusha C, Jose A, Kiruthikab L. 2017. Health-related quality of life measurement in individuals with chronic suppurative otitis media: a South Indian perspective. *Hearing Balance and Comm*, 1: 1-5.
- Prakash R, Juyal D, Negi V, Pal S, Adekhandi S, Sharma M, Sharma N. 2013. Microbiology of Chronic Suppurative Otitis Media in tertiary care setup of Uttarakhand State, India. *North Am J Med Sci*, 5(4): 282-7.

- Prommalikit O, Pengsaa K, Thisyakorn U. 2010. Pneumococcal infections in high-risk and immunocompromised hosts. *J Med Assoc Thai*, 93(suppl 5): S61-S70.
- Qureishi A, Lee Y, Belfield K, Birchall JP, Daniel M. 2014. Update on otitis media-prevention and treatment. *Infect Drug Resist*, 7: 15-24.
- Redekop WK, Mladi D. 2013. The Faces of Personalized Medicine: A Framework for Understanding Its Meaning and Scope. *Value in health*, 16: S4 – S 9.
- Roland, P.S., 2002. Chronic suppurative otitis media: A clinical overview. *Ear Nose Throat J* (Suppl) 1: 8-10.
- Romaniszyn LB, Cedzynski M, Sjemraj J, Swierzko S, Zeman K, Kaluzynnski A, Malecka IP. 2006. Mannan-Binding Lectin in children with Chronic Gastritis. *Scand J Immunol*, 63: 131-5.
- Rout MR, Mohanty DM, Vijaylaxmi Y, Kamalesh B, Chakradar M. 2012. Prevalence of cholesteatoma in chronic suppurative otitis media with central perforation. *Indian J Otol*, 18:7-10.
- Scharer G, Zaldivar F, Gonzalez G, Vargas-Shiraishi O, Singh J, Arrieta A. 2003. Systemic Inflammatory Responses in Children with Acute Otitis Media Due to *Streptococcus pneumoniae* and the Impact of Treatment with Clarithromycin. *Clin Diagnost Lab Immunol*, 10 (4): 721–24.
- Schousboe LP, Ovesen T, Eckhardt L, Rasmussen LM, Pedersen CB. 2001. How does endotoxin trigger inflammation in otitis media with effusion? *Laryngoscope*, 111: 297—300.
- Segat L, Vasconcelos LRS, de Melo FM, Silva BS, Arraes LC, Moura P, Crovella S. 2007. Association of polymorphisms in the first exon of mannose binding lectin gene (MBL2) in Brazilian patients with HCV infection. *Clin Immunol*, 124: 13–7.
- Shalan H, Elsalam HA, Adly S, Gazzar HE, Omran NA. 2011. Role of some Proinflammatory cytokines in pathogenesis of Otitis Media with effusion in children. *Kasr El Aini Med J*, 17 (3): 51-8.
- Si Y, Zhang ZG, Chen SJ, Zheng YQ, Chen YB, Liu Y, Jiang H, Feng LQ, Huang X. 2014. Attenuated TLRs in middle ear mucosa contributes to susceptibility of chronic suppurative otitis media. *Hum Immunol*, X: 1-6.

- Siassi M, Riese J, Hohenberger W. 2003. Mannan-binding lectin serum levels and post-operative infections. *Biochem Soc Trans*, 31: 774.
- Simundic AM. 2013. Bias in research. *Biochem Med*, 23 (1): 12-5.
- Skotnicka B, Hassmann E. 2008. Proinflammatory and immunoregulatory cytokines in the middle ear effusions. *Int J Ped Otorhinolaryngo*, 72, 13—7.
- Skovbjerg S, Roos K, Nowrouzian F, Lindh M, Holm SE, Adlerberth I, Olofsson S, Wold AE. High cytokine levels in perforated acute otitis media exudates containing live bacteria. *Clin Microbial Infec*, 16: 1382-8.
- Smirnova, M.G, Kiselev, S.L, Gnuchev, N.V., Birchall, J.P., Pearson, J.P. 2002. Role of the pro-inflammatory cytokines tumor necrosis factor-alpha, interleukin-1 beta, interleukin-6 and interleukin-8 in the pathogenesis of the otitis media with effusion. *Eur Cytokine Netw*, 13(2):161-72.
- Somi MH, Asgharzadeh M, Farhang S, Estakhry R, Pouri AA. 2006. Association of Mannose Binding Lectin Polymorphism with Hepatitis C Infection in Northwest of Iran. *Hepat Mon*, 6(2): 53-7.
- Spandow O, Anniko M, Hellstrom S. 1989. Inner ear disturbances following inoculation of endotoxin into the middle ear. *Acta Otolaryngol*, 107(1-2): 90-6.
- Stol K, Diavatopoulos DA, Graamans K, Engel JAM, Melchers WJG, Savelkoul HFJ, Hays JP, Warris, Hermans PWM. 2012. Inflammation in the middle ear of children with recurrent or chronic otitis media is associated with bacterial load. *Pediatr Infect Dis J*, 31: 1128-1134.
- Takahashi K, Chang WC, Takahashi M, Pavlov V, Ishida Y, La Bonte L, Shi L, Fujita T, Stahl GL, Van EM. 2011. Mannose-binding lectin and its associated protease (MASPs) mediate coagulation and its deficiency is a risk factor in developing complications from infection, including disseminated intravascular coagulation. *Immunobiology*, 216 (1-2): 96-102.
- Tao R, Zhen Hua C, Zi Hu Y, Qiang Shang S. 2012. Genetic polymorphisms and serum level of mannose-binding lectin in Chinese pediatric patients with common infectious diseases. *Int J of Infect Dis*, 16: 403-7.
- Tripepi G, Jager KJ, Dekker FW, Zoccali C. 2010. Selection Bias and Information Bias in Clinical Research. *Nephron Clin Pract*, 115: c94-c99.

- Tsusumi A, Kobayashi T, Ito S, Goto D, Matsumoto I, Yoshi H, Sumida T. Mannose-Binding Lectin gene polymorphism and the severity of Chronic Periodontitis. *Jpn J Clin Immunol*, 2009; 32(1): 48-52.
- Underwood M, Bakaletz L. 2011. Innate Immunity and the role of defensins in Otitis Media. *Curr Allergy Asthma Rep*, 11(6):499-507.
- Utami TF, Sudarman K, Rianto BUD, Christanto A. 2010. Rinitis Alergi sebagai Faktor Risiko Otitis Media Supuratif Kronis. *CDK*, 179: 425-9.
- Van der Veen EL, Schilder AGM, van Heerbeek N, Verhoef M, Zielhuis GA, Rovers MM. 2006. Predictors of Chronic Suppurative Otitis Media in Children. *Arch Otolaryngol Head Neck Surg*, 132: 115-8.
- Vareille M, Kieninger E, Edwards MR, Regamey N. 2011. The airway epithelium: soldier in the fight against respiratory viruses. *Clin Microbiol Rev*, 24:210-29.
- Varman NK, Chandrashekar Y, Prakash MD. 2017. Clinical and audiological profile in chronic otitis media-Mucosal type. *J Evid Based Med Health*, 4(28), 1640-43.
- Varshney S, Nangia A, Bist SS, Singh RK, Gupta N, Bhagat S. 2010. Ossicular chain status in chronic suppurative otitis media in adults. *Indian J Otolaryngol Head Neck Surg*, 62:421-6.
- Verhoeff M, Van der Veen EL, Rovers MM, Sanders EAM, Schilder AGM. 2006. Chronic Suppurative Otitis Media: A review. *Int J Ped Otorhinolaryngol*, 70: 1-12.
- WHO 2004. Global burden of disease due to chronic suppurative otitis media: disease, deafness, deaths and DALYs.
- Wang J, Tang S, Shen H. 2010. Association of genetic polymorphisms in the IL12-IFN- γ pathway with susceptibility to and prognosis of pulmonary tuberculosis in a Chinese population. *Europe J Clin Microbiol Infect Dis*, 29 (10):1291–1295.
- Wiertsema SP, Leach AJ. 2009. Theories of otitis media pathogenesis, with a focus on indigenous children. *Med J Aust*, 191: S50-S54.
- Wiertsema SP, Herpes BL, Veenhooven RH, Salimans MM, Ruven HJT, Sanders EAM, Rijkers GT. 2006. Functional Polymorphisms in the mannan binding lectin 2 gene: effect on MBL levels and otitis media. *J Allergy Clin Immunol*, 117:1344-50.

- Worthley DL, Bardy PG, Gordon DL, Mullighan CG. 2006. Mannose-binding lectin and maladies of the bowel and liver. *World J Gastroenterol*, 28: 12(40): 6420-28.
- Yellon RF, Doyle WJ, Whiteside TL, Diven WF, March AR, Fireman P. 1995. Cytokines, immunoglobulins, and bacterial pathogens in middle ear effusion. *Arch Otolaryngol Head Neck Surg*, 121: 865—69.
- Yetiser S, Satar B, Gumusgun A, Unal F, Ozkaptan Y. 2002. Tumor necrosis factor- α and interleukin-1 β levels in recurrent and persistent otitis media with effusion. *Otolaryngol Head Neck Surg*, 126: 417-22.
- Yuen MF, Lau CS, Lau YL, Wong WM, Cheng CC, Lai CL. 1999. Mannose binding lectin gene mutations are associated with progression of liver disease in chronic hepatitis B infection. *Hepatology*, 29:1248.
- Zhang Y, Xu M, Zhang J, Zeng L, Wang Y, Zheng QY. 2014. Risk Factors for Chronic and Reccurent Otitis Media-A Meta-Analysis. *Plos One*, 9(1): e86397.