



## DAFTAR PUSTAKA

- Ahmad, U., Alfaro, L., Yeboah-awudzi, M., Kyereh, E., Dzandu, B., Bonilla, F., Chouljanko, A. dan Sathivel, S. (2017). Influence of milling intensity and storage temperature on the quality of Catahoula rice (*Oryza sativa* L.). *LWT - Food Science and Technology*, 75, 386-302.
- Ambigaipalan, P., Hoover, R., Donner, E., Liu, Q., Jaiswal, S., Chibbar, R., Nantanga, K.K.M. dan Seetharaman, K. (2011). Structure of faba bean, black bean and pinto bean starches at different levels of granule organization and their physicochemical properties. *Food Research International*, 44, 2962–2974. *Cereal Chemistry*
- Anonim. (2009). *Deskripsi varietas padi*. Balai Besar Penelitian Tanaman Padi Badan Penelitian dan Pengembangan Pertanian Departemen Pertanian.
- Anonim, 2013. Siapa Bilang Pera Itu Tidak Enak. [Kompas.com](http://Kompas.com). <https://travel.kompas.com/read/2013/12/03/1854335/>. Diakses tanggal 13 Agustus 2018.
- Anugrahati, N. A., Pranoto, Y., Marsono, Y. dan Marseno, D. W. (2015). In vitro digestibility of Indonesian cooked rice treated with cooling- reheating process and coconut milk addition. *International Research Journal of Biological Sciences*, 4(12), 34–39.
- Araullo, E.V. , De Padua, D.B. dan Graham, M., 1976. *Rice Postharvest technology*. International Development Research Center. Kanada.
- Ashar dan Iqbal, M. (2013). Penanganan pasca panen berbagai varietas padi. *Jurnal Galung Tropika*, 55–59.
- Awazuhara, M., Nakagawa, A., Yamaguchi, J., Fujiwara, T., Hayashi, H., Hatae, K., Chino, M. dan Shimada, A. (2000). Distribution and characterization of enzymes causing starch degradation in rice (*Oryza sativa* Cv . Koshihikari ). *Journal of Agricultural and Food Chemistry*, 48, 245–252.
- Ayabe, S., Kasai, M., Ohishi, K. dan Hatae, K. (2009). Textural properties and structures of starches from Indica and Japonica rice with similar amylose content. *Food Science and Technology Research*, 15(3), 299–306.
- Bao, J., Zhejiang dan C. J. Bergman. 2004. *The functionality of rice starch dalam* Starch in food : Structure, function and applications. Ed. Eliasson, Ann-Charlotte. Woodhead Publishing Limited and CRC Press LLC
- Barber, S., 1972. *Milled Rice and Change During Aging dalam* Rice : Chemistry and Technology **Ed.** Houston, D.F. . American Association Of Cereal Chemist, Inc.. St Paul Minnesota.
- Bautista, R. C., Siebenmorgen, T. J. dan Mauromoustakos, A. (2009). The role of rice individual kernel moisture content distributions at harvest on milling quality. *American Society of Agricultural and Biological Engineers*, 52, 1611–1620.



- Behall, K. M. dan Hallfrisch, J. (2002). Plasma glucose and insulin reduction after consumption of breads varying in amylose content. *European Journal of Clinical Nutrition*, 56, 913–920.
- Belefant-Miller, H. (2009). Induced postharvest yellowing in Southern U.S. rice cultivars. *Cereal Chemistry*, 86(1), 67–69.
- Bello, M., Baeza, R. dan Tolaba, M. P. (2006). Quality characteristics of milled and cooked rice affected by hydrothermal treatment. *Journal of Food Engineering*, 72, 124–133.
- BeMiller, J. N. .2007. Starches, modified food starches, and other products from food starches. In R. L. Whistler & J. N. BeMiller (Eds.), *Carbohydrate chemistry for food scientists* (pp. 173–223). St Paul, MN: AACC International.
- Beta, T. dan Corke, H. (2001). Noodle quality as related to sorghum starch properties. *Cereal Chemistry*, 78(4), 417–420.
- Bett-Garber, K. L., Champagne, E. T., Ingram, D. A. dan McClung, A. M. (2007). Influence of water-to-rice ratio on cooked rice flavor and texture. *Cereal Chemistry*, 84(6), 614–619.
- Bhardwaj, K., Raju, A. dan Rajasekharan, R. (2001). Identification, purification, and characterization of a thermally stable lipase from rice bran. A new member of the (phospho) lipase family. *Plant Physiology*, 127, 1728–1738.
- Bhattacharya, K. R. (2004). *Parboiling of rice. dalam* E. T. Champagne (Ed.), *Rice: chemistry and technology* (Third Edit, pp. 329–404). New Orleans, Louisiana: AACC Intl. Press.
- Bhattacharya, K. R. (2013). Process for accelerated aging of rice. *Cereal Foods World*, 58(1), 19–22.
- Biliaderis, C. G., Maurice, T. J., dan Vose, J. R. (1980). Starch Gelatinization Phenomena Studied By Differential Scanning Calorimetry. *Journal of Food Science*, 45, 1669–1674.
- Biliaderis, C. G., Page, C. M., Maurice, T. J., dan Juliano, B. O. (1986). Thermal characterization of rice starches - a polymeric approach to phase-transitions of antigranulocytes starch. *Journal of Agricultural and Food Chemistry*, 34, 6–14.
- Biliaderis, C. G., Page, C. M., Slade, L. dan Sirett, R. R. (1985). Thermal behavior of amylose-lipid complexes. *Carbohydrate Polymers*, 5, 367–389.
- Biliaderis, C. G. dan Seneviratne, H. D. (1990). On the supermolecular structure and metastability of glycerol monostearate-amylose complex. *Carbohydrate Polymers*, 13, 185–206.
- Birt, D. F., Boylston, T., Hendrich, S., Jane, J.-L., Hollis, J., Li, L., McClelland, J., Moore, S., Philips, G.J., Rowling, M., Shalinshe, K., Scott, M.P. dan Whitley, E. M. (2013). Resistant starch: promise for improving human health. *Advances in Nutrition: An International Review Journal*, 4, 587–601.



- Blazek, J. (2008). *Role of amylose in structure- function relationship in starches from australian*. Thesis. Faculty of Agriculture, Food and Natural Resources, The University of Sidney.
- Blazek, J. dan Gilbert, E. P. (2011). Application of small-angle X-ray and neutron scattering techniques to the characterisation of starch structure: A review. *Carbohydrate Polymers*, 85, 281–293.
- Brand, J.C., Colagiuri, S., Crossman, S., Allen, A. Roberts, D.C. dan Truswell, A.S. (1991). Low-glycaemic index foods improve long-term glycaemic control in NIDDM. *Diabetes Care* 14: 95-101
- Brouns, F., Bjorck, I., Frayn, K. N., Gibbs, A. L., Lang, V., Slama, G. dan Wolever, T. M. S. (2005). Glycaemic index methodology. *Nutrition Research Reviews*, 18, 145–171.
- Buléon, A., Colonna, P., Planchot, V. dan Ball, S. (1998). Starch granules: Structure and biosynthesis. *International Journal of Biological Macromolecules*, 23, 85–112.
- Carlson, T. L.-G., Larsson, K., Lund, Dinh-Nguyen, N., Goteborg, Krog, N., dan Brabrand, N. K. (1979). A study of the amylose-mono-glyceride complex by raman spectroscopy. *Starch - Stärke*, 31(7), 222–224.
- Chen, P., Liu, X., Zhang, X., Sangwan, P. dan Yu, L. (2015). Phase transition of waxy and normal wheat starch granules during gelatinization. *International Journal of Polymer Science*, 2015, 1–7.
- Chrastil, J. (1987). Improved colorimetric determination of amylose in starches or flours. *Carbohydrate Research*, 159, 154–158.
- Chrastil, J. (1990). Protein-starch interactions in rice grains . influence of storage on oryzenin and starch. *Journal of Agricultural and Food Chemistry*, 38, 1804–1809.
- Chrastil, J. (1990a). Influence of storage on enzymes in rice grains. *Journal of Agricultural and Food Chemistry*, 38, 1198–1202.
- Chrastil, J. (1992). Correlations between the physicochemical and functional properties of rice. *Journal of Agricultural and Food Chemistry*, 40, 1683–1686.
- Chrastil, J. (1993). Changes of oryzenin and starch during preharvest maturation of rice grains. *Journal of Agricultural and Food Chemistry*, 41, 2242–2244.
- Chrastil, J. dan Zarins, Z. (1994). Changes in peptide subunit composition of albumins, globulins, prolamins, and oryzenin in maturing rice grains. *Journal of Agricultural and Food Chemistry*, 42, 2152–2155.
- Chung, H.-J., Hoover, R., dan Liu, Q. (2009). The impact of single and dual hydrothermal modifications on the molecular structure and physicochemical properties of normal corn starch. *International Journal of Biological Macromolecules*, 44, 203–210.
- Chung, H. J., Liu, Q. dan Hoover, R. (2009). Impact of annealing and heat-



- moisture treatment on rapidly digestible, slowly digestible and resistant starch levels in native and gelatinized corn, pea and lentil starches. *Carbohydrate Polymers*, 75, 436–447.
- Chung, H.-J., Liu, Q., Lee, L., dan Wei, D. (2011). Relationship between the structure, physicochemical properties and in vitro digestibility of rice starches with different amylose contents. *Food Hydrocolloids*, 25, 968–975.
- Coates, J. (2000). Interpretation of Infrared Spectra , A Practical Approach. In R. A. Meyer (Ed.), *Encyclopedia of Analytical Chemistry* (pp. 10815–10837). John Wiley & Sons Ltd, Chichester.
- Cooke, D. dan Gidley, M. J. (1992). Loss of crystalline and molecular order during starch gelatinisation: origin of the enthalpic transition. *Carbohydrate Research*, 227, 103–112.
- Cooper, N. T. W. dan Siebenmorgen, T. J. (2007). Correcting head rice yield for surface lipid content (degree of milling ) variation. *Cereal Chemistry*, 84(1), 88–91.
- Copeland, L., Blazek, J., Salman, H. dan Tang, M. C. (2009). Form and functionality of starch. *Food Hydrocolloids*, 23, 1527–1534.
- Damardjati, S.. 1988. *Struktur dan kandungan biji beras dalam* Padi buku 1 *Ed.* Ismunadji, M., Soetjipto Partohardjajo, Mahyuddin Syam dan Adi Widjono. Pusat Penelitian Dan Pengembangan Tanaman Pangan. Bogor.
- Damardjati, S. dan Purwani, E.Y.. 1991. *Mutu Beras dalam* Padi buku 3 *Ed.* Soenarjo, Damardjati, S. dan Mahyuddin Syam. Pusat Penelitian Dan Pengembangan Tanaman Pangan. Bogor.
- Deepa, G., Singh, V. dan Naidu, K. A. (2010). A comparative study on starch digestibility , glycemic index and resistant starch of pigmented ( “ Njavara ” and “ Jyothi ” ) and a non-pigmented ( “ IR 64 ” ) rice varieties. *Journal of Food Science and Technology*, 47(6), 644–649.
- Denardin, C., Walter, M., da Silva, L. P., Souto, G. D. dan Fagundes, C. A. A. (2007). Effect of amylose content of rice varieties on glycemic metabolism and biological responses in rats. *Food Chemistry*, 105, 1474–1479. h
- Derycke, V., Vandeputte, G. E., Vermeylen, R., De Man, W., Goderis, B., Koch, M. H. J. dan Delcour, J. A. (2005). Starch gelatinization and amylose – lipid interactions during rice parboiling investigated by temperature resolved wide angle X-ray scattering and differential scanning calorimetry. *Cereal Science*, 42, 334–343.
- Dhaliwal, Y. S., Sekhon, K. S. dan Nagi, H. P. S. (1991). Enzymatic activities and rheological properties of stored rice. *Cereal Chemistry*, 68(1), 18–21.
- Dhital, S., Butardo, V. M., Jobling, S. A. dan Gidley, M. J. (2015). Rice starch granule amylolysis – Differentiating effects of particle size , morphology , thermal properties and crystalline polymorph. *Carbohydrate Polymers*, 115, 305–316.



- Dias, A. R. G., Zavareze, E. da R., Spier, F., de Castro, L. A. S. dan Gutkoski, L. C. (2010). Effects of annealing on the physicochemical properties and enzymatic susceptibility of rice starches with different amylose contents. *Food Chemistry*, 123, 711–719.
- Dona, A. C., Pages, G., Gilbert, R. G. dan Kuchel, P. W. (2010). Digestion of starch: In vivo and in vitro kinetic models used to characterise oligosaccharide or glucose release. *Carbohydrate Polymers*, 80, 599–617.
- Donovan, J. W. (1979). Phase transitions of the starch–water system. *Biopolymers*, 18, 263–275.
- Eliasson, A.-C. dan Krog, N. (1985). Physical properties of amylose-monglyceride complexes. *Journal of Cereal Science*, 3, 239–248.
- Englyst, H. N., Kingman, S. M. dan Cummings, J. H. (1992). Classification and measurement of nutritionally important starch fractions. *European Journal of Clinical Nutrition*, 46 (Suppl.), S33-50.
- Esmay, M., Soemangat, Eriyatno dan Philips, A., 1979. Rice Post-Production Technology in Tropics. University Press of Hawai. Honolulu.
- Falade, K. O., Semon, M., Fadairo, O. S., Oladunjoye, A. O. dan Orou, K. K. (2014). Functional and physico-chemical properties of flours and starches of African rice cultivars. *Food Hydrocolloids*, 39, 41–50.
- Foster-Powell, K., Susanna, H. H. dan Brand-Miller, J. (2002a). International table of glycemic index and glycemic load. *American Journal of Clinical Nutrition*, 76(2), 5–56.
- Foster-Powell, K., Susanna, H. H. dan Brand-Miller, J. C. (2002b). International table of glycemic index and glycemic load values: 2002. *American Journal of Clinical Nutrition*, 76, 5–56.
- Furahisha, K., Chove, L. M. dan Chaula, D. (2016). Effect of final moisture content , cooling time and paddy variety on milling quality of rice ( *Oryza sativa* , L . ). *Journal of Agricultural Science and Food Technology*, 2(11), 169–179.
- Furukawa, S., Tanaka, K., Masumura, T., Ogihara, Y., Kiyokawa, Y. dan Wakai, Y. (2006). Influence of rice proteins on eating quality of cooked rice and on aroma and flavor of sake. *Cereal Chemistry*, 83(4), 439–446.
- García-Rosas, M., Bello-Pérez, A., Yee-Madeira, H., Ramos, G., Flores-Morales, A. dan Mora-Escobedo, R. (2009). Resistant starch content and structural changes in maize (*zea mays*) tortillas during storage. *Starch - Stärke*, 61, 414-421.
- Gelders, G. G., Duyck, J. P., Goesart, H. dan Delcour, J. A. (2005). Enzyme and acid resistance of amylose-lipid complexes differing in amylose chain length, lipid and complexation temperature. *Carbohydrate Polymers*, 60, 379–389.
- Geng, S., Williams, J. F. dan Hill, J. E. (1984). Harvest moisture effects on rice



- milling quality. *California Agriculture*, 38, 11–12.
- Goñi, I., Garcia-Alonso, A. dan Saura-Calixto, F. (1997). A starch hydrolysis procedure to estimate glycemic index. *Nutrition Research*, 17(3), 427–437.
- Goñi, I., García-Diz, L., Mañas, E. dan Saura-Calixto, F. (1996). Analysis of resistant starch: A method for foods and food products. *Food Chemistry*, 56(4), 445–449.
- Gregory, A. G., Toshitaka, U., Fumihiko, T. dan Daisuke, H. (2008). Effect of vapors from fractionated samples of propolis on microbial and oxidation damage of rice during storage. *Journal of Food Engineering*, 88, 341–352.
- Greenwood, C.T., 1979. *Observation on the structure of the starch granule dalam* Polisaccharides in food. Ed. Blanshard, JMF dan Mitchell, JR. Butterworths. London-Boston.
- Grist, H., 1986. Rice. Longman, London and New York.
- Gunaratne, A. dan Hoover, R. (2002). Effect of heat-moisture treatment on the structure and physicochemical properties of tuber and root starches. *Carbohydrate Polymers*, 49, 425–437.
- Hamada, J. S. (1996). Separation and molecular mass distribution of rice proteins by size-exclusion high-performance liquid chromatography in a dissociating buffer. *Journal of Chromatography A*, 734, 195–203.
- Hamaker, B. R. dan Griffin, V. K. (1993). Effect of disulphide bond containing protein on rice starch gelatinization and pasting. *Cereal Chemistry*, 70(4), 377–380.
- Hanashiro, I., Abe, J. A. dan Hizukuri, S. (1996). A periodic distribution of the chain length of amylopectin as revealed by high-performance anion-exchange chromatography. *Carbohydrate Research*, 283, 151–159.
- Haryadi. 2006. Teknologi Pengolahan Beras. Gadjah Mada University Press. Yogyakarta.
- Hasbullah, R. dan Dewi, A. R. (2012). Teknik penanganan pascapanen padi untuk menekan susut dan meningkatkan rendemen giling. *Pangan*, 21(1), 17–28.
- Homma, S. dan Fujimaki, M. (1982). Effect of Water Activity on Lipid Oxidation and Browning of Kori-tofu. *Agric. and Biol. Chem.*, 46(1), 301–304.
- Hoover, R., Sailaja, Y. dan Sosulski, F. W. (1996). Characterization of starches from wild and long grain brown rice. *Food Research International*, 29(2), 99–107.
- Htoon, A., Shrestha, A. K., Flanagan, B. M., Lopez-Rubio, A., Bird, A. R., Gilbert, E. P. dan Gidley, M. J. (2009). Effects of processing high amylose maize starches under controlled conditions on structural organisation and amylase digestibility. *Carbohydrate Polymers*, 75, 236–245.
- Hu, P., Zhao, H., Duan, Z., Linlin, Z. dan Wu, D. (2004). Starch digestibility and the estimated glycemic score of different types of rice differing in amylose contents. *Journal of Cereal Science*, 40, 231–237.



- Huang, Y.-C. dan Lai, H.-M. (2014). Characteristics of the starch fine structure and pasting properties of waxy rice during storage. *Food Chemistry*, 152, 432–439.
- Imoudu, P. B. dan Olufayo, A. A. (2000). The effect of sun-drying on milling yield and quality of rice. *Bioresource Technology*, 74, 267–269.
- Indrasari, S. D., Purwani, E. Y., Wibowo, P. dan Jumali. (2010). Glycemic indices of some rice varieties. *Indonesian Journal of Agriculture*, 3(1), 9–16.
- Jaisut, D., Prachayawarakorn, S., Varanyanond, W., Tungtrakul, P. dan Soponronnarit, S. (2009). Accelerated aging of jasmine brown rice by high-temperature fluidization technique. *Food Research International*, 42, 674–681.
- Jane, J.-L. dan Chen, J.-F. (1992). Effect of amylose molecular size and amylopectin branch chain length on paste properties of starch. *Cereal Chemistry*, 69(1), 60-65.
- Jane, J., Chen, Y. Y., Lee, L. F., McPherson, A. E., Wong, K. S., Radosavljevic, M. dan Kasemsuwan, T. (1999). Effects of amylopectin branch chain length and amylose content on the gelatinization and pasting properties of starch. *Cereal Chemistry*, 76(5), 629–637.
- Jang, E., Lim, S.-T. dan Kim, S.-S. (2009). Effect of storage temperature for paddy on consumer perception of cooked rice. *Cereal Chemistry*, 86(5), 549–555.
- Ju, Z. Y., Hettiarachchy, N. S. dan Rath, N. (2001). Extraction , denaturation and hydrophobic properties of rice flour proteins. *Journal of Food Science*, 66(2), 229–232.
- Juliano, B.O., 1972. *The Rice Caryopsis dalam* Rice Chemistry and Technology **Ed.** Houston, D.F..American Association of Cereal Chemist, Inc.. St Paul Minnesota.
- Juliano, B.O., 1980. *Properties Of Rice Caryopsis dalam* Rice Production And Utilization **Ed.** Luh, B.S. . Avi Publishing Company, Inc. . Westport, Connecticut.
- Juliano. 1985. *Criteria and tests for rice grain qualities. dalam* Champagne, E.T., ed. Rice Chemistry and Technology.3rd ed. American Association of Cereal Chemists,St Paul, MN, USA.
- Juliano, BO. . 1993. *Rice in human nutrition*. Food and Agriculture Organization of theUnited Nations, Rome.
- Kaleta, A. dan Górnicki, K. (2013). Criteria of determination of safe grain storage time – A review. In *Advances in Agrophysical Research knowledge* (pp. 295–318).
- Katekhong, W. dan Charoenrein, S. (2012). Effect of rice storage on pasting properties, swelling and granular morphology of rice flour. *Asian Journal of Food and Agro-Industry*, 5(4), 315–321.



- Kim, H. J. dan White, P. J. (2012). In vitro digestion rate and estimated glycemic index of oat flours from typical and high  $\beta$ -glucan oat lines. *Journal of Agricultural and Food Chemistry*, 60, 5237–5242.
- Kirpitch, a. R. dan Maryniuk, M. D. (2011). The 3 R's of Glycemic Index: Recommendations, Research, and the Real World. *Clinical Diabetes*, 29(4), 155–159.
- Kunze, O. R. dan Calderwood, D. L. (2004). Rough rice drying moisture adsorption and desorption. *In* Champagne (Ed.), *RICE: Chemistry and Technology* (Third Edit, pp. 223–268). New Orleans, Louisiana: AACC Intl. Press.
- Lacerda, D. B. C. L., Soares Junior, M., Bassinello, P. Z., Caliari, M. dan Castro, M. V. leao. (2013). The kinetics of lipase activity and hydrolytic rancidity of raw, parboiled, and extruded rice bran during storage. *Food Science and Technology, Campinas*, 33, 376–381.
- Lam, H. S. dan Proctor, A. (2004). Hydrolysis of acylglycerols and phospholipids of milled rice surface lipids during storage. *Journal of the American Oil Chemists' Society (JAOCS)*, 81(4), 385–388.
- Lamberts, L., Bie, E. De, Vandeputte, G. E., Veraverbeke, W. S., Derycke, V., De Man, W. dan Delcour, J. A. (2007). Effect of milling on colour and nutritional properties of rice. *Food Chemistry*, 100, 1496–1503.
- Lamberts, L., Gomand, S. V., Derycke, V. dan Delcour, J. A. (2009). Presence of amylose crystallites in parboiled rice. *Journal of Agriculture and Food Chemistry*, 57(8), 3210–3216.
- Le, Q. dan Songsermpong, S. (2014). Head rice yield, pasting property and correlations of accelerated paddy rice aging properties by microwave heating conditions. *International Food Research Journal*, 21(2), 703–712.
- Le, T. Q., Songsermpong, S., Rumpagaporn, P. dan Suwanagul, A. (2014). Microwave heating for accelerated aging of paddy and white rice. *Australian Journal of Crop Science* 8(9), 1348–1358.
- Lee. T.C.. Wei T. Wu dan William. V.R.. 1965. The Effect Of Storage Time On The Compositional Pattern Of Rice Fatty Acids. *Cereal Chemistry* Vol. 42. 498-505.
- Leelayuthsoontorn, P. dan Thipayarat, A. (2006). Textural and morphological changes of Jasmine rice under various elevated cooking conditions. *Food Chemistry*, 96, 606–613.
- Lehmann, U. dan Robin, F. (2007). Slowly digestible starch-its structure and health implications: a review. *Trends in Food Science and Technology*, 18, 346–355.
- Li, H., Prakash, S., Nicholson, T. M., Fitzgerald, M. A. dan Gilbert, R. G. (2016). The importance of amylose and amylopectin fine structure for textural properties of cooked rice grains. *Food Chemistry*, 196, 702–711.



- Lii, C. Y., Tsai, M. L. dan Tseng, K. H. (1996). Effect of amylose content on the rheological property of rice starch. *Cereal Chemistry*, 73(4), 415–420.
- Likitwattanasade, T. (2009). *Effect of accelerated aging on functional properties of rice grain and flour. Thesis*. Master of Science (Food Science) Graduate School, Kasetsart University.
- Liu, H., Xie, F., Chen, L., Yu, L., Dean, K., & Bateman, S. (2005). Thermal behaviour of high amylose cornstarch studied by DSC. *International Journal of Food Engineering*, 1(1).
- Liu, L., Waters, D. L. E., Rose, T. J., Bao, J. dan King, G. J. (2013b). Phospholipids in rice : Significance in grain quality and health benefits : A review. *Food Chemistry*, 139(1–4), 1133–1145.
- Liu, Y. F., Laohasongkram, K. dan Chaiwanichsiri, S. (2016). Effects of heat-moisture treatment on molecular interactions and physicochemical properties of tapioca starch. *MOJ Food Processing & Technology*, 3(3), 1–8.
- Loh, J. (1992). The effect of shear rate and strain on the pasting behavior of food starches. *Journal of Food Engineering*, 16, 75–89.
- Lopez-Rubio, A., Flanagan, B. M., Shrestha, A. K., Gidley, M. J. dan Gilbert, E. P. (2008). Molecular rearrangement of starch during in vitro digestion : toward a better understanding of enzyme resistant starch formation in processed starches. *Biomacromolecules*, 9, 1951–1958.
- Ma, Z., & Boye, J. I. (2016). Research advances on structural characterization of resistant starch and its structure-physiological function relationship: A review. *Critical Review in Food Science and Nutrition*. <https://doi.org/https://doi.org/10.1080/10408398.2016.1230537>
- Malekian, F., Rao, R. M., Prinyawiwatkul, W., Marshall, W. E., Windhauser, M., dan Ahmedna, M. (2000). *Lipase and lipoxygenase activity, functionality, and nutrient losses in rice bran during storage*. LSU Agricultural Experiment Station Reports. 293. <http://digitalcommons.lsu.edu/agexp/293>
- Maniñgat, C. C. dan Juliano, B. O. (1980). Starch lipids and their effect on rice starch properties. *Starch - Stärke*, 32(3), 76–82.
- Manurung, S.O, dan Ismunadji, M., 1988. *Morfologi dan fisiologi padi dalam Padi buku 1 Ed.* Ismunadji, M., Partohardjajo, S., Syam, M. dan Widjono, A. Pusat Penelitian dan Pengembangan Tanaman Pangan. Bogor.
- Marsono, Y. (2002). Indeks glisemik umbi-umbian. *Agritech*, 22(1), 13–16.
- Marsono, Y. (2004). *Serat Pangan dalam perspektif ilmu gizi*. Pidato Pengukuhan Guru Besar. UGM, Yogyakarta.
- Millati, T., 1994. Pembentukan kompleks amilosa-lipida dan pengaruhnya terhadap sifat-sifat fisikokimia beras selama pengusangan (aging) gabah. *Tesis*. Program Pasca Sarjana. Universitas Gadjah Mada. Yogyakarta.
- Martin, M. dan Fitzgerald, M. A. (2002). Proteins in rice grains influence cooking properties. *Journal of Cereal Science*, 36, 285–294.



- Mejia-Martinez, F. (1988). *Effect of moisture content on milling of rough rice stored for short periods of time. Thesis*. Department of Grain Science & Industry. Kansas State University, Manhattan, Kansas.
- Miller, J. B., Pang, E. dan Bramall, L. (1992). Rice : A high or low glycemic food? *American Journal of Clinical Nutrition*, 56, 1034–1036.
- Monks, J. L. F., Vanier, N. L., Casaril, J., Manica, R., Carvalho, D., Renato, A. dan Elias, M. C. (2013). Effects of milling on proximate composition, folic acid, fatty acids and technological properties of rice. *Journal of Food Composition and Analysis*, 30, 73–79.
- Monsoor, M. A. dan Proctor, A. (2002). Effect of water washing on the reduction of surface total lipids and FFA on milled rice. *Journal of the American Oil Chemists' Society (JAOCS)*, 79(9), 867–870.
- Moongngarm, A. (2013). Chemical compositions and resistant starch content in starchy foods. *American Journal of Agricultural and Biological Sciences*, 8(2), 107–113.
- Moreira, R., Chenlo, F., Torres, M. D., Rama, B. dan Arufe, S. (2015). Air drying of chopped chestnuts at several conditions : effect on colour and chemical characteristics of chestnut flour. *International Food Research Journal*, 22(1), 407–413.
- Morrison, W. R. (1981). Starch lipids: A reappraisal. *Starch - Stärke*, 33(12), 408–410.
- Morrison, W. R. (1988). Lipids in cereal starches : a review. *Journal of Cereal Science*, 8, 1–15.
- Morrison, W. R., Law, R. V. dan Snape, C. E. (1993). Evidence for inclusion complexes of lipids with V-amylose in maize, rice and oat starches. *Journal of Cereal Science*, 18, 107–109.
- Morrison WR. 1995. Starch lipids and how they relate to starch granule structure and functionality. *Cereal Foods World* 40(6):437–46.
- Mutungi, C., Onyango, C., Doert, T., Paasch, S., Thiele, S., Machill, S., Jaros, D. dan Rohm, H. (2011). Long- and short-range structural changes of recrystallised cassava starch subjected to in vitro digestion. *Food Hydrocolloids*, 25, 477–485.
- Newton, J., Wang, Y.-J. dan Mauromoustakos, A. (2011). Effects of cultivar and processing condition on physicochemical properties and starch fractions in parboiled rice. *Cereal Chemistry*, 88(4), 414–420.
- Noda, T., Nishiba, Y., Sato, T. dan Suda, I. (2003). Properties of starches from several low-amylose rice cultivars. *Cereal Chemistry*, 80(2), 193–197.
- Ohashi, K., Goshima, G., Kusada, H. dan Tsuge, H. (1980). Effect of embraced lipid on the gelatinization of rice starch. *Starch - Stärke*, 32(2), 54–58.
- Okadome, H. (2005). Application of instrument-based multiple texture measurement of cooked milled-rice grains to rice quality evaluation. *JARQ*,



39(4), 261–268.

- Ondier, G. O., Siebenmorgen, T. J. dan Mauromoustakos, A. (2010). Low-temperature, low-relative humidity drying of rough rice. *Journal of Food Engineering*, 100, 545–550.
- Onofre, S. B., Steilmann, P., Bertolini, J., Rotta, D., Sartori, A., Kagimura, F. Y., Groff, S.A. dan Mazzali, L. (2011). Amylolytic enzymes produced by the fungus *Colletotrichum gloeosporioides* in rice semi-solid fermentation. *Journal of Yeast and Fungal Research*, 2(3), 28–32.
- Pahoja, V. M. dan Sethar, M. A. (2002). A review of enzymatic properties of lipase in plants, animals and microorganisms. *Pakistan Journal of Applied Sciences*, 2(4), 474–484.
- Paiva, F. F., Vanier, N. L., Berrios, J. D. J., Pinto, V. Z., Wood, D., Williams, T., Pan, J. dan Elias, M. C. (2015). Polishing and parboiling effect on the nutritional and technological properties of pigmented rice. *Food Chemistry*.
- Pan, Z., Amaratunga, K. S. P. dan Thompson, J. F. (2007). Relationship between rice sample milling conditions and milling quality. *American Society of Agricultural and Biological Engineers*, 50, 1307–1313.
- Park, J. K., Kim, S. S. dan Kim, K. O. (2001). Effects of milling ratio on sensory properties of cooked rice. *Cereal Chemistry*, 78(78), 151–156.
- Park, C., Kim, Y., Park, K. dan Kim, B. (2012). Changes in physicochemical characteristics of rice during storage at different temperatures. *Journal of Stored Products Research*, 48, 25–29.
- Parnsakhorn, S. dan Noomhorm, A. (2012). Effects of storage temperature on physical and chemical properties of brown rice, parboiled brown rice and parboiled. *Thai Journal of Agricultural Science*, 45(4), 221–231.
- Patindol, J., Wang, Y.-J. dan Jane, J.-L. (2005). Structure-functionality changes in starch following rough rice storage. *Starch - Stärke*, 57, 197–207.
- Payakapol, L., Moongngarm, A., Daomukda, N. dan Noisuwan, A. (2011). Influence of degree of milling on chemical compositions and physicochemical properties of jasmine rice. In *International Conference on Biology, Environment and Chemistry* (Vol. 1, pp. 83–86).
- Perdon, A. A., Marks, B. P., Siebenmorgen, T. J. dan Reid, N. B. (1997). Effects of rough rice storage conditions on the amylograph and cooking properties of medium-grain rice cv. Bengal 1. *Cereal Chemistry*, 74(6), 864–867.
- Piggott, J. R., Morrison, W. R. dan Clyne, J. (1991). Changes in lipids and in sensory attributes on storage of rice milled to different degrees. *International Journal of Food Science and Technology*, 26, 615–628.
- Pomeranz, Y. dan Ory, R. (1982). Rice processing and utilization. In I. A. Wolff (Ed.), *Processing and Utilization in Agriculture*. CRC Press, West Palm Beach, FL.
- Popov-Raljić, J. V. dan Lalić-Petronijević, J. G. (2009). Sensory properties and



- color measurements of dietary chocolates with different compositions during storage for up to 360 days. *Sensors*, 9, 1996–2016.
- Pranoto, Y., Rahmayuni, Haryadi dan Rakshit, S. K. (2014). Physicochemical properties of heat moisture treated sweet potato starches of selected Indonesian varieties. *International Food Research Journal*, 21(5), 2031–2038.
- Puji-Hastuti, Tranggono, Retno-Indrati dan Tyas-Utami. (2006). Synthesis of fatty acid methyl ester from palm oil using crude lipase from papaya latex and rice bran. *IUFost*, 1239–1247.
- Pukkahuta, C., Suwannawat, B., Shobsngob, S. dan Varavinit, S. (2008). Comparative study of pasting and thermal transition characteristics of osmotic pressure and heat-moisture treated corn starch. *Carbohydrate Polymers*, 72, 527–536.
- Putseys, J. A., Lamberts, L. dan Delcour, J. A. (2010). Amylose-inclusion complexes : formation , identity and physico-chemical properties. *Journal of Cereal Science*, 51, 238–247.
- Quinn, C. F. (2011). *Thermal Analysis of Starch Gelatinization*. TA Instruments – Application Note Lindon USA.
- Rattanamechaikul, C., Soponronnarit, S. dan Prachayawarakorn, S. (2014). Glycemic response to brown rice treated by different drying media. *Journal of Food Engineering*, 122, 48–55.
- Rosniyana, A., Hashifah, M. A. dan Norin, S. A. S. (2004). Effect of heat treatment ( accelerated ageing ) on the physicochemical and cooking properties of rice at different moisture contents. *Journal of Tropical Agriculture and Food Science*, 32(2), 155–162.
- Rusydi, M., Noraliza, C. W., Azrina, A. dan Zulkhairi, A. (2011). Nutritional changes in germinated legumes and rice varieties. *International Food Research Journal*, 18, 705–713.
- Sabularse, V. C., Liuzzo, J. A., Rao, R. M. dan Grodner, R. M. (1991). Cooking quality of brown rice as influenced by gamma irradiation, variety and storage. *Journal of Food Science*, 56(1), 96–98.
- Sadler, M. (2011). *Food, glicaemic response and health*. Belgia: International Life Sciences Institute (ILSI) Europe.
- Sajilata, M. G., Singhal, R. S. dan Kulkarni, P. R. (2006). Resistant Starch — A Review. *Comprehensive Reviews in Food Science and Food Safety*, 5, 1–7.
- Shetty, R. M., Lineback, D. R. dan Seib, P. . (1974). determining the degree of starch gelatinization. *Cereal Chemistry*, 51, 364–375.
- Shih, F.F. 2004. *Rice proteins*, pp. 143-162. In Champagne, E.T., ed. *Rice Chemistry and Technology*. 3rd ed. American Association of Cereal Chemists, St Paul, MN, USA.



- Shyur, L.-F., Zia, K. K. dan Chen, C.-S. (1988). Purification and some properties of storage protein in japonica rice. *Botanical Bulletin- Academia Sinica Taipei* 29, 113–122.
- Singh, N., Inouchi, N. dan Nishinari, K. (2005). Morphological, structural, thermal, and rheological characteristics of starches separated from apples of different cultivars. *Journal of Agricultural and Food Chemistry*, 53(26), 10193–10199.
- Singh, N., Kaur, L., Sandhu, K. S., Kaur, J. dan Nishinari, K. (2006). Relationships between physicochemical, morphological, thermal, rheological properties of rice starches. *Food Hydrocolloids*, 20, 532–542.
- Sirisoontarak, P. dan Noomhorm, A. . (2007). Changes in physicochemical and sensory-properties of irradiated rice during storage. *Journal of Stored Products Research*, 43, 282–289.
- Sodhi, N. S. dan Singh, N. (2003). Morphological , thermal and rheological properties of starches separated from rice cultivars grown in India. *Food Chemistry*, 80, 99–108.
- Soerjandoko, R. N. E. (2010). Teknik pengujian mutu beras skala laboratorium. *Buletin Teknik Pertanian*, 15(2), 44–47.
- Soponronnarit, S., Nathakaranakule, A., Jirajindalert, A. dan Taechapairoj, C. (2006). Parboiling brown rice using super heated steam fluidization technique. *Journal of Food Engineering*, 75, 423–432.
- Soponronnarit, S., Chiawwet, M., Prachayawarakorn, S., Tungtrakul, P. dan Taechapairoj, C. (2008). Comparative study of physicochemical properties of accelerated and naturally aged rice. *Journal of Food Engineering*, 85, 268–276.
- Sowbhagya, C. M. dan Bhattacharya, K. R. (2001). Changes in Pasting Behaviour of Rice during Ageing. *Journal of Cereal Science*, 34, 115–124.
- Sreedhar, R. dan Tiku, P. K. (2016). Cupincin : A unique protease purified from rice ( *Oryza sativa* L .) bran is a new member of the cupin superfamily. *PLoS ONE*, 11(4), 1–20.
- Srichuwong, S., Sunarti, T. C., Mishima, T., Isono, N. dan Hisamatsu, M. (2005). Starches from different botanical sources I: Contribution of amylopectin fine structure to thermal properties and enzyme digestibility. *Carbohydrate Polymers*, 60, 529–538.
- Srikaeo, K. dan Sangkhiaw, J. (2014). Effects of amylose and resistant starch on glycaemic index of rice noodles. *LWT - Food Science and Technology*, 59, 1129–1135.
- Srinivasa, D., Raman, A., Meena, P., Chitale, G., Marwaha, A. dan Jainani, K. J. (2013). Glycaemic index ( GI ) of an indian branded thermally treated Basmati rice variety : a multi centric study. *Journal of the Association of Physician of India*, 61, 716–720.



- Svihus, B., Uhlen, A. K. dan Harstad, O. M. (2005). Effect of starch granule structure , associated components and processing on nutritive value of cereal starch : A review. *Animal Feed Science and Technology*, 122, 303–320.
- Swinkels, J. J. M. (1985). Composition and properties of commercial native starches. *Starch - Stärke*, 37(37), 1–5.
- Tananuwong, K. dan Malila, Y. (2011). Changes in physicochemical properties of organic hulled rice during storage under different conditions. *Food Chemistry*, 125, 179–185.
- Tang, M. C. dan Copeland, L. (2007). Analysis of complexes between lipids and wheat starch. *Carbohydrate Polymers*, 67, 80–85.
- Teo, C. H., Karim, A. A., Cheah, P. B., Norziah, M. H. dan Seow, C. C. (2000). On the roles of protein and starch in the aging of non-waxy rice flour. *Food Chemistry*, 69, 229–236.
- Tester, R. F., dan Morrison, W. R. (1990a). Swelling and gelatinization of cereal starches. II. Waxy rice starches. *Cereal Chemistry*, 67(6), 558–563.
- Tester, R. F., dan Morrison, W. R. (1990b). Swelling and gelatinization of cereal starches . I . Effects of amylopectin, amylose, and lipids. *Cereal Chemistry*, 67(6), 551–557.
- Thanathornvarakul, N., Anuntagool, J. dan Tananuwong, K. (2016). Aging of low and high amylose rice at elevated temperature : Mechanism and predictive modeling. *Journal of Cereal Science*, 70, 155–163.
- Thompson, J. F., & Mutters, R. G. (2006). Effect of weather and rice moisture at harvest on milling quality of California medium-grain rice. *American Society of Agricultural and Biological Engineers*, 49(2), 435–440.
- van Soest, J. J. G., Tournois, H., de Wit, D. dan Vliegthart, J. F. G. (1995). Short-range structure in (partially) crystalline potato starch determined with attenuated total reflectance Fourier-transform IR spectroscopy. *Carbohydrate Research*, 279, 201–214.
- Vandeputte, G. E., Derycke, V., Geeroms, J. dan Delcour, J. A. (2003). Rice starches. II. Structural aspects provide insight into swelling and pasting properties. *Journal of Cereal Science*, 38, 53–59.
- Venn, B. J. dan Green, T. J. (2007). Glycemic index and glycemic load: Measurement issues and their effect on diet–disease relationships. *European Journal of Clinical Nutrition*, 61, S122–S131.
- Villareal, R. M., Resurreccion, A. P., Suzuki, L. B. dan Juliano, B. O. (1976). Changes in physicochemical properties of rice during storage. *Starch - Stärke*, 28(3), 88–93.
- Wang, T. L., Bogracheva, T. Y. dan Hedley, C. L. (1998). Starch: as simple as A , B , C?. *Journal of Experimental Botany*, 49(320), 481–502.
- Wani, A. A., Singh, P., Shah, M. A., Schweiggert-Weisz, U., Gul, K. dan Wani, I. A. (2012). Rice starch diversity: effects on structural, morphological,



- thermal, and physicochemical properties—a review. *Comprehensive Reviews in Food Science and Food Safety*, 11, 417–436.
- Whistler RL, dan Daniel, JR. 1985. *Carbohydrate dalam* Food Chemistry, *Ed.* Fenema, RO, Marcel Dekker, Inc., New York and Basel.
- Widowati, S., Santoso, B. A. S., Astawan, M. dan Akhyar. (2010). Reducing glycemic index of some rice varieties using parboiling process. *Indonesian Journal of Agriculture*, 3(2), 104–111.
- Wiset, L., Laoprasert, P., Borompichaichartkul, C., Poomsa-ad, N. dan Tulyathan, V. (2011). Effects of in-bin aeration storage on physicochemical properties and quality of glutinous rice cultivar RD 6. *Australian Journal of Crop Science*, 5(6), 635–640.
- Wolever, T. M. S., Jenkins, D. J. A., Jenkins, A. L. dan Josse, R. G. (1991). The glycemic index: methodology and clinical implications<sup>1,2</sup>. *American Journal of Clinical Nutrition*, 54, 846–854.
- Wolever, T. M., Vorster, H. H., Bjorck, I., Brand-Miller, J., Brighenti, F., Mann, J. I., Wu, X. (2003). Determination of the glycaemic index of foods: interlaboratory study. *European Journal of Clinical Nutrition*, 57, 475–482.
- Wordu, G. O. dan Banigo, E. B. (2013). Evaluation of the glycemic index of some cooked variety of rice products in Nigeria. *Net Journal of Agriculture Science*, 1(2), 38–41.
- Wu, J., Chen, J., Liu, W., Liu, C., Zhong, Y., Luo, D. dan Li, Z. (2016). Effects of aleurone layer on rice cooking: A histological investigation. *Food Chemistry*, 191, 28–35.
- Xie, L., Chen, N., Duan, B., Zhu, Z. dan Liao, X. (2008). Impact of proteins on pasting and cooking properties of waxy and non-waxy rice. *Journal of Cereal Science*, 47, 372–379.
- Yasumatsu, K., Moritaka, S. dan Kakinuma, T. (1964). Effect of the change during storage in lipid composition of rice on its amylogram. *Agricultural and Biological Chemistry*, 28 : 5, 265–272.
- Youn, S., Woo, H. D., Cho, Y. A., Shin, A., Chang, N. dan Kim, J. (2012). Association between dietary carbohydrate , glycemic index , glycemic load , and the prevalence of obesity in Korean men and women. *Nutrition Research*, 32, 153–159.
- Yu, S., Ma, Y., Menager, L. dan Sun, D. (2012). Physicochemical properties of starch and flour from different rice cultivars. *Food Bioprocess Technol*, 5, 626–637.
- Zakir, S., Sarwar, M., Allen, J. C., Butt, M. S., dan Allen, H. (2005). Effect of sweet potato on insulin efficiency of normal and diabetic subjects in Pakistan. *European Journal of Scientific Research*, 10: 87-97
- Zavareze, E. da R. dan Dias, A. R. G.. (2011). Impact of heat-moisture treatment and annealing in starches : A review. *Carbohydrate Polymers*, 83, 317–328.



- Zenel, A. M. dan Stewart, M. L. (2015). High amylose white rice reduces post-prandial glycemic response but not appetite in humans. *Nutrients*, 7, 5362–5374.
- Zeng, F., Ma, F., Kong, F., Gao, Q. dan Yu, S. (2015). Physicochemical properties and digestibility of hydrothermally treated waxy rice starch. *Food Chemistry*, 172, 92–98.
- Zhang, Y., Zeng, H., Wang, Y., Zeng, S. dan Zheng, B. (2014). Structural characteristics and crystalline properties of lotus seed resistant starch and its prebiotic effects. *Food Chemistry*, 155, 311–318.
- Zhong, Y., Tu, Z., Liu, C., Liu, W., Xu, X., Ai, Y., Liu, W., Chen, J. dan Wu, J. (2013). Effect of microwave irradiation on composition, structure and properties of rice (*Oryza sativa* L.) with different milling degrees. *Journal of Cereal Science*, 58, 228–233.
- Zhou, Z., Robards, K., Helliwell, S. dan Blanchard, C. (2002). Ageing of stored rice: changes in chemical and physical attributes. *Journal of Cereal Science*, 35, 65–78.
- Zhou, Z., Blanchard, C., Helliwell, S. dan Robardsa, K.. (2002a). Fatty acid composition of three rice varieties following storage, *Journal of Cereal Science*, 0, pp. 1–9. doi: 10.1006/jcrs.2002.0502
- Zhou, Z., Robards, K., Helliwell, S. dan Blanchard, C. (2002b). Composition and functional properties of rice. *International Journal of Food Science and Technology*, 37, 849–868.
- Zhou, Z., Robards, K., Helliwell, S., Blanchard, C. dan Baxterb, G. (2003). Rice Ageing. I. Effect of Changes in Protein on Starch Behaviour. *Starch - Stärke*, 55, 162–169.
- Zhou, Z., Robards, K., Helliwell, S. dan Blanchard, C. (2007). Effect of storage temperature on cooking behaviour of rice. *Food Chemistry*, 105, 491–497.
- Zhou, Y., Meng, S., Chen, D., Zhu, X. dan Yuan, H. (2014). Structure characterization and hypoglycemic effects of dual modified resistant starch from indica rice starch. *Carbohydrate Polymers*, 103(1), 81–86.
- Zhou, Z., Wang, X., Si, X., Blanchard, C. dan Strappe, P. (2015). The ageing mechanism of stored rice: A concept model from the past to the present. *Journal of Stored Product Research*, 64, 80–87.
- Zhu, L., Liu, Q., Wilson, J. D., Gu, M., & Shi, Y. (2011). Digestibility and physicochemical properties of rice (*Oryza sativa* L.) flours and starches differing in amylose content. *Carbohydrate Polymers*, 86, 1751–1759.
- Zobel, H. F. (1988). Molecules to Granules: A Comprehensive Starch Review. *Starch - Stärke*, 40(2), 44–50.