

DAFTAR PUSTAKA

- Altman GH, Diaz F, Jakuba C, Calabro T, Horan RL, Chen J, Lu H, Richmond J, Kaplan DL. 2003. Silk-based biomaterials. *Biomaterials* ;24(3):401–416.
- Amento EP, Beck LS. 1991. TGF-beta and wound healing. *Ciba Found Symp*; 157: 115–23; discussion 123–9.
- Anderson JM, McNally AK. 2011. Biocompatibility of implants: lymphocyte/macrophage interactions. *Semin Immunopathol*. 2011;33:221–233.
- Beck PL, Rosenberg IM, Xavier RJ, Koh T, Wong JF, Podolsky DK. 2003. Transforming Growth Factor- β Mediates Intestinal Healing and susceptibility to Injury in Vitro and in Vivo Through Epithelial Cells. *The American Journal of Pathology*;162: 597–608.
- Berger D, Bientzle M. 2009. Polyvinylidene fluoride: a suitable mesh material for laparoscopic incisional and parastomal hernia repair! A prospective, observational study with 344 patients. *Hernia*; 13: 167–172.
- Bellón JM. 2007. Recurrent Hernia. Prevention and Treatment. Schumpelick V, Fitzgibbons RJ, editor. Germany: Springer-Verlag Berlin Heidelberg; Biological reasons for an incisional hernia; pp. 129–133.
- Bonner JC, Osornio-Vargas AR, Badgett A. 1991. Differential proliferation of rat lung fibroblasts induced by the platelet-derived growth factor-AA, -AB, and -BB isoforms secreted by rat alveolar macrophages. *Am J Respir Cell Mol Biol.*; 5:539.
- Ceydeli, A., Rucinski, J., & Wise, L. 2005. Finding the Best Abdominal Closure: An Evidence-based Review of the Literature. *Curr Surg*. 2005 Mar-Apr;62(2):220-5. Review.
- Chalya PL, Massinde AN, Kihunrwa A, Mabula JB. 2015. Abdominal fascia closure following elective midline laparotomy: a surgical experience at a tertiary care hospital in Tanzania. *BMC Res Notes*. Jun 30;8:281.
- Cohen J. 1988. *Statistical Power Analysis for the Behavioral Sciences*. New York, NY: Routledge Academic
- Conze J, Junge K, Weiss C, Anurov M, Oettinger A, Klinge U, Schumpelick V. 2008. New polymer for intra-abdominal meshes – PVDF copolymer. *J Biomed Mater Res B Appl Biomater*; 87: 321–328.
- Dahlan, Sopiudin., 2011. *Statistik Untuk Kedokteran dan Kesehatan Edisi 5*. Jakarta, Salemba Medika.



UNIVERSITAS
GADJAH MADA

**PERBANDINGAN PENGARUH JAHITAN MENGGUNAKAN BENANG POLYVINYLIDENE FLUORIDE
DAN POLYGLICOLIDE DENGAN
TEKNIK LARGE STITCH KONTINU TERHADAP EKSPRESI TGF-BETA PADA GARIS INSISI FASCIA
ABDOMEN TIKUS GALUR
WISTAR (*Rattus norvegicus*)**

GUNAWAN, WISNU PROTO, 1 dr. Imam Sofii, Sp.B-KBD, 2 DR, dr. Ishandono Dachlan, M.Sc., SpB, Sp.BP-RE(K)

Diener MK, Voss S, Jensen K, Buchler MW, Seiler CM. 2010. Elective midline laparotomy closure: the INLINE systematic review and meta-analysis. *Ann Surg.* 251(5):843–856.

DiPietro LA. 1995. Wound healing: the role of the macrophage and other immune cells. *Shock.*, 4:233

Dovi JV, He L-K, D. L. 2003. Accelerated wound closure in neutrophil-depleted mice. *J Leukoc Biol.*, 73:448.

Ekdahl K.N, J. D. Lambris, H. Elwing, D. Ricklin, P. H. Nilsson, Y. Teramura, I. A. Nicholls and B. Nilsson. 2011. Innate immunity activation on biomaterial surfaces: a mechanistic model and coping strategies. *Adv Drug Deliv Rev*, 63, 1042-1050.

Federer W. T. 1963. Experimental design. Theory and application, Oxford and IBH Publishing Co. New Delhi, India.

Ferrara N, Davis-Smith T. 1997. The biology of vascular endothelial growth factor. *Endocrine Rev*;18:4.

Förstemann T, Trzewik J, Holste J, Batke B, Konerding MA, Wolloscheck T, Hartung C. Forces and deformation of the abdominal wall. 2011. A mechanical and geometrical approach to the linea alba. *J Biomech.*;44(4):600–606.

Grotendorst GR. 1992. Chemoattractants and growth factors. In: Cohen K, Diegelmann RF, Lindblad WJ, eds. *Wound Healing, Biochemical and Clinical Aspects*. Philadelphia: WB Saunders :237.

Gunatillake, Pathiraja A.; Raju Adhikari. 2003. Biodegradable Synthetic Polymers for tissue engineering. *European Cells and Materials*. 5: 1–16. PMID 14562275.

Israelsson LA, Millbourn D. 2012. Closing midline abdominal incisions. *Langenbecks Arch Surg.* Dec;397(8):1201-7.

Millbourn D, Cengiz Y, Israelsson LA. 2009. Effect of stitch length on wound complications after closure of midline incisions: a randomized controlled trial. *Arch Surg.* Nov;144(11):1056-9.

Millbourn D, Israelsson LA. 2004. Wound complications and stitch length. *Hernia.* Feb;8(1):39-41.

Israelsson LA, Jonsson T. 1994. Closure of midline laparotomy incisions with polydioxanone and nylon: the importance of suture technique. *Br J Surg.* Nov;81(11):1606-8.

Muysoms FE, Antoniou SA, Bury K, Campanelli G, Conze J, Cuccurullo D, de Beaux AC, Deerenberg EB, East B, Fortelny RH, Gillion JF, Henriksen NA, Israelsson L, Jairam A, Jänes A, Jeekel J, López-Cano M, Miserez M, Morales-Conde S, Sanders DL, Simons MP, Śmiateński M, Venclauskas L, Berrevoet F. 2015. European Hernia Society guidelines on the closure of abdominal wall incisions. *European Hernia Society.* *Hernia.* 2015 Feb;19(1):1-24.

Kakoei S, Baghaei F, Dabiri S, Parirokh M, Kakoei S. 2010. A comparative in vivo study of tissue reactions to four suturing materials. *Iran Endod J*; 5: 69–73.

Klinge U, Klosterhalfen B, Ottinger AP, Junge K, Schumpelick V. 2002. PVDF as a new polymer for the construction of surgical meshes. *Biomaterials*; 23: 3487–3493.

Klink CD, Junge K, Binnebosel M, Alizai HP, Otto J, Neumann UP, Klinge U. 2011. Comparison of long-term biocompatibility of PVDF and PP meshes. *J Invest Surg*; 24: 292–299.

Lambertz A, Schröder KM, Schöb DS, Binnebösel M, Anurov M, Klinge U, Neumann UP, Klink CD. 2015. Polyvinylidene Fluoride as a Suture Material: Evaluation of Comet Tail-Like Infiltrate and Foreign Body Granuloma. *Eur Surg Res*. 2015;55(1-2):1-11.

Laroche G, Marois Y, Schwarz E, Guidoin R, King MW, Paris E, Douville Y. 1995. Polyvinylidene fluoride monofilament sutures: can they be used safely for long-term anastomoses in the thoracic aorta? *Artif Organs* ; 19: 1190–1199.

Leibovich SJ, R. R. 1975. The role of the macrophage in wound repair. A study with hydrocortisone and antimacrophage serum. *Am J Pathol.*, 78:71.

Levenson SM, Geever EF, Crowley LV. 1965. The healing of rat skin wounds. *Ann Surg*;161:293.

Lock, A. M., Gao, R., Naot, D., Coleman, B., Cornish, J., & Musson, D. S. 2017. Induction of immune gene expression and inflammatory mediator release by commonly used surgical suture materials: an experimental in vitro study. *Patient Safety in Surgery*, May 31;11:16.

Marston WA. 2006. Risk factors associated with healing. *Ostomy Wound Manage.*; 53:26-8, 30, 32.

Meinel L, Hofmann S, Karageorgiou V, Kirker-Head C, McCool J, Gronowicz G, Zichner L, Langer R, Vunjak-Novakovic G, Kaplan DL. 2005. The inflammatory responses to silk films in vitro and in vivo. *Biomaterials.*;26(2):147–155.

Middleton, J.; A. Tipton. 1998. Synthetic biodegradable polymers as medical devices. Medical Plastics and Biomaterials Magazine.

Miyazono K, Heldin CH. 1992. Structure, function and possible clinical application of TGF-beta1. *Dermatology*;19:644-647.

Murray P.J dan T. A. Wynn. 2011. Protective and pathogenic functions of macrophage subsets. *Nat Rev Immunol*, 11, 723-737.



UNIVERSITAS
GADJAH MADA

**PERBANDINGAN PENGARUH JAHITAN MENGGUNAKAN BENANG POLYVINYLIDENE FLUORIDE
DAN POLYGLICOLIDE DENGAN
TEKNIK LARGE STITCH KONTINU TERHADAP EKSPRESI TGF-BETA PADA GARIS INSISI FASCIA
ABDOMEN TIKUS GALUR**

WISTAR (*Rattus norvegicus*)

Nail AV, Brownlee RE, Colvin CP, Schultz G, Fein D, Cassisi NJ, Nguyen T, Kalra A. 1990. Transforming growth factor beta 1 improves wound healing and random flap survival in normal and irradiated rats. Arch Otolaryngol ;122:171–177.

P. M. Kou dan J. E. Babensee. 2011. Macrophage and dendritic cell phenotypic diversity in the context of biomaterials. J Biomed Mater Res A, 2011, 96A, 239-260.

Pierannunzii L, Fossali A, De Lucia O, Guarino A. 2015. Suture-related pseudoinfection after total hip arthroplasty. J Orthop Traumatol; 16(1):59–65.

Pricolo VE, Caldwell MD, Mastrofrancesco B. 1990. Modulatory activities of wound fluid on fibroblast proliferation and collagen synthesis. J Surg Res;48:534.

Regan MC, Kirk SJ, Wasserkrug HL. 1991. The wound environment as a regulator of fibroblast phenotype. J Surg Res;50:442

Roberts AB, Sporn MB, Assoian RK, Smith JM, Roche NS, Wakefield LM, Heine UI, Liotta LA, Falanga V, Kehrl JH, Fauci AS. 1986. Transforming growth factor- β : rapid induction of fibrosis and angiogenesis in vivo and stimulation of collagen formation in vitro. Proc Natl Acad Sci USA;83:4167–4171

Rostam H, Singh S, Vrana N, Alexander M, Ghaemmaghani A. 2014. Impact of Surface Chemistry and Topography on the Function of Antigen Presenting Cells. Biomater.Sci., 00, 1-11.

Salthouse TN, Matlaga BF, Wykoff MH. 1977. Comparative tissue response to six suture materials in rabbit cornea, sclera, and ocular muscle. Am J Ophthalmol;84(2):224–233.

Salthouse TN. 1980. Biologic response to sutures. Otolaryngol Head Neck Surg;88(6):658–664.

Sayegh S, Bernard L, Stern R, Pache J, Szalay I, Hoffmeyer P. Suture granuloma mimicking infection following total Hip arthroplasty. 2003. JBJS Case Connector;85(10):2006–2009.

Spom MB, Roberts AB, Wakefield NM. 1987. Some recent advances in the chemistry and biology of TGF beta. J. Cell. Biol.; 105:1039-1045.

Tiberiu Niță. 2011. Concepts in biological analysis of resorbable materials in oro-maxillofacial surgery. Rev. chir. oro-maxilo-fac. implantol. (in Romanian). 2 (1): 33–38. ISSN 2069-3850.

Urban E, King MW, Guidoin R, Laroche G, Marois Y, Martin L, Cardou A, Douville Y. 1994. Why make monofilament sutures out of polyvinylidene fluoride? ASAIO J; 40: 145–156.

Wada A, Kubota H, Hatanaka H, Miura H, Iwamoto Y. 2001. Comparison of mechanical properties of polyvinylidene fluoride and polypropylene monofilament sutures used for flexor tendon repair. J Hand Surg Br; 26: 212–216.



UNIVERSITAS
GADJAH MADA

**PERBANDINGAN PENGARUH JAHITAN MENGGUNAKAN BENANG POLYVINYLIDENE FLUORIDE
DAN POLYGLICOLIDE DENGAN
TEKNIK LARGE STITCH KONTINU TERHADAP EKSPRESI TGF-BETA PADA GARIS INSISI FASCIA
ABDOMEN TIKUS GALUR**

WISTAR (*Rattus norvegicus*)

GUNAWAN WISNU BROTO, 1.dr. Imam Sofii, Sp.B-KBD; 2.DR.dr.Ishandono Dachlan, M.Sc., SpB, Sp.BP-RE(K)
Universitas Gadjah Mada, 2018 | Diunduh dari <http://etd.repository.ugm.ac.id/>

Warne WJ, Burroughs RF, Ferguson T. 2004. Late foreign-body reaction to ticon sutures following inferior capsular shift: a case report. *Am J Sports Med.*;32(1):232–236.

Xiong M, Elson G, Legarda D. 1998. Production of vascular endothelial growth factor by murine macrophages: regulation by hypoxia, lactate, and the inducible nitric oxide synthase pathway. *Am J Pathol* ;153:587.

Zabel DD, Feng JJ, Scheuenstuhl H. 1996. Lactate stimulation of macrophage-derived angiogenic activity is associated with inhibition of poly(ADP-ribose) synthesis ;74:644. *Lab Invest.*, 74: 644.

Zakaria,MN. 2017. The values of effect size in statistical decision for clinical Research. *J Aud Vest Res* ;26(1):1-3

Zhou LJ, Ono I, Kaneko F. 1997. Role of transforming growth factor-beta 1 in fibroblasts derived from normal and hypertrophic scarred skin. *Arch Dermatol Res*;289:645.