

## DAFTAR PUSTAKA

- Adamovics, J.A. (Ed.), 2001, *Chromatographic Analysis of Pharmaceuticals*, 2<sup>nd</sup> Ed., Marcel Dekker Inc., New York.
- AOAC, 1995, *Official Methods of Analysis*, 15<sup>th</sup> Ed., Association of Official Analytical Chemist, Washington DC.
- Akoh, C.C. dan Min, D.B., 2008. *Food Lipids: Chemistry, Nutrition, and Biotechnology*, Third Edition. CRC Press.
- Bosque-Sendra, J.M., Cuadros-Rodríguez, L., Ruiz-Samblás, C., dan de la Mata, A.P., 2012. Combining chromatography and chemometrics for the characterization and authentication of fats and oils from triacylglycerol compositional data—A review. *Analytica Chimica Acta*, **724**: 1–11.
- Bunaciu, A.A., Aboul-Enein, H.Y., dan Fleschin, S., 2010. Application of Fourier Transform Infrared Spectrophotometry in Pharmaceutical Drugs Analysis. *Applied Spectroscopy Reviews*, **45**: 206–219.
- Cebi, N., Yilmaz, M.T., Sagdic, O., Yuce, H., dan Yelboga, E., 2017. Prediction of peroxide value in omega-3 rich microalgae oil by ATR-FTIR spectroscopy combined with chemometrics. *Food Chemistry*, **225**: 188–196.
- Centre of Biological Engineering (CEB), University of Minho, Campus Gualtar, Portugal dan Rocha, J.M., 2016. Extra-Virgin Olive Oil: The Importance of Authentication and Quality Control. *International Journal of Nutritional Science and Food Technology*, **2**: 67–69.
- Chen, F., Jia, J., Zhang, Q., Yang, L., dan Gu, H., 2018. Isolation of essential oil from the leaves of *Polygonum viscosum* Buch-ham. using microwave-assisted enzyme pretreatment followed by microwave hydrodistillation concatenated with liquid–liquid extraction. *Industrial Crops and Products*, **112**: 327–341.
- Claumann, C.A., Wüst Zibetti, A., Bolzan, A., Machado, R.A.F., dan Pinto, L.T., 2015. Fast and accurate numerical method for predicting gas chromatography retention time. *Journal of Chromatography A*, **1406**: 258–265.
- Cordella, C., Moussa, I., Martel, A.-C., Sbirrazzuoli, N., dan Lizzani-Cuvelier, L., 2002. Recent Developments in Food Characterization and Adulteration Detection: Technique-Oriented Perspectives. *Journal of Agricultural and Food Chemistry*, **50**: 1751–1764.

- Dourtoglou, V.G., Dourtoglou, T., Antonopoulos, A., Stefanou, E., Lalas, S., dan Poulos, C., 2003. Detection of olive oil adulteration using principal component analysis applied on total and regio FA content. *Journal of the American Oil Chemists' Society*, **80**: 203–208.
- Fidrianny, I., Rizkiya, A., dan Ruslan, K., 2015. *Journal of Chemical and Pharmaceutical Research*, 2015, 7 (5): 666-672. *Journal of Chemical and Pharmaceutical Research*, **7**: 666–672.
- Fila, W.O., Johnson, J.T., Edem, P.N., Odey, M.O., Ekam, V.S., Ujong, U.P., dkk., 2012. Comparative anti-nutrients assessment of pulp, seed and rind of rambutan (*Nephelium Lappaceum*). *Annals of Biological Research*, **3**: 5151–5156.
- García-González, D.L., Mannina, L., D'Imperio, M., Segre, A.L., dan Aparicio, R., 2004. Using <sup>1</sup>H and <sup>13</sup>C NMR techniques and artificial neural networks to detect the adulteration of olive oil with hazelnut oil. *European Food Research and Technology*, **219**: 545–548.
- Gómez-Caravaca, A.M., Maggio, R.M., dan Cerretani, L., 2016. Chemometric applications to assess quality and critical parameters of virgin and extra-virgin olive oil. A review. *Analytica Chimica Acta*, **913**: 1–21.
- Guillen, M.D. dan Cabo, N., 1997. Characterization of edible oils and lard by Fourier transform infrared spectroscopy. Relationships between composition and frequency of concrete bands in the fingerprint region. *Journal of the American Oil Chemists' Society*, **74**: 1281–1286.
- Harahap, S.N., Ramli, N., Vafaei, N., dan Said, M., 2012. Physicochemical and nutritional composition of rambutan anak sekolah (*Nephelium lappaceum* L.) seed and seed oil. *Pakistan Journal of Nutrition*, **11**: 1073.
- Hu, H.-S., Wu, Y.-L., dan Yang, M.-D., 2018. Fractionation of bio-oil produced from hydrothermal liquefaction of microalgae by liquid-liquid extraction. *Biomass and Bioenergy*, **108**: 487–500.
- Issara, U., Zzaman, W., dan Yang, T.A., 2014. Rambutan seed fat as a potential source of cocoa butter substitute in confectionary product. *International Food Research Journal*, **21**: .
- Kuswandi, K., Sobir, S., dan Suwarno, W.B., 2016. Keragaman genetik plasma nutfah rambutan di Indonesia berdasarkan karakter morfologi. *Jurnal Hortikultura*, **24**: 289–298.
- Lim, T.K., 2013. *Nephelium lappaceum*, dalam: *Edible Medicinal And Non-Medicinal Plants*. Springer Netherlands, Dordrecht, hal. 62–71.

- Lourith, N., Kanlayavattanakul, M., Mongkonpaibool, K., Butsaratrakool, T., dan Chinmuang, T., 2016. Rambutan seed as a new promising unconventional source of specialty fat for cosmetics. *Industrial Crops and Products*, **83**: 149–154.
- Majchrzak, T., Lubinska, M., Róžańska, A., Dymerski, T., Gębicki, J., dan Namieśnik, J., 2017. Thermal degradation assessment of canola and olive oil using ultra-fast gas chromatography coupled with chemometrics. *Monatshefte für Chemie - Chemical Monthly*, **148**: 1625–1630.
- Marikkar, J.M.N., Ghazali, H.M., Che Man, Y.B., Peiris, T.S.G., dan Lai, O.M., 2005. Distinguishing lard from other animal fats in admixtures of some vegetable oils using liquid chromatographic data coupled with multivariate data analysis. *Food Chemistry*, **91**: 5–14.
- Moreno, A.O., Dorantes, L., Gal?ndez, J., dan Guzm?n, R.I., 2003. Effect of Different Extraction Methods on Fatty Acids, Volatile Compounds, and Physical and Chemical Properties of Avocado ( *Persea americana* Mill.) Oil. *Journal of Agricultural and Food Chemistry*, **51**: 2216–2221.
- Moros, J., Garrigues, S., dan Guardia, M. de la, 2010. Vibrational spectroscopy provides a green tool for multi-component analysis. *TrAC Trends in Analytical Chemistry*, **29**: 578–591.
- Nieminen, H., Givirovskiy, G., Laari, A., dan Koiranen, T., 2018. Alcohol promoted methanol synthesis enhanced by adsorption of water and dual catalysts. *Journal of CO2 Utilization*, **24**: 180–189.
- Nunes, C.A., 2014. Vibrational spectroscopy and chemometrics to assess authenticity, adulteration and intrinsic quality parameters of edible oils and fats. *Food Research International*, **60**: 255–261.
- Ozen, B.F. dan Mauer, L.J., 2002. Detection of Hazelnut Oil Adulteration Using FT-IR Spectroscopy. *Journal of Agricultural and Food Chemistry*, **50**: 3898–3901.
- Ozulku, G., Yildirim, R.M., Toker, O.S., Karasu, S., dan Durak, M.Z., 2017. Rapid detection of adulteration of cold pressed sesame oil adulterated with hazelnut, canola, and sunflower oils using ATR-FTIR spectroscopy combined with chemometric. *Food Control*, **82**: 212–216.
- Pandey, R. dan Shrivastava, S.L., 2018. Comparative evaluation of rice bran oil obtained with two-step microwave assisted extraction and conventional solvent extraction. *Journal of Food Engineering*, **218**: 106–114.

- Rohman, A. dan Che Man, Y.B., 2009. Monitoring of virgin coconut oil (VCO) adulteration with palm oil using fourier transform infrared spectroscopy. *Journal of food lipids*, **16**: 618–628.
- Rohman, A. dan Man, Y.B.C., 2012. Application of Fourier Transform Infrared Spectroscopy for Authentication of Functional Food Oils. *Applied Spectroscopy Reviews*, **47**: 1–13.
- Romain, V., Ngakegni-Limbili, A.C., Mouloungui, Z., dan Ouamba, J.-M., 2013. Thermal Properties of Monoglycerides from *Nephelium Lappaceum* L. Oil, as a Natural Source of Saturated and Monounsaturated Fatty Acids. *Industrial & Engineering Chemistry Research*, **52**: 14089–14098.
- Ruiz-Samblás, C., González-Casado, A., Cuadros-Rodríguez, L., dan García, F.P.R., 2010. Application of selected ion monitoring to the analysis of triacylglycerols in olive oil by high temperature-gas chromatography/mass spectrometry. *Talanta*, **82**: 255–260.
- Solís-Fuentes, J.A., Camey-Ortíz, G., Hernández-Medel, M. del R., Pérez-Mendoza, F., dan Durán-de-Bazúa, C., 2010. Composition, phase behavior and thermal stability of natural edible fat from rambutan (*Nephelium lappaceum* L.) seed. *Bioresource Technology*, **101**: 799–803.
- Thitilertdecha, N., Teerawutgulrag, A., dan Rakariyatham, N., 2008. Antioxidant and antibacterial activities of *Nephelium lappaceum* L. extracts. *LWT - Food Science and Technology*, **41**: 2029–2035.
- Yap, K.Y.-L., Chan, S.Y., dan Lim, C.S., 2007. Infrared-based protocol for the identification and categorization of ginseng and its products. *Food Research International*, **40**: 643–652.
- Yongliang, Z., Qingyu, M., Yan, G., dan Liping, S., 2017. Purification and identification of rambutan (*Nephelium lappaceum*) peel phenolics with evaluation of antioxidant and antiglycation activities in vitro. *International Journal of Food Science & Technology*, **52**: 1810–1819.
- Yousefinejad, S., Eftekhari, R., Honarasa, F., Zamanian, Z., dan Sedaghati, F., 2017. Comparison between the gas-liquid solubility of methanol and ethanol in different organic phases using structural properties of solvents. *Journal of Molecular Liquids*, **241**: 861–869.
- Yuda, A.A.G.P., Rusli, R., dan Ibrahim, A., 2015. Kandungan Metabolit Sekunder dan Efek Penurunan Glukosa Darah Ekstrak Biji Rambutan (*Nephelium lappaceum* L) Pada Mencit (*Mus musculus*). *Jurnal Sains dan Kesehatan*, **1**: 120–125.

Zulhipri, Z., Boer, Y., dan Dyaningtyas, R.P., 2017. KANDUNGAN FITOKIMIA dan UJI AKTIFITAS ANTIOKSIDAN EKSTRAK METANOL KULIT RAMBUTAN (*Nephelium lappaceum* L) VARIETAS BINJAI DAN LEBAK BULUS. *JRSKT-Jurnal Riset Sains dan Kimia Terapan*, **2**: 156–161.