

## DAFTAR PUSTAKA

- Amanzada, A., Malik, I. A., Blaschke, M., Khan, S., Rahman, H., Ramadori, G., *et al.*, 2013. Identification of CD68(+) neutrophil granulocytes in vitro model of acute inflammation and inflammatory bowel disease. *Int J Clin Exp Pathol.* 6(4): 561–570.
- Adhyatmika, A., Putri, K. S. S., Beljaars, L., Melgert, B. N., 2015. The elusive antifibrotic macrophage. *Front Med.* 2: 81.
- Arfian, N., Muflikhah, K., Soeyono, S. K., Sari, D. C. R., Tranggono, U., Anggorowati, N., *et al.*, 2016. Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation, and epithelial cell apoptosis. *Kobe J Med Sci.* 62: 38-44.
- Badan Penelitian dan Pengembangan Kesehatan Kementerian Kesehatan RI., 2013. *Riset Kesehatan Dasar.* Jakarta: Kementerian Kesehatan RI.
- Biswas, S. K., Mantovani, A., 2012. Orchestration of metabolism by macrophages. *Cell Metabolism.* 15: 432-437.
- Bonventre, J. V., 2014. Primary proximal tubule injury leads to epithelial cell cycle arrest, fibrosis, vascular rarefaction, and glomerulosclerosis. *Kidney Int Suppl.* 4(1): 39–44.
- Boor, P., Ostendorf, T., Floege, J., 2010. Renal fibrosis: novel insights into mechanisms and therapeutic targets. *Nat Rev Nephrol.* 6(11): 643–656.
- Braga, T. T., Agudelo, J. S. H., Camara, N. O. S., 2015. Macrophages during the fibrotic process: M2 as friend and foe. *Front Immun.* 6: 602.
- Camfield, D. A., Silber, B. Y., Scholey, A. B., Nolidin, K., Goh, A., Stough, C., 2013. A randomised placebo-controlled trial to differentiate the acute cognitive and mood effects of chlorogenic acid from decaffeinated coffee. *PLoS One.* 8(12): 82897.
- Cao, Q., Wang, Y., Harris, D. C. H., 2014. Macrophage heterogeneity, phenotypes, and roles in renal fibrosis. *Kidney Int Suppl.* 4(1): 16-19.
- Chevalier, R. L., Forbes, M. S., Thornhill, B. A., 2009. Ureteral obstruction as a model of renal interstitial fibrosis and obstructive nephropathy. *Kidney Int.* 75(11): 1145-1152.
- Cho, M. H., 2010. Renal fibrosis. *Korean J Ped.* 53(7): 735–740.
- de Borst, M. H., Prakash, J., Sandovici, M., Klok, P., Hamming, I., Kok, R. J., *et al.*, 2009. c-Jun NH2-terminal kinase is crucially involved in renal tubulointerstitial inflammation. *J Pharmacol Exp Ther.* 331(3): 896-905.
- Domitrović, R., Cvijanović, O., Šušnić, V., Katalinić, N., 2014. Renoprotective mechanisms of chlorogenic acid in cisplatin-induced kidney injury. *Toxicology.* 324: 98–107.
- Duffield, J. S., 2014. Cellular and molecular mechanisms in kidney fibrosis. *J Clin Invest.* 124(6): 2299–2306.
- Duffield, J. S., 2010. Macrophages and immunologic inflammation of the kidney. *Semin Nephrol.* 30(3): 234–254.
- Eddy, A. A., 2014. Overview of the cellular and molecular basis of kidney fibrosis. *Kidney Int Suppl.* 4(1): 2–8.

- Efstratiadis, G., Divani, M., Katsiolis, E., Vergoulas, G., 2009. Renal fibrosis. *Hippokratia*. 13(4): 224-229.
- Fernandez, M. B., Navarro, A. R., Cortegano, I., Ballesteros, S., Alia, M., Ortiz, P. C., *et al.*, 2016. Aldosterone induces renal fibrosis and inflammatory M1-macrophage subtype via mineralocorticoid receptor in rat. *PLoS One*. 11(1): e145946.
- Forbes, M. S., Thornhill, B. A., Minor, J. J., Gordon, K. A., Gallareta, C. I., Chevalier, R. L., 2012. Fight-or-flight: murine unilateral ureteral obstruction causes extensive proximal tubular degeneration, collecting duct dilatation, and minimal fibrosis. *AJP: Renal Physiol*. 303(1): 120-129.
- Fraternal, A., Brundu, S., Magnani, M., 2015. Polarization and repolarization of macrophage. *J Clin Cell Immunol*. 6: 319.
- Genovese, F., Manresa, A. A., Leeming, D. J., Karsdal, M. A., Boor, P., 2014. The extracellular matrix in the kidney: A source of novel non-invasive biomarkers of kidney fibrosis? *Fibrogenesis Tissue Repair*. 7(1): 4.
- Ginhoux, F., Jung, S., 2014. Monocytes and macrophages: developmental pathways and tissue homeostasis. *Nat Rev Immunol*. 14(6): 392-404.
- Grande, M. T., Perez-Barriocanal, F., Lopez-Novoa, J. M., 2010. Role of inflammation in tubulo-interstitial damage associated to obstructive nephropathy. *J Inflamm*. 7: 19.
- Gueteras, R., Flaquer, M., Cruzado, J. M., 2016. Macrophage in chronic kidney disease. *Clin Kidney J*. 4:18.
- Guo J, & Friedman, S., 2010. Toll-like receptor 4 signaling in liver injury and hepatic fibrogenesis. *J Biomed*. 3: 21: 1-19
- Hall, J. E., 2016. *Guyton and Hall Textbook of Medical Physiology*. 13<sup>th</sup> ed. Philadelphia: Elsevier.
- Hwang, S. J., Kim, Y. W., Park, Y., Lee, H. J., Kim, K. W., 2014. Anti-inflammatory effects of chlorogenic acid in lipopolysaccharide-stimulated RAW 264.7 cells. *Inflamm Res*. 63(1): 81-90.
- Jablonski, K. A., Amici, S. A., Webb, L. M., Ruiz-Rosado, J. de D., Popovich, P. G., Partida-Sanchez, S., *et al.*, 2015. Novel markers to delineate murine m1 and M2 macrophage. *PloS ONE*. 10(12): e0145342.
- Kaissling, B., LeHir, M., Kriz, W., 2013. Renal epithelial injury and fibrosis. *BBA-Mol Basis Dis*. 1832(7): 931-939.
- Kawakami, T., Ren, S., Duffield, J. S., 2013. Wnt signalling in kidney diseases: dual roles in renal injury and repair. *J Pathol*. 229(2): 221-231.
- Kim, M. J., Turner, C. M., Hewitt, R., Smith, J., Bhangal, G., Pusey, C., *et al.*, 2014. Exaggerated renal fibrosis in P2X4 receptor-deficient mice following unilateral ureteric obstruction. *Nephrol Dial Transplant*. 29(7): 1350-1361.
- Lamouille, S., Xu, J., Derynck, R., 2014. Molecular mechanisms of epithelial-mesenchymal transition. *Nat Rev Mol Cell Biol*. 15(3): 178-196.
- Lee, S. B., Kalluri, R., 2010. Mechanistic connection between inflammation and fibrosis. *Kidney Int Suppl*. 119: 22-26.
- Lee, S., Huen, S., Nissio, S., Lee, H. K., Choi, B. S., Ruhrberg, C., Cantley, L. G., 2011. Distinct macrophage phenotypes contribute to kidney injury and repair. *J Am Soc nephrol*. 22: 317-326.

- Lichtnekert, J., Kawakami, T., Parks, W. C., Duffield, J. S., 2013. Changes in macrophage phenotype as the immune response evolves. *Curr Op Pharm.* 13: 555-564.
- Liu, Y., 2011. Cellular and molecular mechanisms of renal fibrosis. *Nat Rev Nephrol.* 7(12): 684–696.
- Ma, Y., Gao, M., Liu, D. 2015. Chlorogenic acid improves high fat diet-induced hepatic steatosis and insulin resistance in mice. *Pharm Res.* 32(4): 1200-1209.
- Maeshima, A., Mishima, K., Yamashita, S., Nakasatomi, M., Miya, M., Sakurai, N., *et al.*, 2014. Follistatin, an Activin antagonist, ameliorates renal interstitial fibrosis in a rat model of unilateral ureteral obstruction. *Biomed Res int.* 1(14): 1-10.
- Manucha, W., Valles, P. 2012. Apoptosis modulated by oxidative stress and inflammation during obstructive nephropathy. *Inflamm Allergy Drug Targets.* 11(4): 303-312.
- Melgarejo, E., Medina, M. A., Sánchez-Jiménez, F., Urdiales, J. L., 2009. Monocyte chemoattractant protein-1: a key mediator in inflammatory processes. *Int J Biochem Cell Biol.* 41(5): 998–1001.
- Meng, X. M., Nikolic-Paterson, D. J., Lan, H. Y. 2014. Inflammatory processes in renal fibrosis. *Nat Rev Nephrol.* 10(9): 493–503.
- Moore, K., Agur, A., 2013. *Clinically Oriented Anatomy.* 7<sup>th</sup> ed. Philadelphia: Lippincott William and Wilkins.
- Mulay, S. R., Linkermann, A., Anders, H. J., 2016. Necroinflammation in kidney disease. *J Am Soc Nephrol.* 27(1): 27-39.
- Multazam, A., 2017. *Efek Protektif Asam Klorogenat Terhadap Ginjal pada Mencit dengan Cedera Iskemia Reperfusi, kajian terhadap cedera tubulus dan ekspresi TNF $\alpha$  dan NF- $\kappa$ B.* Yogyakarta: Universitas Gadjah Mada.
- Murray, P. J., Wynn, T. A., 2011. Protective and pathogenic functions of macrophage subsets. *Nat Rev Immunol.* 11(11): 723-737.
- Naveed, M., Hejazi, V., Abbas, M., kamboh A. A., Khan, G. J., Shumzad, M., *et al.*, 2018. Chlorogenic acid (CGA): A pharmacological review and call for further research. *Biomed pharmacother.* 97: 67-74.
- Neelisetty, S., Alford, C., Reynolds, K., Woodbury, L., Nlandu-Khodo, S., Yang, H., *et al.*, 2015. Renal fibrosis is not reduced by blocking transforming growth factor- $\beta$  signaling in matrix-producing interstitial cells. *Kidney Int.* 88(3): 503–514.
- Nikolic-Paterson, D. J., Wang, S., Lan, H. Y. 2014. Macrophages promote renal fibrosis through direct and indirect mechanisms. *Kidney Int Suppl.* 4(1): 34–38.
- Novak, M. L., Koh, T. J. 2013. Macrophage phenotypes during tissue repair. *J Leukoc Biol.* 93(6): 875-881.
- Novo, E., Cannito, S., Paternostro, C., Bocca, C., Miglietta, A., Parola, M. 2014. Cellular and molecular mechanisms in liver fibrogenesis. *Arch Biochem Biophys.* 548: 20-37.

- Ohkawara, T., Takeda, H., Nishihira, J. 2017. Protective effect of chlorogenic acid on the inflammatory damage of pancreas and lung in mice with L-arginine-induced pancreatitis. *Life Sci.* 91-96.
- O'Hayre, M., Salanga, C. L., Handel, T. M., Allen, S. J. 2008. Chemokines and cancer: migration, intracellular signalling and intercellular communication in the microenvironment. *Biochem J.* 409(3): 635-649.
- Pan, B., Liu, G., Jiang, Z., Zheng, D., 2015 Regulation of renal fibrosis by macrophage polarization. *Cell Physiol Biochem.* 35(3): 1062-1069.
- Pekarova, M., Lojek, A., 2015. The crucial role of l-arginine in macrophage activation: What you need to know about it? *Life Science.* 137: 1062-1069.
- Pulskens, W. P., Rampanelli, E., Teske, G. J., Butter, L. M., Claessen, N., Luirink, I. K., Van der Poll, T., *et al.*, 2010. TLR4 promotes fibrosis but attenuates tubular damage in progressive renal injury. *J Am Soc Nephrol.* 21(8): 1299-1308.
- Rodriguez- Pena, A., Eleno, N., Duwell, A., Arevalo, M., Perez-Barriocanal, F., Flores, O., *et al.*, 2002. Endoglin upregulation during experimental renal interstitial fibrosis in mice. *Hypertension.* 40(5): 713-720.
- Rosdiana, 2017. *Pengaruh Pemberian Asam Klorogenat Terhadap Fibrosis Hepar Mencit Jantan yang Diinduksi dengan Karbon Tetraklorida, kajian terhadap ekspresi NF- $\kappa$ B, TLR-4, TGF- $\beta$ 1, dan kadar bilirubin total.* Yogyakarta: Universitas Gadjah Mada.
- Rosin, D. L., Okusa, M. D., 2011. Danger within: DAMP responses to damage and cell death in kidney disease. *J Am Soc Nephrol.* 22(3): 416-425.
- Roszer, T., 2015. Understanding the mysterious M2 macrophage through activation markers and effector mechanisms. *Mediators Inflamm.* 1: 16.
- Ruifeng, G., Yunhe, F., Zhenkai, W., Ershun, Z., Yimeng, L., Minjun, Y., *et al.*, 2014. Chlorogenic acid attenuates lipopolysaccharide-induced mice mastitis by suppressing TLR4-mediated NF- $\kappa$ B signaling pathway. *Eur J pharmacol.* 729: 54-58.
- Sangiuliano, B., Perez, N. M., Moreira, D. F., Belizario, J. E., 2014. Cell death associated molecular-pattern molecules: inflammatory signaling and control. *Mediators Inflamm.* 1: 14.
- Sato, Y., Itagaki, S., Kurokawa, T., Ogura, J., Kobayashi, M., Hirano, T., *et al.*, 2011. In vitro and in vivo antioxidant properties of chlorogenic acid and caffeic acid. *Int J Pharm.* 403(1-2): 136-138.
- Shen, B., Liu, X., Fan, Y., Qiu, J., 2014. Macrophage regulate renal fibrosis through modulating TGF $\beta$  superfamily signaling. *Inflammation.* 37: 2076-2084.
- Sherwood, L., 2012. *Fundamental of Human Physiology.* 4<sup>th</sup> ed. Canada: Brooks/Cole, Cengage learning.
- Shi, H., Dong, L., Jiang, J., Zhao, J., Zhao, G., Dang, X., *et al.*, 2013. Chlorogenic acid reduces liver inflammation and fibrosis through inhibition of toll-like receptor 4 signaling pathway. *Toxicology.* 303: 107-114.
- Sica, A., Mantovani, A., 2012. Macrophage plasticity and polarization: in vivo veritas. *J Clin Invest.* 122(3): 787-795.

- Skuginna, V., Lech, M., Allam, R., Ryu, M., Clauss, S., Susanti, H. E., *et al.*, 2011. Toll-like receptor signaling and SIGIRR in renal fibrosis upon unilateral ureteral obstruction. *PLoS One*. 6(4): 19204.
- Tortora, G. J., Derrickson, B. H., 2012. *Principles of Anatomy and Physiology*. 13<sup>th</sup> ed. New Jersey: John Wiley & Sons Inc.
- Ucero, A. C., Benito-Martin, A., Izquierdo, M. C., Sanchez-Niño, M. D., Sanz, A. B., Ramos, A. M., *et al.*, 2014. Unilateral ureteral obstruction: Beyond obstruction. *Int Urol Nephrol*. 46(4): 765-776.
- Wang, N., Liang, H., Zen, K., 2014. Molecular mechanisms that influence the macrophage M1-M2 polarization balance. *Front Immunol*. 5
- Wang, Y., Harris, D. C. H., 2011. Macrophages in renal disease. *J Am Soc Nephrol*. 22(1): 21-27.
- Wang, W., Zhou, P. H., Xu, C. G., Zhou, X. J., Hu, W., Zhang, J., 2015. Baicalein attenuates renal fibrosis by inhibiting inflammation via down-regulating NF- $\kappa$ B and MAPK signal pathways. *J Mol Histol*. 46(3): 283-290.
- Wolfs, T. G. A. M., Buurman, W. A., van Schadewijk, A., de Vries, B., Daemen, M. A. R. C., Hiemstra, P. S., *et al.*, 2002. In vivo expression of Toll-Like Receptor 2 and 4 by renal epithelial cells: IFN- and TNF- mediated up-regulation during inflammation. *J Immunol*. 168(3): 1286-1293.
- Xu, Y., Ruan, S., Wu, X., Chen, H., Zheng, K., Fu, B., 2013. Autophagy and apoptosis in tubular cells following unilateral ureteral obstruction are associated with mitochondrial oxidative stress. *Int J Mol Med*. 31(3): 628-636.
- Yang, L., & Seki, E., 2012. Toll-like receptor in liver fibrosis: cellular crosstalk and mechanism. *Front Physiol*. 3: 1-18.
- Yiu, W. H., Lin, M., Tang, S. C. W., 2014. Toll-like receptor activation: from renal inflammation to fibrosis. *Kidney Int suppl*. 4(1): 20-25.
- Yun, N., Kang, J. W., Lee, S. M., 2012. Protective effects of chlorogenic acid against ischemia/reperfusion injury in rat liver; molecular evidence of its antioxidant and anti-inflammatory properties. *J Nutr Biochem*. 23(10): 1249-1255.