

## DAFTAR PUSTAKA

- Arfian, N., Muflikhah, K., Soeyono, S. K., Sari, D. C. R., Tranggono, U., Anggorowati, N., *et al.*, 2016. Vitamin D attenuates kidney fibrosis via reducing fibroblast expansion, inflammation and epithelial cell apoptosis. *Kobe J Med Sci.* 62(2): 38-44.
- Asada, N., Takase, M., Nakamura, J., Oguchi, A., Asada, M., Suzuki, N., *et al.*, 2011. Dysfunction of fibroblasts of extrarenal origin underlies renal fibrosis and renal anemia in mice. *J Clinical Invest.* 121(10): 3981–3990.
- Ayodele, O. E. & Alebiosu, C. O., 2010. Burden of chronic kidney disease: an international perspective. *Adv Chronic Kidney Dis.* 17(3): 215–224.
- Barrallo-Gimeno, A., Nieto, M. A., 2005. The snail genes as inducers of cell movement and survival implications in development and cancer. *Development.* 132(14): 3151-3161.
- Blaine, J., Chonchol, M., Levi, M., 2015. Renal control of calcium, phosphate, and magnesium homeostasis. *Clin J Am Soc Nephrol.* 10(7): 1257–1272.
- Bounventre, J. V. & Yang, L., 2011. Cellular pathophysiology of ischemic acute kidney injury. *J Clin Invest.* 121(1): 4210-4221.
- Cernaro, V., Santoro, D., Lacquaniti, A., Costantino, G., Visconti, L., Buemi, A., *et al.*, 2016. Phosphate binders for the treatment of chronic kidney disease: role of iron oxyhydroxide. *Int J Nephrol Renovasc Dis.* 19(9): 11–19.
- Chauhan, P. S., Satti, N. K., Sharma, P., Sharma, V. K., Suri, K. A., Bani, S., 2012. Differential effects of chlorogenic acid on various immunological parameters relevant to rheumatoid arthritis. *Phytother Res.* 26(8): 1156–1165.
- Chen, W., Liou, S., Tzeng, T., Li, S., Lium, I., 2013. Effect of topical application of chlorogenic acid on wound healing in rats. *Planta Med J.* 79(1): 616-621.
- Chevalier, R. L., Forbes, M. S., Thornhill, B. A., 2009. Ureteral obstruction as a model of renal interstitial fibrosis and obstructive nephropathy. *Kidney Int.* 75(11): 1145-1154.
- Chuang, P. Y., Menon, M. C., He, J. C., 2013. Molecular targets for treatment of kidney fibrosis. *J Mol Med (Berl).* 91(5): 549–55.
- Clifford, M. N., 1999. Chlorogenic acids and other cinnamates-nature, occurrence and dietary burden. *J Sci Food Agric.* 7(9): 362-372.
- Domitrovic, R., Cvijanovic, O., Susnic, V., Katalinic, N., 2014. Renoprotective mechanism of chlorogenic acid in cisplatin-induced kidney injury. *Toxicology.* 3(24): 98-107.
- Eddy, A. A., Okamura, D. M., Yamaguchi, I., Guiza, J. M., 2012. Investigating mechanisms of chronic kidney disease in mouse models. *Pediatr Nephrol.* 27(8): 1233–1247.
- Erslev, A. J. & Besarab, A., 1997. Erythropoietin in the pathogenesis and treatment of the anemia of chronic renal failure. *Kidney Int.* 51(2): 622-630.

- Farah, A., Monteiro, M., Donangelo, C. M., Lafay, S., 2008. Chlorogenic acids from green coffee extract are highly bioavailable in humans. *J Nutr.* 138(12): 2309–2315.
- Feng, Y., Yu, Y. H., Wang, S. T., Ren, J., 2016. Chlorogenic acid protects D-galactose-induced liver and kidney injury via antioxidation and antiinflammation effects in mice. *Pharm Biol.* 54(6): 1027-1034.
- Genovese, F., Manresa, A., Leeming, D. J., Karsdal, M. A., Boor, P., 2014. The extracellular matrix in the kidney: a source of novel non-invasive biomarkers of kidney fibrosis. *Fibrogenesis Tissue Repair.* 7(1): 1-4.
- Grande, M. T., Sanchez-Laorden, B., Lopez-Blai, C., De-Frutos, C. A., Boutet, A., Arevalo, M., *et al.*, 2015. Snail1-induced partial epithelial-to-mesenchymal transition drives renal fibrosis in mice and can be targeted to reverse established disease. *Nat Med.* 21(9): 989–997.
- Guarino, M., Tosoni, A., Nebuloni, M., 2009. Direct contributing of epithelium to organ fibrosis: epithelial-mesenchymal transition. *J Clin Pathol.* (40): 1365-1376.
- Guyton, A. C. & Hall, J. E., 2016. *Physiology Review.* 3th ed. Philadelphia: Elsevier Saunder.
- Hewitson, T. D., 2012. Fibrosis in the kidney: is a problem shared a problem halved? *Fibrogenesis Tissue Repair.* 5(1): 14.
- Hinz, B., 2010. The myofibroblasts: paradigm for a mechanically active cell. *J Biomech.* 43(1): 146-155.
- Horiguchi, K., Shirakihara, T., Nakano, A., Imamura, T., Miyazono, K., Saitoh, M., 2009. Role of ras signaling in the induction of snail by transforming growth factor- $\beta$ . *J Biol Chem.* 284(1): 245–253.
- Hu, Q., Gao, L., Peng, B., Liu, X., 2017. Baicalin and baicalein attenuate renal fibrosis in vitro via inhibition of the TGF- $\beta$ 1 signaling pathway. *Exp Ther Med.* 14(4): 3074–3080.
- Ji, L., Jiang, P., Lu, B., Sheng, Y., Wang, X., Wang, Z., 2013. Chlorogenic acid, a dietary polyphenol, protects acetaminophen-induced liver injury and its mechanism. *J Nutr Biochem.* 24(11): 1911-1919.
- Jiang, Y. S., Jiang, T., Huang, B., Chen, P. S., Ouyang, J., 2013. Epithelial-mesenchymal transition of renal tubules: divergent processes of repairing in acute or chronic injury? *Med Hypotheses.* 81(1): 73-75.
- Kishore, A., Borucka, J., Petrakova, J., Petrek, M., 2014. Novel insights into miRNA in lung and heart inflammatory diseases. *Mediators Inflamm.* 20(14): 1-27.
- Klahr, S. & Morrisey, J., 2002. Obstructive nephropathy and renal fibrosis. *Am J Physiol Renal Physiol.* 283(5); 861-875.
- Koriem, K. M. M., Arbid, M. S. S., Gomma, N. E., 2018. The role of chlorogenic acid supplement in anemia and mineral disturbances induced by 4-tert-octylphenol toxicity. *J Diet Suppl.* 15(1): 55-71.

- Krisnasari, A. S., Sari, D. C. R., Arfian, N., 2017. *Pengaruh pemberian asam klorogenat (CGA) pada model fibrosis hepar karena induksi karbontetraklorida (CCl4) pada mencit, kajian terhadap fraksi area miofibroblas, ekspresi hepatocyte growth factor dan kadar SGOT dan SGPT*. Tesis. Fakultas Kedokteran. Yogyakarta: Universitas Gadjah Mada.
- Kriz, W., Kaissling, B., Le, M., 2011. Epithelial-mesenchymal transition (EMT) in kidney fibrosis: fact or fantasy? *J Clin Invest*. 121(2): 468–474.
- Lange-Sperandio, B., Trautmann, A., Eickelberg, O., Jayachandran, A., Oberle, S., Schmidutz, F., *et al.*, 2007. Leukocytes induce epithelial to mesenchymal transition after unilateral ureteral obstruction in neonatal mice. *Am J Pathol*. 171(3): 861-871.
- Liang, N. & Kitts, D. D., 2015. Role of chlorogenic acids in controlling oxidative and inflammatory stress conditions. *Nutrients*. 8(1): 16.
- Liu, Y. J., Zhou, C. Y., Qiu, C. H., Lu, X. M., Wang, Y. T., 2013. Chlorogenic acid induced apoptosis and inhibition of proliferation in human acute promyelocytic leukemia HL-60 cells. *Mol Med Rep*. 8(4): 1106-1110.
- Lou, J., Xiaoxia, G., Yinghua, X., Jing, C., Wei, L. V., Yan, Z., 2016. Chlorogenic acid slows down proteinuria and renal fibrosis in 5/6 nephrectomized rats by anti-oxidation and inhibiting accumulation of extracellular matrix. *Int J Clin Exp Med*. 9(8): 1579-15727.
- Meng, X. M., Nikolic-Paterson, D. J., Lan, H. Y., 2016. TGF- $\beta$ : the master regulator of fibrosis. *Nat Rev Nephrol*. 12(6): 325-338.
- Mescher, L. A., 2013. *Junqueira's Basic Histology*. Singapore: Mc Graw Hill.
- Miao, M., Cao, L., Li, R., Fang, X., Miao, Y., 2017. Protective effect of chlorogenic acid on the focal cerebral ischemia reperfusion rat models. *Saudi Pharm J*. 25(4): 556-563.
- Moore, E. & Bellomo, R., 2011. Erythropoietin (EPO) in acute kidney injury. *Ann Intensive Care*. 1(1): 1–10.
- Mubarak, A., Bondonno, C. P., Liu, A. H., Considine, M. J., Rich, L., Mas, E., *et al.*, 2012. Acute effects of chlorogenic acid on nitric oxide status, endothelial function, and blood pressure in healthy volunteers: a randomized trial. *J Agric Food Chem*. 60(36): 9130-9136.
- Multazam, A., Rini, S. L. S., Arfian, N., 2017. *Efek protektif asam klorogenat terhadap ginjal pada mencit dengan cedera iskemia reperfusi, kajian terhadap cedera tubulus dan ekspresi TNF $\alpha$  dan NF- $\kappa$ B*. Tesis. Yogyakarta: Universitas Gadjah Mada.
- Naveed, M., Hejazi, V., Abbas, M., Kamboh, A. A., Khan, G. J., Shumzaid, M., *et al.*, 2018. Chlorogenic acid (CGA): a pharmacological review and call for further research. *Biomed Pharmacother*. 97: 67-74.
- Nieto, M. A., 2002. The snail superfamily of zinc finger transcription factors. *Nat Rev Mol Cell Biol*. 3(3): 155-166.
- Obara, N., Suzuki, N., Kim, K., Nagasawa, T., Imagawa, S., Yamamoto, M., 2009. Repression via the GATA box is essential for tissue-specific erythropoietin gene expression. *Blood*. 111(10): 5223-5232.



- Ong, K. W., Hsu, A., Tan, B. K. H., 2012. Chlorogenic acid stimulates glucose transport in skeletal muscle via AMPK activation: a contributor to the beneficial effects of coffee on diabetes. *PLoS ONE*. 7(3): 32718.
- Park, S. H., Choi, M. J., Song, I. K., Choi, S. Y., Nam, J. U., Kim, C. D., *et al.*, 2007. Erythropoietin decreases renal fibrosis in mice with ureteral obstruction: role of inhibiting TGF-beta-induced epithelial-to-mesenchymal transition. *J Am Soc Nephrol*. 18(5): 1497–1507.
- Pusat Data dan Informasi Kemenkes RI., 2017. *Situasi Penyakit Ginjal Kronis*. Jakarta: Info Datin Kementerian Kesehatan RI.
- Ross, M. R., 2011. *Histology a Text and Atlas: With Correlated Cell and Molecular Biology*. China: Wolters Kluwer Health.
- Sato, M., Muragaki, Y., Saika, S., Roberts, A. B., Ooshima, A., 2003. Targeted disruption of TGF- $\beta$ 1/Smad3 signaling protects against renal tubulointerstitial fibrosis induced by unilateral ureteral obstruction. *J Clin Invest*. 112(10): 1486-1494.
- Sato, Y., Itagaki, S., Kurokawa, T., Ogura, J., Kobayashi, M., Hirano, T., *et al.*, 2011. In vitro and in vivo antioxidant properties of chlorogenic acid and caffeic acid. *Int J Pharm*. 403(1): 136-138.
- Seki, E., Minicis, S. D., Osterreicher, C. H., Kluwe, J., Osawa, Y., Brenner, D. A., *et al.*, 2007. TLR enhances TGF- $\beta$  signaling and hepatic fibrosis. *Nat Med J*. 11(11): 1324-1332.
- Sherwood, L., 2012. *Fundamentals of Human Physiology*. 4th ed. Canada: Brooks/Cole, Cengage Learning.
- Shi, H., Shi, A., Dong, L., Lu, X., Wang, Y., Zhao, J., *et al.*, 2015. Chlorogenic acid protects against liver fibrosis in vivo and in vitro through inhibition of oxidative stress. *Clin Nutr J*. 35(1): 1366-1377.
- Singh, I., Strandhoy, Assimos, 2012. *Pathophysiology of Urinary Tract Obstruction*. Philadelphia: Elsevier Saunders.
- Smith, B. N. & Odero-Marah, V. A., 2012. The role of snail in prostate cancer. *Cell Adh Migr*. 6(5): 433–441.
- Snell, R., 2006. *Clinical Anatomy by Systems*. London: Lippincot Williams & Wilkins
- Stauffer, M. E. & Fan, T., 2014. Prevalence of anemia in chronic kidney disease in the united states. *PloS one*. 9(1): 84943.
- Suwitra, K., 2009. Penyakit ginjal kronik. In: Sudoyo, A.W., Setiyohadi, B., Alwi, I., Marcellus, S., Setiati, S. (Ed.): *Buku Ajar Ilmu Penyakit Dalam*. 5th ed. Jakarta: Internal Publishing.
- Tanaka, K., Nishizono, S., Tamaru, S., Kondo, M., Shimoda, H., Tanaka, J., *et al.*, 2009. Anti-obesity and hypotriglyceridemic properties of coffee bean extract in rats. *Food Sci Technol Res*. 15(2): 147-152.
- Tasanarong, A., Kongkham, S., Duangchana, S., Thitiarchakul, S., Eiam-Ong, S., 2011. Vitamin E ameliorates renal fibrosis by inhibition of TGF-beta/Smad2/3 signaling pathway in UUO mice. *J Med Assoc Thai*. 7(2): 1-9.
- Tian, X., Liu, Z., Niu, B., Zhang, J., Tan, T. K., Lee, S. R., 2011. E-Cadherin/ $\beta$ -catenin complex and the epithelial barrier. *J Biomed Biotechnol*. 2011: e567305.

- Tomasek, J. J., Gabbiani, G., Hinz, B., Chaponnier, C., Brown, R. A., 2002. Myofibroblast and mechano-regulation of connective tissue remodelling. *Nat Rev Mol Cell Biol.* 3(5): 349-363.
- Tortora, G. J. & Derrickson, B., 2012. *Principles of Anatomy & Physiology*. 13th ed. New Jersey: John Wiley & Sons Inc.
- Trihono, P. P., 2011. Peran transforming growth factor-beta1 pada penyakit ginjal. *Sari Pediatri.* 13(1): 49-54.
- Ucero, A. C., Benito-Martin, A., Izquierdo, M. C., Sanches-Nino, M. D., Sanz, A. B., Ramos, A. M., *et al.*, 2014. Unilateral ureteral obstruction: beyond obstruction. *Int Urol Nephrol.* 46(4): 765-776.
- Wynn, T. A., 2008. Cellular and molecular mechanisms of fibrosis. *J Pathol.* 214(2): 199-210.
- Xu, Y., Ruan, S., Wu, X., Chen, H. H., Zheng, K., Fu, B., 2013. Autophagy and apoptosis in tubular cells following unilateral ureteral obstruction are associated with mitochondrial oxidative stress. *Int J Mol Med.* 3(1): 628-636.
- Ye, H. Y., Jin, J., Jin, L. W., Chen, Y., Zhou, Z. H., Li, Z. Y., 2017. The attenuation of chlorogenic acid lipopolysaccharide-induced acute kidney injury by inhibiting TLR4/Nf-κB signal pathway. *Inflammation.* 40(2): 989-997.
- Yoshino, J., Monkawa, T., Tsuji, M., Inukai, M., Itoh, H., Hayashi, M., 2007. Snail1 is involved in the renal epithelial-mesenchymal transition. *Biochem Biophys Res Commun.* 362(1): 63-68.
- Yun, N., Kang, J. W., Lee, S. M., 2012. Protective effects of chlorogenic acid against ischemia/Reperfusion injury in rat liver: molecular evidences of its antioxidant and anti-inflammatory properties. *Jour Nutr Biochem.* 2(3): 1249-1255.
- Zhang, D., Sun, L., Xian, W., Liu, F., Ling, G., Xiao, L., *et al.*, 2010. Low-dose paclitaxel ameliorates renal fibrosis in rat UUO model by inhibition of TGF-beta/Smad activity. *Lab Invest.* 90(3): 436-447.
- Zhang, Y., Li, Q., Liu, D., Huang, Q., Cai, G., Cui, S., *et al.*, 2016. GDF11 improves tubular regeneration after acute kidney injury in elderly mice. *Sci Rep.* 5(6): 34624-34625.
- Zeisberg, M. & Duffield, J. S., 2010. Resolved: EMT produces fibroblasts in the kidney. *J Am Soc Nephrol.* 2(1): 1247-1253.