

DAFTAR PUSTAKA

- American Diabetic Association. 2012. Standards of Medical Care in Diabetes. *Diabetes Care*; Vol 35: 3
- Asdie, A. 2000. Patogenesis dan Terapi Diabetes Mellitus Tipe 2. Medika. Fakultas Kedokteran Universitas Gadjah Mada, Yogyakarta.
- Astin, J., Shapiro S., Eisenberg, D., Forsys, K., 2003. Cited 19 Oktober 2010. Mind-Body Medicine: State of the Science, Implication for Practice, American Board of Family Practice. *J A Board Fam Practice*; 16(2):131 - 147.
- Aviles, J.M., Whelan, S.E., Hernke, D.A., Williams, B.A., Kenny, K.E., O'fallon, W.M., Kopecky, S.L. 2001. Intercessory Prayer and Cardiovascular Disease Progression in a Coronary Care Unit Population: A Randomized Controlled Trial. *Mayo Clinic Proc.* 76: 1192-1198.
- Baig. M., Nawazuddin. K., Sabeer. M. 2013. Study of Serum hs-CRP In Type 2 Diabetic Patients. *IJBAMS* (3); 235-240
- Bjorntorp, P. 1991. Visceral fat accumulation: the missing link between psychosocial factors and cardiovascular disease? 230: 195-201.
- _____. 1997. Body fat distribution, insulin resistance, and metabolic diseases. *Nutrition* (Burbank, Los Angeles County, Calif.). 13: 795-803.
- Bondurant, S. *et al.* 2005. Complementary and Alternative Medicine in The United States. Institute of medicine of The National Academi. 1: 13-24
- Brown, DW., Giles, WH., Croft, JB. 2001. White blood cell count: an independent predictor of coronary heart disease mortality among a national cohort. *J Clin Epidemiol*; 54:316–22
- Brussaard, H.E., Leuven, J.A.G., Frölich, M., Kluft, C., Krans, H.M.J. 1997. Short-term oestrogen replacement therapy improves insulin resistance, lipids and fibrinolysis in postmenopausal women with NIDDM. *Diabetologia.* 40: 843-849.
- Buric, I., Farias, M., Jong, J., Mee, C., Brazil, I.A. 2017. What Is The Molecular Signature of Mind-Body Interventions? A Systematic Review of Gene Expression Changes Induced by Meditation and Related Practice. *Front. Immunol.* 8:670.
- Chen, L., Magliano, D.J. & Zimmet, P.Z. 2011. The worldwide epidemiology of type 2 diabetes mellitus--present and future perspectives. *Nature reviews. Endocrinology.* 8: 228-36.
- Chen, N., Xia, X., Qin, L., Luo, L., Han, S., Wang, G., Zhang, R., Wan, Z. 2016. Effects of 8-Week Hatha Yoga Training on Metabolic and Inflammatory

- Markers in Healthy, Female Chinese Subjects: A Randomized Clinical Trial. *BioMed Res Intern.* 16: 1-12.
- Chung, F.M, *et al.* 2005. Peripheral Total and Differential Leukocyte Count in Diabetic Nephropathy. *Diabetes Care*; 28: 1710-7.
- Colagiuri, S. 2010. Diabetes: therapeutic options. *Diabetes, Obesity & Metabolism.* 12: 463-73.
- Demir, S., Atli, A., Bulut, M., İbiloğlu, A.O., Güneş, M., Kaya, M.C., Demirpençe, O., Sır, A. 2015. Neutrophil-lymphocyte ratio in patients with major depressive disorder undergoing no pharmacological therapy. *Neuropsychiatric Disease and Treatment*, 11: 2253-58
- Dhalla, N., Temsah, R., Netticadan, T. 2000. Role of Oxidative Stress in Cardiovascular Disease. *J Hypertent*; 18: 655-75.
- Dharma, A.D. 2006. Pengaruh Latihan Pasrah Diri terhadap Kontrol Gula Darah pada Penderita Diabetes Melitus Tipe 2 Dengan Gejala Depresi, Universitas Gadjah Mada, Program Pasca Sarjana, Yogyakarta.
- Dossey, L., 1997. The return of prayer. *Alternative Therapies in health and Medicine* 3: 113-20.
- Egede, L., Ellis, C., 2010. Diabetes and depression: Global perspectives. *Diabetes Res and Clin Prac*; 87:302-12.
- Ernst, E., Rand, J.I., Stevinson, C. 1998. Complementary therapies for depression: An overview. *Arch Gen Psych*, 55: 1026-32.
- Esch et al. 2004. Meditation and Limbic Processes. *Psychophysiology and Biofeedback.* 10; 22-32
- Facchini, F.S., Hua, N., Abbasi, F., Reaven, G.M. 2001. Insulin Resistance as a Predictor of Age-Related Diseases. *Clin Endocri Metabol.* 86: 3574-78.
- Festa, A., D'Agostino, R., Howard, G., Mykkanen, L., Tracy, R.P., Haffner, S.M. 2000 Inflammation and microalbuminuria in nondiabetic and type 2 diabetic subjects: the Insulin Resistance Atherosclerosis Study. *Kidney Int*; 58:1703-10
- Ford, ES. 2002. Leukocyte count, erythrocyte sedimentation rate, and diabetes incidence in a national sample of US adults. *Am J Epidemiol*; 155:57-64
- Goldney, R. D., Phillips, P., Fisher, L., Wilson, D. 2004. Diabetes, depression, and quality of life. *Diabetes Care.*:1066-70.
- Gonzalez, E. L., Johansson, S., Wallander, M. A. & Rodriguez, L. A. 2009. Trends in the prevalence and incidence of diabetes in the UK: 1996-2005. *J Epidemiol Community Health.* 63: 332-6.

- Gruden, G., Cavallo-Perin, P., Bazzan, M., Stella, S., Vuolo, A., Pagano, G. 1994. PAI-1 and factor VII activity are higher in IDDM patients with microalbuminuria. *Diabetes Care* ; 43:426–9
- Hidayat, N. 2008. Pengaruh latihan pasrah diri terhadap kualitas hidup pada penderita diabetes melitus tipe 2 dengan gejala depresi. *Post Graduate Thesis*, Gadjah Mada University.
- Isaac, R., Boura-Halfon, S., Gurevitch, D., Shainskaya, A., Levkovitz, Y., Zick, Y. 2013. Selective Serotonin Reuptake Inhibitors (SSRIs) Inhibit Insulin Secretion and Action in Pancreatic β Cells. *Journal of Biol Chem.* 288: 5682-93.
- Jablon, S.L., Naliboff, B.D., Gilmore, S.L., Rosenthal, M.J. 1997. Effects of relaxation training on glucose tolerance and diabetic control in type II diabetes. 22(3):155-69.
- Jastreboff, A. M., Sinha, R., Lacadie, C., Small, D. M., Sherwin, R. S. & Potenza, M. N. 2013. Neural Correlates of Stress- and Food Cue-Induced Food Craving in Obesity. *Association with insulin levels.* 36: 394-402.
- Kawakami, N., Araki, S., Takatsuka, N., Shimizu, H., Ishibashi, H. 1999. Overtime, psychosocial working conditions, and occurrence of non-insulin dependent diabetes mellitus in Japanese men. *J Epid Comm Health.* 53: 359-63.
- _____, N., Takatsuka, N., Shimizu, H. & Ishibashi, H. 1999b. Depressive symptoms and occurrence of type 2 diabetes among Japanese men. *Diabetes Care.* 22: 1071-1076.
- Kisch, E. S. 1985. Stressful events and the onset of diabetes mellitus. *Israel J Med Sci.* 21: 356-8.
- Koithan, M. 2009. Inner Healer: Mind-body Strategies for Health, *J Nurse Pract* ; 5(5): 374–375.
- Kusbandono, S. 2014. Pengaruh Kombinasi LPD dan Fluoxetine dibandingkan dengan Fluoxetine tunggal terhadap Perubahan Kadar High C-Reactive Protein: Studi pada Penderita DM Tipe 2 dengan Simtom Depresi. Tesis. Universitas Gadjah Mada. Yogyakarta.
- Lee, C.D., Folsom, A.R., Nieto, F.J., Chambless, L.E, Shahar, E., Wolfe, D.A. 2001. White blood cell count and incidence of coronary heart disease and ischemic stroke and mortality from cardiovascular disease in African-American and white men and women: Atherosclerosis Risk in Communities Study. *Am J Epidemiol*; 154:758–64
- Levkovitz, Y., Ben-Shushan, G., Hershkovitz, A., Isaac, R., Gil-Ad, I., Shvartsman, D., Ronen, D., Weizman, A., Zick, Y. 2007. Antidepressants induce cellular insulin resistance by activation of IRS-1 kinases. *Mol Cell Neur Sci.* 36: 305-12.

- Lorig, K. R., Ritter, P. L., Laurent, D. D. & Fries, J. F. 2004. Long-Term Randomized Controlled Trials of Tailored-Print and Small-Group Arthritis Self-Management Interventions. *Medical Care*. 42: 346-354.
- Lou, M., Luo, P., Tang, R., Peng, Y., Yu, S., Huang, W., He, L. 2015. Relationship between neutrophil-lymphocyte ratio and insulin resistance in newly diagnosed type 2 diabetes mellitus patients. *BMC Endocrine Disorders* 15:9
- Lustman, P.J., Anderson, R.J., Freedland, K.E., de Groot, M., Carnet, R.M. 2000. Depression and Poor Glycemic Control. *Diabetes Care*; 23: 934-942.
- _____ P ., Freedland, K., Griffith, L., Clouse, R. 2000. Fluoxetine for Depression in Diabetes. *Diabetes Care* 23:618–623.
- Marfella, R., Sinischalci, M., Esposito, K., Sellito, A. 2003. Effects of Stress Hyperglycemia on Acute Myocardial Infarction. *Diabetes Care*; 26: 3129-3135
- McIntyre, R.S., Soczynska, J.K., Konarski, J.Z., Kennedy, S.H. 2006. The effect of antidepressants on glucose homeostasis and insulin sensitivity: synthesis and mechanisms. *Exp Opin on Drug Safe*. 5: 157-68.
- Mertoglu, C., Gunay, M. Neutrophil-Lymphocyte ratio and Platelet-Lymphocyte ratio as useful predictive markers of prediabetes and diabetes mellitus. *Diabetes Metab Syndr*.
- Mooy, J.M., De-Vries, H., Grootenhuis, P.A., Bouter, L.M., Heine, R.J. 2000. Major stressful life events in relation to prevalence of undetected type 2 diabetes: the Hoorn Study. *Diabetes Care*. 23: 197-201.
- Nakanishi, N., Yoshida, H., Matsuo, Y., Suzuki, K., Tatara, K. 2002. White blood-cell count and the risk of impaired fasting glucose or type II diabetes in middleaged Japanese men. *Diabetologia*; 45:42–8
- Nakata M, et al. 1999. Leptin promote aggregation of human platelets via the long form of its receptor. *Diabetes* ; 48:426-9
- Neesinha, PM., Gandhi, A., Mondal, S., Jain, A., Biswas, R. 2016. Effect of Yoga on HOMA-IR and atherogenic lipid profile parameters of Mets syndrome in early postmenopausal women. Proceedings of The Physiological Society. Dublin, Ireland. *The Physiological Society*, PCB212.
- Nidhi, R., Padmalatha, V., Nagarathna, R., Ram, A. 2012. Effect of a yoga program on glucose metabolism and blood lipid levels in adolescent girls with polycystic ovary syndrome. *Int J of Gynecol & Obstet*. 118: 37-41.
- Noto, D., Barbagallo, CM., Cavera, G., Cefalu, AB., Caimi, G., Marino, G. 2001. Leukocyte count, diabetes mellitus and age are strong predictors of stroke in a rural population in southern Italy: an 8-year follow-up. *Atherosclerosis*; 157:225–31

- Pastucha, D., Filipcikova, R., Cajka, V., Horakova, D., Radova, L., Reich, P. & Sovova, E. 2012. Effect of Yoga Exercise on Metabolic and Homeostatic Parameters of Insulin Resistance. *Acta Medica Martiniana*. 12:35-40
- Patel, S., Santani, D. 2009. Role of NF-kappa B in the pathogenesis of diabetes and its associated complications. *Pharmacol*. Jul-Aug;61(4):595-603.
- Pawa, M. 2006. Complementary Therapy Use. In: Dunning, T. (ed.) *Complementary Therapies and the Management of Diabetes and Vascular Disease*. 1 ed. Cippenham, Wiltshire, Great Britain: John Wiley & Sons Ltd.
- Perkumpulan Endokrinologi Indonesia (PERKENI), 2015. Konsensus Pengelolaan Dan Pencegahan Diabetes Melitus Tipe 2 Di Indonesia.
- Pfutzner, A., Forst, T. 2006. High-Sensitivity C-Reactive Protein as Cardiovascular Risk Marker in Patients With Diabetes Mellitus. *Diabetes Technol Ther*;8(1):28-36.
- Podrid, P. 2004. C – Reactive Protein in Cardiovascular Disease. *Up to Date* 12.2 edition
- Rial, N.S., Choi, K., Nguyen, T., Snyder, B., Slepian, MJ. 2011, Nuclear factor kappa B (NF-κB): a novel cause for diabetes, coronary artery disease and cancer initiation and promotion?. *Med Hypotheses*. Jan;78(1):29-32.
- Rice, B. I., 2001. Mind Body Interventions, American diabetes Association; 14(4): 213-217.
- Ridker, P.M., et al. 1998. Plasma concentration of soluble intercellular adhesion molecule-1 and risk of future myocardial infarction in apparently healthy man. *Lancet*. 351: 88-92
- Ross, R. 1999. Atherosclerosis: an inflammatory disease. *N Engl J Med*; 340:115–26
- Sefil, F., Ulutas, K. T., Dokuyuku, R. 2014. Investigation of neutrophil lymphocyte ratio and blood glucose regulation in patients with type 2 diabetes mellitus. *Journal of International Medical Research*. Vol. 42(2) 581–588
- Sentochnik, DE., Eliopoulos, GM. 2005. Infection and Diabetes. In: Kahn CR, King JL, Moses AC, et al. Eds. *Joslin's Diabetes Mellitus*. 14 ed. Lippincott William's & Wilkins. Philadelphia: 1017-20.
- Shaw, J.E., Sicree, R.A., Zimmet, P.Z. 2010. Global estimates of the prevalence of diabetes for 2010 and 2030. *Diabetes Res Clin Pract*. 87: 4-14.
- Siswanto, A., Mudjaddid, E., Shatri, H., Achadiono, D.N.W. 2009. The Difference of High Sensitivity- C Reactive Protein in the Diabetic Patient with depression and Diabetic Patients without Depression. *B Il Ked*, no. 2: 74 - 80

- _____, Siregar, A.K. 2016. An Update on the Treatment of Depression in Diabetic Patients: Introducing “Latihan Pasrah Diri (LPD)”. *33rd World Congress of Internal Medicine*. Nusa Dua, Bali, Indonesia.
- _____, Siregar, A.K., Asdie, A.H. 2016. Treating Depression in diabetic patients: Latihan pasrah diri (LPD) revisited. *Acta Interna The Journal of Internal Medicine* . 6: 43-55.
- Soelistijo, S.A., Novida, H., Rudijanto, A., Soewondo, P., Suastika, K., Manaf, A., Sanusi, H., Lindarto, D., Shahab, A., Pramono, B., Langi, YA., Purnamasari, D., Soetedjo, N. N., Saraswati, M. R., Dwipayana, M. P., Yuwono, A., Sasiarini, L., Sugiarto, Sucipto, KW. & Zufry, H. 2015. *Konsensus Pengelolaan dan Pencegahan Diabetes Melitus Tipe 2 di Indonesia 2015*, Jakarta, PB. PERKENI.
- Suromo, L.B. 2006. C-Reactive Protein, Petanda Inflamasi Untuk Menilai Risiko Penyakit Kardiovaskuler. Dalam: Tjahjati MI, Rahmawati B. Eds. Seminar Petanda Penyakit Kardiovaskuler Sebagai ”Point of Care Test (POCT)”. HKKI Cab. Semarang.
- Stefano, G. B., Guarna, M., Bianchi, Esch, T. 2004. Meditation and limbic processes. *Applied Psychophysiology and Biofeedback*; 32: 22-23.
- Stenström, U., Göth, A., Carlsson, C., Andersson, P.O. 2003. Stress management training as related to glycemic control and mood in adults with Type 1 diabetes mellitus. *Diab Res Clin Pract*. 60: 147-152.
- Steyer, T.E. 2001. Complementary and alternative medicine: a primer. Family practice management. 8(3):37-42
- Sunbul, E.A., Sunbul, M., Yanartas, O., Cengiz, F., Bozbay, M., Sari, I., Gulec, H.2016. Increased Neutrophil/Lymphocyte Ratio in Patients with Depression is Correlated with the Severity of Depression and Cardiovascular Risk Factors. *Psychiatry Investig*; 13(1):121-126
- Surwit, R. S., Van Tilburg, M. a. L., Zucker, N., Mccaskill, C. C., Parekh, P., Feinglos, M. N., Edwards, C. L., Williams, P. & Lane, J. D. 2002. Stress Management Improves Long-Term Glycemic Control in Type 2 Diabetes. *Diabetes Care*. 25: 30-34.
- Sivaraman, S., Zachariah, G., Annamalai, P. 2004. Evaluation of C – Reactive Protein And Other Inflammatory Markers In Acute Coronary Syndromes. *Kuwait Med*; 36: 35-37
- _____, S., Ambler, G. R., Baur, L. A., Garnett, S. P., Tepsa, M., Yap, F., Ward, G. M. & Cowell, C. T. 2006. Randomized, Controlled Trial of Metformin for Obesity and Insulin Resistance in Children and Adolescents: Improvement in Body Composition and Fasting Insulin. *J Clin Endocr Metabol*. 91: 2074-80.

- Sluzeswska, A., Rybawkowski, L., Bosmans, E., Sobieska, M. 1996. Indicators of immune activation In Major Depression. *Psych Res*: 161-67.
- Targher, G, Seidell, J.C, Tonoli, M, Muggeo, M, De Sandre, G, Cigolini, M. 1996. The white blood cell count: its relationship to plasma insulin and other cardiovascular risk factors in healthy male individuals. *J Intern Med* 239:435–41
- Therlund, G.M., Dahlquist, G., Hansson, K., Ivarsson, S.A., Ludvigsson, J., Sjöblad, S., Hägglöf, B. 1995. Psychological Stress and the Onset of IDDM in Children: A case-control study. *Diabetes Care*. 18: 1323-1329.
- Vickers, A. 1996. *Massage and Aromatherapy: A Guide for Health Professionals*, London, Chapman and Hall.
- Vozarova, B., Weyer, C., Lindsay, R.S., Pratley, RE., Bogardus, C., Tataranni, P.A. 2002. High white blood cell count is associated with a worsening of insulin sensitivity and predicts the development of type 2 diabetes. *Diabetes*; 51:455–61
- Weijenberg, M.P., Feskens, E.J., Kromhout, D. 2004. White blood cell count and the risk of tolerance. *Diabetes Care.*; 27: 491-6
- WHO. 2002. *WHO Traditional Medicine Strategy 2002–2005*. Geneva: WHO.
- Widodo, T. 2008. *Pengaruh Latihan Pasrah Diri Terhadap Angka Leukosit Pada Penderita Diabetes Melitus Tipe 2 Dengan Gejala Depresi*. Universitas Gadjah Mada. Yogyakarta.
- Yan, Y.X., Xiao, H.B., Wang, S.S., Zhao, J., He, Y., Wang, W. & Dong, J. 2016. Investigation of the Relationship Between Chronic Stress and Insulin Resistance in a Chinese Population. *J Epidemiol*. 26: 355-60.
- Yoda, K., Inaba, M., Hamamoto, K., Yoda, M., Tsuda, A., Mori, K., Yamada, S., Emoto, M., Koyama, H. & Imanishi, Y. 2014. Association Between Glycemic Control and Morning Blood Pressure Surge With Vascular Endothelial Dysfunction in Type 2 Diabetic Patients. *Diabetes Care*. 37: 644-650.
- Zalai, MD., Novak, M., 2008. Depressive Disorders in Patients with Chronic Kidney Disease. *Primary Psychiatry*; 15(1):66-72.
- Zalaquett, CP., McGraw, A. 2000. *Clinician's Complete Reference to Complementary / Alternative Medicine*, New York, Mosby.