

## DAFTAR PUSTAKA

- Abdullah, M.P. and Zulkepli, S.A., 2015, The functionalization and characterization of multi-walled carbon nanotubes (MWCNT), *AIP Conf. Proc.*, 1678, 1–5.
- Acik, M. and Chabal, Y.J., 2013, A Review on Reducing Graphene Oxide for Band Gap Engineering, *J. Mater. Sci. Res.*, 2, 101–112.
- Ahmed, D.S., Haider, A.J., and Mohammad, M.R., 2013, Comparison of functionalization of multi-walled carbon nanotubes treated by oil olive and nitric acid and their characterization, *Energy Procedia*, 36, 1111–1118.
- Andrade, N.F., Martinez, D.S.T., Paula, A.J., Silveira, J. V., Alves, O.L., and Souza Filho, A.G., 2013, Temperature effects on the nitric acid oxidation of industrial grade multiwalled carbon nanotubes, *J. Nanoparticle Res.*, 15, .
- Antiohos, D., Romano, M., Chen, J., and M., J., 2013, Carbon Nanotubes for Energy Applications, *Licens. InTech*, 22, 495–537.
- Arico, A.S., Bruce, P., Scrosti, B., Tarascon, J.M., and Vanschalkwijk, W., 2010, Nanostructured materials for advanced energy conversion and storage devices, *Mater. Sustain. Energy*, 4, 148–159.
- Athab, A.A., Lafta, A.J., and Hussein, F.H., 2015, Modification of Carbon Nanotubes Surface Using Different Oxidizing Agents, *J. Environ. Anal. Chem.*, 2, 2–3.
- Avilés, F., Cauch-Rodríguez, J. V., Moo-Tah, L., May-Pat, A., and Vargas-Coronado, R., 2009, Evaluation of mild acid oxidation treatments for MWCNT functionalization, *Carbon N. Y.*, 47, 2970–2975.
- Bambagioni, V., Bianchini, C., Marchionni, A., Filippi, J., Vizza, F., dan Teddy, J., 2009, Pd and Pt-Ru anode electrocatalysts supported on multi-walled carbon nanotubes and their use in passive and active direct alcohol fuel cells with an anion-exchange membrane (alcohol = methanol, ethanol, glycerol), *J. Power Sources*, 190, 241–251.
- Bikiaris, D., Vassiliou, A., Chrissafis, K., Paraskevopoulos, K.M., Jannakoudakis, A., and Docoslis, A., 2008, Effect of acid treated multi-walled carbon nanotubes on the mechanical, permeability, thermal properties and thermo-oxidative stability of isotactic polypropylene, *Polym. Degrad. Stab.*, 93, 952–967.
- Boukhvalov, D. W., and Katsnelson, M. I., 2008, Modeling of Graphite Oxide. *J. Am. Chem. Soc.*, 130, 10697.
- Botka, B., Füstös, M.E., Klupp, G., Kocsis, D., Székely, E., Utczás, M., 2012, Low-temperature encapsulation of coronene in carbon nanotubes, *Phys. Status Solidi Basic Res.*, 249, 2432–2435.

- Brhane, Y. and Gabriel, T., 2016, Production, Purification and Functionalization of Carbon Nanotubes for Medical Applications, *Int. Res. J. Pharm.*, 7, 19–27.
- Burchell T.D., 1999. *Carbon Materials for Advanced Technologies*. Pergamon, Oxford.
- Chan Yu King, R. and Roussel, F., 2007, Transparent carbon nanotube-based driving electrodes for liquid crystal dispersion display devices, *Appl. Phys. A Mater. Sci. Process.*, 86, 159–163.
- Chavan, R., Desai, U., Mhatre, P., and Chinchole, R., 2012, Review Article A REVIEW : CARBON NANOTUBES, *Int. J. Pharm. Sci. Rev. Res.*, 13, 125–134.
- Chiang, Y.C., Lin, W.H., and Chang, Y.C., 2011, The influence of treatment duration on multi-walled carbon nanotubes functionalized by H<sub>2</sub>SO<sub>4</sub>/HNO<sub>3</sub> oxidation, *Appl. Surf. Sci.*, 257, 2401–2410.
- Chung, J., Lee, K.-H., Lee, J., and Ruoff, R.S., 2004, Toward Large-Scale Integration of Carbon Nanotubes, *Langmuir*, 20, 3011–3017.
- Datsyuk, V., Kalyva, M., Papagelis, K., Parthenios, J., Tasis, D., Siokou, A., 2008, Chemical oxidation of multiwalled carbon nanotubes, *Carbon N. Y.*, 46, 833–840.
- Davies, A. and Yu, A., 2011, Material advancements in supercapacitors: From activated carbon to carbon nanotube and graphene, *Can. J. Chem. Eng.*, 89, 1342–1357.
- Elkashef, M., Wang, K., and Abou-Zeid, M.N., 2016, Acid-treated carbon nanotubes and their effects on mortar strength, *Front. Struct. Civ. Eng.*, 10, 180–188.
- Endo, M., Muramatsu, H., Hayashi, T., Kim, Y., Terronest, M., and Dresselhaus, M., 2005, “Buckypaper” from Coaxial Nanotubes, *Nature*, 433, 476.
- Geckeler, K.E. and Premkumar, T., 2011, Carbon nanotubes: Are they dispersed or dissolved in liquids, *Nanoscale Res. Lett.*, 6, 2–4.
- Georgakilas, V. and Kordatos, K., 2002, Organic functionalization of carbon nanotubes, *J. Am. Chem. Soc.*, 124, 760–761.
- Gusmao, R., Sofer, Z., Novacek, M., and Pumera, M., 2016, Contrasts between Mild and Harsh Oxidation of Carbon Nanotubes in terms of their Properties and Electrochemical Performance, *Electro. Chem*, 3, 1713–1719.
- Halevy, S., Bochlin, Y., Kadosh, Y., Kaplan, A., Avraham, H., Nissim, A., Ben, R., Hamo, Ohaion-Raz, T., Korin, E and Bettelheim, A., 2017, Graphene Oxide Sheets Combine into Conductive Coatings by Direct Oxidative Electropolymerization, *Nature.*, 7(4987), 1-7.
- Hall, P.J., Mirzaeian, M., Fletcher, S.I., Sillars, F.B., Rennie, A.J.R., Shitta-Bey,

- G.O., 2010, Energy storage in electrochemical capacitors: Designing functional materials to improve performance, *Energy Environ. Sci.*, 3, 1238–1251.
- Hasan, M.T., Senger, B.J., Ryan, C., Culp, M., Gonzalez-Rodriguez, R., Coffey, J.L., and Naumov, A. V., 2017, Optical Band Gap Alteration of Graphene Oxide via Ozone Treatment, *Sci. Rep.*, 7, 1–8.
- Huang, H., Li, Z., She, J., and Wang, W., 2012, Oxygen density dependent band gap of reduced graphene oxide. *J. Appl. Phys.* 111, 054317.
- Hunt, A., 2014, Band gap engineering of graphene oxide by chemical modification, *Carbon N. Y.*, 75, 366–371.
- Iijima, S., 1991, Helical Microtubules Of Graphitic Carbon, *Nature*, 354, 56–58.
- Khare, R. and Bose, S., 2005, Carbon Nanotube Based Composites- A Review, *J. Miner. Mater. Charact. Eng.*, 4, 31–46.
- Kumar, P., Sain, B., and Jain, S.L., 2014, Photocatalytic reduction of carbon dioxide to methanol using a ruthenium trinuclear polyazine complex immobilized on graphene oxide under visible light irradiation, *J. Mater. Chem. A*, 2, 11246–11253.
- Lai, K.W.C., Xi, N., Fung, C.K.M., Chen, H., Tarn, T.J., and Luo, Y., 2012, On-Chip Band Gap Engineering of Carbon Nanotubes,. In, *Nano Optoelectronic Sensors and Devices*. Elsevier Inc, pp. 81–92.
- Lee, S.W., Gallant, B.M., Lee, Y., Yoshida, N., Kim, D.Y., Yamada, Y., 2012, Self-standing positive electrodes of oxidized few-walled carbon nanotubes for light-weight and high-power lithium batteries, *Energy Environ. Sci.*, 5, 5437–5444.
- Li, X., Zhu, H., Ci, L., Xu, C., Mao, Z., Wei, B., 2001, Hydrogen uptake by graphitized multi-walled carbon nanotubes under moderate pressure and at room temperature [1], *Carbon N. Y.*, 39, 2077–2079.
- Jung, I., Field, D. A., Clark, N. J., Zhu, Y., Yang, D., Piner, R. D., and Ruoff, R. S., 2009, Reduction Kinetics of Graphene Oxide Determined by Electrical Transport Measurements and Temperature Programmed Desorption. *J. Phys. Chem. C*, 113, 18480.
- Ma, P.C., Siddiqui, N.A., Marom, G., and Kim, J.K., 2010, Dispersion and functionalization of carbon nanotubes for polymer-based nanocomposites: A review, *Compos. Part A Appl. Sci. Manuf.*, 41, 1345–1367.
- Marega, R., Accorsi, G., Meneghetti, M., Parisini, A., Prato, M., and Bonifazi, D., 2009, Cap removal and shortening of double-walled and very-thin multi-walled carbon nanotubes under mild oxidative conditions, *Carbon N. Y.*, 47, 675–682.
- Matsubara, K. and Waki, K., 2010, Oxygen reduction characteristics of bamboo-

- shaped, multi-walled carbon nanotubes without nitrogen in acid media, *Electrochim. Acta*, 55, 9166–9173.
- Matsubara, K. and Waki, K., 2010, The Effect of O-Functionalities for the Electrochemical Reduction of Oxygen on MWCNT in Acid Media, *Electrochem. Solid-State Lett.*, 13, F7.
- Matter, P.H. and Ozkan, U.S., 2006, Non-metal catalysts for dioxygen reduction in an acidic electrolyte, *Catal. Letters*, 109, 115–123.
- Mazov, I., Kuznetsov, V.L., Simonova, I.A., Stadnichenko, A.I., Ishchenko, A. V., Romanenko, A.I., 2012, Oxidation behavior of multiwall carbon nanotubes with different diameters and morphology, *Appl. Surf. Sci.*, 258, 6272–6280.
- Misak, H.E., Asmatulu, R., Omalley, M., Jurak, E., and Mall, S., 2014, Functionalization of carbon nanotube yarn by acid treatment, *Int. J. Smart Nano Mater.*, 5, 34–43.
- Mkhondo, N.B., Magadzu, T., Sciences, M., and Africa, S., 2014, Effects of different acid-treatment on the nanostructure and performance of carbon nanotubes in electrochemical hydrogen storage, *Dig. J. Nanomater. Biostructures*, 9, 1331–1338.
- Moraes, R., Matos, C., Castro, E., Schreiner, W., Oliviera, M., and Zarbin, A.J., 2011, The Effect of Different Chemical Treatments on the Structure and Stability of Aqueous Dispersion of Iron- and Iron Oxide-Filled Multi-Walled Carbon Nanotubes, *J. Braz. Chem. Soc.*, 22, 2191–2201.
- Osorio, A.G., Silveira, I.C.L., Bueno, V.L., and Bergmann, C.P., 2008, H<sub>2</sub>SO<sub>4</sub>/HNO<sub>3</sub>/HCl-Functionalization and its effect on dispersion of carbon nanotubes in aqueous media, *Appl. Surf. Sci.*, 255, 2485–2489.
- Park, K.A., Seo, K., and Lee, Y.H., 2005, Adsorption of atomic hydrogen on single-walled carbon nanotubes., *J. Phys. Chem. B*, 109, 8967–8972.
- Rahmam, S., Mohamed, N., and Sufian, S., 2014, Effect of acid treatment on the multiwalled carbon nanotubes, *Mater. Res. Innov.*, 18, S6-196–199.
- Rao, C.V., Cabrera, C.R., and Ishikawa, Y., 2010, In Search of the Active Site in Nitrogen-Doped Carbon Nanotube Electrodes for Oxygen Reduction Reaction, *J. Phys. Chem. Lett.*, 1, 2622–2627.
- Robertson, J., 2007, Growth of nanotubes The roadmap for semiconductor devices envisages that carbon, *Rev. Lit. Arts Am.*, 10, 36–43.
- Sadeghpour H.R., Granger B.E., 2004. Interaction of Laser Light and Electrons with Nanotubes. *Physica Scripta*, 110, 262–267
- Saeed, K., and Ibrahim., 2013, Carbon nanotubes-properties and applications: a review, *Carbon Lett.*, 14, 131–144.
- Saito R., Dresselhaus G., and Dresselhaus M.S., 1999, *Physical Properties of*

*Carbon nanotubes*, Imperial College Press. Tokyo.

- Sankal, S. and Kaynak, C., 2013, Using various techniques to characterize oxidative functionalized and aminosilanized carbon nanotubes for polyamide matrix, *J. Reinf. Plast. Compos.*, 32, 75–86.
- Setaro., A., 2016, Advance Carbon Nanotubes Functionalization, *J. Phys. Condens. Matter*, 1–36.
- Shamsuddin, S.A., Derman, M.N., Hashim, U., Kashif, M., Adam, T., Halim, N.H.A., and Tahir, M.F.M., 2016, Nitric acid treated multi-walled carbon nanotubes optimized by Taguchi method, *2nd Int. Conf. Funct. Mater. Metall. (ICoFM 2016)*, 1756, 1–7.
- Sharma, A.K., Sharma, R., Prajapati, R., and Chaudhary, S., 2016, Effect of different acid oxidation on morphology, dispersion and optical band-gap of multi-walled carbon nanotubes, *Fullerenes Nanotub. Carbon Nanostructures*, 24, 332–338.
- Sianipar, M., Kim, S.H., Khoiruddin, Iskandar, F., and Wenten, I.G., 2017, Functionalized carbon nanotube (CNT) membrane: Progress and challenges, *RSC Adv.*, 7, 51175–51198.
- Sinar, a. a., Nur Azni, M.A., Firuz, Z., Hazizan, M.A., Siti Shuhadah, M.S., and Sahrim, H. a., 2014, Treatment Method for Dispersion of Carbon Nanotubes: A Review, *Mater. Sci. Forum*, 803, 299–304.
- Sun, T. and Fabris, S., 2012, Mechanisms for oxidative unzipping and cutting of graphene, *Nano Lett.*, 12, 17–21.
- Svintsitskiy, D. A., Kibis, L.S., Smirnov, D. A., Suboch, A. N., Stonkus, O. A., Podyacheva, O.Y., Bronin, A., and Ismagilov, Z. R., 2018, Spectroscopic Study of Nitrogen-Doped Carbon nanotubes and nanofibers Synthesized by Catalytic Ethylene-Ammonia Decomposition, *Appl. Surf. Sci.*, 435, 1273–1284.
- Varshney, K., 2014, Carbon Nanotubes : A Review on Synthesis , Properties and Applications, *Int. J. Eng. Res. Gen. Sci.*, 2, 660–677.
- Wepasnick, K.A., Smith, B.A., Bitter, J.L., and Howard Fairbrother, D., 2010, Chemical and structural characterization of carbon nanotube surfaces, *Anal. Bioanal. Chem.*, 396, 1003–1014.
- Wu, Q., Yang, L., Wang, X., and Hu, Z., 2017, From Carbon-Based Nanotubes to Nanocages for Advanced Energy Conversion and Storage, *Acc. Chem. Res.*, 50, 435–444.
- Wulan, Ulwani, S.H., Wulandari, H., Purwanto, W.W., and Mulia, K., 2018, The effect of hydrochloric acid addition to increase carbon nanotubes dispersibility as drug delivery system by covalent functionalization The effect of hydrochloric acid addition to increase carbon nanotubes dispersibility as

drug delivery system by covalent functionalization, *Conf. Series; Mater. Sci. Eng.*, 316, 1–8.

Zhang, J., Zou, H., Qing, Q., Yang, Y., Li, Q., Liu, Z., 2003, Effect of Chemical Oxidation on the Structure of Single-Walled Carbon Nanotubes, *J. Phys. Chem. B*, 107, 3712–3718.

Zhong, Y., Jaidann, M., Zhang, Y., Liu, H., Ionescu, M.I., Li, R., Sun, X., Abou-Rachid, H., and Lussier, L. S., 2010, Synthesis of High Nitrogen Doping of Carbon nanotubes and Modeling the Stabilization of Filled DAATO@CNTs (10,10) for Nanoenergetic Materials, *J. Phys. Chem. Solids*, 71, 134-139.