UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

DAFTAR PUSTAKA

Abudalfa, S. dan Mikki, M. (2013) 'A Dynamic Linkage Clustering using KD-Tree', *The International Arab Journal of Information Technology*, Vol. 10, No. 3, hal.283–289. Available at: http://ccis2k.org/iajit/PDF/vol.10,no.3/11-4246.pdf.

Adeniyi, D.A., Wei, Z. dan Yongquan, Y. (2016) 'Automated web usage data mining and recommendation system using K-Nearest Neighbor (KNN) classification method', *Applied Computing and Informatics*, Vol. 12, No. 1, hal.90–108. Available at: http://linkinghub.elsevier.com/retrieve/pii/S221083271400026X.

Aishwarya, D., Gowri, M. dan Saranya, R.K. (2016) 'Palm print recognition using liveness detection technique', *2016 2nd International Conference on Science Technology Engineering and Management, ICONSTEM 2016*, hal.109–114.

Ali, H., Sritharan, V., Hariharan, M., Zaaba, S.K. dan Elshaikh, M. (2016) 'Feature Extraction Using Radon Transform and Discrete Wavelet Transform for Facial Emotion Recognition'. In *2016 2nd IEEE International Symposium on Robotics and Manufacturing Automation (ROMA)*. Ipoh, Malaysia: IEEE, hal. 2–6. Available at: 10.1109/ROMA.2016.7847840.

Ali Khan, S., Hussain, A., Basit, A. dan Akram, S. (2014) 'Kruskal-wallis-based computationally efficient feature selection for face recognition', *Scientific World Journal*, Vol. 2014, .

Amaral, V., Giraldi, G. a dan Thomaz, C.E. (2016) 'A Statistical Quadtree Decomposition to Improve Face Analysis'. In *The 5th International Conference on Automation, Robotics and Applications Conference on Pattern Recognition Applications and Methods (ICPRAM 2016)*. hal. 375–380.

Anvar, S.M.H., Yau, W.Y. dan Teoh, E.K. (2013) 'Multiview face detection and registration requiring minimal manual intervention', *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 35, No. 10, hal.2484–2497.

B O. Sadiq, S.M.S. dan Garba, S. (2015) 'An Approach to Improving Edge Detection For Facial And Remotely Sensed Images Using Vector Order Statistics', *The International Journal Of Multimedia & Its Applications*, Vol. 7, No. 1, hal.17–25. Available at: https://arxiv.org/ftp/arxiv/papers/1503/1503.05692.pdf.

Balcoh, N.K., Yousaf, M.H., Waqar Ahmad dan Baig, M.I. (2012) 'Algorithm for Efficient Attendance Management: Face Recognition based approach', *IJCSI International Journal of Computer Science Issues*, Vol. 9, No. 4, hal.146–150. Available at: www.IJCSI.org.

Baykara, M. dan Das, R. (2013) 'Real time face recognition and tracking system', *Electronics, Computer and Computation (...*, hal.159–163. Available at: http://ieeexplore.ieee.org/xpls/abs_all.jsp?arnumber=6718253.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Behara, A. dan Raghunadh, M. V (2013) 'Real Time Face Recognition System For Time and Attendance Applications', *International Journal of Electrical*, Vol. 1, No. 14, hal.2320–2084.

Bentley, J.L. (1975) 'Multidimensional binary search trees used for associative searching', *Communications of the ACM*, Vol. 18, No. 9, hal.509–517. Available at: http://portal.acm.org/citation.cfm?doid=361002.361007.

Berg, M. de, Cheong, O., Kreveld, M. van dan Overmars, M. (2008) *Coputational Geometry Algorithms and Applications* 3rd ed., Springer-Verlag Berlin Heidelberg.

Bishop, C.M. (2006) *Pattern Recognition and Machine Learning* M. Jordan, Professor Jon Kleinberg, & Bernhard Scho¨lkopf, ed., Springer Science+Business Media, Inc. Available at: http://users.isr.ist.utl.pt/~wurmd/Livros/school/Bishop - Pattern Recognition And Machine Learning - Springer 2006.pdf.

Brown, R.A. (2015) 'Building a Balanced k -d Tree in O (kn log n) Time', *Journal of Computer Graphics Techniques*, Vol. 4, No. 1, hal.50–68.

Calcagno, C., Lobatto, M.E., Robson, P.M. dan Millon, A. (2016) 'HHS Public Access', *Diagn Microbiol Infect Dis.*, Vol. 28, No. 10, hal.1304–1314.

Chávez, E., Graff, M., Navarro, G. dan Téllez, E.S. (2015) 'Near neighbor searching with K nearest references', *Information Systems*, Vol. 51, , hal.43–61. Available at: http://dx.doi.org/10.1016/j.is.2015.02.001.

Chen, J. dan Jenkins, W.K. (2017) 'Facial recognition with PCA and machine learning methods'. In *2017 IEEE 60th International Midwest Symposium on Circuits and Systems (MWSCAS)*. hal. 973–976.

Chen, Y., Singh, J.P., Zhou, L. dan Bouguila, N. (2017) 'FRS: Fast range search by pruning unnecessary distance computations based on K-D tree', *IEEE International Conference on Data Mining Workshops, ICDMW*, Vol. 2017-Novem, No. November, hal.1160–1165.

Chihaoui, M., Elkefi, A., Bellil, W. dan Ben Amar, C. (2016) 'A Survey of 2D Face Recognition Techniques', *Computers*, Vol. 5, No. 4, hal.21. Available at: http://www.mdpi.com/2073-431X/5/4/21.

Chin, E.T., Chew, W.J. dan Choong, F. (2014) 'Automated attendance capture and tracking system', *Journal of Engineering Science and Technology*, Vol. 10, No. Spec. Issue 1 on the second eureca 2014, 2-3 July 2014, hal.45–59.

Chiu, C.-C. dan Ting, C.-C. (2016) 'Contrast Enhancement Algorithm Based on Gap Adjustment for Histogram Equalization', *Sensors*, Vol. 16, No. 6, hal.936. Available at: http://www.mdpi.com/1424-8220/16/6/936.

Dai, Q., Li, J., Wang, J., Chen, Y. dan Jiang, Y.G. (2016) 'A Bayesian Hashing approach and its application to face recognition', *Neurocomputing*, Vol. 213, , hal.5–13. Available at: http://dx.doi.org/10.1016/j.neucom.2016.05.097.

Dalali, S. dan Suresh, L. (2016) 'Daubechives Wavelet Based Face Recognition Using Modified LBP', *Procedia - Procedia Computer Science*, Vol. 93, No. September, hal.344–350. Available at: http://dx.doi.org/10.1016/j.procs.2016.07.219.

Dandpat, S.K. dan Meher, S. (2013) 'Performance improvement for face recognition using PCA and two-dimensional PCA', *2013 International*

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Conference on Computer Communication and Informatics, hal.1–5. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6466291.

Devroye, L., Gyorfi, L. dan Lugosi, G. (2014) *A Probabilistic Theory of Pattern Recognition* I. Karatzas & M. Yor, ed., New York: Springer Berlin Heidelberg. Available at: http://ebooks.cambridge.org/ref/id/CBO9781107415324A009\nhttp://link.springer.com/10.1007/978-1-4612-0711-5.

Dewangan, J. (2013) 'Face Images Database Indexing for Person Identification Problem', *International Journal of Biometrics and Bioinformatics (IJBB)*, Vol. 7, No. 2, hal.93–122.

Dos, C. dkk. (2015) 'Learning to Hash Faces Using Large Feature Vectors'. In *International Workshop on Content-based Multimedia Indexing, 2015, Prague, Czech Republic*. Available at: https://hal.archives-ouvertes.fr/hal-01186444.

Eyupoglu, C. (2016) 'Implementation of Color Face Recognition Using PCA and k -NN Classifier'. In *2016 IEEE NW Russia Young Researchers in Electrical and Electronic Engineering Conference (EIConRusNW)*. St. Petersburg, Russia: IEEE, hal. 199–202.

Gaddam, S.C. dan Ramesh, N.V.K. (2016) 'Attendance management and user security system's based on Eigen faces algorithm using Raspberry pi 2 and ethernet', *Indian Journal of Science and Technology*, Vol. 9, No. 17.

Gaede, V. dan Gunther, O. (1998) 'Multidimentional Access Methods', *Journal ACM Computing Surveys*, Vol. 30, No. 2, hal.1–86. Available at: http://cs.nju.edu.cn/zhouzh/zhouzh.files/course/dm/reading/reading02/gaede_csur97.pdf.

Gieseke, F., Gieseke, F., Dk, D., Heinermann, J., Heinermann, J., Uni, I. dan Igel, C. (2014) 'Buffer k -d Trees : Processing Massive Nearest Neighbor Queries on GPUs'. In *International Conference in Machine Learning*. Available at: http://proceedings.mlr.press/v32/gieseke14.pdf.

Gonzalez, R.C. dan Richard E. Woods (2002) *Digital Image Processing* Second., Upper Saddle River, New Jersey 07458: Tom Robbins.

Gonzalez, R.C. dan Woods, R.E. (2002) *Digital Image Processing* Second., Upper Saddle River, New Jersey 07458: Tom Robbins.

Hatem, H., Beiji, Z. dan Majeed, R. (2015) 'A survey of feature base methods for human face detection', *International Journal of Control and Automation*, Vol. 8, No. 5, hal.61–78.

Hegde, G.P., Seetha, M. dan Hegde, N. (2016) 'Kernel Locality Preserving Symmetrical Weighted Fisher Discriminant Analysis based subspace approach for expression recognition', *Engineering Science and Technology, an International Journal*, Vol. 19, No. 3, hal.1321–1333. Available at: http://dx.doi.org/10.1016/j.jestch.2016.03.005.

Hossain, S.M.S., Yousuf, A. dan Sadi, M.S. (2015) 'Towards an efficient face recognition approach', *2015 International Conference on Electrical Engineering and Information Communication Technology (ICEEICT)*, No. May, hal.1–5. Available at: http://ieeexplore.ieee.org/articleDetails.jsp?arnumber=7307375.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Hu, L. dan Nooshabadi, S. (2017) 'Massive parallelization of approximate nearest neighbor search on KD-tree for high-dimensional image descriptor matching', *Journal of Visual Communication and Image Representation*, Vol. 44, , hal.106–115. Available at: http://dx.doi.org/10.1016/j.jvcir.2017.01.013.

Hu, L.-Y., Huang, M.-W., Ke, S.-W. dan Tsai, C.-F. (2016) 'The distance function effect on k-nearest neighbor classification for medical datasets', *SpringerPlus*, Vol. 5, No. 1, hal.1304. Available at: http://springerplus.springeropen.com/articles/10.1186/s40064-016-2941-7.

Huang, J., Keung, J.W., Sarro, F., Li, Y.F., Yu, Y.T., Chan, W.K. dan Sun, H. (2017) 'Cross-validation based K nearest neighbor imputation for software quality datasets: An empirical study', *Journal of Systems and Software*, Vol. 132, , hal.226–252.

Huang, Z., Li, W., Shang, J., Wang, J. dan Zhang, T. (2015) 'Non-uniform patch based face recognition via 2D-DWT ☆', *IMAVIS*, Vol. 37, , hal.12–19.

Jafri, R. dan Arabnia, H.R. (2009) 'A Survey of Face Recognition Techniques', *Journal of Information Processing Systems*, Vol. 5, No. 2, hal.41–68. Available at: http://koreascience.or.kr/journal/view.jsp?kj=E1JBB0&py=2009&vnc=v5n2&sp=41.

James, M., Arockiasam, S. dan Thangaiah, P.R.J. (2013) 'Face Recognition in Compressed Domain by Applying Wavelet Transform and Feature Vector Optimization', *Journal of Applied Sciences*, Vol. 13, No. 3, hal.451–457. Available at: http://www.scialert.net/abstract/?doi=jas.2013.451.457.

Jayant, N.K. dan Borra, S. (2016) 'Attendance Management System Using Hybrid Face Recognition Techniques', *2016 Conference on Advances in Signal Processing (CASP)*, hal.412–417.

Jayaraman, U., Prakash, S. dan Gupta, P. (2009) 'An efficient technique for indexing multimodal biometric databases Umarani Jayaraman *, Surya Prakash and Phalguni Gupta', *Int. J. Biometrics*, Vol. 1, No. 4, hal.418–441.

Jayaraman, U., Prakash, S. dan Gupta, P. (2008) 'Indexing multimodal biometric databases using Kd-tree with feature level fusion'. In *Lecture Notes in Computer Science (including subseries Lecture Notes in Artificial Intelligence and Lecture Notes in Bioinformatics)*. hal. 221–234. Available at: http://link.springer.com/chapter/10.1007%2F978-3-540-89862-7_19 [Diakses Mei 30, 2014].

Jin, J., Xu, B., Liu, X., Wang, Y., Cao, L., Han, L., Zhou, B. dan Li, M. (2015) 'A face detection and location method based on Feature Binding', *Signal Processing: Image Communication*, Vol. 36, , hal.179–189. Available at: http://dx.doi.org/10.1016/j.image.2015.06.010.

Jo, J., Seo, J. dan Member, J.F.S. (2017) 'A Progressive k - d tree for Approximate k -Nearest Neighbors', *Data Systems for Interactive Analysis (DSIA), 2017 IEEE Workshop on*.

John, T.M. (2016) 'Review and Proposed Methodology for Lecture Attendance System using Neural Network Review and Proposed Methodology for a Lecture Attendance System using Neural Network', , Vol. I, No. September.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Jolliffe, I.T. (2002) 'Principal Component Analysis, Second Edition', *Encyclopedia of Statistics in Behavioral Science*, Vol. 30, No. 3, hal.487. Available at: http://onlinelibrary.wiley.com/doi/10.1002/0470013192.bsa501/full.

Kamaraju, M. dan Kumar, P.A. (2015) 'Wireless fingerprint attendance management system', *Proceedings of 2015 IEEE International Conference on Electrical, Computer and Communication Technologies, ICECCT 2015*.

Kamencay, P., Zachariasova, M., Hudec, R., Jarina, R., Benc, M. dan HLUBIK, J. (2013) 'A Novel Approach to Face Recognition using Image Segmentation Based on SPCA-KNN Method.', *Radioengineering Journal*, Vol. 22, No. 1, hal.92–99. Available at: http://www.radioeng.cz/fulltexts/2013/13_01_0092_0099.pdf [Diakses Mei 30, 2014].

Kanan, C. dan Cottrell, G.W. (2012) 'Color-to-grayscale: Does the method matter in image recognition?', *PLoS ONE*, Vol. 7, No. 1.

Kar, N., Debbarma, M.K., Saha, A. dan Pal, D.R. (2012) 'Study of Implementing Automated Attendance System Using Face Recognition Technique', *International Journal of Computer and Communication Engineering*, Vol. 1, No. 2, hal.100–103. Available at: http://www.ijcce.org/index.php?m=content&c=index&a=show&catid=23&id=31.

Kasar, M.M., Bhattacharyya, D. dan Kim, T.-H. (2016) 'Face Recognition Using Neural Network: A Review', *International Journal of Security and Its Applications*, Vol. 10, No. 3, hal.81–100. Available at: http://dx.doi.org/10.14257/ijsia.2016.10.3.08.

Khan, S.A., Ishtiaq, M., Nazir, M. dan Shaheen, M. (2018) 'Face Recognition under varying Expressions and Illumination using particle swarm optimization', *Journal of Computational Science*, Vol. 28, , hal.94–100. Available at: https://linkinghub.elsevier.com/retrieve/pii/S1877750317312255.

Khatibi Bardsiri, V., Jawawi, D.N.A., Hashim, S.Z.M. dan Khatibi, E. (2013) 'A PSO-based model to increase the accuracy of software development effort estimation', *Software Quality Journal*, Vol. 21, No. 3, hal.501–526.

Khatun, A., Haque, a. K.M.F., Ahmed, S. dan Rahman, M.M. (2015) 'Design and implementation of iris recognition based attendance management system', *2nd International Conference on Electrical Engineering and Information and Communication Technology, iCEEiCT 2015*, No. May, hal.21–23.

Kim, K.I., Jung, K. dan Kim, H.J. (2002) 'Principal Component Analysis', *Signal Processing Letters, IEEE*, Vol. 9, No. 2, hal.40–42.

Kishore, P.V.V., Sastry, A.S.C.S., Murthy, T.K., Gowthami, B. dan Anjana, P. (2014) 'Hyperspectral Face Classification in Wavelet', *Journal of Theorical and Applied Information Technology*, Vol. 65, No. 2, hal.366–375. Available at: http://www.jatit.org/volumes/Vol65No2/8Vol65No2.pdf.

Kondekar, Kolkure dan Kore (2010) 'Image Retrieval Techniques based on Image Features : A State of Art approach for CBIR', *International Journal of Computer Science and Information Security (IJCSIS)*, Vol. 7, No. 1, hal.69–76. Available at: http://arxiv.org/ftp/arxiv/papers/1002/1002.1951.pdf.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Laure, I. dan Beli, K. (2017) 'Enhancing Face Identification Using Local Binary Patterns and K-Nearest Neighbors', *Journal of Imaging*, Vol. 3, No. 3, hal.37. Available at: http://www.mdpi.com/2313-433X/3/3/37.

Lefkovits, S. dan Lefkovits, L. (2016) 'Comparison of Boosted Gabor Feature based Local Descriptor', *Procedia Technology*, Vol. 22, , hal.913–921. Available at: http://linkinghub.elsevier.com/retrieve/pii/S2212017316000840.

Li, L., Losser, T., Yorke, C. dan Piltner, R. (2014) 'Fast inverse distance weighting-based spatiotemporal interpolation: A web-based application of interpolating daily fine particulate matter PM<inf>2:5 </inf>in the contiguous U.S. using parallel programming and k-d tree', *International Journal of Environmental Research and Public Health*, Vol. 11, No. 9, hal.9101–9141.

Li, R. dan Li, Y. (2014) 'Face detection based on the improved AdaBoost algorithm', *Journal of Computational Information Systems*, Vol. 10, No. 23, hal.10307–10314.

Li, Y.F., Xie, M. dan Goh, T.N. (2009) 'A study of project selection and feature weighting for analogy based software cost estimation', *Journal of Systems and Software*, Vol. 82, No. 2, hal.241–252. Available at: http://dx.doi.org/10.1016/j.jss.2008.06.001.

Lienhart, R., Kuranov, A. dan Pisarevsky, V. (2003) 'Empirical Analysis of Detection Cascades of Boosted Classifiers for Rapid Object Detection', , hal.297–304. Available at: http://link.springer.com/10.1007/978-3-540-45243-0_39.

Lienhart, R. dan Maydt, J. (2002) 'An extended set of Haar-like features for rapid object detection'. In *Proceedings. International Conference on Image Processing*. hal. I–900–I–903. Available at: http://ieeexplore.ieee.org/document/1038171/.

Lin, S., Cai, L., Lin, X. dan Ji, R. (2016) 'Masked face detection via a modified LeNet', *Neurocomputing*, Vol. 218, , hal.197–202.

Liu, M., Wu, G., Wen, S. dan Chen, J. (2011) 'An improved face detection classifier based on AdaBoost algorithm'. In *Proceedings - 4th International Congress on Image and Signal Processing, CISP 2011*. hal. 85–89.

Lukas, S., Mitra, A.R., Desanti, R.I. dan Krisnadi, D. (2016) 'Student attendance system in classroom using face recognition technique', *2016 International Conference on Information and Communication Technology Convergence (ICTC)*, hal.1032–1035. Available at: http://ieeexplore.ieee.org/document/7763360/.

Lumini, A., Nanni, L. dan Brahnam, S. (2017) 'Ensemble of texture descriptors and classifiers for face recognition', *Applied Computing and Informatics*, Vol. 13, No. 1, hal.79–91. Available at: http://linkinghub.elsevier.com/retrieve/pii/S2210832716300023.

Ma, Z. dan Kaban, A. (2013) 'K-Nearest-Neighbours with a novel similarity measure for intrusion detection', *2013 13th UK Workshop on Computational Intelligence (UKCI)*, hal.266–271. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6651315.

Mao, Y., Li, H. dan Yin, Z. (2014a) 'Who missed the class? - Unifying multi-face detection, tracking and recognition in videos'. In *2014 IEEE International*

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Conference on Multimedia and Expo (ICME). IEEE, hal. 1–6. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6890334.

Mao, Y., Li, H. dan Yin, Z. (2014b) 'Who missed the class? Unifying multi-face detection, tracking and recognition in videos'. In *2014 IEEE International Conference on Multimedia and Expo (ICME)*. IEEE, hal. 1–6. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=6890334.

Marciniak, T., Chmielewska, A., Weychan, R., Parzych, M. dan Dabrowski, A. (2015) 'Influence of low resolution of images on reliability of face detection and recognition', *Multimedia Tools and Applications*, Vol. 74, No. 12, hal.4329–4349. Available at: https://link.springer.com/content/pdf/10.1007/s11042-013-1568-8.pdf.

Mateos-García, D., García-Gutiérrez, J. dan Riquelme-Santos, J.C. (2017) 'On the Evolutionary Weighting of Neighbours and Features in the k-Nearest Neighbour Rule', *Neurocomputing*. Available at: http://www.sciencedirect.com/science/article/pii/S0925231217315333?dgcid=raven_sd_aip_email.

Mingqiang, Y., Kidiyo, K. dan Joseph, R. (2008) 'A survey of shape feature extraction techniques', *Pattern Recognition, Peng-Yeng Yin (Ed.)*, Vol. 2008, , hal.43–90. Available at: http://hal.archives-ouvertes.fr/docs/00/44/60/37/PDF/ARS-Journal-SurveyPatternRecognition.pdf.

Mittal, Y., Varshney, A., Aggarwal, P., Matani, K. dan Mittal, V.K. (2016) 'Fingerprint biometric based Access Control and Classroom Attendance Management System', *12th IEEE International Conference Electronics, Energy, Environment, Communication, Computer, Control: (E3-C3), INDICON 2015*, hal.1–6.

Moghaddam, B. dan Pentland, A. (1994) 'Face Recognition using View-Based and Modular Eigenspaces', , Vol. 2277, No. 301.

Mohammadi, S. dan Gervei, O. (2018) 'Using nonlocal filtering and feature extraction approaches in three-dimensional face recognition by Kinect', *International Journal of Advanced Robotic Systems*, Vol. 15, No. 4, hal.172988141878774. Available at: http://journals.sagepub.com/doi/10.1177/1729881418787743.

Mouratidis, K., Zhang, J., Hwa, H. dan Pang, H. (2015) 'Maximum Rank Query', *Maximum Rank Query*, Vol. 8, , hal.1554–1565. Available at: http://ink.library.smu.edu.sg/sis_research\nhttp://ink.library.smu.edu.sg/sis_research/2823.

Mudry, A. dan Tjellström, A. (2011) 'Historical background of bone conduction hearing devices and bone conduction hearing aids', *Advances in Oto-Rhino-Laryngology*, Vol. 71, , hal.1–9.

Muhammad, B. dan Abu-bakar, S.A.R. (2016) 'Face Detection in Profile Views Using Fast Discrete Curvelet Transform (Fdct) and Support Vector Machine (Svm) I .', *International Journal on Smart Sensing and Intelligent Systems Vol. 9, No. 1, March 2016 Face*, Vol. 9, No. 1, hal.108–123.

Nanni, L., Lumini, A., Dominio, F. dan Zanuttigh, P. (2014) 'Effective and precise face detection based on color and depth data', *Applied Computing and*

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Informatics, Vol. 10, No. 1-2, hal.1–13. Available at: http://linkinghub.elsevier.com/retrieve/pii/S221083271400009X.

Nawaz, T., Amber, A. dan Zunaira, K. (2010) 'Fully Automated Attendance Record System using Template Matching Technique', *International Journal of Engineering & Technology IJET-IJENS*, Vol. 10, No. 03, hal.44–49.

Nawaz, T., Pervaiz, S. dan Korrani, A. (2009) 'Development of Academic Attendence Monitoring System Using Fingerprint Identification', *IJCSNS International Journal of Computer Science and Network Security*, Vol. 9, No. 5, hal.164–168.

Neighbor, K. dan Haiyang, Z. (2012) 'The Research of Face Recognition Based on PCA and K-Nearest Neighbor', *Photonics and Optoelectronics (SOPO)*, No. 205074, hal.1–4.

Ng, S.C. (2017) 'Principal component analysis to reduce dimension on digital image', *Procedia Computer Science*, Vol. 111, , hal.113–119.

Nguyen, D.T.N. dan Kiyoki, Y. (2017) 'Multicontext-adaptive indexing and search for large-scale video navigation', *International Journal of Multimedia Information Retrieval*, Vol. 6, No. 2, hal.175–188. Available at: "http://dx.doi.org/10.1007/s13735-017-0122-2.

Orozco, J., Martinez, B. dan Pantic, M. (2015) 'Empirical analysis of cascade deformable models for multi-view face detection', *Image and Vision Computing*, Vol. 42, , hal.47–61. Available at: http://dx.doi.org/10.1016/j.imavis.2015.07.002.

Otair, M. (2013) 'A Proximate K-Nearest Neighbour Based Spatial Clustering Using Kd-Tree', *International Journal of Database Management Systems (IJDMS)*, Vol. 5, No. 1, hal.97–108.

Park, Y.Y., Choi, Y. dan Lee, K. (2014) 'A Study on the Design and Implementation of Facial Recognition Application System', *International Journal of Bio-Science and Bio-Technology*, Vol. 6, No. 2, hal.1–10. Available at: http://www.sersc.org/journals/IJBSBT/vol6_no2/1.pdf.

Ping, D. dan Tian (2013) 'A Review on Image Feature Extraction and Representation Techniques', *International Journal of Multimedia and Ubiquitous Engineering*, Vol. 8, No. 4, hal.385–396.

Pissarenko, D. (2002) 'Eigenface-based facial recognition', , hal.1–6. Available at: http://openbio.sourceforge.net/resources/eigenfaces/eigenfaces.pdf.

Pujol, F., Pujol, M., Jimeno-Morenilla, A. dan Pujol, M. (2017) 'Face Detection Based on Skin Color Segmentation Using Fuzzy Entropy', *Entropy*, Vol. 19, No. 1, hal.26. Available at: http://www.mdpi.com/1099-4300/19/1/26.

Qi, J., Tao, Y., Chang, Y. dan Zhang, R. (2018) 'Theoretically Optimal and Empirically Efficient R-trees with Strong Parallelizability'. In *The 44th International Conference on Very Large Data Bases*. Rio de Janeiro, Brazil, hal. 621 – 634. Available at: http://www.vldb.org/pvldb/vol11/p621-qi.pdf.

Ramirez-gutierrez, K., Cruz-perez, D., Olivares-mercado, J., Nakano-miyatake, M. dan Perez-meana, H. (2011) 'A Face Recognition Algorithm using Eigenphases and Histogram Equalization', *INTERNATIONAL JOURNAL OF COMPUTERS*, Vol. 5, No. 1.

UNIVERSITAS GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Rani, P.I. dan Muneeswaran, K. (2015) 'Robust real time face detection automatically from video sequence based on Haar features', *2014 International Conference on Communication and Network Technologies, ICCNT 2014*, Vol. 2015-March, , hal.276–280.

Reney, D. dan Tripathi, N. (2015) 'An efficient method to face and emotion detection'. In *Proceedings - 2015 5th International Conference on Communication Systems and Network Technologies, CSNT 2015*. hal. 493–497.

Revathi, B. dan Sudha, G.F. (2018) 'Retrieval performance analysis of multibiometric database using optimized multidimensional spectral hashing based indexing', *Journal of King Saud University - Computer and Information Sciences*. Available at: https://doi.org/10.1016/j.jksuci.2018.02.003.

Romić, K., Livada, C. dan Glavas, A. (2016) 'Single and Multi-Person Face Recognition Using', *International Journal of Electrical and Engineering Systems*, Vol. 7, No. 1, hal.23–28. Available at: http://www.etfos.unios.hr/ijeces/vol-7-no-1-2016/single-and-multi-person-face-recognition-using-the-enhanced-eigenfaces-method/.

Sagarl, G. V, Barker, S.Y., Raja, K.B., Babu, K.S. dan Venugopal, K.R. (2015) 'Convolution based Face Recognition using DWT and Feature Vector Compression'. In *Third International Conference on Image Information Processing*. hal. 444–449. Available at: http://ieeexplore.ieee.org.ezproxy.ugm.ac.id/stamp/stamp.jsp?tp=&arnumber=7414814.

Samet, H. (2016) 'Foundations of Nearest Neighbor Queries in Euclidean Space ∗' S. Shekhar, H. Xiong, & X. Zhou, ed., *Encyclopedia of GIS*, hal.1–10. Available at: http://www.cs.umd.edu/~hjs/pubs/neighborquery.pdf.

Samet, H. (2008) 'K-nearest neighbor finding using MaxNearestDist', *IEEE Transactions on Pattern Analysis and Machine Intelligence*, Vol. 30, No. 2, hal.243–252.

Santoso, H., Harjoko, A. dan Eko, A. (2017) 'Efficient K-Nearest Neighbor Searches for Multiple-Face Recognition in the Classroom based on Three Levels DWT-PCA', *International Journal of Advanced Computer Science and Applications*, Vol. 8, No. 11, hal.112–122. Available at: http://thesai.org/Downloads/Volume8No11/Paper_15-Efficient_K_Nearest_Neighbor_Searches.pdf.

Santoso, H., Harjoko, A. dan Putra, A.E. (2015) 'Optimization of Real-time Multiple-Face Detection in The Classroom using Adaboost Algorithm'. In *2015 International Conference on Data and Software Engineering (ICODSE 2015)*. IEEE, hal. 160–165. Available at: http://ieeexplore.ieee.org/stamp/stamp.jsp?tp=&arnumber=7436960.

Sayeed, S., Hossen, J., Jayakumar, V., Yusof, I. dan Samraj, A. (2017) 'Real-Time Face Recognition for Attendance', *Journal of Theoretical and Applied Information Technology*, Vol. 95, No. 1.

Selva, P., Morlier, J. dan Gourinat, Y. (2009) 'Development of a Dynamic Virtual Reality Model of the Inner Ear Sensory System as a Learning and Demonstrating Tool', *Modelling and Simulation in Engineering*, Vol. 2009, ,

UNIVERSITAS GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

hal.1–10. Available at: http://www.hindawi.com/journals/mse/2009/245606/ [Diakses Januari 5, 2014].

Setiawan, E. dan Muttaqin, A. (2015) 'Implementation of K-Nearest Neightbors Face Recognition on Low-power Processor', *TELKOMNIKA (Telecommunication Computing Electronics and Control)*, Vol. 13, No. 3, hal.949. Available at: http://journal.uad.ac.id/index.php/TELKOMNIKA/article/view/713.

Shahraki, H.R., Pourahmad, S. dan Zare, N. (2017) '? Important Neighbors : A Novel Approach to Binary Classification in High Dimensional Data', , Vol. 2017, .

Shih, F.Y. (2010) *Image Processing and Pattern Recognition: Fundamentals and Techniques*, New Jersey: John Wiley & Sons, Inc., Hoboken, New Jersey. Available at: http://ieeexplore.ieee.org/document/1038171/.

Siddiqi, M.H., Ali, R., Khan, A.M., Kim, E.S., Kim, G.J. dan Lee, S. (2015) 'Facial expression recognition using active contour-based face detection, facial movement-based feature extraction, and non-linear feature selection', *Multimedia Systems*, Vol. 21, No. 6, hal.541–555.

Sitaram, G., Sarkar, S., Manikantan, K. dan Ramachandran, S. (2012) 'DWT feature extraction based face recognition using intensity mapped unsharp masking and laplacian of gaussian filtering with scalar multiplier', , Vol. 6, , hal.475–484. Available at: http://dx.doi.org/10.1016/j.protcy.2012.10.057.

Skiena, S.S. (2008) *The Algorithm Design Manual*, Springer-Verlag London. Available at: http://www.springerlink.com/index/10.1007/978-1-84800-070-4.

Slavkovic, M. dan Jevtic, D. (2012) 'Face recognition using eigenface approach', *Serbian Journal of Electrical Engineering*, Vol. 9, No. 1, hal.121–130. Available at: http://www.doiserbia.nb.rs/Article.aspx?ID=1451-48691201121S.

Smith, B.M. dan Dyer, C.R. (2016) 'Efficient Branching Cascaded Regression for Face Alignment under Significant Head Rotation', Available at: http://arxiv.org/abs/1611.01584.

Soewito, B. (2016) 'Smart Mobile Attendance System Using Voice Recognition and Fingerprint on Smartphone', , hal.175–180.

Sperber, M. (2017) 'Encyclopedia of GIS', *Encyclopedia of GIS*, hal.1695–1716. Available at: http://link.springer.com/10.1007/978-3-319-23519-6.

Sudha, G.F. (2017) 'Optimised Kd-Tree Approach with Dimension Reduction for Efficient Indexing and Retrieval from Multibiometric Database', , Vol. 15, No. 8, hal.224–231.

Tamimi, A.A., AL-Allaf, O.N. a. dan Alia, M. a. (2015) 'Real-Time Group Face-Detection for an Intelligent Class-Attendance System', *International Journal of Information Technology and Computer Science*, Vol. 7, No. 6, hal.66–73. Available at: http://www.mecs-press.org/ijitcs/ijitcs-v7-n6/v7n6-9.html.

Tao, Q.-Q., Zhan, S., Li, X.-H. dan Kurihara, T. (2016) 'Robust face detection using local CNN and SVM based on kernel combination', *Neurocomputing*, Vol. 211, , hal.98–105. Available at: http://linkinghub.elsevier.com/retrieve/pii/S0925231216305665.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Theodoridis, S. dan Koutroumbas, K. (2009) *Pattern Recognition*, London: Academic Press is an imprint of Elsevier. Available at: https://drive.google.com/file/d/0BwV9gSjgkJWnVUdBLXBDeWJOdEE/view.

Turk, M. dan Pentland, A. (1991a) 'Eigenfaces for recognition', *Journal of cognitive neuroscience*, Vol. 3, No. 1, hal.71–86. Available at: http://www.ncbi.nlm.nih.gov/pubmed/23964806 [Diakses September 24, 2014].

Turk, M. dan Pentland, A. (1991b) 'Face recognition using eigenfaces', *Proceedings. 1991 IEEE Computer Society Conference on Computer Vision and Pattern Recognition*, hal.586–591. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=139758.

Viola, P. dan Jones, M. (2001) 'Rapid object detection using a boosted cascade of simple features', *Proceedings of the 2001 IEEE Computer Society Conference on Computer Vision and Pattern Recognition. CVPR 2001*, Vol. 1, , hal.I–511–I–518. Available at: http://ieeexplore.ieee.org/lpdocs/epic03/wrapper.htm?arnumber=990517.

Viola, P. dan Jones, M.J. (2004a) 'Robust Real-Time Face Detection', *International Journal of Computer Vision 57(2), 137–154, 2004*, Vol. 57, No. 2, hal.137–154.

Viola, P. dan Jones, M.M.J. (2004b) 'Robust Real-Time Face Detection', *International Journal of Computer Vision*, Vol. 57, No. 2, hal.137–154. Available at: http://link.springer.com/article/10.1023/B:VISI.0000013087.49260.fb.

Vu, L.G., Alsadoon, A., Prasad, P.W.C. dan Rahma, a. M.S. (2017) 'Improving Accuracy in Face Recognition Proposal to Create a Hybrid Photo Indexing Algorithm, Consisting of Principal Component Analysis and a Triangular Algorithm (PCAaTA)', *International Journal of Pattern Recognition and Artificial Intelligence*, Vol. 31, No. 01, hal.1756001. Available at: http://www.worldscientific.com/doi/abs/10.1142/S0218001417560018.

Wang, J.W., Le, N.T., Lee, J.S. dan Wang, C.C. (2018) 'Illumination compensation for face recognition using adaptive singular value decomposition in the wavelet domain', *Information Sciences*, Vol. 435, , hal.69–93. Available at: https://doi.org/10.1016/j.ins.2017.12.057.

Wang, Y., Zhou, T. dan Hu, B. (2015) 'A Step-wise Refinement Algorithm for Face', *Journal of Information Hiding and Multimedia Signal Processing*, Vol. 6, No. 3, hal.554–567.

Weifeng, C. dan Bin, L. (2015) 'Attendance System Applied in Classroom Based on Face Image Abstract :'. In *International Symposium on Computers & Informatics (ISCI 2015)*. Atlantis Press, hal. 1631–1638. Available at: https://www.atlantis-press.com/proceedings/isci-15/17601.

Wen, J.B., Xiong, Y.S. dan Wang, S.L. (2013) 'A novel two-stage weak classifier selection approach for adaptive boosting for cascade face detector', *Neurocomputing*, Vol. 116, , hal.122–135. Available at: http://dx.doi.org/10.1016/j.neucom.2011.12.060.

UNIVERSITAS
GADJAH MADA
PENGENALAN BANYAK WAJAH DI DALAM RUANG KELAS SECARA REALTIME MENGGUNAKAN MODIFIKASI ADABOOST VIOLA-JONES DAN FITUR 2D DWT-PCA DENGAN STRUKTUR INDEKS K-D TREE
HADI SANTOSO, Drs. Agus Harjoko, M.Sc., Ph.D.; Dr. Agfianto Eko Putra, M.Si.
Universitas Gadjah Mada, 2018 | Diunduh dari http://etd.repository.ugm.ac.id/

Winarno, E., Harjoko, A., Arymurthy, A.M. dan Winarko, E. (2014) 'Improved Real-Time Face Recognition Based on Three Level Wavelet Decomposition-Principal Component Analysis and Mahalanobis Distance', *Journal of Computer Science*, Vol. 10, No. 5, hal.844–851. Available at: http://thescipub.com/abstract/10.3844/jcssp.2014.844.851.

Xu, Y., Zhu, Q., Chen, Y. dan Pan, J.S. (2013) 'An improvement to the nearest neighbor classifier and face recognition experiments', *International Journal of Innovative Computing, Information and Control*, Vol. 9, No. 2, hal.543–554.

Yadav, S. dan Nain, N. (2016) 'A novel approach for face detection using hybrid skin color model', *Journal of Reliable Intelligent Environments*, Vol. 2, No. 3, hal.145–158. Available at: http://link.springer.com/10.1007/s40860-016-0024-8.

Yang, H. dan Wang, X.A. (2016) 'Cascade classifier for face detection', *Journal of Algorithms and Computational Technology*, Vol. 10, No. 3, hal.187–197.

Yang, J., Zhang, D., Frangi, A.F. dan Yang, J. (2004) 'Two-dimensional PCA: a new approach to appearance-based face representation and recognition.', *IEEE transactions on pattern analysis and machine intelligence*, Vol. 26, No. 1, hal.131–7. Available at: http://www.ncbi.nlm.nih.gov/pubmed/15382693.

Zhang, B.L., Zhang, H. dan Ge, S.S. (2004) 'Face recognition by applying wavelet subband representation and kernel associative memory', *IEEE Transactions on Neural Networks*, Vol. 15, No. 1, hal.166–177.

Zhang, C., Liang, X. dan Matsuyama, T. (2013) 'Small sample size face recognition using random quad-tree based ensemble algorithm'. In *International Conference on Imaging for Crime Detection and Prevention (ICDP 2013)*. hal. 1–6.

Zhang, S., Li, X., Zong, M., Zhu, X. dan Wang, R. (2017) 'Efficient kNN Classification With Different Numbers of Nearest Neighbors', *IEEE Transactions on Neural Networks and Learning Systems*, hal.1–12.

Zhang, Y., Wu, L. dan Wang, S. (2011) 'Magnetic Resonance Brain Image Classification By an Improved Artificial Bee Colony Algorithm', *Progress In Electromagnetics Research*, Vol. 116, No. March, hal.65–79. Available at: http://www.jpier.org/PIER/pier.php?paper=11031709.

Zhao, M. dan Chen, J. (2016) 'Improvement and Comparison of Weighted k Nearest Neighbour Classifiers for Model Selection', *Journal of Software Engineering*, Vol. 10, No. 1, hal.109–118.