

REFERENCES

- Albareda-Sambola, M., Díaz, J. A., & Fernández, E. (2005). A compact model and tight bounds for a combined location-routing problem. *Computers & Operations Research*, 32(3), 407-428.
- Alumur, S., & Kara, B. Y. (2007). A new model for the hazardous waste location-routing problem. *Computers & Operations Research*, 34(5), 1406-1423.
- Archetti, C., & Speranza, M. G. (2005). Collection of waste with single load trucks: A real case *Distribution Logistics* (pp. 105-119): Springer.
- Ardjmand, E., Weckman, G., Park, N., Taherkhani, P., & Singh, M. (2015). Applying genetic algorithm to a new location and routing model of hazardous materials. *International Journal of Production Research*, 53(3), 916-928.
- Asri, A.N. (2016). *Integrasi Penentuan Lokasi Pusat Distribusi, Moda Transportasi, dan Rute Perjalanan pada Jaringan Rantai Pasok*. Undergraduate Thesis. Universitas Gadjah Mada, Yogyakarta.
- Bandung Institute of Technology. (2007). *Penandatanganan MOU Antara DIY dengan ITB*. <https://www.itb.ac.id/news/1506.xhtml> (online accessed in December, 2016)
- Bank Indonesia. (2018). *BI Rate*. <https://www.bi.go.id/id/moneter/bi-rate/data/Default.aspx> (online accessed in July, 2018)
- Barreto, S., Ferreira, C., Paixao, J., & Santos, B. S. (2007). Using clustering analysis in a capacitated location-routing problem. *European Journal of Operational Research*, 179(3), 968-977.
- Belenguer, J.-M., Benavent, E., Prins, C., Prodhon, C., & Calvo, R. W. (2011). A branch-and-cut method for the capacitated location-routing problem. *Computers & Operations Research*, 38(6), 931-941.
- Beltrami, E. J., & Bodin, L. D. (1974). Networks and vehicle routing for municipal waste collection. *Networks*, 4(1), 65-94.
- Berger, R. T., Coullard, C. R., & Daskin, M. S. (2007). Location-routing problems with distance constraints. *Transportation Science*, 41(1), 29-43.
- Bhambulkar, A. V. (2011). Municipal solid waste collection routes optimized with arc gis network analyst. *International Journal Of Advanced Engineering Sciences And Technologies Vol(11)*, 202-207.
- Bodin, L., Mingozzi, A., Baldacci, R., & Ball, M. (2000). The rollon-rolloff vehicle routing problem. *Transportation Science*, 34(3), 271-288.
- Boyer, O., Sai Hong, T., Pedram, A., Mohd Yusuff, R. B., & Zulkifli, N. (2013). A mathematical model for the industrial hazardous waste location-routing problem. *Journal of Applied Mathematics*, 2013.
- Buhrkal, K., Larsen, A., & Ropke, S. (2012). The waste collection vehicle routing problem with time windows in a city logistics context. *Procedia-Social and Behavioral Sciences*, 39, 241-254.
- Central Bureau of Statistics of Yogyakarta Special Region. (2014). *Statistik Daerah Istimewa Yogyakarta 2014*. <http://yogyakarta.bps.go.id> (online accessed in

December, 2016)

- Chopra, S., & Meindl, P. (2007). Supply chain management. Strategy, planning & operation *Das summa summarum des management* (pp. 265-275): Springer.
- Cordeau, J. F., Gendreau, M., & Laporte, G. (1997). A tabu search heuristic for periodic and multi-depot vehicle routing problems. *Networks: An International Journal*, 30(2), 105-119.
- Crevier, B., Cordeau, J.-F., & Laporte, G. (2007). The multi-depot vehicle routing problem with inter-depot routes. *European Journal of Operational Research*, 176(2), 756-773.
- Dekker, R., Fleischmann, M., Inderfurth, K., & van Wassenhove, L. N. (2013). *Reverse logistics: quantitative models for closed-loop supply chains*: Springer Science & Business Media.
- Derbel, H., Jarboui, B., Hanafi, S., & Chabchoub, H. (2012). Genetic algorithm with iterated local search for solving a location-routing problem. *Expert Systems with Applications*, 39(3), 2865-2871.
- Donabella, C. (2017). *Optimasi Rute Pengangkutan Sampah Untuk Daerah Istimewa Yogyakarta Dengan Mempertimbangkan Kapasitas Kendaraan*. Undergraduate Thesis. Universitas Gadjah Mada, Yogyakarta.
- Duhamel, C., Lacomme, P., Prins, C., & Prodhon, C. (2010). A GRASP× ELS approach for the capacitated location-routing problem. *Computers & Operations Research*, 37(11), 1912-1923.
- Farrokhi-Asl, H., Tavakkoli-Moghaddam, R., Asgarian, B., & Sangari, E. (2017). Metaheuristics for a bi-objective location-routing-problem in waste collection management. *Journal of Industrial and Production Engineering*, 34(4), 239-252.
- Fooladi, S., Fazlollahtabar, H., & Mahdavi, I. (2013). Waste Collection Vehicle Routing Problem Considering Similarity Pattern of Trashcan. *International Journal of Applied*, 3(3), 105-111.
- Golden, B. L., Wasil, E. A., Kelly, J. P., & Chao, I.-M. (1998). The impact of metaheuristics on solving the vehicle routing problem: algorithms, problem sets, and computational results *Fleet management and logistics* (pp. 33-56): Springer.
- Han, H., & Ponce Cueto, E. (2015). Waste collection vehicle routing problem: literature review. *PROMET-Traffic&Transportation*, 27(4), 345-358.
- Handito, D., N. (2016). *Pemda DIY Akan Gunakan Teknologi Swedia di TPST Piyungan*. <http://jogja.tribunnews.com/2016/08/03/pemda-diy-akan-gunakan-teknologi-swedia-di-tpst-piyungan> (online accessed in December, 2016)
- Hasibuan, D. (2013). *Penyusutan Aset Tetap (Depresiasi) menurut Pajak*. <http://keuanganlsm.com/penyusutan-depresiasi-menurut-perpajakan/> (online accessed in July, 2018)
- Hemmelmayr, V., Doerner, K. F., Hartl, R. F., & Rath, S. (2013). A heuristic solution method for node routing based solid waste collection problems. *Journal of Heuristics*, 19(2), 129-156.
- Huang, G., Baetz, B., & Patry, G. (1998). Trash-flow allocation: planning under uncertainty. *Interfaces*, 28(6), 36-55.

- Kara, I., Laporte, G., & Bektas, T. (2004). A note on the lifted Miller–Tucker–Zemlin subtour elimination constraints for the capacitated vehicle routing problem. *European Journal of Operational Research*, 158(3), 793-795.
- Kenzie Karoseri, *Karoseri Arm Roll*,
<https://dumtrukkaroseri.wordpress.com/2013/05/14/karoseri-arm-roll/>
(online accessed in December, 2017)
- Kim, B.-I., Kim, S., & Sahoo, S. (2006). Waste collection vehicle routing problem with time windows. *Computers & Operations Research*, 33(12), 3624-3642.
- Kirkpatrick, S., Gelatt, C. D., & Vecchi, M. P. (1983). Optimization by simulated annealing. *science*, 220(4598), 671-680.
- Kulcar, T. (1996). Optimizing solid waste collection in Brussels. *European Journal of Operational Research*, 90(1), 71-77.
- Laporte, G., Louveaux, F., & Mercure, H. (1989). Models and exact solutions for a class of stochastic location-routing problems. *European Journal of Operational Research*, 39(1), 71-78.
- Laporte, G., & Nobert, Y. (1981). An exact algorithm for minimizing routing and operating costs in depot location. *European Journal of Operational Research*, 6(2), 224-226.
- Lin, C., Choy, K. L., Ho, G. T., Chung, S. H., & Lam, H. (2014). Survey of green vehicle routing problem: past and future trends. *Expert Systems with Applications*, 41(4), 1118-1138.
- Lin, S.-W., Vincent, F. Y., & Lu, C.-C. (2011). A simulated annealing heuristic for the truck and trailer routing problem with time windows. *Expert Systems with Applications*, 38(12), 15244-15252.
- Lopes, R. B., Ferreira, C., & Santos, B. S. (2016). A simple and effective evolutionary algorithm for the capacitated location–routing problem. *Computers & Operations Research*, 70, 155-162.
- Lopes, R. B., Ferreira, C., Santos, B. S., & Barreto, S. (2013). A taxonomical analysis, current methods and objectives on location-routing problems. *International Transactions in Operational Research*, 20(6), 795-822.
- Mar-Ortiz, J., Adenso-Diaz, B., & González-Velarde, J. L. (2011). Design of a recovery network for WEEE collection: the case of Galicia, Spain. *Journal of the Operational Research Society*, 62(8), 1471-1484.
- Matear, R. J. (1995). Parameter Optimization and Analysis of Ecosystem Models Using Simulated Annealing: A Case Study at Station P. *Journal of Marine Research*, 53, 571-607.
- Metropolis, N., Rosenbluth, A. W., Rosenbluth, M. N., Teller, A. H., & Teller, E. (1953). Equation of state calculations by fast computing machines. *The journal of chemical physics*, 21(6), 1087-1092.
- Mulasari, S. A., Husodo, A. H., & Muhadjir, N. (2016). Analisis Situasi Permasalahan Sampah Kota Yogyakarta dan Kebijakan Penanggulangannya. *Jurnal Kesehatan Masyarakat*, 11(2), 259-269.
- Nagy, G., & Salhi, S. (2007). Location-routing: Issues, models and methods. *European Journal of Operational Research*, 177(2), 649-672.
- Newnan, D. G., Eschenbach, T., Lavelle, J. P., & Wheeler, E. (2004). *Engineering economic analysis* (Vol. 2). Oxford University Press.

- Paul, K., Dutta, A., & Krishna, A. P. (2016). A comprehensive study on solid waste vehicle routing and tracking—a case study on Kolkata city. *KSCE Journal of Civil Engineering*, 20(1), 137-144.
- Prodhon, C., & Prins, C. (2014). A survey of recent research on location-routing problems. *European Journal of Operational Research*, 238(1), 1-17.
- Rabbani, M., Farrokhi-Asl, H., & Asgarian, B. (2017). Solving a bi-objective location routing problem by a NSGA-II combined with clustering approach: application in waste collection problem. *Journal of Industrial Engineering International*, 13(1), 13-27.
- Rabbani, M., Heidari, R., Farrokhi-Asl, H., & Rahimi, N. (2018). Using metaheuristic algorithms to solve a multi-objective industrial hazardous waste location-routing problem considering incompatible waste types. *Journal of Cleaner Production*, 170, 227-241.
- Regional Regulation of Yogyakarta No. 10 (2012) on Waste Management.
- Sahoo, S., Kim, S., Kim, B.-I., Kraas, B., & Popov Jr, A. (2005). Routing optimization for waste management. *Interfaces*, 35(1), 24-36.
- Salhi, S., & Rand, G. K. (1989). The effect of ignoring routes when locating depots. *European Journal of Operational Research*, 39(2), 150-156.
- Salimifard, K., Shahbandarzadeh, H., & Raeesi, R. (2012). *Green transportation and the role of operation research*. Paper presented at the Int. Conf. Traffic Transp. Eng.(ICTTE 2012).
- Samanlioglu, F. (2013). A multi-objective mathematical model for the industrial hazardous waste location-routing problem. *European Journal of Operational Research*, 226(2), 332-340.
- Schneider, M., Stenger, A., & Hof, J. (2015). An adaptive VNS algorithm for vehicle routing problems with intermediate stops. *OR Spectrum*, 37(2), 353-387.
- Shih, L.-H., & Chang, H.-C. (2001). A routing and scheduling system for infectious waste collection. *Environmental Modeling & Assessment*, 6(4), 261-269.
- Simchi-Levi, D., Simchi-Levi, E., & Kaminsky, P. (1999). *Designing and managing the supply chain: Concepts, strategies, and cases*: McGraw-Hill New York.
- Tarantilis, C. D., Zachariadis, E. E., & Kiranoudis, C. T. (2008). A hybrid guided local search for the vehicle-routing problem with intermediate replenishment facilities. *INFORMS Journal on Computing*, 20(1), 154-168.
- Teixeira, J., Antunes, A. P., & de Sousa, J. P. (2004). Recyclable waste collection planning—a case study. *European Journal of Operational Research*, 158(3), 543-554.
- Toth, P., & Vigo, D. (2002). *The vehicle routing problem*: SIAM.
- Tuzun, D., & Burke, L. I. (1999). A two-phase tabu search approach to the location routing problem. *European Journal of Operational Research*, 116(1), 87-99.
- Watson-Gandy, C., & Dohrn, P. (1973). Depot location with van salesmen—a practical approach. *Omega*, 1(3), 321-329.
- Wichapa, N., & Khokhajaikiat, P. (2018). Solving a multi-objective location routing problem for infectious waste disposal using hybrid goal

programming and hybrid genetic algorithm Pages 75-98 Right click to download the paper Download PDF. *International Journal of Industrial Engineering Computations*, 9(1), 75-98.

- Wy, J., Kim, B.-I., & Kim, S. (2013). The rollon–rolloff waste collection vehicle routing problem with time windows. *European Journal of Operational Research*, 224(3), 466-476.
- Yu, V. F., Lin, S.-W., Lee, W., & Ting, C.-J. (2010). A simulated annealing heuristic for the capacitated location routing problem. *Computers & Industrial Engineering*, 58(2), 288-299.
- Yu, V. F., & Lin, S.-Y. (2015). A simulated annealing heuristic for the open location-routing problem. *Computers & Operations Research*, 62, 184-196.